

**COVER SHEET**

**Proposal Submitted By:**

Contractor's Name

Contractor's Address

City

State

Zip Code

STATE OF ILLINOIS

Local Public Agency

County

Section Number

Route(s) (Street/Road Name)

Type of Funds

Proposal Only    Proposal and Plans    Proposal only, plans are separate

Submitted/Approved

**For Local Public Agency:**

**For a County and Road District Project**

Submitted/Approved

Highway Commissioner Signature & Date

Submitted/Approved

County Engineer/Superintendent of Highways Signature & Date

**For a Municipal Project**

Submitted/Approved/Passed

Signature & Date

Official Title

**Department of Transportation**

Released for bid based on limited review

Regional Engineer Signature & Date

Note: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

Local Public Agency	County	Section Number	Route(s) (Street/Road Name)
City of Evanston	Cook	25-00301-00-RS	Various Streets

**NOTICE TO BIDDERS**

Sealed proposals for the project described below will be received at the office of VIRTUALLY VIA DEMANDSTAR  
 \_\_\_\_\_ Name of Office  
 \_\_\_\_\_ until 2:00 PM on 5/06/25  
 \_\_\_\_\_ Address \_\_\_\_\_ Time \_\_\_\_\_ Date \_\_\_\_\_

Sealed proposals will be opened and read publicly at the office of VIRTUALLY VIA GOOGLE MEET  
 \_\_\_\_\_ Name of Office  
 \_\_\_\_\_ at 2:15 PM on 5/06/25  
 \_\_\_\_\_ Address \_\_\_\_\_ Time \_\_\_\_\_ Date \_\_\_\_\_

**DESCRIPTION OF WORK**

Location	Project Length
VARIOUS STREETS	4,535

Proposed Improvement  
 The resurfacing of various streets with utility improvements, replacement of curb, adjacent sidewalks, and all incidental construction work.

1. Plans and proposal forms will be available in the office of  
 \_\_\_\_\_

2.  Prequalification  
 If checked, the 2 apparent as read low bidders must file within 24 hours after the letting an "Affidavit of Availability" (Form BC 57) in triplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work. One original shall be filed with the Awarding Authority and two originals with the IDOT District Office.
3. The Awarding Authority reserves the right to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals.
4. The following BLR Forms shall be returned by the bidder to the Awarding Authority:
  - a. Local Public Agency Formal Contract Proposal (BLR 12200)
  - b. Schedule of Prices (BLR 12201)
  - c. Proposal Bid Bond (BLR 12230) (if applicable)
  - d. Apprenticeship or Training Program Certification (BLR 12325) (do not use for project with Federal funds.)
  - e. Affidavit of Illinois Business Office (BLR 12326) (do not use for project with Federal funds)
5. The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as hereinafter provided.
6. Submission of a bid shall be conclusive assurance and warranty the bidder has examined the plans and understands all requirements for the performance of work. The bidder will be responsible for all errors in the proposal resulting from failure or neglect to conduct an in depth examination. The Awarding Authority will, in no case, be responsible for any costs, expenses, losses or changes in anticipated profits resulting from such failure or neglect of the bidder.
7. The bidder shall take no advantage of any error or omission in the proposal and advertised contract.
8. If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Agency and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Awarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.
9. Permission will be given to a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

Local Public Agency	County	Section Number	Route(s) (Street/Road Name)
City of Evanston	Cook	25-00301-00-RS	Various Streets

**PROPOSAL**

1. Proposal of \_\_\_\_\_ Contractor's Name \_\_\_\_\_

Contractor's Address \_\_\_\_\_

2. The plans for the proposed work are those prepared by TERRA Engineering, LTD and approved by the Department of Transportation on \_\_\_\_\_.

3. The specifications referred to herein are those prepared by the Department of Transportation and designated as "Standard Specifications for Road and Bridge Construction" and the " Supplemental Specifications and Recurring Special Provisions" thereto, adopted and in effect on the date of invitation for bids.

4. The undersigned agrees to accept, as part of the contract, the applicable Special Provisions indicated on the "Check Sheet for Recurring Special Provisions" contained in this proposal.

5. The undersigned agrees to complete the work within 40 working days or by 9/15/25 unless additional time is granted in accordance with the specifications.

6. The successful bidder at the time of execution of the contract will be required to deposit a contract bond for the full amount of the award. When a contract bond is not required, the proposal guaranty check will be held in lieu thereof. If this proposal is accepted and the undersigned fails to execute a contract and contract bond as required, it is hereby agreed that the Bid Bond of check shall be forfeited to the Awarding Authority.

7. Each pay item should have a unit price and a total price. If no total price is shown or if there is a discrepancy between the products of the unit price multiplied by the quantity, the unit price shall govern. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price. A bid may be declared unacceptable if neither a unit price nor a total price is shown.

8. The undersigned submits herewith the schedule of prices on BLR 12201 covering the work to be performed under this contract.

9. The undersigned further agrees that if awarded the contract for the sections contained in the combinations on BLR 12201, the work shall be in accordance with the requirements of each individual proposal for the multiple bid specified in the Schedule for Multiple Bids below.

10. A proposal guaranty in the proper amount, as specified in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals, will be required. Bid Bonds will be allowed as a proposal guaranty. Accompanying this proposal is either a bid bond, if allowed, on Department form BLR 12230 or a proposal guaranty check, complying with the specifications, made payable to: City Collector, City of Evanston Treasurer of \_\_\_\_\_.

The amount of the check is \_\_\_\_\_ ( \_\_\_\_\_ ).

**Attach Cashier's Check or Certified Check Here**

In the event that one proposal guaranty check is intended to cover two or more bid proposals, the amount must be equal to the sum of the proposal guaranties which would be required for each individual bid proposal. If the proposal guaranty check is placed in another bid proposal, state below where it may be found.

The proposal guaranty check will be found in the bid proposal for: Section Number \_\_\_\_\_.

Local Public Agency	County	Section Number	Route(s) (Street/Road Name)
City of Evanston	Cook	25-00301-00-RS	Various Streets

## CONTRACTOR CERTIFICATIONS

The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder.

1. **Debt Delinquency.** The bidder or contractor or subcontractor, respectively, certifies that it is not delinquent in the payment of any tax administered by the Department of Revenue unless the individual or other entity is contesting, in accordance with the procedure established by the appropriate Revenue Act, its liability for the tax or the amount of the tax. Making a false statement voids the contract and allows the Department to recover all amounts paid to the individual or entity under the contract in a civil action.
2. **Bid-Rigging or Bid Rotating.** The bidder or contractor or subcontractor, respectively, certifies that it is not barred from contracting with the Department by reason of a violation of either 720 ILCS 5/33E-3 or 720 ILCS 5/33E-4.

A violation of section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense, or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent on behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State of Local government. No corporation shall be barred from contracting with any unit of State or Local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent on behalf of the corporation.

3. **Bribery.** The bidder or contractor or subcontractor, respectively, certifies that, it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois or any unit of local government, nor has the firm made an admission of guilt of such conduct which is a matter or record, nor has an official, agent, or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm.
4. **Interim Suspension or Suspension.** The bidder or contractor or subcontractor, respectively, certifies that it is not currently under a suspension as defined in Subpart I of Title 44 Subtitle A Chapter III Part 6 of the Illinois Administrative code. Furthermore, if suspended prior to completion of this work, the contract or contracts executed for the completion of this work may be canceled.

Local Public Agency	County	Section Number	Route(s) (Street/Road Name)
City of Evanston	Cook	25-00301-00-RS	Various Streets

**SIGNATURES**

(If an individual)

Bidder Signature & Date

Business Address

City

State

Zip Code

(If a partnership)

Firm Name

Signature & Date

Title

Business Address

City

State

Zip Code

Insert the Names and Addresses of all Partners

(If a corporation)

Corporate Name

Signature & Date

Title

Business Address

City

State

Zip Code

Insert Names of Officers

President

Attest:

Secretary

Secretary

Treasurer

**Instructions for BLR 12200 - Page 1 of 2**

Note: Instructions should not be included when the form is submitted.

**This form is used when a Local Public Agency desires to solicit bids for a project.**

This form shall be included in all formal contract proposals for bidding purposes. This includes both maintenance and construction projects. Refer to Chapter 12 of the Bureau of Local Roads and Streets Manual for more information. Specifications must be included in the proposal packet, along with plans, if applicable. For signature requirements refer to Chapter 2, Section 3.05(b) of the BLRS Manual.

Proposal Submitted By:

Contractor's Name (to be completed by Bidder) Contractor will insert their name when submitting a proposal packet for bid.

Contractor's Address (to be completed by Bidder) Contractor will insert legal address when submitting a proposal packet for bid.

Local Public Agency Insert the name of the Local Public Agency (LPA) soliciting bids for the project.

County Insert the name of the County in which the LPA is located.

Section Number Insert the section number assigned to this project without dashes.

Route(s) (Street/Road Name) Insert the name of the street or route on which the project is located. For projects that include several streets or routes, insert various.

Type of Funds Insert the type of funds being used to fund this project.

Proposal Only/Proposal and Plans/  
Proposal Only, Plans are separate Check the box that is applicable to this packet.

For a County and Road District Project

Highway Commissioner Signature For a Road District Project, the Highway Commissioner shall sign and date here.

County Engineer/Superintendent of Highways For a road district project or county project, the County Engineer/Superintendent of Highways shall sign and date here.

For a Municipal Project

Signature and Date For a Municipal project, the appropriate municipal official shall sign and date here.

Official Title Insert the title of the official who signed above.

Department of Transportation

Regional Engineer Signature and Date Upon a limited review, the Regional Engineer shall sign and date here.

**NOTICE TO BIDDERS**

Name of Office Insert the name of the office where proposals will be received.

Address Insert the address of the office where sealed proposals will be received.

Time Insert the time, including AM or PM, that proposals will be accepted until.

Date Insert the date that proposals will be accepted until.

Name of Office Insert the name of the office where proposals will be open and read.

Address Insert the address of the office where proposals will be open and read.

Time Insert the time, including AM or PM, that proposals will be read.

Date Insert the date that proposals will be read.

Location Insert the location description of the project.

Length Insert the length of project in miles.

Proposed Improvement Insert the description of the proposed improvement.

1 Office of Insert the name of the office, along with the address where plans and proposals will be available.

2 Prequalification Check this box if prequalification is or will be required.

**Instructions for BLR 12200 - Page 2 of 2**

**PROPOSAL**

- |    |  |  |
|----|--|--|
| 1  | Proposal of (to be completed by Bidder)        | Insert the bidder's name and address.  |
| 2  | Prepared by                                    | Insert the name of the LPA consulting engineering company who prepared the plans.  |
|    | Approved                                       | Insert the date of approval of the plans by the Department of Transportation.  |
| 5  | Working Days                                   | Insert the number of working days for the project as provided in the estimate of time, is applicable.  |
|    | Completion Date                                | Insert the completion date, if applicable.   |
| 6  | Section Number (to be completed by Bidder)     | If applicable, insert the section number without dashes of the proposal packet where the proposal guaranty can be found.   |
| 7  |  | The LPA will complete this with the contract bond requirement.   |
| 11 |  | The LPA will complete as it applies to the acceptance of bid bonds.  |
|    | Payable to                                     | Insert the name of the LPA.  |
|    | Amount of Check                                | Insert the amount of the check in words followed by numerical format in ().  |
|    | Attach Cashier's Check or Certified Check Here | Insert the BLR 12201. This will need to be completed by the bidder.  |
|    |  | Attached a certified or cashier's check here unless the proposal guaranty is found in another proposal packet. If so, indicate the packet section number where the guarantee can be found. |

**Signatures**

- |                                |   |
|--------------------------------|---|
| If an individual               | If the bidder is an individual, the bidder shall sign, date, and insert their address on the line below.  |
| If a partnership               |   |
| Firm Name and Address          | If the bidder is a partnership, the Firm name shall be inserted. The appropriate firm individual shall sign, date, and insert the firm's address on the line below. |
| Name and Addresses of Partners | On a separate line, insert each partner's name and address.   |
| If a corporation               |   |
| Corporate Name                 | Insert the corporate name of the bidder. This is to be followed by the signature of the corporate president.  |
| Business Address               | Insert the business address for the corporation.  |
| Insert the Names of Officers   | Insert the name of the corporation's president, Secretary and Treasurer.  |
| Attest                         | The secretary of the corporation shall sign and date here.  |

**A minimum of four (4) signed originals must be submitted to the Regional Engineer's District office.**

Following the Regional Engineer's approval, distribution will be as follows:

- Local Public Agency Clerk (2)
- Engineer (Municipal, Consultant or County)
- District File



# Schedule of Prices



Contractor's Name

Contractor's Address

City

State

Zip Code

Local Public Agency

County

Section Number

Route(s) (Street/Road Name)

### Schedule for Multiple Bids

Combination Letter	Section Included in Combinations	Total

### Schedule for Single Bid

(For complete information covering these items, see plans and specifications.)

Item Number	Items	Unit	Quantity	Unit Price	Total
1	TEMPORARY FENCE	FOOT	6835		
2	TREE TRUNK PROTECTION	EACH	163		
3	TREE ROOT PRUNING	FOOT	1301		
4	TREE PRUNING (OV10" DIA)	EACH	22		
5	SUPPLEMENTAL WATERING	UNIT	24		
6	EARTH EXCAVATION	CU YD	141		
7	TRENCH BACKFILL	CU YD	204		
8	POROUS GRANU BACKFILL	TON	100		
9	TOPSOIL F&PL SPECIAL	CU YD	74		
10	SODDING, SALT TOLERANT	SQ YD	662		
11	AGG BC TY B 4"	SQ YD	490		
12	AGG BC TY B 6"	SQ YD	540		
13	AGG FOR TEMP ACCESS	TON	93		
14	BIT MATLS TACK CT	POUND	9162		
15	AGGREGATE (PRIME COAT)	TON	40		
16	MX CR JTS FLANGWYS	TON	16		
17	POLY HMA BIND IL4.75 N50	TON	1142		
18	HMA SURF REM BUTT JT	SQ YD	1271		
19	TEMPORARY RAMP	SQ YD	947		
20	HMA SC MIX "D" N50	TON	2282		

Local Public Agency	County	Section Number	Route(s) (Street/Road Name)
City of Evanston	Cook	25-00301-00-RS	Various Streets

Item Number	Items	Unit	Quantity	Unit Price	Total
21	INCIDENTAL HMA SURF	TON	8		
22	PCC DRIVEWAY PAVT 6"	SQ YD	315		
23	PCC DRIVEWAY PAVT 8"	SQ YD	150		
24	PC CONC SIDEWALK 5"	SQ FT	2553		
25	DETECTABLE WARNINGS	SQ FT	412		
26	HMA SURF REM VAR DP	SQ YD	17262		
27	PAVEMENT REMOVAL	SQ YD	122		
28	DRIVE PAVEMENT REM	SQ YD	315		
29	CURB REMOVAL	FOOT	529		
30	GUTTER REMOVAL	FOOT	624		
31	COMB CURB GUTTER REM	FOOT	1954		
32	SIDEWALK REM	SQ FT	2538		
33	CL C PATCH, SPECIAL 9" HES	SQ YD	183		
34	CL D PATCH, SPECIAL 9"	SQ YD	1127		
35	MANHOLE RECONST	EACH	4		
36	MANHOLE ADJUST SPECIAL	EACH	69		
37	CB RECONST	EACH	4		
38	CB ADJUST SPECIAL	EACH	44		
39	INLET RECONST	EACH	4		
40	INLET ADJUST SPECIAL	EACH	14		
41	VB RECONST	EACH	4		
42	VB ADJUST SEPCIAL	EACH	23		
43	FR & LIDS T1 OPEN SPECIAL	EACH	4		
44	FR&LIDS T1 CLOSE SPECIAL	EACH	4		
45	CONC CURB TY B	FOOT	547		
46	CONCRETE GUTTER	FOOT	624		
47	COMB CC&G TB6.12 AEP MO	FOOT	1954		
48	NON-SPECIAL WASTE DISP	CU YD	50		
49	SOIL DISPOSAL ANALYSIS	EACH	5		
50	MOBILIZATION	LSUM	1		
51	TRAFFIC CONTROL AND PRO	LSUM	1		
52	SHORT TRM PVT MK	SQ FT	6477		
53	THPL PVT MK LINE L&S	SQ FT	27		
54	THPL PVT MK LINE 4"	FOOT	3311		
55	THPL PVT MK LINE 6"	FOOT	2266		
56	THPL PVT MK LINE 24"	FOOT	310		
57	CONST LAYOUT & STAKING	LSUM	1		

Local Public Agency		County		Section Number		Route(s) (Street/Road Name)	
City of Evanston		Cook		25-00301-00-RS		Various Streets	
58	STREET SWEEPING	EACH	18				
59	REM AND RESET ST SIGN	EACH	10				
60	REM AND RESET PAVERS	SQ FT	25				
61	LAWN SPRINKLER SY REP	FOOT	150				
62	SIGN PANEL	SQ FT	6				
63	REM & DIS UNSUIT MAT	CU YD	5				
64	EXPL TRCH BY TR SP 2FT	EACH	1				
65	INLET FILTERS	EACH	6				
66	TEMPORARY HMA	TON	40				
67	COMB SWR 8" PVC, SDR 26	FOOT	199				
68	COMB SWR 6" PVC, SDR 26	FOOT	3				
69	MH TA 4' DIA T1 FRAME CL	EACH	2				
70	SP WASTE PLNS & RPRTS	LSUM	1				
						Bidder's Total Proposal	

1. Each pay item should have a unit price and a total price.
2. If no total price is shown or if there is a discrepancy between the product of the unit price multiplied by the quantity, the unit price shall govern.
3. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price.
4. A bid may be declared unacceptable if neither a unit price or total price is shown.



Local Public Agency Proposal Bid Bond

Local Public Agency: City of Evanston; County: Cook; Section Number: 25-00301-00-RS

WE, \_\_\_\_\_ as PRINCIPAL, and \_\_\_\_\_ as SURETY, are held jointly, severally and firmly bound unto the above Local Public Agency (hereafter referred to as "LPA") in the penal sum of 5% of the total bid price, or for the amount specified in the proposal documents in effect on the date of invitation for bids, whichever is the lesser sum. We bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly pay to the LPA this sum under the conditions of this instrument.

WHEREAS THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH that, the said PRINCIPAL is submitting a written proposal to the LPA acting through its awarding authority for the construction of the work designated as the above section.

THEREFORE if the proposal is accepted and a contract awarded to the PRINCIPAL by the LPA for the above designated section and the PRINCIPAL shall within fifteen (15) days after award enter into a formal contract, furnish surety guaranteeing the faithful performance of the work, and furnish evidence of the required insurance coverage, all as provided in the "Standard Specifications for Road and Bridge Construction" and applicable Supplemental Specifications, then this obligation shall become void; otherwise it shall remain in full force and effect.

IN THE EVENT the LPA determines the PRINCIPAL has failed to enter into a formal contract in compliance with any requirements set forth in the preceding paragraph, then the LPA acting through its awarding authority shall immediately be entitled to recover the full penal sum set out above, together with all court costs, all attorney fees, and any other expense of recovery.

IN TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have caused this instrument to be signed by their respective officers this \_\_\_\_\_ Day of \_\_\_\_\_ Month and Year

Principal

Company Name, Signature & Date, Title fields for Principal

Company Name, Signature & Date, Title fields for Surety

(If Principal is a joint venture of two or more contractors, the company names, and authorized signatures of each contractor must be affixed.)

Surety

Name of Surety field

Signature of Attorney-in-Fact Signature & Date field

STATE OF IL
COUNTY OF

I \_\_\_\_\_, a Notary Public in and for said county do hereby certify that

(Insert names of individuals signing on behalf of PRINCIPAL & SURETY)

who are each personally known to me to be the same persons whose names are subscribed to the foregoing instrument on behalf of PRINCIPAL and SURETY, appeared before me this day in person and acknowledged respectively, that they signed and delivered said instruments as their free and voluntary act for the uses and purposes therein set forth.

Given under my hand and notarial seal this \_\_\_\_\_ Day of \_\_\_\_\_ Month and Year

(SEAL, if required by the LPA)

Notary Public Signature & Date field

Date commission expires \_\_\_\_\_

Local Public Agency

County

Section Number

City of Evanston

Cook

25-00301-00-RS

ELECTRONIC BID BOND

**Electronic bid bond is allowed (box must be checked by LPA if electronic bid bond is allowed)**

The Principal may submit an electronic bid bond, in lieu of completing the above section of the Proposal Bid Bond Form. By providing an electronic bid bond ID code and signing below, the Principal is ensuring the identified electronic bid bond has been executed and the Principal and Surety are firmly bound unto the LPA under the conditions of the bid bond as shown above. (If PRINCIPAL is a joint venture of two or more contractors, an electronic bid bond ID code, company/Bidder name title and date must be affixed for each contractor in the venture.)

Electronic Bid Bond ID Code

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Company/Bidder Name

--

Signature & Date

--

Title

--



# Apprenticeship and Training Program Certification

Local Public Agency	County	Street Name/Road Name	Section Number
City of Evanston	Cook	Various	25-00301-00-RS

**All contractors are required to complete the following certification**

- For this contract proposal or for all bidding groups in this deliver and install proposal.
- For the following deliver and install bidding groups in this material proposal.

Illinois Department of Transportation policy, adopted in accordance with the provisions of the Illinois Highway Code, requires this contract to be awarded to the lowest responsive and responsible bidder. The award decision is subject to approval by the Department. In addition to all other responsibility factors, this contract or deliver and install proposal requires all bidders and all bidder's subcontractors to disclose participation in apprenticeship or training programs that are (1) approved by and registered with the United States Department of Labor's Bureau of Apprenticeship and Training, and (2) applicable to the work of the above indicated proposals or groups. Therefore, all bidders are required to complete the following certification:

1. Except as provided in paragraph 4 below, the undersigned bidder certifies that it is a participant, either as an individual or as part of a group program, in an approved apprenticeship or training program applicable to each type of work or craft that the bidder will perform with its own employees.
2. The undersigned bidder further certifies, for work to be performed by subcontract, that each of its subcontractors either (A) is, at the time of such bid, participating in an approved, applicable apprenticeship or training program; or (B) will, prior to commencement of performance of work pursuant to this contract, establish participation in an approved apprenticeship or training program applicable to the work of the subcontract.
3. The undersigned bidder, by inclusion in the list in the space below, certifies the official name of each program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's employees. Types of work or craft that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category for which there is no applicable apprenticeship or training program available.

4. Except for any work identified above, if any bidder or subcontractor shall perform all or part of the work of the contract or deliver and install proposal solely by individual owners, partners or members and not by employees to whom the payment of prevailing rates of wages would be required, check the following box, and identify the owner/operator workforces and positions of ownership.

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project is accounted for and listed. The Department at any time before or afterward may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. In order to fulfill the participation requirement, it shall not be necessary that any applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract or deliver and install proposal.

Bidder	Signature & Date		
<div style="border: 1px solid black; height: 20px;"></div>	<div style="border: 1px solid black; height: 40px;"></div>		
Title			
<div style="border: 1px solid black; height: 20px;"></div>			
Address	City	State	Zip Code
<div style="border: 1px solid black; height: 20px;"></div>			



**Affidavit of Illinois Business Office**

Local Public Agency	County	Street Name/Road Name	Section Number
City of Evanston	Cook	Various	25-00301-00-RS

I, \_\_\_\_\_ of \_\_\_\_\_, \_\_\_\_\_,  
Name of Affiant City of Affiant State of Affiant

being first duly sworn upon oath, state as follows:

1. That I am the \_\_\_\_\_ of \_\_\_\_\_.  
Officer or Position Bidder
2. That I have personal knowledge of the facts herein stated.
3. That, if selected under the proposal described above, \_\_\_\_\_, will maintain a business office in the  
Bidder  
 State of Illinois, which will be located in \_\_\_\_\_ County, Illinois.  
County
4. That this business office will serve as the primary place of employment for any persons employed in the construction contemplated by this proposal.
5. That this Affidavit is given as a requirement of state law as provided in Section 30-22(8) of the Illinois Procurement Code.

Signature & Date

Print Name of Affiant

**Notary Public**

State of IL

County \_\_\_\_\_

Signed (or subscribed or attested) before me on \_\_\_\_\_ by  
(date)

\_\_\_\_\_, authorized agent(s) of  
(name/s of person/s)

\_\_\_\_\_  
Bidder

Notary Public Signature & Date

(SEAL)

My commission expires \_\_\_\_\_



# Affidavit of Availability

For the Letting of



Bureau of Construction  
 2300 South Dirksen Parkway/Room 322  
 Springfield, IL 62764

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

### Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is contracted, show NONE.

	1	2	3	4	Awards Pending	Accumulated Totals
Contract Number						
Contract With						
Estimated Completion Date						
Total Contract Price						
Uncompleted Dollar Value if Firm is the Prime Contractor						
Uncompleted Dollar Value if Firm is the Subcontractor						
<b>Total Value of All Work</b>						

### Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for each contract and awards pending to be completed with your own forces. All work subcontracted to others will be listed on the reverse of this form. In a joint venture, list only that portion of the work to be done by your company. If no work is contracted, show NONE.

Earthwork						
Portland Cement Concrete Paving						
HMA Plant Mix						
HMA Paving						
Clean & Seal Cracks/Joints						
Aggregate Bases, Surfaces						
Highway, R.R., Waterway Struc.						
Drainage						
Electrical						
Cover and Seal Coats						
Concrete Construction						
Landscaping						
Fencing						
Guardrail						
Painting						
Signing						
Cold Milling, Planning, Rotomilling						
Demolition						
Pavement Markings (Paint)						
Other Construction (List)						
<b>Totals</b>						

Disclosure of this information is REQUIRED to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization To Bid." This form has been approved by the State Forms Management Center.

**Part III. Work Subcontracted to Others.**

For each contract described in Part I, list all the work you have subcontracted to others.

	1	2	3	4	Awards Pending
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
<b>Total Uncompleted</b>					

**Notary**

I, being duly sworn, do hereby declare this affidavit is a true and correct statement relating to ALL uncompleted contracts of the undersigned for Federal, State, County, City and private work, including ALL subcontract work, ALL pending low bids not yet awarded or rejected and ALL estimated completion dates.

Officer or Director

Title

Signature

Date

Company

Address

City

State

Zip Code

Subscribed and sworn to before me

this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_

\_\_\_\_\_  
(Signature of Notary Public)

My commission expires \_\_\_\_\_

(Notary Seal)

Add pages for additional contracts

**CITY OF EVANSTON**

**SPECIFICATIONS AND BID DOCUMENTS**  
**Construction Bid with Sub-contractors**

**BID NUMBER: 25-20**

**For**

**2025 MFT STREET RESURFACING PROJECT**  
**April 3, 2025**



**BID DUE DATE:** 2:00 P.M., Tuesday, May 6, 2025

**VIRTUAL BID OPENING:** 2:15 P.M., Tuesday, May 6, 2025  
**Google Meet ID:**  
[meet.google.com/erk-vjyw-pza](https://meet.google.com/erk-vjyw-pza)  
**Phone Numbers:**  
(US) [+1 617-675-4444](tel:+16176754444)  
PIN: 491 020 418 0044#

**BID BOND:** 5% of Contract Amount

**PERFORMANCE/MATERIAL  
& LABOR PAYMENT BOND:** 100% of Contract Amount

**CONTRACT PERIOD:** Contract award through May 31, 2026

**ELECTRONIC BID SUBMITTAL:**

Bid responses will only be accepted electronically  
via E-bidding through DemandStar ([WWW.DEMANDSTAR.COM](http://WWW.DEMANDSTAR.COM))  
**It is highly recommended that new DemandStar users complete the account  
setup process prior to project due date/time.**

## TABLE OF CONTENTS

SPECIFICATION SECTION NUMBERS	PAGES
<b>DIVISION 0 – BIDDING REQUIREMENTS</b>	
Notice to Bidders .....	1
Instructions to Bidders/Requirements for Bidding .....	12
General Conditions .....	12
Insurance Requirements .....	1
<b>RETURN ALL EXHIBITS WITH THE BID</b>	
Exhibit A Bid Form .....	1
<b>Exhibit B City of Evanston M/W/D/EBE Policy</b> .....	<b>1</b>
<b>Exhibit C M/W/D/EBE Participation Compliance Form</b> .....	<b>1</b>
<b>Exhibit D M/W/D/EBE Participation Waiver Request</b> .....	<b>1</b>
<b>Exhibit E Construction Contractors’ Assistance Organizations</b> .....	<b>1</b>
<b>*Exhibit F Local Employment Program Compliance</b> .....	<b>1</b>
Exhibit G Certification of Bidder Regarding Equal Employment Opportunity .....	1
Exhibit H Disclosure of Ownership Interests .....	1
Exhibit I Additional Information Sheet .....	1
Exhibit J Certification of Compliance with Prevailing Wage Rate Act .....	1
Exhibit K Major Sub-contractors Listing .....	1
Exhibit L Conflict of Interest.....	1
Exhibit M Signature Form.....	1
Exhibit N Contractor Services Agreement Acknowledgement.....	2
Exhibit N Contractor Services Agreement .....	3
Exhibit O BID Bond Submittal Label .....	1
<b>ADDITIONAL DOCUMENTS</b>	
Contract Specifications.....	page 96
Plan Set.....	page 172
Pavement Core Reports.....	page 210
Environmental Reports.....	page 228
Prevailing Wages.....	page 941
DemandStar E-bidding Information.....	page 951

## CITY OF EVANSTON

### NOTICE TO BIDDERS

The City's Purchasing Office will receive bids until 2:00 P.M. local time Tuesday, **May 6, 2025** and will be publicly read virtually via Google Meets at 2:15 P.M. Interested parties can use the following link: [meet.google.com/erk-vjyw-pza](https://meet.google.com/erk-vjyw-pza) or join by phone 617-675-4444 PIN: 491 020 418 0044# to access the virtual bid opening. Responses will only be accepted electronically via E-bidding through DemandStar ([www.demandstar.com](http://www.demandstar.com)). Although registration is required, vendors can download solicitations and upload responses for free. Bids shall cover the following:

#### **2025 MFT STREET RESURFACING PROJECT**

**Bid Number: 25-20**

Work on this project includes the **Resurfacing of various streets** with minor utility repairs, ADA Ramps, concrete curb and sidewalk replacement and all incidental work including all materials and equipment. Bidders must be pre-qualified by Illinois Department of Transportation and present IDOT issued "certificate of Eligibility" with proposal.

The above item shall conform to the Invitation for Bids on file in the Purchasing Office. Parties interested in submitting a bid should contact the Purchasing Office to receive a copy of the bid or see the City's website at: [www.cityofevanston.org/business/bids-proposals/](http://www.cityofevanston.org/business/bids-proposals/) or DemandStar at: [www.demandstar.com](http://www.demandstar.com).

The City of Evanston (the City) in accordance with the laws of the State of Illinois, hereby notifies all Bidders that it will affirmatively ensure that the contract(s) entered into pursuant to this Notice will be awarded to the successful Bidders without discrimination on the ground of race, color, religion, sex, age, sexual orientation, marital status, disability, familial status or national origin. The State of Illinois requires under Public Works contracts that the general prevailing rate of wages in this locality be paid for each craft or type of worker hereunder. This requirement is in accordance with The Prevailing Wage Act (820 ILCS 130) as amended. The City of Evanston reserves the right to reject any or all submittals or to accept the submittal(s) deemed most advantageous to the City.

The Evanston City Council also reserves the right to award the contract to an Evanston firm if that firm's bid is within 5% of the low bid.

Each Bidder shall be required to submit with their bid a disclosure of ownership interest statement form in accordance with the provisions of City Code Section 1-18-1 *et seq.* Failure to submit such information will result in the disqualification of such bid.

Linda Thomas  
Purchasing Specialist

## **INSTRUCTIONS TO BIDDERS/REQUIREMENTS FOR BIDDING (CONTRACTS OVER \$25,000)**

### **1. ON-LINE NOTIFICATION OF SOLICITATIONS**

---

The City is utilizing Demandstar.com ([www.demandstar.com](http://www.demandstar.com)) for on-line notification purposes only for sealed bids when it is anticipated that the amount of the resulting contract will be in excess of its formal bid limit of \$25,000, such as this requirement. Interested Bidders are required to submit a sealed bid to the City by the date/time indicated for this requirement on the forms provided by the City.

### **2. SUBMISSION OF BIDS**

---

- A. The City of Evanston will no longer accept hard copy paper submittals for any solicitation. Responses will only be accepted electronically via E-bidding through DemandStar ([WWW.DEMANDSTAR.COM](http://WWW.DEMANDSTAR.COM)). Although registration is required, vendors can download solicitations and upload bid responses for free. **Please refer to attached DemandStar E-bidding documents.**
- B. ANY BIDS RECEIVED AFTER THE TIME AND DATE SPECIFIED FOR THE RECEIPT OF BIDS WILL NOT BE ACCEPTED. It is the sole responsibility of the Bidder to insure that his or her bid is delivered by the stated bid opening time. THE CITY IS NOT RESPONSIBLE FOR INCOMPLETE UPLOADED SUBMITTALS.
- C. Bids will be opened on the date and time stated.
- D. Any Bidder may withdraw his or her bid by letter or with proper identification by personally securing his or her bid at any time prior to the stated bid opening time. No telephone request for withdrawal of bids will be honored.

### **3. PREPARATION OF BIDS**

---

The Bidder must prepare the bid on the attached bid forms. Unless otherwise stated, all blank spaces on the bid form or pages must be filled in. Either a unit price, lump sum price, or a "no-bid", as the case may be, must be stated for each and every item and must be either typed in or written in ink.

### **4. SIGNING OF BIDS**

---

- A. Bids which are signed for a partnership should be signed in the firm's name by all partners or in the firm's name by Attorney-in-Fact. If signed by Attorney-in-Fact, there should be attached to the bid a Power of Attorney evidencing authority to sign the bid, dated the same date as the bid and executed by all partners of the firm.
- B. Bids which are signed for a corporation should have the correct corporate name thereon and signature of an authorized officer of the corporation manually written below the corporate name following words "By: " \_\_\_\_\_ " title of office held by the person signing for corporation, which shall appear below signature of an officer.

- C. Bids which are signed by an individual doing business under a fictitious name should be signed in the name of the individual "doing business as. \_\_\_\_\_."
- D. The name of each person signing the bid shall be typed or printed below his or her signature.

**5. CONSIDERATION OF BIDS**

---

The Purchasing Specialist shall represent and act for the City in all matters pertaining to this bid and the contract in conjunction therewith.

**6. WITHDRAWAL OF BIDS**

---

Bidders may withdraw or cancel their bids at any time prior to the advertised bid opening time. After the bid opening time, no bid shall be withdrawn or canceled for a period of sixty (60) calendar days. When contract approval is required by another agency, such as the Federal Government or the State of Illinois, no bid shall be withdrawn or canceled for a period of ninety (90) calendar days.

**7. ERRORS IN BIDS**

---

Bidders are cautioned to verify their bids before submission. Negligence on the part of the respondent in preparing the bid confers no right for withdrawal or modification of the bid after it has been opened. In case of error in the extension of prices in the bid, unit prices will govern.

**8. ADDENDA**

---

- A. Any and all changes to the specifications/plans are valid only if they are included by written addendum to all Bidders. Each Bidder must acknowledge receipt of any addenda by indicating on the Bid form. Each Bidder, by acknowledging receipt of any addenda, is responsible for the contents of the addenda and any changes to the bid therein. Failure to acknowledge any addenda may cause the bid to be rejected.
- B. Addenda information is available over the internet at: [City of Evanston Notices to Bidders](#) or [www.demandstar.com](http://www.demandstar.com), or by contacting the Purchasing Office.

**9. RESERVED RIGHTS**

---

The City of Evanston reserves the right at any time and for any reason to cancel his or her solicitation, to accept or reject any or all bids or any portion thereof, or to accept an alternate response. The City reserves the right to waive any immaterial defect in any response. The City may seek clarification from any respondent at any time, and failure to respond within a reasonable time period, or as otherwise directed, will be cause for rejection.

**10. AWARD**

---

It is the intent of the City to award a contract to the lowest responsible Bidder meeting specifications. The City reserves the right to determine the lowest

responsible Bidder on the basis of an individual item, groups of items, or in any way determined to be in the best interest of the City. Award will be based on the following factors (where applicable): (a) adherence to all conditions and requirements of the bid specifications; (b) price; (c) qualifications of the Bidder, including past performance, financial responsibility, general reputation, experience, service capabilities, and facilities; (d) delivery or completion date; (e) product appearance, workmanship, finish, taste, feel, overall quality, and results of product testing; (f) maintenance costs and warranty provisions; and (g) repurchase or residual value.

## **11. INTERPRETATION OR CORRECTION OF BIDDING DOCUMENTS**

---

Bidder's shall promptly notify the City of any ambiguity, inconsistency, or error that they discover upon examination of the bidding documents. Interpretations, corrections, and changes will be made by addendum. Each Bidder shall ascertain prior to submitting a bid that all addenda have been received and are acknowledged in the bid.

## **12. INCONSISTENCIES AND OMISSIONS**

---

These specifications and the accompanying plans, if any, are intended to include all information necessary for the work contemplated. If, by inadvertence or otherwise, the plans or specifications omit some information necessary for that purpose, the contractor shall, nevertheless, be required to perform such work at no additional cost to the City so that the project may be completed according to the true intent and purpose of the plans and specifications.

## **13. CONDITIONS**

---

Bidders are advised to become familiar with all conditions, instructions, and specifications governing his or her bid. Once the award has been made, failure to have read all the conditions, instructions and specifications of this contract shall not permit the Bidder to amend contract or to request additional compensation.

## **14. VERIFICATIONS OF DATA**

---

- A. It is understood and agreed that the unit quantities given in these specifications are approximate only, and the contractor shall verify these quantities before bidding as no claim shall be made against the City on, or account of, any excess or deficiency in the same.
- B. The contractor shall have visited the premises and determined for itself, by actual observation, boring, test holes, or other means, the nature of all soil and water conditions (both above and below ground in the line of work) that may be encountered in all construction work under this contract. The cost of all such inspection, borings, etc. shall be borne by the contractor, and no allowance will be made for the failure of the contractor to estimate correctly the difficulties attending the execution of the work.

## **15. SPECIFICATIONS**

---

Reference to brand names and numbers is meant to be descriptive, not restrictive,

unless otherwise specified. Bids on equivalent items will be considered, provided the Bidder clearly states exactly what is proposed to be furnished, including complete specifications. Unless the Bidder specifies otherwise, it is understood the Bidder is offering a referenced brand item as specified or is bidding as specified when no brand is referenced, and does not propose to furnish an "equal." The City reserves the right to determine whether a substitute offer is equivalent to, and meets the standard of quality indicated by the brand name and number.

## **16. SAMPLES**

---

When samples of items are called for by the specifications, samples must be furnished free of expense, and if not destroyed in the evaluation process will be returned at the Bidder's expense upon request. Request for the return of samples must accompany the sample and must include a UPS/Fed-Ex Pickup Slip, postage, or other acceptable mode of return. Individual samples must be labeled with Bidder's name, invitation number, item reference, manufacturer's brand name and number.

## **17. REGULATORY COMPLIANCE**

---

Each Bidder represents and warrants that the goods or services furnished hereunder (including all labels, packages and containers for said goods) comply with all applicable standards, rules and regulations in effect under the requirements of all Federal, State, and local laws, rules and regulations as applicable, including the Occupational Safety and Health Act as amended, with respect to design, construction, manufacture, or use for their intended purpose of said goods or services. Each Bidder must furnish a "Material Safety Data Sheet" in compliance with the Illinois Toxic Substances Disclosure to Employees Act when required.

## **18. PRICING**

---

The price quoted for each item is the full purchase price, including delivery to destination, and includes all transportation and handling charges, materials or service costs, patent royalties, and all other overhead charges of every kind and nature. Unless otherwise specified, prices shall remain firm for the contract period.

## **19. DISCOUNTS**

---

Prices quoted must be net after deducting all trade and quantity discounts. Where cash discounts for prompt payment are offered, the discount period shall begin with the date of receipt of a correct invoice or receipt or final acceptance of goods, whichever is later.

## **20. INSPECTION**

---

Materials or equipment purchased are subject to inspection and approval at the City's destination. The City reserves the right to reject and refuse acceptance of items which are not in accordance with the instructions, specifications, drawings or data of Seller's warranty (express or implied). Rejected materials or equipment shall be removed by, or at the expense of, the Seller promptly after rejection.

## **21. BIDS AND PLAN DEPOSITS**

---

- A. When required on the cover sheet, all bids shall be accompanied by a bid deposit in the amount specified. Bid deposits shall be in the form of cash, a certified check, or cashier's check drawn on a responsible bank doing business in the United States and shall be made payable to the City of Evanston. Bid Bonds are also acceptable. All bids not accompanied by a bid deposit, when required, will be rejected.
- B. The City will return the bid deposits of all but the 3 lowest qualified Bidders, whose deposit will be held until contract award or at the expiration of the sixty-day or ninety-day period for bid award.
- C. The bid deposit of the successful Bidder will be retained until contract documents have been executed and the Contractor has submitted all the required information. Failure to comply with the terms of this specification may be cause for forfeiture of said deposit.
- D. When required, plan deposits will be refunded should the plans be returned in good condition within 10 days of the bid opening.

## **22. DISPUTES**

---

Any dispute concerning a question of fact arising under this bid shall be decided by the Purchasing Specialist, who shall issue a written decision to the Bidder. The decision of the Purchasing Specialist shall be final and binding.

## **23. CATALOGS**

---

Each Bidder shall submit, when requested by the Purchasing Specialist, catalogs, descriptive literature, and detailed drawings, fully detailing features, designs, construction, appointments, finishes and the like not covered in the specifications, necessary to fully describe the material or work proposed to be furnished.

## **24. TAXES**

---

- A. Federal Excise Tax does not apply to materials purchased by the City of Evanston by virtue of Exemption Certificate No. A-208762, Illinois Retailers' Occupation Tax, Use Tax, and Municipal Retailers' Occupation Tax do not apply to materials or services purchased by the City of Evanston by virtue of Statute.
- B. The City of Evanston is exempt from Illinois Sales Tax by virtue of Exemption Identification number E9998-1750.
- C. The City's federal tax ID number is 36-6005870.

## **25. PERMITS & FEES**

---

All Bidders awarded a contract must secure and pay for any licenses required by the City of Evanston. Necessary building permits will be required, but all permit fees will be waived and moneys for same must not be included in any bid.

## **26. ROYALTIES & PATENTS**

---

Seller must pay all royalties and license fees. Seller must defend all suits or claims

for infringement of any patent, copyright or trademark rights, and must hold the City harmless from loss on account thereof.

## **27. LOCAL PREFERENCE POLICY**

---

The Evanston City Council reserves the right to award the contract to an Evanston firm if the firm's bid is within five (5%) percent of the low bid of a non-Evanston firm.

## **28. POWER OF ATTORNEY**

---

An Attorney-In-Fact, who signs any and all of the bond or contract bonds submitted with this bid, must file with each bond a certified and effectively dated copy of their Power of Attorney. These dates should be the same or after the date of the contract.

## **29. WARRANTY**

---

- A. The contractor warrants that all goods and services furnished to the City shall be in accordance with specifications and free from any defects of workmanship and materials: that goods furnished to the City shall be merchantable and fit for the City's described purposes, and that no governmental law, regulation, order, or rule has been violated in the manufacture or sale of such goods.
- B. The contractor warrants all equipment furnished to be in acceptable condition, and to operate satisfactorily for a period of one (1) year from delivery of, or the completion of installation, whichever is latest, unless stated otherwise in the specifications, and that if a defect in workmanship and/or quality of materials are evidenced in this period, the Seller shall remit full credit, replace, or repair at City's discretion immediately, such equipment and/or parts that are defective at no additional cost to the City.
- C. The contractor warrants to the City that each item furnished hereunder, and any component part thereof, will be new and in conformity with the specifications in all respects, unless otherwise specified, and is of the best quality of its respective kind, free from faulty workmanship, materials, or design, and installed sufficiently to fulfill any operating conditions specified by the City.
- D. The contractor shall repair or replace any item or component part thereof found not to be in conformity with this paragraph provided the City notified the Seller of such nonconformity within one (1) year after initial use or within eighteen (18) months after delivery, whichever occurs first. In the event Seller fails to proceed diligently to so replace or repair within a reasonable time after receipt of such notice, the City may undertake or complete such replacement or repair for Seller's account, and the seller will be responsible for any additional costs. Acceptance shall not relieve the seller of its responsibility.

## **30. INCURRED COSTS**

---

The City will not be liable for any costs incurred by Bidders in replying to this

invitation for bids.

### **31. VARIANCES**

---

Each Bidder must state or list by reference any variations to specifications, terms and/or conditions set forth herein with its bid.

### **32. INDEMNIFICATION**

---

- A. The awarded Bidder/Contractor shall defend, indemnify and hold harmless the City and its officers, elected and appointed officials, agents, and employees from any and all liability, losses, or damages as a result of claims, demands, suits, actions, or proceedings of any kind or nature, including but not limited to costs, and fees, including attorney's fees, judgments or settlements, resulting from or arising out of any negligent or willful act or omission on the part of the Contractor or Contractor's sub-contractors, employees, agents or sub-contractors during the performance of this Agreement. Such indemnification shall not be limited by reason of the enumeration of any insurance coverage herein provided. This provision shall survive completion, expiration, or termination of this Agreement.
- B. Nothing contained herein shall be construed as prohibiting the City, or its officers, agents, or employees, from defending through the selection and use of their own agents, attorneys, and experts, any claims, actions or suits brought against them. The Contractor shall be liable for the reasonable costs, fees, and expenses incurred in the defense of any such claims, actions, or suits. Nothing herein shall be construed as a limitation or waiver of defenses available to the City and employees and agents, including but not limited to the Illinois Local Governmental and Governmental Employees Tort Immunity Act, 745 ILCS 10/1-101 *et seq.*
- C. At the City Corporation Counsel's option, Contractor must defend all suits brought upon all such Losses and must pay all costs and expenses incidental to them, but the City has the right, at its option, to participate, at its own cost, in the defense of any suit, without relieving Contractor of any of its obligations under this Agreement. Any settlement of any claim or suit related to this Project by Contractor must be made only with the prior written consent of the City Corporation Counsel, if the settlement requires any action on the part of the City.
- D. To the extent permissible by law, Contractor waives any limits to the amount of its obligations to indemnify, defend, or contribute to any sums due under any Losses, including any claim by any employee of Contractor that may be subject to the Illinois Compensation Act, 820 ILCS 305/1 *et seq.* or any other related law or judicial decision, including but not limited to, *Kotecki v. Cyclops Welding Corporation*, 146 Ill. 2d 155 (1991). The City, however, does not waive any limitations it may have on its liability under the Illinois Workers Compensation Act, the Illinois Pension Code or any other statute.
- E. The Contractor shall be responsible for any losses and costs to repair or remedy work performed under this Agreement resulting from or arising out of any act or

omission, neglect, or misconduct in the performance of its Work or its sub-contractors' work. Acceptance of the work by the City will not relieve the Contractor of the responsibility for subsequent correction of any such error, omissions and/or negligent acts or of its liability for loss or damage resulting therefrom.

- F. All provisions of this Section 32 shall survive completion, expiration, or termination of this Agreement.

### **33. DEFAULT**

---

Time is of the essence as to the awarded contract and, of delivery or acceptable items or rendering of services is not completed by the time promised, the City reserves the right, without liability, in addition to its other rights and remedies, to terminate the contract by notice effective when received by Seller, as to stated items not yet shipped or services not yet rendered and to purchase substitute items or services elsewhere and charge the Seller with all losses incurred. The City shall be entitled to recover its attorney's fees and expenses in any successful action by the City to enforce this contract.

### **34. GOVERNING LAW**

---

This contract shall be governed by and construed according to the laws of the State of Illinois. In the event of litigation, the venue will be Cook County, Illinois.

### **35. EQUAL EMPLOYMENT OPPORTUNITY**

---

- A. In the event of the contractor's noncompliance with any provision of the Illinois Human Rights Act or Section 1-12-5 of the Evanston City Code, the contractor may be declared non-responsible and therefore ineligible for future contracts or sub-contracts with the City of Evanston, and the contract may be canceled or voided in whole or in part, and such other sanctions or penalties may be imposed or remedies invoked as provided by Statute or regulation.
- B. During the performance of this contract, the contractor agrees as follows:
1. That it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, national origin or ancestry, or age or physical or mental handicap that does not impair ability to work, and further that it will examine all job classifications to determine if minority persons or women are underutilized and will take appropriate affirmative action to rectify any such underutilization. Contractor shall comply with all requirements of City of Evanston Code Section 1-12-5.
  2. That, in all solicitations or advertisements for employees placed by it or on its behalf, it will state that all applicants will be afforded equal opportunity without discrimination because of race, color, religion, sex, national origin or ancestry.
  3. That, if it hires additional employees in order to perform this contract, or any

portion hereof, it will determine that availability (in accordance with the Fair Employment Commission's Rules and Regulations for Public Contracts) of minorities and women in the area(s) from which it may reasonably recruit and it will hire for each job classification for which employees are hired in such a way that minorities and women are not underutilized.

4. That it will send to each labor organization or representative of workers with which it has or is bound by a collective bargaining or other agreement or understanding, a notice advising such labor organization or representative of the contractor's obligations under the Illinois Fair Employment Practices Act and the Fair Employment Practices Commission's Rules and Regulations for Public Contracts. If any such labor organization or representative fails or refuses to cooperate with the contractor in its efforts to comply with such Act and Rules and Regulations, the contractor will promptly so notify the Illinois Fair Employment Practices Commission and the contracting agency and will recruit employees from other sources when necessary to fulfill its obligations hereunder.
5. That it will submit reports as required by the Illinois Fair Employment Practices Commission's Rules and Regulations for Public Contracts, furnish all relevant information as may from time to time be requested by the Fair Employment Practices Commission or the contracting agency, and in all respects comply with the Illinois Fair Employment Practices Commission's Rules and regulations for Public Contracts.
6. That it will permit access to all relevant books, records, accounts and work sites by personnel of the contracting agency, the City Manager, the Commission and the Illinois Fair Employment Practices Commission for purposes of investigation to ascertain compliance with the Illinois Fair Employment Practices Act and the Fair Employment Practices Act and the Fair Employment Practices Commission's Rules and Regulations for Public Contract.
7. That it will include verbatim or by reference the provisions of subsections (A) through (G) of this clause in every performance sub-contract as defined in Section 2.10(b) of the Fair Employment Practices Commission's Rules and Regulations for Public Contracts so that such provisions will be binding upon every such sub-contractor; and that it will also include the provisions of subsections (A), (E), (F), and (G) in every supply sub-contract as defined in Section 2.10(a) of the Fair Employment Practices Commission's Rules and Regulations for Public Contracts so that such provisions will be binding upon every such sub-contractor. In the same manner as with other provisions of this contract, the contractor will be liable for compliance with applicable provisions of this clause by all its sub-contractors; and further it will promptly notify the contracting agency and the Illinois Fair Employment Practices Commission in the event any sub-contractor fails or refuses to comply therewith. In addition, no contractor will utilize any sub-contractor declared by the Fair Employment

Practices Commission to be non-responsible and therefore ineligible for contracts or sub-contracts with the State of Illinois or any of its political subdivisions or municipal corporations.

### **36. M/W/D/EBE GOAL**

---

The City of Evanston has a goal of awarding 25% of its contracts to Minority-Owned, Women-Owned, Disadvantaged Enterprise and Evanston-based businesses (M/W/D/EBEs). All Bidders must state the proposed involvement of M/W/D/EBEs in completing a portion of the services required by the City by completing the attached M/W/D/EBE forms. Any questions regarding M/W/D/EBE compliance should be submitted in writing to Tammi Nunez, Purchasing Manager at [tnunez@cityofevanston.org](mailto:tnunez@cityofevanston.org).

### **37. LOCAL EMPLOYMENT PROGRAM REQUIREMENTS**

---

In an effort to increase hiring of economically disadvantaged Evanston residents on certain City construction projects, the contractor shall comply with the provisions of the City of Evanston's Local Employment Program Ordinance (LEP) set forth in Section 1-17-1 (C) of the Evanston City Code. The intent of the LEP is to have Evanston residents employed at the construction site as laborers, apprentices and journeymen in such trades as electrical, HVAC, carpenters, masonry, concrete finishers, truck drivers and other construction occupations necessary for the project. Any questions regarding LEP compliance should be submitted in writing to Jessica Cooper, the Workforce Development Coordinator at [jcooper@cityofevanston.org](mailto:jcooper@cityofevanston.org) or Tammi Nunez Purchasing Manager at [tnunez@cityofevanston.org](mailto:tnunez@cityofevanston.org).

**NOTE: CITY OF EVANSTON ORDINANCE 60-O-14 AMENDMENT LOCAL EMPLOYMENT PROGRAM (LEP) available on the City website at: Ordinance 60-O-14 Amendment LEP**

### **38. Questions**

---

All questions related to this bid document should be submitted in writing to Linda Thomas, Purchasing Specialist at [lithomas@cityofevanston.org](mailto:lithomas@cityofevanston.org) with a copy to Sat Nagar, P.E., Senior Project Manager, at [snagar@cityofevanston.org](mailto:snagar@cityofevanston.org) Only inquiries received a minimum of seven (7) working days prior to the date set for the opening of bids, will be given any consideration.

### **39. COORDINATION OF EXISTING SITE WITH DRAWINGS**

---

- A. Before submitting a bid, bidders shall carefully examine the drawings and specifications, visit the site, and fully inform themselves as to all conditions and limitations.
- B. Should a bidder find discrepancies in, or omissions from the drawings or specifications, or should be in doubt as to their meaning, the bidder should at once notify the Purchasing Specialist, who will issue necessary instructions to all bidders in the form of an addendum.

**40. AFFIRMATIVE ACTION IN SUB-CONTRACTING (EXCERPT FROM RESOLUTION 59-R-73)**

---

“Contractor agrees that he shall actively solicit bids for the sub-contracting of goods or services from qualified minority businesses. At the request of the City, Contractor shall furnish evidence of his compliance with this requirement of minority solicitation. Contractor further agrees to consider the grant of sub-contracts to said minority bidders on the basis of substantially equal bids in the light most favorable to said minority businesses. Contractor further affirms that in obtaining his performance and bid bonds, he will seek out and use companies who have records of, and/or who will make commitments to, the bonding of minority contractors on a rate basis comparable to their bonding of similar non-minority contractors. The contractor may be required to submit this evidence as part of the bid or subsequent to it.”

**41. COMPLIANCE WITH LAWS**

---

- A. The bidder shall at all times observe and comply with all laws, ordinances and regulations of the Federal, State, Local and City Governments, which may in any manner affect the preparation of bids or the performance of the contract.

**42. QUALIFICATION OF BIDDERS**

---

- A. All bidders must be qualified in accordance with the instructions, procedures and methods set forth in this specification.
- B. In awarding contract, City may take into consideration, skill, facilities, capacity, experience, ability, responsibility, previous work, financial standing of bidder, amount of work being carried on by bidder, quality and efficiency of construction equipment proposed to be furnished, period of time within which proposed equipment is furnished and delivered, necessity of prompt and efficient completion of work herein described. Inability of any bidder to meet requirements mentioned above may be cause for rejection of the bid. In addition, if the project covered by this contract is a minority set-aside project, the contractor's qualifications as a minority firm will determine the eligibility of the contractor to bid.

**43. COMPETENCY OF BIDDER**

---

- A. No bid will be accepted from or contract awarded to any person, firm or corporation that is in arrears or is in default to the City of Evanston upon any debt or contract, or that is a defaulter, as surety or otherwise, upon any obligation to said City, or had failed to perform faithfully any previous contract with the City.
- B. The bidder, if requested, must present within forty eight (48) hours evidence satisfactory to the Purchasing Manager of performance ability and possession of necessary facilities, pecuniary resources and adequate insurance to comply with the terms of these specifications and contract documents.

**44. PREFERENCE TO CITIZENS**

---

The Contractor shall abide by the Illinois Preference Act, 30 ILCS 570 et seq.,

which stipulates that whenever there is a period of excessive unemployment in Illinois, defined as any month immediately following two (2) consecutive months during which the level of unemployment in Illinois exceeds five percent (5%) as measured by the U.S. Bureau of Labor Statistics in its monthly publication of employment and unemployment figures, the Contractor shall employ only Illinois laborers unless otherwise exempted as so stated in the Act. ("Illinois laborer" means any person who has resided in Illinois for at least 30 days and intends to become or remain an Illinois resident) Other laborers may be used IF Illinois laborers are not available or are incapable of performing the particular type of work involved if so certified by the Contractor and approved by the project engineer.

## **GENERAL CONDITIONS**

### **1. BASIS OF AWARD**

---

The City of Evanston reserves the right to award a contract to a responsive and responsible Bidder(s) who submits the lowest total bid, or to reject any or all bids and bidding, when in its opinion the best interest of the City will be served by such action. The City reserves the right to consider the specified alternates in its evaluation of the bids.

### **2. BIDS**

---

#### **A. UNIT PRICE BID**

1. The Bidder is to submit a unit price bid for each bid line on the Bid Form which includes all costs incidental to performing the specified work.
2. It is understood and agreed that the unit quantities given in the supporting pages are approximate only and the Bidder shall verify these quantities before bidding as no claim shall be made against the City on account of any excess or deficiency in the same.
3. Unit prices given in the supporting pages shall be used by the Owner and the Contractor for any subsequent changes in the contract.
4. The quantities provided in the bid documents are approximate only and are subject to increase or decrease. Actual compensation to the CONTRACTOR shall be based upon the actual quantities multiplied by the unit prices bid for each item. The unit prices submitted herewith is for the purpose of obtaining a gross sum, and for use in computing the value of additions and deductions and for the purpose of determining the lowest BIDDERS. Should there be a discrepancy between the gross sum bid and that bid resulting from summation of quantities multiplied by their respective unit prices, the latter shall apply.

### **3. QUANTITIES**

---

Any quantities shown on the Bid Form are estimated only for bid canvassing purposes, the City has made a good faith effort to estimate the quantity requirements for the Contract term. The City reserves the right to increase or decrease quantities ordered under this contract.

### **4. CONTRACT TERM**

---

Bidder must fully complete the work within the period specified herein after award of the contract by the City.

### **5. NOTICE TO PROCEED/ PURCHASE ORDER/ CONTRACT**

---

- A. The City issued Purchase Order serves as the City official Notice to Proceed. No work will be allowed prior to Contractor receipt of the City issued Purchase Order.

- B. Upon approval of the required bonds and insurance documents, the City will issue a Purchase Order to the Contractor for the contract amount. All Applications for Payment must reference the Purchase Order number.
- C. When it is necessary to issue a Change Order that increases/decreases the contract amount, a Change Order form will be issued and a modified Purchase Order will be issued reflecting the revised contract amount.
- D. When it is necessary to issue a Change Order that only increases/decreases the contract period, only a Change Order form will be issued establishing the revised contract period.
- E. Upon Award the contractor shall execute the Contractor Services Agreement.

## **6. PAYMENT**

---

- A. Progress payments will be made in accordance with “Applications for Payment” and “Project Closeout” sections of the specifications, less a 10% retainage for each payment, which will be held until final acceptance of the work by the City. Certification of each Application for Payment will be made by the City’s representative.
- B. All payments will be made in accordance with *Illinois Local Government Prompt Payment Act*.

## **7. DECISIONS TO WITHHOLD CERTIFICATION FOR PAYMENT**

---

- A. The City may not certify payment and may withhold payment in whole or in part, to the extent reasonably necessary to protect the City, if the quality of the work is not in accordance with the contract documents. If the City is unable to certify payment in the amount of the invoice, the City will promptly issue payment for the amount of the Work completed in accordance with the contract documents. The City may not certify payment due to any contractor negligence or contract non-compliance.
  - a. Defective work not remedied
  - b. Third party claims filed or reasonable evidence indicating probable filing of such claims
  - c. Failure of Contractor to make payments properly to Sub-contractors for labor, materials or equipment
  - d. Reasonable evidence that the work cannot be completed for the unpaid balance of the Contract Sum
  - e. Damage to the City or another contractor
  - f. Reasonable evidence that the work will not be completed within the Contract period and that the unpaid balance would not be adequate to cover actual or liquidated damages for the anticipated delay
  - g. Persistent failure to carry out work in accordance with the Contract Documents.

## **8. CHANGES IN WORK**

---

- A. The City reserves the right to make changes in the plans and specifications by altering, adding to, or deducting from the work, without invalidating the contract. All such changes shall be executed under the conditions of the original contract, except that any claim for extension of time caused thereby shall be adjusted at the time of ordering such change.
- B. No change shall be made unless a written Change Order and/or modified Purchase Order is issued by the City stating that the City has authorized the change, and no claim for an addition to the contract shall be valid unless so ordered.
- C. If such changes diminish the quantity of work to be done they shall not constitute a claim for damage or anticipated profits on the work, such increase shall be paid in one or more of the following ways:
  - 1. by estimate and acceptance in lump sum
  - 2. by unit prices named in the contract's bid form or subsequently agreed upon
- D. Whenever the quantity of any pay item as given in the proposal shall be increased or decreased, payment shall be made on the basis of the actual quantity completed at the unit price for such pay item named in the proposal.

## **9. DEDUCTION FOR UNCORRECTED WORK**

---

If the City deems it expedient to correct work damaged or not done in accordance with the contract, the difference in value, together with a fair allowance for damage shall be deducted from the contract amount due. The value of such deduction shall be determined by the City.

## **10. CITY'S RIGHT TO TERMINATE CONTRACT**

---

The City reserves the right, in addition to other rights to termination, to terminate the contracts in accordance with all provisions of the executed contract.

## **11. LIENS**

---

- A. Neither the final payment nor any part of any retained percentages, shall become due until the contractor, if required, delivers to the City, a complete release of all liens arising out of this contract, or receipts in full in lieu thereof and, if required in either case, an affidavit that so far as it has knowledge or information the releases and receipts include all the labor and material for which a lien could be filed. If any lien remains unsatisfied after all payments are made the contractor shall refund to the City all moneys that the latter may be compelled to pay in discharging such a lien, including all costs and attorney's fees.

## **12. SEPARATE CONTRACTS**

---

- A. The City reserves the right to let other contracts in connection with this work. The contractor shall afford other contractors reasonable opportunity for the introduction

and storage of their materials and the execution of their work and shall properly connect and coordinate his or her work with theirs. If any part of the contractor's work depends on proper execution or results upon the work of any other contractor, the contractor shall inspect and promptly report to the City any defects in such work that render it unsuitable for such proper execution and results. His or her failure to so inspect and report shall constitute an acceptance of other contractor's work as fit and proper.

- B. To insure the proper execution of his or her subsequent work, the contractor shall measure work already in place and shall at once report to the City any discrepancy between the executed work and the drawings which will affect his or her work.

### **13. PROTECTION & SAFEGUARDS**

---

- A. Unless otherwise specified, the contractor, as a part of this contract, shall provide, erect and maintain temporary roads, fences, bracing, lights, warning signs, barricades, etc. necessary for the protection of the construction materials, adjacent property and the public.
- B. The contractor shall contact all utilities which will be affected by its operations and notify the owners of the utilities of its operations and their limits within forty-eight (48) hours prior to beginning construction. The contractor shall be responsible for damage to utilities and shall, at his or her own expense, restore such property to a condition equal to that which existed before its work, as may be directed by the owners.
- C. The contractor shall protect all work and unused materials of this contract from any and all damage and shall be solely responsible for the condition of such work and materials.

### **14. MATERIAL STORAGE**

---

- A. On-site areas may be designated for material/equipment storage. The contractor will assume all risk and liability associated with the storage of material/equipment at on-site locations.

### **15. CLEANING UP**

---

- A. The contractor shall at all time keep the premises free from accumulation of waste material or rubbish caused by its employees or work and at the completion of the work it shall remove all its rubbish, tools, and surplus materials from the premises, leaving the area in a neat and workmanlike condition. In case of dispute, the City may remove the rubbish and charge the cost to the contractor.
- B. Contractor recognizes that proper cleanup and removal of construction debris is an important safety consideration. The Contractor shall be solely responsible for daily construction site/area cleanup and removal of all construction debris in accordance with City-approved disposal practices. Contractor shall be solely responsible for identifying and removing at its expense all hazardous material and waste which it

uses and generates.

## **16. RESTORATION OF SITE**

---

- A. Prior to final payment, contractor shall fully restore all property disturbed or damaged during the course of this work. This includes, but is not limited to public property, (walks, curbs, roadways, trees, etc.) private property, and utilities. This shall also include removal of temporary facilities erected during the course of this contract and restoration of these areas.
- B. All restoration work shall be subject to the approval of the City and shall restore the property to a condition at least equal to that existing prior to the start of this contract.
- C. All restoration work of property damaged by contractor shall be accomplished at the sole expense of the contractor.

## **17. PREVAILING WAGE**

---

- A. Prospective Bidders shall thoroughly familiarize themselves with the provisions of the above-mentioned Act and shall prepare any and all bids/bids in strict compliance therewith.
- B. **Effective September 1st - All work performed on new and existing projects must be submitted to Illinois Department of Labor through the certified transcript of payroll portal.** You may access the portal here: [Certified Transcript of Payroll Portal](#)

All contractors and sub-contractors on public works projects **must submit and upload certified payrolls** on a monthly basis to the **IDOL** online portal, provide a pdf copy to the City's project manager and business work force development coordinator, along with a statement affirming that such records are true and accurate, that the wages paid to each worker are not less than the required prevailing rate and that the contractor is aware that filing records her or she knows to be false is a Class B misdemeanor.

- C. The certified payroll record must include for every worker employed on the public works project the name, address, telephone number, social security number, job classification, hourly wages paid in each pay period, number of hours worked each day, and starting and ending time of work each day. These certified payroll records are considered public records and public bodies must make these records available to the public under the Freedom of Information Act, with the exception of the employee's address, telephone number and social security number. Any contractor who fails to submit a certified payroll or knowingly files a false certified payroll is guilty of a Class B misdemeanor.
- D. All certified payrolls shall be submitted in electronic format, preferably a PDF file.
- E. As a condition of receiving payment, Contractor must (i) be in compliance with the

Agreement, (ii) pay its employees prevailing wages when required by law (Examples of prevailing wage categories include public works, printing, janitorial, window washing, building and grounds services, site technician services, natural resource services, security guard and food services). Contractor is responsible for contacting the Illinois Dept. of Labor 217-782-1710; <https://www2.illinois.gov/idol/Laws-Rules/CONMED/Pages/prevailing-wage-act.aspx> compliance with prevailing wage requirements), (iii) pay its suppliers and sub-contractors according to the terms of their respective contracts, and (iv) provide lien waivers to the City upon request.

## **18. CONTRACTOR REQUIREMENTS**

---

- A. The Contractor shall abide by and comply with all local, State and federal laws and regulations relating to contracts involving public funds and the development/construction of public works, buildings, or facilities. The scale of wages to be paid shall be obtained from Illinois Department of Labor and posted by the Contractor in a prominent and accessible place at the project work site.
- B. The Contractor certifies it has not been barred from being awarded a contract with a unit of State or local government as a result of bid rigging or bid rotating or any similar offense (720 ILCS 5/33 E-3, E-4).
- C. The Contractor certifies, pursuant to the Illinois Human Rights Act (775 ILCS 5/2-105), that it has a written sexual harassment policy that includes, at a minimum, the following information: (1) the illegality of sexual harassment, (2) the definition of sexual harassment under State law, (3) a description of sexual harassment utilizing examples, (4) the Contractor's internal complaint process including penalties, (5) legal recourse, investigation and complaint process available through the Illinois Department of Human Rights and the Human Rights Commission and directions on how to contact both; and (6) protection against retaliation as provided by Section 6-101 of the Illinois Human Rights Act.
- D. The Contractor shall abide by the "Illinois Preference Act" which stipulates that whenever there is a period of excessive unemployment in Illinois, defined as any month immediately following two (2) consecutive months during which the level of unemployment in Illinois exceeds five percent (5%) as measured by the U.S. Bureau of Labor Statistics in its monthly publication of employment and unemployment figures, the Contractor shall employ only Illinois laborers unless otherwise exempted as so stated in the Act. ("Illinois laborer" means any person who has resided in Illinois for at least 30 days and intends to become or remain an Illinois resident) Other laborers may be used IF Illinois laborers are not available or are incapable of performing the particular type of work involved if so certified by the Contractor and approved by the project engineer.

## **19. SUB-CONTRACTORS**

---

- A. The term "sub-contract" means any agreement, arrangement or understanding, written or otherwise between a Contractor and any person (in which the parties do not stand in the relationship of an employer or an employee) for the furnishing of

supplies or services or for the use of real or personal property, including lease arrangements, which, in whole or in part, is utilized in the performance of any one or more Contracts under which any portion of the Contractor's obligation under any one or more Contracts is performed, undertaken or assumed.

- B. The Bidder is specifically advised that any person, firm or party, to whom it is proposed to award a sub-contract under this contract must be acceptable to the City. Approval for the proposed sub-contract Award cannot be given by the City until the proposed Sub-contractor has submitted evidence showing that it has fully complied with any reporting requirements to which it is, or was, subject.
- C. The contractor, shall, within ten (10) days after award of the Contract, submit to the City in writing, names and addresses and respective amounts of money for proposed contracts with Sub-contractors/major suppliers. The City will review and may direct the Contractor that they shall not employ any that are not acceptable as provided above.
- D. The sub-contractor shall abide by and comply with all local, State and federal laws and regulations relating to contracts involving public funds and the development/construction of public works, buildings, or facilities.

## **20. PAYMENTS TO SUB-CONTRACTORS**

---

- A. Within seven days after the receipt of amounts paid by the City for work performed by a sub-contractor under this contract, the Contractor shall either:
  - 1. Pay the sub-contractor for the proportionate share of the total payment received from the City attributable to the work performed by the sub-contractor under this contract; or,
  - 2. Notify the City and sub-contractor, in writing, of his intention to withhold all or a part of the sub-contractor's payment and the reason for non-payment.
- B. The Contractor shall pay interest to the sub-contractor on all amounts owed that remain unpaid beyond the seven day period except for amounts withheld as allowed in item 2 above.
- C. Unless otherwise provided under the terms of this contract, interest shall accrue at the rate of one percent per month.
- D. The Contractor shall include in each of its sub-contracts a provision requiring each Sub-contractor to include or otherwise be subject to the same payment and interest requirements as set forth above with respect to each lower-tier sub-contractor.
- E. The Contractor's obligation to pay an interest charge to a sub-contractor pursuant to this provision may not be construed to be an obligation of the City.

## **21. BOND – PERFORMANCE, MATERIAL, & LABOR**

---

- A. When required by the specifications herein, the successful Bidder or Bidders shall, within ten (10) calendar days after acceptance of the Bidder's bid by the City, furnish a performance bond for 100% of the full amount of the contract from insurance companies having not less than A+ Policyholders Rating from the most recent Alfred M. Best and Co., Inc. listing available. Certification of the insurance company's rating shall be provided prior to contract implementation and quarterly thereafter until contract completion. Should such rating fall below the required A+ level during performance of the contract, it will be the contractor's responsibility to notify the City and provide a new bond from an insurance company whose rating meets the City's requirements.
- B. When required by the specifications herein, all Bidders shall submit with the bid a bid bond. A letter of credit may be furnished in lieu of a bid bond only if the following conditions are met: 1) An irrevocable letter of credit must be obtained from an accredited bank which shall include an agreement that the bank will honor a demand by the City for payment due to Plaintiff failure to complete the project. 2) An irrevocable letter of credit must be in writing and signed by an authorized representative of the bank. 3) The irrevocable letter of credit must expressly state that it is irrevocable until the bid has been awarded. 4) The letter of credit must be for the percentage specified in the bid documents.
- C. The City may reject the use of an irrevocable letter of credit if the financial soundness of the issuing bank is found to be unacceptable.
- D. In the event that the Bidder fails to furnish a performance bond in said period of ten (10) calendar days after acceptance of the Bidder's bid by the City, the City may withdraw its acceptance of the bid and retain the Bidder's deposit as liquidated damages and not as a penalty.
- E. If the contractor has more than one project for which there is a contract with the City of Evanston the contractor shall provide a separate Performance Bond for each project.

## **22. INDEMNITY**

---

- A. The Contractor shall defend, indemnify and hold harmless the City and its officers, elected and appointed officials, agents, and employees from any and all liability, losses, or damages as a result of claims, demands, suits, actions, or proceedings of any kind or nature, including but not limited to costs, and fees, including attorney's fees, judgments or settlements, resulting from or arising out of any negligent or willful act or omission on the part of the Contractor or Contractor's sub-contractors, employees, agents or sub-contractors during the performance of this Agreement. Such indemnification shall not be limited by reason of the enumeration of any insurance coverage herein provided. This provision shall survive completion, expiration, or termination of this Agreement.

- B. Nothing contained herein shall be construed as prohibiting the City, or its officers, agents, or employees, from defending through the selection and use of their own agents, attorneys, and experts, any claims, actions or suits brought against them. The Contractor shall be liable for the reasonable costs, fees, and expenses incurred in the defense of any such claims, actions, or suits. Nothing herein shall be construed as a limitation or waiver of defenses available to the City and employees and agents, including but not limited to the Illinois Local Governmental and Governmental Employees Tort Immunity Act, 745 ILCS 10/1-101 *et seq.*
- C. At the City Corporation Counsel's option, Contractor must defend all suits brought upon all such Losses and must pay all costs and expenses incidental to them, but the City has the right, at its option, to participate, at its own cost, in the defense of any suit, without relieving Contractor of any of its obligations under this Agreement. Any settlement of any claim or suit related to this Project by Contractor must be made only with the prior written consent of the City Corporation Counsel, if the settlement requires any action on the part of the City.
- D. To the extent permissible by law, Contractor waives any limits to the amount of its obligations to indemnify, defend, or contribute to any sums due under any Losses, including any claim by any employee of Contractor that may be subject to the Illinois Workers Compensation Act, 820 ILCS 305/1 *et seq.* or any other related law or judicial decision, including but not limited to, *Kotecki v. Cyclops Welding Corporation*, 146 Ill. 2d 155 (1991). The City, however, does not waive any limitations it may have on its liability under the Illinois Worker Compensation Act, the Illinois Pension Code or any other statute.
- E. The Contractor shall be responsible for any losses and costs to repair or remedy work performed under this Agreement resulting from or arising out of any act or omission, neglect, or misconduct in the performance of its Work or its sub-contractors' work. Acceptance of the work by the City will not relieve the Contractor of the responsibility for subsequent correction of any such error, omissions and/or negligent acts or of its liability for loss or damage resulting therefrom.

### **23. CONTRACTOR'S LIABILITY INSURANCE**

- A. THE CONTRACTOR SHALL NOT COMMENCE WORK UNDER THIS CONTRACT UNTIL THEY HAVE OBTAINED ALL INSURANCE REQUIRED HEREIN AND SUCH INSURANCE HAS BEEN APPROVED BY THE CITY. Nor shall the contractor allow any sub-contractor to commence work until all similar insurance required of the sub-contractor has been so obtained.
- B. The City of Evanston shall be named as an additional insured on the policy of the contractor for whatever the policy limits are for the contractor, but in no event shall the Comprehensive General Liability limits be less than \$3,000,000.00.

- C. If the contractor has more than one project for which he has a contract with the City of Evanston there shall be separate Certificates of Insurance naming the City as an additional insured on each separate policy.
- D. In the event of accidents, injuries, or unusual events, whether or not any injury occurred, the contractor shall promptly furnish the City with copies of all reports of such incidents.
- E. The contractor shall furnish one (1) copy of a certificate, with the City named as an additional insured, showing the following minimum coverage with insurance company acceptable to the City.

#### **24. PRE-CONSTRUCTION MEETING**

---

- A. A pre-construction meeting will be scheduled for the successful Contractor at a date immediately following awarding of the Contracts.

#### **25. LIQUIDATED DAMAGES**

---

- A. The Contractor must commence work within 10 days of notice from the City and the work must be completed by **09/15/2025**. In the event the work is not substantially completed by **09/15/2025**, then in addition to any remedies available to the City, the Contractor will pay to the City the sum of **One Thousand Four Hundred Twenty Five dollars (\$1425.00) per working** for each beyond those dates, until substantial completion of the work has been achieved. This payment is for liquidated damages, in addition to any other damages that may be incurred by the City, and not as a penalty. All such liquidated damages may be set-off against any moneys that may be due the contractor.
- B. Substantial Completion shall be defined as the stage in the progress of the work when the work or designated portion thereof is sufficiently complete in accordance with the Contract Documents so that the City can occupy or utilize the work for its intended use. Substantial Completion will be certified by the issuance of a Certificate of Substantial Completion, to be issued by the City's representative, when the Contractor has satisfied the above statement and billed the City for a minimum of 90% of the total value of the work.

#### **26. EXTENSION OF TIME**

---

- A. Delays due to causes beyond the control of the contractor other than such as reasonable would be expected to occur in connection with or during the performance of the work, may entitle the contractor to an extension of time for completing the work sufficient to compensate for such delay. No extension of time shall be granted, however, unless the contractor shall notify the City in writing thereof, within ten (10) days from the initiation of the delay and unless he shall, within ten (10) days after the expiration of the delay, notify the City in writing of the extension of time claimed on account thereof and then only to the extent, if any, allowed by the City.

## **27. DEFAULT**

---

- A. The City may, subject to the provisions of this section, by written notice of default to Contractor, terminate the whole or any part of this contract in any one of the following circumstances:
1. if the Contractor fails to perform the services within the time specified herein, or any extension thereof; or
  2. if the contractor fails to perform any of the other provisions of this contract, or so fails to make progress as to endanger performance of this contract in accordance with its terms, and in either of these two circumstances does not cure failure within a period of 10 days (or such other extended period as the City may authorize in writing) after receipt of notice from the City specifying such failure
- B. In the event the City terminates this contract in whole or in part as provided in this section, the City may procure, upon such terms and in such manner as the City may deem appropriate, services similar to those so terminated, and the Contractor will be liable to the City for any excess costs for such similar services.
- C. The Contractor will not be liable for any excess of costs if acceptable evidence has been submitted to the City that the failure to perform the contract was due to causes beyond the control and without fault or negligence of the Contractor.
- D. Contractors who default may not be considered for awards of future City contracts.

## **28. USE OF PREMISES**

---

- A. The contractor shall confine his apparatus, the storage of materials and the operations of his workers, to limits indicated by law, ordinances, permits or directions of the City.

## **29. DISCLOSURES AND POTENTIAL CONFLICTS OF INTEREST (30 ILCS 500/50-35)**

---

- A. The City of Evanston's Code of Ethics prohibits public officials or employees from performing or participating in an official act or action with regard to a transaction in which he has or knows he will thereafter acquire an interest for profit, without full public disclosure of such interest. This disclosure requirement extends to the spouse, children and grandchildren, and their spouses, parents and the parents of a spouse, and brothers and sisters and their spouses.

To ensure full and fair consideration of all bids, the City of Evanston requires all Bidders including owners or employees to investigate whether a potential or actual conflict of interest exists between the Bidder and the City of Evanston, its officials, and/or employees. If the Bidder discovers a potential or actual conflict of interest, the Bidder must disclose the conflict of interest in its bid, identifying the name of the City of Evanston official or employee with whom the conflict may exist, the nature of the conflict of interest, and any other relevant information. The existence

of a potential or actual conflict of interest does NOT, on its own, disqualify the disclosing Bidder from consideration. Information provided by Bidders in this regard will allow the City of Evanston to take appropriate measures to ensure the fairness of the bidding process.

The City of Evanston requires all bidders to submit a certification, enclosed with this bid packet, that the bidder has conducted the appropriate investigation and disclosed all potential or actual conflicts of interest.

By submitting a bid, all Bidders acknowledge and accept that if the City of Evanston discovers an undisclosed potential or actual conflict of interest, the City of Evanston may disqualify the Bidder and/or refer the matter to the appropriate authorities for investigation and prosecution.

**INSURANCE REQUIREMENTS**

<b><u>TYPE OF INSURANCE</u></b>	<b><u>MINIMUM INSURANCE COVERAGE</u></b>	
	Consequent Death	Bodily Injury and Property Damage
	Each Occurrence	Aggregate
Commercial General Liability including:	\$3,000,000	\$3,000,000
1. Comprehensive form		
2. Premises - Operations		
3. Explosion & Collapse Hazard		
4. Underground Hazard		
5. Products/Completed Operations Hazard		
6. Contractual Insurance – With an endorsement on the face of the certificate that it includes the "Indemnity" paragraph of the specifications.		<b><u>Insurance Certificate Must State: The City Of Evanston is Named as Additional Insured</u></b>
7. Broad Form Property Damage - construction projects only		
8. Independent contractors		
9. Personal Injury		
Automobile Liability Owned, Non-owned or Rented	\$ 1,000,000	\$1,000,000
Workmen's Compensation and Occupational Diseases As required by applicable laws. Employer's Liability		\$ 500,000

Thirty day notice of cancellation required on all certificates.

**EXHIBIT A – BID FORM**  
**For**  
**2025 MFT STREET RESURFACING PROJECT**

**(BID #25-20)**

1.01 BID TO:

**THE CITY OF EVANSTON**

2100 Ridge Avenue  
Evanston, Illinois 60201

Hereinafter called "OWNER".

1.02 BID FROM:

\_\_\_\_\_  
(Hereinafter call "BIDDER")

\_\_\_\_\_  
Address

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Fax Number

1.03 BID FOR: **EVANSTON 2025 MFT RESURFACING**

1.04 ACKNOWLEDGEMENT:

A. The Bidder, in compliance with the Invitation for Bids, having carefully examined the Drawings and Project Manual with related documents and having visited the site of the proposed Work, and being familiar with all of the existing conditions and limitations surrounding the construction of the proposed project, including the structure of the ground, subsurface conditions, the obstacles which may be encountered, local restrictions, and all other relevant matters concerning the Work to be performed, hereby PROPOSES to perform everything required to be performed, and to provide all labor, materials, necessary tools and equipment, expendable equipment, all applicable permits and taxes and fees, and provide all utility and transportation services necessary to perform and complete in a workmanlike

manner the Project in accordance with all the plans, specifications and related Contract Documents as prepared by the City of Evanston.

- B. The undersigned hereby acknowledges receipt of Invitation of Bids, Instruction to Bidder, the Project Manual, Drawings, and other Contract Documents and acknowledges receipt of the following Addenda:

Addendum No. \_\_\_\_\_ Dated \_\_\_\_\_

Addendum No. \_\_\_\_\_ Dated \_\_\_\_\_

Addendum No. \_\_\_\_\_ Dated \_\_\_\_\_

1.05 GENERAL STATEMENTS

- A. The undersigned has checked all of the figures contained in this proposal and further understands that the Owner will not be responsible for any errors or omissions made therein by the undersigned.
- B. It is understood that the right is reserved by the Owner to reject any or all proposals, to waive all informality in connection therewith and to award a Contract for any part of the work or the Project as a whole.
- C. The undersigned declares that the person(s) signing this proposal is/are fully authorized to sign on behalf of the named firm and to fully bind the named firm to all the conditions and provisions thereof.
- D. It is agreed that no person(s) or company other than the firm listed below or as otherwise indicated hereinafter has any interest whatsoever in this proposal or the Contract that may be entered into as a result thereof, and that in all respects the proposal is legal and fair, submitted in good faith, without collusion or fraud.
- E. It is agreed that the undersigned has complied and/or will comply with all requirements concerning licensing and with all other local, state and national laws, and that no legal requirement has been or will be violated in making or accepting this proposal, in awarding the Contract to him, and/or in the prosecution of the Work required hereunder.
- F. To be considered a bona fide offer, this proposal must be completed in full and accompanied by a bid deposit or a bid bond when required by Contract Documents or Addenda.

1.06 ALTERNATES

- A. When alternate proposals are required by Contract Documents or Addenda thereto, the undersigned proposes to perform alternates for herein stated additions to or deductions from hereinbefore stated Base Bid. Additions and deductions include all modifications of Work or additional Work that the undersigned may be required to perform by reason of the acceptance of alternates.

1.07 ALLOWANCE

- A. The allowance is general and should be used in the event that any unforeseen condition is discovered. After discovering the unforeseen condition, the contractor shall submit a Found Condition Report (FCR) and an Authorization to Use Allowance (AUA) to the Consultant. The Consultant will then notify the Owner and both the Owner and the Consultant will view the unforeseen condition to determine if the work will be authorized. Under no circumstances shall the contractor move forward with the work in question nor shall the contractor expend allowance without an approved AUA. At the end of the project, unspent allowance shall be credited to owner via change order.

1.08 AGREEMENT

- A. In submitting this Bid, the undersigned agrees:
  - 1. To hold this Bid open for sixty (60) days from submittal date.
  - 2. To enter into and execute a Contract with the Owner within ten (10) days after receiving Notice of Award from the Owner.
  - 3. To accomplish the work in accordance with the Contract Documents.
  - 4. To complete the work by the time stipulated in the General Conditions
- B. The Owner reserves the right to reject any and all Bids and to waive any informalities in Bidding.

1.09 SCHEDULE

- A. See General Conditions for required schedule of completion dates.

1.10 PROPOSED PRICES

- A. The Bidder hereby proposes to furnish all labor, materials, equipment, transportation, construction plant and facilities necessary to complete, in a workmanlike manner and in accordance with the contract documents, the contract of work bid upon herein for compensation in accordance with the following prices:

**BASE BID AMOUNT:** \$ \_\_\_\_\_

**ALLOWANCE (ADDITIONAL WORK – GENERAL):** \$ \_\_\_\_\_ +XX,XXX

**TOTAL BASE BID AMOUNT:** \$ \_\_\_\_\_

1.11 BID SECURITY

If required by the bid documents, a scanned copy of the bid bond must be included with the bid electronic submission. The City is currently not able to accept a certified check, bank cashier’s check or electronic bid bond at this time.

- A. The City of Evanston Civic Center is unable to receive in person drop-off and it is closed to the public. The original bid bond must be mailed within ten (10) days after the due date, to the City of Evanston Purchasing Department, 2100 Ridge Avenue - Room 4200 Evanston, Illinois 60201 Attention Purchasing Manager using the USPS (certified or priority), UPS or FedEx mail options in order to have a tracking number.
- B. Accompanying this electronic submittal is a scanned copy of a bank draft, bid bond, Cashier's check or Certified check as surety in the amount of not less than five percent (5%) of the Total Bid payable to the City of Evanston.

The amount of the check or draft is: \$ \_\_\_\_\_

If this bid is accepted and the undersigned shall fail to execute a contract and contract bond as required it is hereby agreed that the amount of the check or draft or bidder's bond substituted in lieu thereof, shall become the property of the City and shall be considered as payment of damages due to delay and other causes suffered by the City because of the failure to execute said contract and contract bond; otherwise said check or draft shall be returned to the undersigned.

In the event that one check or draft is intended to cover two or more bids, the amount must be equal to the sum of the project proposal guarantees of the individual sections covered.

If the check or draft is placed on another project proposal, state below where it may be found, as follows: The check or draft will be found in the project proposal for: \_\_\_\_\_.

**1.12 PERFORMANCE/PAYMENT BOND**

The undersigned bidder agrees to provide Performance Bond and Payment Bond executed in accordance with Contract Performance Bond form furnished by and acceptable to the Owner written with \_\_\_\_\_

\_\_\_\_\_ in the amount of 100% of the Contract Sum (Total Base Bid and all accepted alternatives and adjustments) the cost of which is included in the Bid.

Cost of bond for change order is \_\_\_\_\_ percent of change order cost.

**1.13 LIQUIDATED DAMAGES**

The undersigned Bidder understands and agrees to the provisions stated under "LIQUIDATED DAMAGES" in the General Conditions and shall be assessed at the specified daily rate for each calendar day or partial calendar day until completion as defined herein.

**1.14 MATERIAL SUBSTITUTION SHEET**

The following is a schedule of substitute materials I propose to furnish on this job, with the difference in price being added to or deducted from the Base Bid. The Base Bid is understood to include only those items which are definitely specified by trade names or otherwise.

I understand that if no price difference is indicated, then the selection of materials is optional with the Owner, and approval or rejection of the substitution below will be indicated prior to signing of Contracts.

<u>PRODUCT NAME AND/OR MANUFACTURER</u>	<u>ADD</u>	<u>DEDUCT</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

1.15 PROPOSAL SIGNATURE (REQUIRED)

A. SOLE PROPRIETOR  
Signature of Bidder: \_\_\_\_\_

SUBSCRIBED AND SWORN to before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_

\_\_\_\_\_  
Notary Public

Commission Expires: \_\_\_\_\_

B. PARTNERSHIP  
Signature of All Partners: \_\_\_\_\_

\_\_\_\_\_  
Name (typed or printed)

\_\_\_\_\_  
Name (typed or printed)

SUBSCRIBED AND SWORN to before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_

\_\_\_\_\_  
Notary Public

Commission Expires: \_\_\_\_\_

C. CORPORATION  
Signature of Authorized Official: \_\_\_\_\_

Title: \_\_\_\_\_

Name above (typed or printed): \_\_\_\_\_

(If other than the president, attach a certified copy of that section of corporate by-laws or other authorization by the Corporation which permits the person to execute the offer for the Corporation.)

(Corporate Seal)

Attest: \_\_\_\_\_  
Secretary

SUBSCRIBED AND SWORN to before me this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
Notary Public Commission Expires: \_\_\_\_\_

1.16 DISCLOSURE

- A. The undersigned duly sworn deposes and says on oath that the bidder has withheld no disclosures of ownership interest and the information provided herein to the best of its knowledge is current and said undersigned has not entered into any agreement with any other bidder or prospective bidder or with any other person, firm or corporation relating to the price named in said proposal or any other proposal, nor any agreement or arrangement under which any person, firm or corporation is to refrain from bidding, nor any agreement or arrangement for any act or omission in restraint of free competition among bidders and has not disclosed to any person, firm or corporation the terms of this bid or the price named herein.

Bidder: \_\_\_\_\_

Business Address: \_\_\_\_\_  
\_\_\_\_\_

Telephone Number: \_\_\_\_\_

1.17 CONTACTS

- A. In the event the Evanston City Council approves this bid response, list the name, address, telephone, and fax number of the person to be contacted:

Bidder: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

Telephone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

1.18 REFERENCES

A. Provide three (3) references for which your firm has completed work of a similar scope in the past.

1. Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: \_\_\_\_\_

Contract Value: \_\_\_\_\_

Contract Dates: \_\_\_\_\_

2. Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: \_\_\_\_\_

Contract Value: \_\_\_\_\_

Contract Dates: \_\_\_\_\_

3. Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: \_\_\_\_\_

Contract Value: \_\_\_\_\_

Contract Dates: \_\_\_\_\_

## **EXHIBIT B**

### **City of Evanston M/W/D/EBE Policy**

A City of Evanston goal is to provide contracting and sub-contracting opportunities to Minority Business Enterprises, Women Business Enterprises, Disadvantaged and Evanston Business Enterprises. The goal of the Minority, Women, Disadvantaged and Evanston Business Enterprise Program (M/W/D/EBE) is to assist such businesses with opportunities to grow. To assist such growth, the City's goal is to have general contractors utilize M/W/D/EBEs to perform no less than 25% of the awarded contract.

Firms bidding on projects with the City must work to meet the 25% goal or request a waiver from participation. It is advised that bidders place advertisements requesting sub-contractors and that they email or contact individual firms that would be appropriate to partner in response to the project. For samples of possible advertisements, see the City of Evanston's Business Diversity Section <http://www.cityofevanston.org/business/business-diversity/> ([Sample Advertisement](#)). If you request a paper copy of the additional documents, it will be available free of charge from the Purchasing Office, 2100 Ridge Road Suite 4200, Evanston, IL 60201.

If a bidder is unable to meet the required M/W/D/EBE goal, the Bidder must seek a waiver or modification of the goal on the attached forms. Bidder must include:

1. A narrative describing the Bidder's efforts to secure M/W/D/EBE participation prior to the bid opening.
2. Documentation of each of the assist agencies that were contacted, the date and individual who was contacted, and the result of the conversation (see form)
3. A letter attesting to instances where the bidder has not received inquiries/proposals from qualified M/W/D/EBEs
4. Names of owners, addresses, telephone numbers, date and time and method of contact of qualified M/W/D/EBE who submitted a proposal but was not found acceptable.
5. Names of owners, addresses, telephone numbers, date and time of contact of at least 15 qualified M/W/D/EBEs the bidder solicited for proposals for work directly related to the Bid prior to the bid opening (copies must be attached).

If a bidder is selected with a Sub-contractor listed to meet the M/W/D/EBE goal, a "monthly utilization report" will be due to the City prior to each payment being issued to the Contractor. This report will include documentation of the name of the firm hired, the type of work that firm performed, etc. Should the M/W/D/EBE not be paid according to the schedule proposed in this document, the City reserves the right to cancel the contract. Examples of this monthly form can be found on the City's website: <http://www.cityofevanston.org/business/business-diversity/> ([MWDEBE Monthly Utilization Report](#)).

**EXHIBIT C**

**M/W/D/EBE PARTICIPATION COMPLIANCE FORM**

I do hereby certify that

\_\_\_\_\_ (Name of firm) intends to participate as a Subcontractor or General Contractor on the project referenced above.

This firm is a (check only one):

- \_\_\_\_\_ Minority Business Enterprise (MBE), a firm that is at least 51% managed and controlled by a minority, certified by a certifying agency within Illinois.
- \_\_\_\_\_ Women's Business Enterprise (WBE), a firm that is at least 51% managed and controlled by a woman, certified by a certifying agency within Illinois.
- \_\_\_\_\_ Disadvantaged Business Enterprise (DBE), a firm that is at least 51% managed and controlled by a disadvantaged, certified by a certifying agency within Illinois.
- \_\_\_\_\_ Evanston Based Enterprise (EBE), a firm located in Evanston for a minimum of one year and which performs a "commercially useful function".

Total proposed price of response \$ \_\_\_\_\_

Amount to be performed by a M/W/D/EBE \$ \_\_\_\_\_

Percentage of work to be performed by a M/W/D/EBE \_\_\_\_\_ %

Information on the M/W/D/EBE Utilized:

Name \_\_\_\_\_

Address \_\_\_\_\_

Phone Number \_\_\_\_\_

Signature of firm attesting to participation \_\_\_\_\_

Title and Date \_\_\_\_\_

Type of work to be performed \_\_\_\_\_

Please attach:

1. Proper certification documentation if applying as a M/W/D/EBE and check the appropriate box below. This M/W/D/EBE will be applying with documentation from:

- Cook County                       State Certification
- Federal Certification            Women's Business Enterprise National Council
- City of Chicago                    Chicago Minority Supplier Development Council

2. Attach business license if applying as an EBE

**EXHIBIT C**

**M/W/D/EBE UTILIZATION SUMMARY REPORT**

The following Schedule accurately reflects the value of each MBE/WBE/DBE/EBE sub-agreement, the amounts of money paid to each to date, and this Pay Request. The total proposed price of response submitted is \_\_\_\_\_.

<b>MBE/WBE/DBE/EBE FIRM NAME</b>	<b>FIRM TYPE (MBE/WBE/ DBE/EBE)</b>	<b>SERVICES PERFORMED</b>	<b>AMOUNT OF SUB- CONTRACT</b>	<b>PERCENT OF TOTAL CONTRACT AMOUNT</b>
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
			\$	
<b>TOTAL</b>			\$	

**EXHIBIT D**

**M/W/D/EBE PARTICIPATION WAIVER REQUEST**

I am \_\_\_\_\_ of \_\_\_\_\_, and I have authority to  
(Title) (Name of Firm)

execute this certification on behalf of the firm. I \_\_\_\_\_ do  
(Name)

hereby certify that this firm seeks to waive all or part of this M/W/D/EBE participation goal for the following reason(s):

**(CHECK ALL THAT APPLY. SPECIFIC SUPPORTING DOCUMENTATION MUST BE ATTACHED.)**

\_\_\_\_\_ 1. No M/W/D/EBEs responded to our invitation to bid.

\_\_\_\_\_ 2. An insufficient number of firms responded to our invitation to bid.

**For #1 & 2, please provide a narrative describing the outreach efforts from your firm and proof of contacting at least 15 qualified M/W/D/EBEs prior to the bid opening. Also, please attach the accompanying form with notes regarding contacting the Assist Agencies.**

\_\_\_\_\_ 3. No sub-contracting opportunities exist.

**Please attach a written explanation of why sub-contracting is not feasible. Please provide details supporting your request.**

\_\_\_\_\_ 4. M/W/D/EBE participation is impracticable.

**Please attach a written explanation of why M/W/D/EBE participation is impracticable. Please provide details supporting your request.**

Therefore, we request to waive \_\_\_\_\_ of the 25% utilization goal for a revised goal of \_\_\_\_\_%.

Signature: \_\_\_\_\_  
(Signature)

Date: \_\_\_\_\_

**EXHIBIT E**

**Construction Contractors' Assistance Organizations ("Assist Agencies") Form**

AGENCY	DATE CONTACTED	CONTACT PERSON	RESULT OF CONVERSATION
<b>Association of Asian Construction Enterprises (AACE)</b> 5500 Touhy Ave., Unit K Skokie, IL. 60077 Phone: 847-5259693 Perry Nakachii, President			
<b>Black Contractors United (BCU)</b> 400 W. 76th Street Chicago, IL 60620 Phone: 773-483-4000; Fax: 773-483-4150 Email: <a href="mailto:bcunewera@ameritech.net">bcunewera@ameritech.net</a>			
<b>Chicago Minority Business Development Council</b> 105 West Adams Street Chicago, Illinois 60603 Phone: 312-755-8880; Fax: 312-755-8890 Email: <a href="mailto:info@chicagomsdc.org">info@chicagomsdc.org</a> Shelia Hill, President			
<b>Evanston Minority Business Consortium, Inc.</b> P.O. Box 5683 Evanston, Illinois 60204 Phone: 847-492-0177 Email: <a href="mailto:embcinc@aol.com">embcinc@aol.com</a>			
<b>Federation of Women Contractors</b> 5650 S. Archer Avenue Chicago, Illinois 60638 Phone: 312-360-1122; Fax: 312-360-0239 Email: <a href="mailto:FWCChicago@aol.com">FWCChicago@aol.com</a> Contact Person: Beth Doria Maureen Jung, President			
<b>Hispanic American Construction Industry (HACIA)</b> 901 W. Jackson, Suite 205 Chicago, IL 60607 Phone: 312-666-5910; Fax: 312-666-5692 Email: <a href="mailto:info@haciaworks.org">info@haciaworks.org</a>			
<b>Women's Business Development Ctr.</b> 8 S. Michigan Ave, Suite 400 Chicago, Illinois 60603 Phone: 312-853-3477 X220; Fax: 312-853-0145 Email: <a href="mailto:wbdc@wbdc.org">wbdc@wbdc.org</a> Carol Dougal, Director			

**PLEASE NOTE:** Use of Construction Contractor's Assistance Organization (Assist Agencies") Form and agencies are for use as a resource only. The agencies and or vendors listed are not referrals or recommendations by the City of Evanston.

## **EXHIBIT F-NOT APPLICABLE**

### **EXHIBIT F**

#### **CITY OF EVANSTON LOCAL EMPLOYMENT PROGRAM (LEP) COMPLIANCE**

**Effective Date January 1, 2015**

#### **City of Evanston Ordinance 60-O-14, Local Employment Program (LEP) New Penalties:**

- **Ordinance 60-O-14**, Amendment to the MWDEBE/LEP revising the penalty section from a \$100/per day to a 1.0% of total project value penalty can be found at: Ordinance 60-O-14 Amendment MWEDBE LEP of the Evanston City Code Section 1-17-1 (C) can be found at Municode Library. The following are excerpts from Ordinance 60-O-14, Amending City Code Section 1-17-1(C) (11): Penalty.

**If the contractor or sub-contractor fails to comply:** The City may impose a fine up to one percent (1.0%) of the approved project price in total. Contractors or sub-contractors that are out of compliance due to a resident termination or resignation shall immediately notify the Business Workforce Compliance Coordinator of this occurrence within two (2) business days. Subsequently, the contractor or sub-contractor shall have five (5) additional business days to replace a terminated or resigned worker with another resident.

**If the contractor or sub-contractor fails to comply:** If the contractor or sub-contractor fails to make the replacement or to notify the Business Workforce Compliance Coordinator of this occurrence, the offending party will also be subject to a penalty up to one percent (1.0%) of the approved project price. If the noncompliant contractor makes a good faith effort to replace the resident, the fine may be waived.

**If the contractor or sub-contractor fails to comply:** At the sole discretion of the City, a contractor or sub-contractor that has violated the terms of the Local Employment Program within a three-year period may be determined a non-responsible bidder and excluded from bidding on future projects for a period of not less than one year.

**If the employee (LEP Evanston resident) fails to comply:** At the sole discretion of the City, an employee that has been hired through the LEP may be removed from the program for a period of not less than one year for failing to adhere to program guidelines or due to termination by the contractor for cause. Such termination process will be reviewed by the Workforce Development Coordinator.

**\*\*Detailed Local Employment Program Instructions “How to Comply” can be found at: [Local Employment Program Detailed Instructions](#)**

**Local Employment Program or Exhibit F Questions:** City staff is available for assistance to help with compliance. Submit questions in writing to Jessica Cooper, the Workforce Development Coordinator at [jcooper@cityofevanston.org](mailto:jcooper@cityofevanston.org) or Tammi Nunez, Purchasing Manager at [tnunez@cityofevanston.org](mailto:tnunez@cityofevanston.org).

**EXHIBIT F-NOT APPLICABLE**  
**EXHIBIT F**  
**LOCAL EMPLOYMENT PROGRAM COMPLIANCE**  
**CITY CODE SECTION 1-17-1(C): LOCAL EMPLOYMENT PROGRAM**

I have read and understood the requirements of the City of Evanston Local Employment Program ("LEP") as set forth in City of Evanston Code Section 1-17-1(C): Local Employment Program. I intend to comply with the program as follows:

Estimated total labor cost = \$ \_\_\_\_\_ 15% of total labor cost = \$ \_\_\_\_\_

- \_\_\_\_\_ My total bid, including all alternates, is under \$250,000, and the LEP does not apply.
- \_\_\_\_\_ My total bid, including all alternates, is equal to or greater than \$250,000, and I already employ, and will continue to employ for the duration of the contract for which I am submitting this bid, Evanston residents (residing in zip codes 60201 or 60202) for at least 15% of all hours worked at the construction site by construction trade workers.
- \_\_\_\_\_ My total bid, including all alternates, is equal to or greater than \$250,000, and I will employ, for the duration of the contract for which I am submitting this bid, through use of the City of Evanston database or otherwise, Evanston residents (residing in zip codes 60201 or 60202) for at least 15% of all hours worked at the construction site by construction trade workers.
- \_\_\_\_\_ My total bid, including all alternates, is equal to or greater than \$250,000, and I have been unable to comply with the LEP requirements but am willing to work with the City to achieve compliance.
- \_\_\_\_\_ My total bid, including all alternates, is equal to or greater than \$250,000, and after having made sincere attempt to comply as noted below, I seek a waiver on a portion or all of the LEP requirements on this contract. Complete next section "Reasons for Waiver Request" below.

**I UNDERSTAND THAT FAILURE TO COMPLY WITH THE LEP, REGARDLESS OF INTENT, MAY RESULT IN MAXIMUM PENALTY AS SET FORTH IN CITY CODE SECTION 1-17-1(C)(11), AS AMENDED.**

**WAIVER WILL BE GRANTED ONLY AFTER SINCERE ATTEMPT TO COMPLY\***

REASONS FOR WAIVER REQUEST: PLEASE CHECK ALL THAT APPLY AND COMPLETE INFORMATION REQUESTED:

1. I have made sincere attempt as otherwise indicated below, but have nonetheless been unable to comply.
  - a. I do or will employ Evanston residents for the project, but such employment amounts to \_\_\_\_% of total labor cost.
2. The nature of the job is so technical that after having made sincere attempt as otherwise indicated below, I have been unable to locate any Evanston residents qualified to perform any aspects of the work. Please describe applicable job requirements/qualifications. Attach separate sheet if necessary:

\_\_\_\_\_

\*THE FOLLOWING DEMONSTRATE **SINCERE ATTEMPT TO COMPLY**: PLEASE CHECK EACH BOX COMPLETED, AS APPLICABLE:

3. I have utilized the local resident database and otherwise worked with the City in attempt to hire Evanston residents in compliance with LEP on this project, and have nonetheless been unable to comply;
4. I have placed one or more ads in a local newspaper seeking to hire Evanston residents in compliance with LEP on this project, and have nonetheless been unable to comply; and
5. If I am utilizing union labor, I have contacted Chicagoland labor unions to request Evanston residents for employment in compliance with LEP on this project and have nonetheless been unable to comply.

I have read The City of Evanston, Local Employment Program (LEP) requirements as set forth in City Code Section 1-17-1(C): Local Employment Program. I understand and will comply with the LEP requirements for this project with respect to the job and/or any waiver, as applicable. **I UNDERSTAND THAT IF MY APPLICATION IS NOT COMPLETE, MY BID MUST BE REJECTED.**

SIGNED:

\_\_\_\_\_  
 Signature Printed Name and Title Date  
 On behalf of Company: \_\_\_\_\_

\_\_\_\_\_  
 Signature Printed Name and Title Date  
 On behalf of Company: \_\_\_\_\_



**EXHIBIT H**

**DISCLOSURE OF OWNERSHIP INTERESTS**

City of Evanston Ordinance 15-0-78 requires all persons (APPLICANT) seeking to do business with the City to provide the following information with their bid. Every question must be answered. If the question is not applicable, answer with "NA".

APPLICANT NAME: \_\_\_\_\_

APPLICANT ADDRESS: \_\_\_\_\_

TELEPHONE NUMBER: \_\_\_\_\_

FAX NUMBER: \_\_\_\_\_

APPLICANT is (**Check One**)

- 1. Corporation ( )
- 2. Partnership ( )
- 3. Sole Owner ( )
- 4. Association ( )
- 5. Other ( ) \_\_\_\_\_

Please answer the following questions on a separate attached sheet if necessary.

**SECTION I - CORPORATION**

1a. Names and addresses of all Officers and Directors of Corporation.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

1b. (Answer only if corporation has 33 or more shareholders.) Names and addresses of all those shareholders owning shares equal to or in excess of 3% of the proportionate ownership interest and the percentage of shareholder interest. (Note: Corporations which submit S.E.C. form 10K may substitute that statement for the material required herein.)  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

1c. (Answer only if corporation has fewer than 33 shareholders.) Names and addresses of all shareholders and percentage of interest of each herein. (Note: Corporations which submit S.E.C. form 10K may substitute that statement for the material requested herein.)

---

---

---

**SECTION 2 - PARTNERSHIP/ASSOCIATION/JOINT VENTURE**

2a. The name, address, and percentage of interest of each partner whose interests therein, whether limited or general is equal to or in excess of 3%.

---

---

---

2b. Associations: The name and address of all officers, directors, and other members with 3% or greater interest.

---

---

---

**SECTION 3 - TRUSTS**

3a. Trust number and institution.

---

3b. Name and address of trustee or estate administrator.

---

---

---

3c. Trust or estate beneficiaries: Name, address, and percentage of interest in total entity.

---

---

---

**SECTION 4 - ALL APPLICANTS - ADDITIONAL DISCLOSURE**

4a. Specify which, if any, interests disclosed in Section 1, 2, or 3 are being held by an agent or nominee, and give the name and address of principal.

---

---

---

4b. If any interest named in Section 1, 2, or 3 is being held by a "holding" corporation or other "holding" entity not an individual, state the names and addresses of all parties holding more than a 3% interest in that "holding" corporation or entity as required in 1(a), 1(b), 1(c), 2(a), and 2(b).

---

---

---

4c. If "constructive control" of any interest named in Sections 1, 2, 3, or 4 is held by another party, give name and address of party with constructive control. ("Constructive control" refers to control established through voting trusts, proxies, or special terms of venture of partnership agreements.)

---

---

---

I have not withheld disclosure of any interest known to me. Information provided is accurate and current.

\_\_\_\_\_   
Date

\_\_\_\_\_   
Signature of Person Preparing Statement

\_\_\_\_\_   
Title

ATTEST: \_\_\_\_\_   
Notary Public

(Notary Seal)

Commission Expires: \_\_\_\_\_

**EXHIBIT I**

**ADDITIONAL INFORMATION SHEET**

Bid/Proposal Name: \_\_\_\_\_

Bid/Proposal Number #: \_\_\_\_\_

Company Name: \_\_\_\_\_

Contact Name: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Telephone/FAX: # \_\_\_\_\_

E-mail: \_\_\_\_\_

**Comments:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**EXHIBIT J**

**CERTIFICATE OF COMPLIANCE  
WITH PREVAILING WAGE RATE ACT**

The undersigned, upon being first duly sworn, hereby certifies to the City of Evanston, Cook, County, Illinois, that all work under this contract shall comply with the Prevailing Wage Rate Act of the State of Illinois, 820 ILCS 130 *et seq*, and as amended by Public Acts 86-799 and 86-693 and our current city ordinance, with rates to be paid in effect at time work is performed. Contractors shall submit monthly certified payroll records to the city.

Name of Contractor: \_\_\_\_\_

By: \_\_\_\_\_

By: State of \_\_\_\_\_, County of \_\_\_\_\_

Subscribed and sworn to before me this \_\_\_\_\_ day  
of \_\_\_\_\_, \_\_\_\_\_.

Notary Public



**EXHIBIT L**

**CONFLICT OF INTEREST**

\_\_\_\_\_, hereby certifies that it has conducted an investigation into whether an actual or potential conflict of interest exists between the Bidder, its owners and employees and any official or employee of the City of Evanston.

Bidder further certifies that it has disclosed any such actual or potential conflict of interest and acknowledges if Bidder/proposer has not disclosed any actual or potential conflict of interest, the City of Evanston may disqualify the bid/proposal.

\_\_\_\_\_  
(Name of Bidder/proposer if the Bidder/proposer is an Individual)  
(Name of Partner if the Bidder/proposer is a Partnership)  
(Name of Officer if the Bidder/proposer is a Corporation)

The above statements must be subscribed and sworn to before a notary public.  
Subscribed and Sworn to this \_\_\_\_\_ day of \_\_\_\_\_, 20

\_\_\_\_\_  
Notary Public

(Notary Seal)

Commission Expires: \_\_\_\_\_

**EXHIBIT M**

**SIGNATURE FORM**

**THE SECTION BELOW MUST BE COMPLETED IN FULL AND SIGNED**

The undersigned hereby certifies that they have read and understand the contents of this solicitation and attached service agreements, and agree to furnish at the prices shown any or all of the items above, subject to all instructions, conditions, specifications and attachments hereto. Failure to have read all the provisions of this solicitation shall not be cause to alter any resulting contract or to accept any request for additional compensation. By signing this document, the proposer hereby certifies that they are not barred from bidding on this contract as a result bid rigging or bid rotating or any similar offense (720 ILCS 5/33 E-3, E-4).

Authorized Signature: \_\_\_\_\_

Company Name: \_\_\_\_\_

Typed/Printed Name: \_\_\_\_\_

Date: \_\_\_\_\_

Title: \_\_\_\_\_


Telephone Number: \_\_\_\_\_

E-mail \_\_\_\_\_

Fax Number: \_\_\_\_\_



**Exhibit N**



**CONTRACTOR SERVICES AGREEMENT**

The parties referenced herein desire to enter into an agreement for professional services for

*2025 MFT RESURFACING PROJECT*

*IDOT SECTION: 25-00301-00-RS*

**(BID #25-20)**

THIS AGREEMENT (hereinafter referred to as the “Agreement”) is entered into between the City of Evanston, an Illinois municipal corporation with offices located at 2100 Ridge Avenue, Evanston Illinois 60201 (hereinafter referred to as the “City”), and *[Insert Contractor name here]*, with offices located at *[Insert Contractor address here]*, (hereinafter referred to as the “Contractor”). Compensation (the “Compensation”) for all basic services provided by the Contractor pursuant to the terms of this Agreement shall not exceed *[\$[Insert fee here]]*.

*Revision March 2020*

**TABLE OF CONTENTS**

1	Services and Duties of the Contractor.....	1
2	Standard Certifications .....	4
3	Additional Services/Change Orders.....	7
4	Bonds .....	9
5	Liquidated Damages in the Event Contractor Fails to Complete the Work .....	10
6	The City’s Responsibilities .....	10
7	Period of Service.....	10
8	Payment for Services and Reimbursements .....	11
9	Notice and Cure/Termination.....	12
10	Insurance .....	13
11	Indemnification.....	14
12	Drawings and Documents.....	15
13	Successors and Assigns .....	16
14	Force Majeure.....	16
15	Amendments and Modifications.....	17
16	Standard of Care & Warranty.....	17
17	Savings Clause.....	18
18	Non-Waiver of Rights .....	18
19	Entire Agreement.....	18
20	Governing Law .....	19
21	Ownership of Contract Documents .....	19
22	Notice.....	19
23	Severability.....	19
24	Execution of Agreement.....	19
25	Counterparts.....	20
26	Authorizations.....	20
27	Time of Essence.....	20

## RECITALS

WHEREAS, the City intends to retain the services of a qualified and experienced contractor for the following:

Work on this project includes the **Resurfacing of various streets** with minor utility repairs, ADA Ramps, concrete curb and sidewalk replacement and all incidental work including all materials and equipment. Bidders must be pre-qualified by Illinois Department of Transportation and present IDOT issued "certificate of Eligibility" with proposal.

WHEREAS, this Agreement shall include the following documents which are attached hereto:

- a) City of Evanston **RFQ/RFP/Bid 20-25**, attached as Exhibit A.
- b) Contractor's response to **RFQ/RFP/Bid 20-25**, attached as Exhibit B.
- c) Any sub-contractor sub-contracts related to this Agreement, attached as Exhibit C.
- d) Project Fee Schedule and hourly rates, attached as Exhibit D **(if appropriate)**.

NOW, THEREFORE, in consideration of the mutual covenants hereinafter set forth, the parties agree as follows:

### 1 Services and Duties of the Contractor

1.1 The Contractor shall perform professional services and provide equipment (the "Work") in accordance with Exhibits A, B, C and D. The Contractor retains the right to control the manner of performance of the services provided for in this Agreement and is an independent contractor and not agent or an employee of the City. All employees and sub-contractors of the Contractor shall likewise not be considered to be employees of the City. Contractor is solely responsible for the means and methods of all work performed under the terms of this Agreement for this Project ("the Project"). Contractor is an independent Contractor and is solely responsible for all taxes, withholdings, and other statutory or contractual obligations of any sort, including but not limited to, Worker's Compensation Insurance. Nothing in this Agreement accords any third-party beneficiary rights whatsoever to any non-party to this Agreement that any non-party may seek to enforce. Contractor acknowledges and agrees that should Contractor or its sub-contractors provide false information, or fail to be or remain in compliance with this Agreement; the City may void this Agreement.

1.2 The Contractor warrants and states that it has read the Contract Documents, and agrees to be bound thereby, including all performance guarantees as respects Contractor's work and all indemnity and insurance requirements. Contractor further affirms that it has visited the Project site and has become familiar with all special conditions, if any, at the Project site. Contractor shall perform the Work and its obligations under this Agreement in accordance with and subject to the Contract Documents to the full extent that each such provision is applicable to the Work. Contractor shall take necessary precautions to properly protect the Work of others, if any, from damage caused by operations under this Agreement. In addition, Contractor shall protect the work during normal

and adverse weather conditions until the Project is complete and accepted by the City, or until the Contractor has fully completed its work under this Agreement. Contractor's obligations include, but are not limited to, placing and adequately maintaining at or about all locations of Project work, sufficient guards, barricades, lights, and enclosures to protect the Work.

1.3 The Contractor shall not have any public or private interest and shall not acquire directly or indirectly any such interest which conflicts in any manner with the performance of its services under this Agreement.

1.4 The Contractor shall designate, in writing, a person to act as its Project Manager for the work to be performed under this Agreement. Such person shall have complete authority to transmit instructions, receive information, interpret and define the Contractor's policies and decisions with respect to the work covered by this Agreement.

1.5 The Contractor shall employ only persons duly licensed by the State of Illinois to perform the professional services required under this Agreement for which applicable Illinois law requires a license, subject to prior approval of the City. The Contractor shall employ only well qualified persons to perform any of the remaining services required under this Agreement, also subject to prior approval of the City. The City reserves the right to require replacement of Contractor, sub-contractor, or supplier personnel for any reason. Contractor will replace the unacceptable personnel at no charge to the City. For all solicitations or advertisements placed by or on behalf of Contractor for employees for this Project it will state that the Contractor is an Equal Opportunity Employer.

1.6 Pursuant to the Illinois Freedom of Information Act, 5 ILCS 140/7(2), records in the possession of others whom the City has contracted with to perform a governmental function are covered by the Act and subject to disclosure within limited statutory timeframes (five (5) working days with a possible five (5) working day extension). Upon notification from the City that it has received a Freedom of Information Act request that calls for records within the Contractor's control, the Contractor shall promptly provide all requested records to the City so that the City may comply with the request within the required timeframe. The City and the Contractor shall cooperate to determine what records are subject to such a request and whether or not any exemption to the disclosure of such records, or part thereof, is applicable. Contractor shall indemnify and defend the City from and against all claims arising from the City's exceptions to disclosing certain records which Contractor may designate as proprietary or confidential. Compliance by the City with an opinion or a directive from the Illinois Public Access Counselor or the Attorney General under FOIA, or with a decision or order of Court with jurisdiction over the City, shall not be a violation of this Section.

1.7 The Contractor shall obtain prior approval from the City prior to sub-contracting with any entity or person to perform any of the work required under this Agreement. The Contractor may, upon request of the City, submit to the City a draft sub-contractor agreement for City review and approval prior to the execution of such an agreement. Any previously entered into sub-contractor agreement(s) are attached as Exhibit C. If the Contractor sub-contracts any of the services to be performed under this Agreement, the sub-contractor agreement shall provide that the services to be performed under any such agreement shall not be sublet, sold, transferred, assigned or otherwise

disposed of to another entity or person without the City's prior written consent. The Contractor shall be responsible for the accuracy and quality of any sub-contractor's work.

1.8 The Contractor shall cooperate fully with the City, other City contractors, other municipalities and local government officials, public utility companies, and others, as may be directed by the City. This shall include attendance at meetings, discussions and hearings as requested by the City. This cooperation shall extend to any investigation, hearings or meetings convened or instituted by OSHA relative to this Project, as necessary. Contractor shall cooperate with the City in scheduling and performing its Work to avoid conflict, delay in or interference with the work of others, if any, at the Project.

1.9 The Contractor acknowledges that it shall enforce and comply with all applicable Occupational Safety and Health Administration standards (OSHA) for this Project in effect as of the date of the execution of this Agreement, or as otherwise promulgated by OSHA in the future taking effect during the pendency of this Project. Contractor shall enforce all such standards and ensure compliance thereto as to its own agents and employees, and as to the agents and employees of any sub-contractor throughout the course of this Project. Contractor is solely responsible for enforcing and complying with all applicable safety standards and requirements on this Project, and is solely responsible for correcting any practices or procedures which do not comply with the applicable safety standards and requirements for this Project. Any Project specific safety requirements applicable to this Project must be followed by Contractor and any sub-contractor(s) on the Project. Additionally, all such safety requirements shall be made a part of any sub-contractor agreement.

1.10 The Contractor shall submit to the City a progress report each month this Agreement is in effect. The report shall include the following items:

- a) A summary of the Contractor's project activities, and any sub-contractor project activities that have taken place during the invoice period;
- b) A summary of the Contractor's project activities and any sub-contractor project activities, that shall take place during the next invoice period;
- c) A list of outstanding items due to or from the City; and
- d) A status of the Project schedule.

1.11 The Contractor shall perform the work required under this Agreement pursuant to high quality industry standards expected by the City. The Contractor shall apply for and receive all appropriate permits before performing any work in the City. The Contractor shall also provide the appropriate permit drawings for Building Permits to be issued for the Project, if said permits are obligated by the Project. The City will assist the Contractor with obtaining the appropriate building and right-of-way permits.

1.12 The Contractor shall provide drawings of record, in the following 3 electronic formats for all locations where equipment has been installed and/or work has been performed. The electronic formats required by this Section 1.12 are Auto Cad Version 2007, ArcView and PDF.

1.13 Contractor recognizes that proper cleanup and removal of construction debris is an

important safety consideration. The Contractor shall be solely responsible for daily construction site/area cleanup and removal of all construction debris in accordance with City -approved disposal practices. Contractor shall be solely responsible for identifying and removing at its expense all hazardous material and waste which it uses and generates.

1.14 To the extent that there is any conflict between a provision specified in this Agreement, with a provision specified in any of the other Contract Documents, as defined in Section 1.15, this Agreement shall control. The City and the Contractor may amend this Section 1.14 as provided by Section 15 herein.

The Contractor acknowledges and agrees that the City has no retained control over any of the Work done pursuant to this Agreement, and that the City is expressly exempt from the retained control exception as defined in the Restatement of Torts, Second, Section 414. This provision shall survive completion, expiration, or termination of this Agreement.

1.15 The Contract Documents for this Project consist of:

- a) This Agreement;
- b) The City's RFP/RFQ, and the plans, specifications, general conditions, drawings addenda, and modifications thereto;
- c) The Contractor's response to the RFP/RFQ/Bid;
- d) Other exhibits and schedules, if any, listed in this Agreement;
- e) Amendments or Other Contract Documents, if any; and
- f) Amendments/Modifications to this Agreement issued after execution thereof.

1.16 As a condition of receiving payment, Contractor must (i) be in compliance with the Agreement, (ii) pay its employees prevailing wages when required by law (Examples of prevailing wage categories include public works, printing, janitorial, window washing, building and grounds services, site technician services, natural resource services, security guard and food services). Contractor is responsible for contacting the Illinois Dept. of Labor 217-782-6206; <http://www.illinois.gov/idol/Laws-Rules/CONMED/Pages/Rates.aspx> to ensure compliance with prevailing wage requirements), (iii) pay its suppliers and sub-contractors according to the terms of their respective contracts, and (iv) provide lien waivers to the City upon request.

## 2 Standard Certifications

Contractor acknowledges and agrees that compliance with this section and each subsection for the term of the Agreement is a material requirement and condition of this Agreement. By executing this Agreement, Contractor certifies compliance with this section and each subsection and is under a continuing obligation to remain in compliance and report any non-compliance.

This section, and each subsection, applies to sub-contractors used on this Agreement. Contractor shall include these Standard Certifications in any sub-contract used in the performance of the Agreement.

If this Agreement extends over multiple fiscal years, Contractor and its sub-contractors shall

confirm compliance with this section in the manner and format determined by the City by the date specified by the City and in no event later than January 1 of each year that this Agreement remains in effect.

If the City determines that any certification in this section is not applicable to this Agreement, it may be stricken, subject to sole approval by the City, without affecting the remaining subsections.

2.1 As part of each certification, Contractor acknowledges and agrees that should Contractor or its sub-contractors provide false information, or fail to be or remain in compliance with the Standard Certification requirements, one or more of the following sanctions will apply:

- the Agreement may be void by operation of law,
- the City may void the Agreement, and
- Contractor and its sub-contractors may be subject to one or more of the following: suspension, debarment, denial of payment, civil fine, or criminal penalty.

2.2 By signing this Agreement, the Contractor certifies that it has not been barred from being awarded a contract with a unit of State or local Government as a result of bid rigging or bid rotating or similar offense, nor has it made any admission of guilt of such conduct that is a matter of public record. (720 ILCS 5/33 E-3, E-4).

2.3 In the event of the Contractor's noncompliance with any provision of Section 1-12-5 of the Evanston City Code, the Illinois Human Rights Act or any other applicable law, the Consultant may be declared non-responsible and therefore ineligible for future contracts or sub-contracts with the City, and the contract may be cancelled or voided in whole or in part, and such other sanctions or penalties may be imposed or remedies invoked as provided by statute or regulation.

2.4 During the term of this Agreement, the Contractor agrees as follows:

- a) That it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, marital status, national origin or ancestry, or age or physical or mental disabilities that do not impair ability to work, and further that it will examine all job classifications to determine if minority persons or women are underutilized and will take appropriate affirmative action to rectify any such underutilization. Consultant shall comply with all requirements of City of Evanston Code Section 1-12-5.
- b) That, in all solicitations or advertisements for employees placed by it on its behalf, it will state that all applicants will be afforded equal opportunity without discrimination because of race, color, religion, sex, sexual orientation, marital status, national origin, ancestry, or disability.

2.5 The Contractor certifies pursuant to the Illinois Human Rights Act (775 ILCS 5/2-105 *et. seq.*), that it has a written sexual harassment policy that includes, at a minimum, the following

information:

- a) The illegality of sexual harassment;
- b) The definition of sexual harassment under State law;
- c) A description of sexual harassment utilizing examples;
- d) The Contractor's internal complaint process including penalties;
- e) Legal recourse, investigation and complaint process available through the Illinois Department of Human Rights and the Human Rights Commission, and directions on how to contact both; and
- f) Protection against retaliation as provided to the Department of Human Rights.

2.6 In accordance with the Steel Products Procurement Act (30 ILCS 565), Contractor certifies steel products used or supplied in the performance of a contract for public works shall be manufactured or produced in the U.S. unless the City grants an exemption.

2.7 Contractor certifies that it is properly formed and existing legal entity and as applicable has obtained an assumed name certificate from the appropriate authority, or has registered to conduct business in Illinois and is in good standing with the Illinois Secretary of State.

2.8 If Contractor, or any officer, director, partner, or other managerial agent of Contractor, has been convicted of a felony under the Sarbanes-Oxley Act of 2002, or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953, Contractor certifies at least five years have passed since the date of the conviction.

2.9 Contractor certifies that if more favorable terms are granted by Contractor to any similar governmental entity in any state in a contemporaneous agreement let under the same or similar financial terms and circumstances for comparable supplies or services, the more favorable terms will be applicable under this Agreement.

2.10 Contractor certifies that it is not delinquent in the payment of any fees, fines, damages, or debts to the City of Evanston.

2.11 The Contractor certifies that all Design Professionals performing the Work under this Agreement will ensure that the Project shall be designed in conformance with the Americans with Disabilities Act of 1990, 42 U.S.C. Section 12101, *et seq.*, and all regulations promulgated thereunder. Design Professional means any individual, sole proprietorship, firm, partnership, joint venture, corporation, professional corporation, or other entity that offers services under the Illinois Architecture Practice Act of 1989 (225 ILCS 305/), the Professional Engineering Practice Act of 1989 (225 ILCS 325/), the Structural Engineering Licensing Act of 1989 (225 ILCS 340/), or the Illinois Professional Land Surveyor Act of 1989 (225 ILCS 330/).

2.12 The Contractor shall comply with all federal, state and local laws, statutes, ordinances, rules, regulations, orders or other legal requirements now in force or which may be in force during the term of this Agreement. The Contractor shall comply with the Illinois Human Rights Act, 775 ILCS 5/1-101 *et seq.*, Title VII of the Civil Rights Act of 1964, and the Illinois Prevailing Wage Act, 820 ILCS 130/0.01 *et seq.*

EXHIBIT N

### 3 Additional Services/Change Orders

3.1 If the representative of the City responsible for the Project verbally requests the Contractor to perform additional services, the Contractor shall confirm in writing that the services have been requested and that such services are additional services. Failure of the City to respond to the Contractor's confirmation of said services within thirty (30) calendar days of receipt of the notice shall be deemed a rejection of, and refusal to pay for the additional services. Contractor shall not perform any additional services until City has confirmed approval of said additional services in writing. If authorized in writing by the City, the Contractor shall furnish, or obtain from others, additional services of the following types, which shall be paid for by the City as set forth in Section 9 of this Agreement:

- a) Additional Services due to significant changes in scope of the Project or its design, including, but not limited to, changes in size, complexity or character of construction, or time delays for completion of work when such delays are beyond the control of the Contractor;
- b) Revisions of previously approved studies, reports, design documents, drawings or specifications;
- c) Preparation of detailed renderings, exhibits or scale models for the Project;
- d) Investigations involving detailed consideration of operations, maintenance and overhead expenses for the preparation of rate schedules, earnings and expense statements, feasibility studies, appraisals and valuations, detailed quantity surveys of material and labor, and material audits or inventories required for certification of force account construction performed by the City;
- e) Services not otherwise provided for in this Agreement.

3.2 The City may, upon written notice, and without invalidating this Agreement, require changes resulting in the revision or abandonment of work already performed by the Contractor, or require other elements of the work not originally contemplated and for which full compensation is not provided in any portion of this Agreement. Any additional services, abandonment of services which were authorized by the City, or changes in services directed by the City which result in the revision of the scope of services provided for in Exhibits A, B, C, and D that cause the total Compensation due Contractor under this Agreement to exceed \$25,000 or more, or increase or decrease the contract duration by more than 30 days are subject to approval by the Evanston City Council. These actions must be addressed either in a written Change Order or in a written amendment to this Agreement approved by both parties.

3.3 Contractor acknowledges and agrees that the Public Works Construction Change Order Act, 50 ILCS 525/1 et seq. shall apply to all Change Orders for the Project. It is expressly understood and agreed to by Contractor that it shall not be entitled to any damages or Compensation from the City on account of delay or suspension of all or any part of the Work. Contractor acknowledges that delays are inherent in construction projects and Contractor assessed that risk and fully included that risk assessment within its contract sum specified in its Response to the City **RFP/RFQ/Bid** for this Project. The City shall not compensate Contractor for work that is more

difficult than the contract sum specified in its Response would reflect. Delays to minor portions of the Work will not be eligible for extensions of time.

Delays to the Project caused by labor disputes or strikes involving trades not directly related to the Project, or involving trades not affecting the Project as a whole will not be eligible for an extension of time.

The City will not grant an extension of time for a delay by the Contractor's inability to obtain materials unless the Contractor first furnishes to the City documentary proof. The proof must be provided in a timely manner in accordance with the sequence of the Contractor's operations and accepted construction schedule.

In addition to any other changes requested by City (as described in Sections 3.1 and 3.2), the Company shall be entitled to request (and the City may grant) Change Orders with respect to:

- (a) The City-caused delays;
- (b) Change in Law;
- (c) Force Majeure Events.

The foregoing events shall entitle the Contractor to a change in the Compensation for this Project, if the Contractor demonstrates that it will unavoidably incur reasonable costs as a result thereof and the Contractor provides reasonable and detailed documentary support with respect to any such price impact.

The parties agree to reasonably confer regarding any such disputes with respect to the issuance of a Change Order.

Any payment for compensable delay will only be based upon actual costs excluding, without limitation, what damages, if any, the Contractor may have reasonably avoided. The Contractor understands that this is the sole basis for recovering delay damages and explicitly waives any right to calculate daily damages for office overhead, profit, or other purported loss.

All Contractor Change Orders authorized under this Section 3 shall be made in writing. In remitting a Change Order, the Contractor must first show in writing that:

- (a) The work was outside the scope of this Agreement,
- (b) The extra work was not made necessary due to any fault of Contractor;
- (c) The circumstances said to necessitate the change in performance were not reasonably foreseeable at the time the Agreement was signed;
- (d) The change is germane to the original Agreement; and
- (e) The Change Order is in the best interest of the City and authorized by law.

Any person who fails to first obtain the City's written authorization for a Change Order commits a Class 4 felony. The written determination and the written Change Order resulting from that determination shall be preserved in the contract's file which shall be open to the public for inspection.

**The City reserves all rights and causes of action, at law or equity, to seek redress against entities or persons who violate the requirements of this Section 3. By initialing below, Contractor hereby acknowledges that it is bound by this Section 3.**

**Contractor's Initials:** \_\_\_\_\_

3.4 The Contractor is required to include the City of Evanston as a reference whenever and wherever the Contractor provides references for similar projects for a period of one (1) year from the date of Final Acceptance by the City of the Work for this Project.

## 4 Bonds

4.1 Before the Scheduled Construction Commencement Date, the Contractor is required to furnish unconditional performance and payment bonds in the amount of 100% of the Compensation as security for the faithful performance and completion of all the Contractor's obligations under the Contract Documents and covering the payment of all materials used in the performance of this Agreement and for all labor and services performed under this Agreement. All Bonds shall be issued on a form acceptable to the City. The bonds must be for the entire term of the Agreement. Failure to provide these bonds shall constitute a breach of Contractor's obligations under this Agreement. Each surety providing the Bonds must have a Best's rating not less than A/X and be licensed in Illinois and shall be named in the current list of "Companies Holding Certificates of Authority as Acceptable Sureties on Federal Bonds and as Acceptable Reinsuring Companies" as published in Circular 570 as published in the Federal Register and available on the website of the U.S. Department of the Treasury, Financial Management Service, at [www.fms.treas.gov/c570/c570.html](http://www.fms.treas.gov/c570/c570.html). All Bonds signed by an agent must be accompanied by a certified copy of his or her authority to act. It shall be the duty of the Contractor to advise the surety or sureties of any Change Orders that result in an increase to the Compensation and to ensure that the amounts of the Bonds are updated to reflect and cover any such increases throughout the course of the Project. The cost of such Bonds shall be included within the Compensation.

4.2 If the surety behind any Bond furnished by the Contractor is declared bankrupt or becomes insolvent or its right to do business is terminated in the State or it ceases to meet any of the requirements of this Contract, the Contractor shall, within [5] five days thereafter, substitute another Bond of equivalent value and surety, both of which must be acceptable to the City. In addition, no further progress payments under the Agreement will be made by the City until the Contractor complies with the provisions of this Agreement. The Contractor shall furnish to the City proof of any required bonds and proof of required insurance as one of the conditions precedent to payment under the Agreement. Upon the request of any person or entity appearing to be a potential beneficiary of bonds covering payment or performance of obligations arising under the Contract, the Contractor shall promptly furnish a copy of the bonds or authorize a copy to be furnished. All surety Bonds provided for in this Section shall incorporate by reference this Agreement, and any language that may be in any such surety Bond which conflicts with the provisions of this Agreement that define the scope of the surety('s) duty(ies) shall be of no force and effect.

## 5 Liquidated Damages in the Event Contractor Fails to Complete the Work

5.1 The parties agree that failure of Contractor to timely complete the Work required by this Agreement constitutes a default. The parties agree that this default will result in damage and injury to City. The parties further agree, however, that actual damages incurred by City as result of such default is difficult if not impossible to ascertain with any degree of certainty or accuracy. Accordingly, the parties have negotiated and have agreed that for each calendar day after written notice is delivered to Contractor and Contractor fails to cure such default, that Contractor will pay City, as and for liquidated damages, and not as a penalty, the sum of **Insert Word - Dollar Amount (i.e. Seven Hundred and Fifty Dollars) per day**. Contractor shall reimburse the City for all costs, expenses and fees (including, without limitation, attorneys' fees), if any, paid by the City in connection with such written demand by City. Contractor stipulates and agrees that the sums payable by Contractor under this Section are reasonable under the circumstances existing as of the execution of this Agreement. This Section 5.1 is not intended to limit any direct damages that may be recoverable by City related to the Contractor's failure to complete the Work in accordance with this Agreement. There shall be no early completion bonus if the Work is completed before the substantial completion date. The City, at its option, may withhold liquidated damages from progress payments payable to Contractor before the substantial completion date.

## 6 The City's Responsibilities

6.1 The City may evaluate the Contractor's and any sub-contractor's performance (interim and final). Timeliness in meeting the Project schedule and the overall relationship with the Contractor are factors that will be considered in the Contractor's performance rating. An unfavorable performance rating may be a factor when future assignments are being considered.

6.2 The City makes no representation or warranty of any nature whatsoever as to the accuracy of information or documentation provided by the City to the Contractor which were generated or provided by third parties.

## 7 Period of Service

7.1 The Contractor shall commence work on the Project after supplying the City with the Contractor's performance and payment bonds and all required insurance documents before starting its Work on this Project. The City shall determine when the Contractor has completed the Work required pursuant to this Agreement, and shall determine the date of Final Acceptance. Contractor recognizes time is of the essence regarding its performance on this Project. Contractor shall continue to perform its obligations while any dispute concerning the Agreement is being resolved, unless otherwise directed by the City.

7.2 Each phase of the project shall be completed in accordance with the activities outlined in the City's **RFQ/RFP/Bid**, Exhibit A. Project phases include:

- 7.2.1 Phase X: *[Phase name here.]*
- 7.2.2 Phase X: *[Phase name here.]*
- 7.2.3 Phase X: *[Phase name here.]*

## 8 Payment for Services and Reimbursements

8.1 Within the first five (5) business days of each month, the Contractor shall invoice the City for Work completed during the previous month. The Contractor shall provide a detailed invoice that relates invoiced items to the Contractor's response to **RFQ/RFP/Bid** in both quantity and unit cost. Any discrepancies in the monthly invoice shall be promptly brought to the attention of the Contractor by the City Project Manager and efforts shall be made to promptly resolve said discrepancies between the City and Contractor. In the event the City and Contractor cannot resolve invoice discrepancies, items in dispute will be removed from the invoice and the City shall approve the remainder of the invoice. Payment will be made as soon as possible following the City Council meeting in which the item appeared on the bills list, and in accordance with all applicable laws and rules of the City of Evanston and the State of Illinois.

8.2 In the event of termination by the City of this Agreement pursuant to paragraph 9.1 after completion of any phase of the basic services, fees due the Contractor for services rendered through such phase shall constitute final payment for such services, and no further fees shall be due to the Contractor. In the event of such termination by the City during any phase of the basic services, the Contractor shall be paid for services rendered on the basis of the proportion of work completed on the phase to date of termination.

8.3 The City shall have the right to withhold payment to the Contractor due to the quality of a portion or all of the work performed hereunder which is not in accordance with the requirements of this Agreement, or which is unsatisfactory, or is due to the Contractor's failure or refusal to perform any of its obligations hereunder. Compensation in excess of the total contract amount specified in this Agreement will not be allowed unless justified in the City's sole judgment and authorized in advance as provided for in Section 3 of this Agreement. Compensation for improper performance by the Contractor is disallowed.

8.4 Upon completion of the Work performed by the Contractor, prior to the submission of a request for final payment, the City and Contractor shall perform a final acceptance test and review of the Work performed and/or equipment installed pursuant to the Agreement. A punch list of items outstanding will be jointly developed by the City and Contractor. In addition, the Contractor shall submit drawings of record for the Project for the City to approve. The Contractor shall promptly resolve all punch list items to the satisfaction of the City, and shall transmit to the City in writing confirmation that all punch list items have been resolved. The City will review, and the Contractor shall modify, as necessary, any drawings of record to the satisfaction of the City. Punch list items and drawings of record must be approved by the City prior to the Contractor submitting its final invoice for payment.

8.5 The Contractor shall submit an Affidavit and a final waiver of its lien, and all final waivers of liens of any sub-contractors, suppliers, and sub-sub-contractors, if applicable, with its final invoice, stating that all obligations incurred in performance of the professional services have been paid in full. The Affidavit will also include a statement stating that the professional services

were performed in compliance with the terms of the Agreement. The Affidavit and all final lien waivers shall be on a form acceptable to the City.

8.6 All Project invoices shall be sent to:

Sat Nagar P.E. Senior Project Manager  
City of Evanston *[Public Works Agency/ Capital Planning & Engineering]*  
2100 Ridge Avenue  
Evanston, Illinois 60201

## 9 Notice and Cure/Termination

9.1 In furtherance of Contractor's Work on this Project, the City and the Contractor agree that the following Notice and Cure provision in this Section 9.1 shall apply during the duration of Contractor's work on this Project, in addition to the reserved rights of the City enumerated in this Agreement as follows:

- 5.1 Liquidated Damages;
- 8.3 City's right to withhold payment;
- 16.2 Contractor's duty to revise and correct errors; and
- 16.3 Contractor's duty to respond to City's notice of errors and omissions.

The City may notify Contractor of its intent to terminate this Agreement within (7) seven calendar days of issuance by the City of written notice to Contractor's Project Manager regarding defects in the Project or in Contractor's Work. The City shall specify any such nonconforming Work or defects in the Project in its notice to Contractor under this Section 9.1. Contractor will have the opportunity to cure the non-conforming Work within (7) seven calendar days after receipt of the written notice issued by the City. All such curative work done shall be performed and completed to the City's satisfaction. Nothing in this Section 9.1 shall otherwise affect the City's right to exercise its rights in Section 9.2.

9.2 The City shall have the right to terminate this Agreement upon fifteen (15) days written notice for any reason. Mailing of such notice shall be equivalent to personal notice and shall be deemed to have been given at the time of receipt.

Payments made by the City pursuant to this Agreement are subject to sufficient appropriations made by the City of Evanston City Council. In the event of termination resulting from non-appropriation or insufficient appropriation by the City Council, the City's obligations hereunder shall cease and there shall be no penalty or further payment required.

9.3 Within thirty (30) days of termination of this Agreement, the Contractor shall turn over to the City any documents, drafts, and materials, including but not limited to, outstanding work product, data, studies, test results, source documents, AutoCAD Version 2007, ArcView, PDF, Word, Excel spreadsheets, technical specifications and calculations, and any other such items specifically identified by the City related to the Work herein. Upon receipt of said items, the

Contractor shall be paid for labor and expenses incurred to the date of termination as provided in Section 8.2. This Agreement is subject to termination by either party if either party is restrained by a state or federal court of competent jurisdiction from performing the provisions of this Agreement. Upon such termination, the liabilities of the parties to this Agreement shall cease, but they shall not be relieved of the duty to perform their obligations through the date of termination. No lien shall be filed by the Contractor in the event of a termination of this Agreement by the City.

9.4 If, because of death or any other occurrence, including, but not limited to, Contractor becoming insolvent, it becomes impossible for any principal or principals of the Contractor to render the services set forth in this Agreement, neither the Contractor, nor its surviving principals shall be relieved of their obligations to complete the professional services. However, in the event of such an occurrence, the City at its own option may terminate this Agreement if it is not furnished evidence that competent professional services can still be furnished as scheduled.

9.5 In the event of an emergency or threat to the life, safety or welfare of the citizens of the City, the City shall have the right to terminate this Agreement without prior written notice.

## 10 Insurance

10.1 The Contractor shall, at its own expense, secure and maintain in effect throughout the duration of this contract, insurance against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the Work hereunder by the Contractor, its agents, representatives, employees or sub-contractors. Contractor acknowledges and agrees that if it fails to comply with all requirements of this Section 10, the City may void the Agreement.

The Contractor must give to the City Certificates of Insurance identifying the City to be an Additional Insured for all Work done pursuant to this Agreement before City staff recommends award of the contract to City Council. Any limitations or modifications on the Certificate(s) of Insurance issued to the City in compliance with this Section that conflict with the provisions of this Section 10 shall have no force and effect.

After award of the Contract to Contractor (contracts over \$500,000 in value or if the project is deemed high risk) the Contractor **shall** give the City a certified copy (ies) of the insurance policy (ies) evidencing the amounts set forth in Section 10.2, and copies of the Additional Insured endorsement to such policy (ies) which name the City as an Additional Insured for all Work done pursuant to this Agreement before Contractor does any Work pursuant to this Agreement. Contractor's certificate of insurance shall contain a provision that the coverage afforded under the policy(s) will not be canceled or reduced without thirty (30) days prior written notice (hand delivered or registered mail) to the City. Contractor shall promptly forward new certificate(s) of insurance evidencing the coverage(s) required herein upon annual renewal of the subject policies.

The policies and the Additional Insured endorsement must be delivered to the City within two (2) weeks of the request. All insurance policies shall be written with insurance companies licensed or authorized to do business in the State of Illinois and having a rating of not less than A-VII according to the A.M. Best Company. Should any of the insurance policies be canceled before

the expiration date, the issuing company will mail thirty (30) days written notice to the City. The Contractor shall require and verify that all sub-contractors maintain insurance meeting all of the requirements stated herein.

Any deductibles or self-insured retentions must be declared to and approved by the City. At the option of the City, either the insurer shall reduce or eliminate such deductibles or self-insured retentions as respects the City, its officers, officials, employees and volunteers; or the Contractor shall provide a financial guarantee satisfactory to the City guaranteeing payment of losses and related investigations, claim administration and defense expenses.

10.2 Contractor shall carry and maintain at its own cost with such companies as are reasonably acceptable to City all necessary liability insurance (which shall include as a minimum the requirements set forth below) during the term of this Agreement, for damages caused or contributed to by Contractor, and insuring Contractor against claims which may arise out of or result from Contractor's performance or failure to perform the Services hereunder:

- a) Worker's compensation in statutory limits and employer's liability insurance in the amount of at least five hundred thousand dollars (\$500,000);
- b) Comprehensive general liability coverage which designates the City as an additional insured for not less than three million dollars (\$3,000,000) combined single limit for bodily injury, death and property damage, per occurrence;
- c) Comprehensive automobile liability insurance covering owned, non-owned, and leased vehicles for not less than one million dollars (\$1,000,000) combined single limit for bodily injury, death, or property damage, per occurrence; and

Contractor understands that the acceptance of Certificates of Insurance, policies, and any other documents by the City in no way releases the Contractor and its sub-contractors from the requirements set forth herein.

Contractor expressly agrees to waive its rights, benefits and entitlements under the "Other Insurance" clause of its commercial general liability insurance policy as respects the City. Contractor expressly agrees that its insurance coverage is required to be primary by this Agreement, that its insurance coverage shall be on a primary and non-contributory basis, and that it and its insurance carrier are estopped from denying such coverage is primary. In the event Contractor fails to purchase or procure insurance as required above, the parties expressly agree that Contractor shall be in default under this Agreement, and that the City may recover all losses, attorney's fees and costs expended in pursuing a remedy, or reimbursement, at law or in equity, against Contractor.

## 11 Indemnification

11.1 The Contractor shall defend, indemnify and hold harmless the City and its officers, elected and appointed officials, agents, and employees from any and all liability, losses, or damages as a result of claims, demands, suits, actions, or proceedings of any kind or nature, including but not limited to costs, and fees, including attorney's fees, judgments or settlements, resulting from or arising out of any negligent or willful act or omission on the part of the Contractor or Contractor's sub-contractors, employees, agents or sub-contractors during the performance of this Agreement.

Such indemnification shall not be limited by reason of the enumeration of any insurance coverage herein provided. This provision shall survive completion, expiration, or termination of this Agreement.

11.2 Nothing contained herein shall be construed as prohibiting the City, or its officers, agents, or employees, from defending through the selection and use of their own agents, attorneys, and experts, any claims, actions or suits brought against them. The Contractor shall be liable for the costs, fees, and expenses incurred in the defense of any such claims, actions, or suits. Nothing herein shall be construed as a limitation or waiver of defenses available to the City and employees and agents, including but not limited to the Illinois Local Governmental and Governmental Employees Tort Immunity Act, 745 ILCS 10/1-101 *et seq.*

At the City Corporation Counsel's option, Contractor must defend all suits brought upon all such Losses and must pay all costs and expenses incidental to them, but the City has the right, at its option, to participate, at its own cost, in the defense of any suit, without relieving Contractor of any of its obligations under this Agreement. Any settlement of any claim or suit related to this Project by Contractor must be made only with the prior written consent of the City Corporation Counsel, if the settlement requires any action on the part of the City.

To the extent permissible by law, Contractor waives any limits to the amount of its obligations to indemnify, defend, or contribute to any sums due under any Losses, including any claim by any employee of Contractor that may be subject to the Illinois Workers Compensation Act, 820 ILCS 305/1 *et seq.* or any other related law or judicial decision, including but not limited to, *Kotecki v. Cyclops Welding Corporation*, 146 Ill. 2d 155 (1991). The City, however, does not waive any limitations it may have on its liability under the Illinois Workers Compensation Act, the Illinois Pension Code or any other statute.

11.3 The Contractor shall be responsible for any losses and costs to repair or remedy work performed under this Agreement resulting from or arising out of any act or omission, neglect, or misconduct in the performance of its Work or its sub-contractors' work. Acceptance of the work by the City will not relieve the Contractor of the responsibility for subsequent correction of any such error, omissions and/or negligent acts or of its liability for loss or damage resulting therefrom.

11.4 All provisions of this Section 11 shall survive completion, expiration, or termination of this Agreement.

## 12 Drawings and Documents

12.1 Any drawings, survey data, reports, studies, specifications, estimates, maps, plans, computations, and other documents required to be prepared by the Contractor for the Project shall be considered Works for Hire and the sole property of the City.

12.2 The Contractor and its sub-contractor shall maintain for a minimum of three (3) years after the completion of this Agreement, or for three (3) years after the termination of this Agreement, whichever comes later, adequate books, records and supporting documents to verify the amounts, recipients and uses of all disbursements of funds passing in conjunction with the Agreement. The

Agreement and all books, records and supporting documents related to the Agreement shall be available for review and audit by the City and the federal funding entity, if applicable, and the Contractor agrees to cooperate fully with any audit conducted by the City and to provide full access to all materials. Failure to maintain the books, records and supporting documents required by this Subsection shall establish a presumption in favor of the City for recovery of any funds paid by the City under the Agreement for which adequate books, records, and supporting documentation are not available to support their purported disbursement.

### 13 Successors and Assigns

13.1 The City and the Contractor each bind themselves and their partners, successors, executors, administrators, and assigns to the other party of the Agreement and to the partners, successors, executors, administrators, and assigns of such other party in respect to all covenants of this Agreement. Neither the City nor the Contractor shall assign, sublet, or transfer its interest in this Agreement without the written consent of the other. Nothing herein shall be construed as creating any personal liability on the part of any officer or agent of any public body, which may be a party hereto, nor shall it be construed as giving any right or benefits hereunder to anyone other than the City and the Contractor.

### 14 Force Majeure

14.1 Whenever a period of time is provided for in this Agreement for the Contractor or the City to do or perform any act or obligation, neither party shall be liable for any delays or inability to perform if such delay is due to a cause beyond its control and without its fault or negligence including, without limitation:

- a) Acts of nature;
- b) Acts or failure to act on the part of any governmental authority other than the City or Contractor, including, but not limited to, enactment of laws, rules, regulations, codes or ordinances subsequent to the date of this Agreement;
- c) Acts of war;
- d) Acts of civil or military authority;
- e) Embargoes;
- f) Work stoppages, strikes, lockouts, or labor disputes;
- g) Public disorders, civil violence, or disobedience;
- h) Riots, blockades, sabotage, insurrection, or rebellion;
- i) Epidemics or pandemics;
- j) Terrorist acts;
- k) Fires or explosions;
- l) Nuclear accidents;
- m) Earthquakes, floods, hurricanes, tornadoes, or other similar calamities;
- n) Major environmental disturbances; or
- o) Vandalism.

If a delay is caused by any of the *force majeure* circumstances set forth above, the time period shall be extended for only the actual amount of time said party is so delayed. Further, either party claiming a delay due to an event of *force majeure* shall give the other party written notice of

such event within three (3) business days of its occurrence or it shall be deemed to be waived.

## 15 Amendments and Modifications

15.1 Except as otherwise provided herein, the nature and scope of Work specified in this Agreement may only be modified by a written Change Order, or a written amendment to this Agreement, approved by both parties. This Agreement may be modified or amended from time to time provided, however, that no such amendment or modifications shall be effective unless reduced to writing and duly authorized and signed by the authorized representatives of the parties.

## 16 Standard of Care & Warranty

16.1 The Contractor shall perform all of the provisions of this Agreement to the satisfaction of the City. The City shall base its determination of the Contractor's fulfillment of the scope of the work in accordance with generally accepted professional standards applicable to the Work for this Project. The Contractor shall perform all of the provisions of this Agreement with that degree of care and skill ordinarily exercised by members of the same profession currently practicing under similar conditions.

16.2 The Contractor shall be responsible for the accuracy of its professional services under this Agreement and shall promptly make revisions or corrections resulting from its errors, omissions, or negligent acts without additional compensation. The City's acceptance of any of the Contractor's professional services shall not relieve the Contractor of its responsibility to subsequently correct any such errors or omissions. If a Contractor has provided the City with specifications for this Project which are determined to be incorrect or which require revision during the solicitation process (including but not limited to Requests for Proposals, Requests for Qualifications, or bids), the Contractor shall make such corrections or revisions to the specifications at no cost to the City. Further, upon receipt of an invoice from the City, the Contractor shall promptly reimburse the City for the reasonable costs associated with the preparation and dissemination of said corrections or revisions to appropriate parties, including but not limited to preparation of the corrected or revised documents, and printing and distribution costs.

16.3 During the pendency of its Work on this Project, the Contractor shall respond to the City's notice of any errors or omissions within twenty-four (24) hours. The Contractor shall be required to promptly visit the Project site(s) if directed to by the City.

16.4 The Contractor shall comply with all federal, state, and local statutes, regulations, rules, ordinances, judicial decisions, and administrative rulings applicable to its performance under this Agreement.

16.5 Contractor guarantees and warrants to the City that:

- a) All materials and equipment furnished under this Agreement shall be of good quality and new, unless otherwise required or permitted by the Contract Documents;
- b) The Work of this Agreement shall be free from defects which are not inherent in the

- quality required; and
- c) The Work shall comply with the requirements set forth in the Contract Documents.

This warranty and guarantee shall be for a period of one (1) year from the date of completion and Final Acceptance of the Work by the City, or as otherwise provided in the Contract Documents.

If, within the one year warranty period, after the Contractor has received a final payment under this Agreement, any of the Work is found to be not be in accordance with the requirements of this Agreement, or where defects in materials or workmanship may appear, or be in need of repair, the Contractor shall correct non-conforming and/or defective work or materials promptly after receipt of written notice from the City. Contractor shall immediately at its own expense repair, replace, restore, or rebuild any such Work. This remedy is in addition to any other legal or equitable remedies the City may have under this Agreement or the law.

This guarantee and warranty shall not relieve Contractor of liability for latent defects, and shall be in addition to the City's rights under the law or other guarantees or warranties, express or implied.

16.6 The provisions of this Section 16 shall survive the completion, expiration or termination of this Agreement.

## 17 Savings Clause

17.1 If any provision of this Agreement, or the application of such provision, shall be rendered or declared invalid by a court of competent jurisdiction, or by reason of its requiring any steps, actions, or results, the remaining parts or portions of this Agreement shall remain in full force and effect.

## 18 Non-Waiver of Rights

18.1 No failure or delay by the City to exercise any power given to it hereunder or to insist upon strict compliance by Contractor with its obligations hereunder, nor any payment made by the City under this Agreement, shall constitute a waiver of the City's right to demand strict compliance with the terms hereof, unless such waiver is in writing and signed by the City.

## 19 Entire Agreement

19.1 This Agreement sets forth all the covenants, conditions and promises between the parties with regard to the subject matter set forth herein. There are no covenants, promises, agreements, conditions or understandings between the parties, either oral or written, other than those contained in this Agreement. This Agreement has been negotiated and entered into by each party with the opportunity to consult with its counsel regarding the terms therein. No portion of the Agreement shall be construed against a party due to the fact that one party drafted that particular portion as the rule of *contra proferentem* shall not apply.

## 20 Governing Law

20.1 This Agreement shall be construed in accordance with and subject to the laws and rules of the City of Evanston and the State of Illinois both as to interpretation and performance. Venue for any action arising out of or due to this Agreement shall be in Cook County, Illinois. The City shall not enter into binding arbitration to resolve any dispute related to this Agreement. The City does not waive tort immunity by entering into this Agreement.

## 21 Ownership of Contract Documents

21.1 Contractor is specifically prohibited from using in any form or medium, the name or logo of the City for public advertisement, unless expressly granted written permission by the City. Submission or distribution of documents to meet official regulatory requirements or for similar purposes in connection with this Project is not to be construed as publication in derogation of the City's reserved rights.

## 22 Notice

22.1 Any notice required to be given by this Agreement shall be deemed sufficient if made in writing and sent by certified mail, return receipt requested, or by personal service, to the persons and addresses indicated below or to such other addresses as either party hereto shall notify the other party of in writing pursuant to the provisions of this Subsection:

City of Evanston Project Manager, RFQ/RFP/Bid \_\_\_\_\_  
2100 Ridge Avenue  
Evanston, Illinois 60201

if to the Contractor:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

22.2 Mailing of such notice as and when provided above shall be equivalent to personal notice and shall be deemed to have been given at the time of mailing.

## 23 Severability

23.1 Except as otherwise provided herein, the invalidity or unenforceability of any particular provision, or part thereof, of this Agreement shall not affect the other provisions, and this Agreement shall continue in all respects as if such invalid or unenforceable provision had not been contained herein.

## 24 Execution of Agreement

24.1 This Agreement shall be signed last by the City Manager.

## 25 Counterparts

25.1 For convenience, this Agreement may be executed in any number of counterparts, each of which shall be deemed to be an original.

## 26 Authorizations

26.1 The Contractor's authorized representatives who have executed this Agreement warrant that they have been lawfully authorized by the Contractor's board of directors or its bylaws to execute this Agreement on its behalf. The City Manager affirms that he/she has been lawfully authorized to execute this Agreement. The Contractor and the City shall deliver upon request to each other copies of all articles of incorporation, bylaws, resolutions, ordinances, or other documents which evidence their legal authority to execute this Agreement on behalf of their respective parties.

## 27 Time of Essence

27.1 Time is of the essence with respect to each provision hereof in which time is a factor.

IN WITNESS WHEREOF, the parties hereto have caused this Agreement to be signed by their duly authorized representatives. The effective date of this Agreement will be the date this Agreement is signed by the City Manager.

**CONTRACTOR**

By: \_\_\_\_\_

Name: \_\_\_\_\_

Its: \_\_\_\_\_

Date: \_\_\_\_\_

**CITY OF EVANSTON**

By: \_\_\_\_\_

Luke Stowe

Its: City Manager

Date: \_\_\_\_\_

Approved as to form:

By: \_\_\_\_\_

Alexandra B. Ruggie

Its: Corporation Counsel

Revision: April 2021

**EXHIBIT O**

**BID BOND SUBMITTAL LABEL**

**CUT AND ATTACH LABEL ON OUTSIDE OF SEALED BID BOND SUBMITTAL**



**BID SUBMITTAL NUMBER:** \_\_\_\_\_

**BID SUBMITTAL NAME:** \_\_\_\_\_  
\_\_\_\_\_

**BID SUBMITTAL DUE DATE/TIME:** \_\_\_\_\_

**COMPANY NAME:** \_\_\_\_\_

**COMPANY ADDRESS:** \_\_\_\_\_

**COMPANY TELEPHONE #:** \_\_\_\_\_



If required by the bid documents, a scanned copy of the bid bond must be included with the bid electronic submission. The City is currently not able to accept a certified check, bank cashier's check or electronic bid bond at this time.

The original bid bond (in the amount of 5% of the original bid amount) must be mailed within ten (10) days after the bid due date, to the City of Evanston Purchasing Department, 2100 Ridge Avenue - Room 4200 Evanston, Illinois 60201 Attention Purchasing Manager using the USPS (certified or priority), UPS or FedEx mail options in order to have a tracking number; which sum shall be forfeited in case the successful bidder fails to enter into a binding contract and provide a properly executed contract and surety bond within 15 days after the date the contract is awarded by the City.

**STATE OF ILLINOIS  
City of Evanston**

# **CONTRACT SPECIFICATIONS**

**For  
2025 MFT Street Resurfacing Project**


**IDOT Section No. 25-00301-00-RS  
Evanston Bid Number: 25-20**

# 2025 MFT STREET RESURFACING PROJECT

## 25-00301-00-RS

STREET	FROM	TO	LENGTH ( FEET )	WIDTH ( FEET )	REMARKS
BENSON AVENUE	CHURCH STREET	ELGIN ROAD	1,127	24	LOCAL
DAVIS STREET	McDANIEL AVE	FOWLER AVE	419	30	LOCAL
GREENWOOD STREET	HINMAN AVE	JUDSON AVE	500	35	LOCAL
ELMWOOD AVENUE	GROVE STREET	DAVIS STREET	592	26	LOCAL
HARTZELL STREET	LINCOLNWOOD AVE	REESE AVE	360	22	LOCAL
COLFAX STREET	POPLAR AVE	ASHLAND AVE	326	28	LOCAL
ELMWOOD AVE	HOWARD STREET	BRUMMEL STREET	644	24	LOCAL
CLEVELAND STREET	WEST END	BROWN AVE	567	29	LOCAL
<b>TOTAL</b>			<b>4,535</b>		

# The City of Evanston



This map is provided "as is" without warranties of any kind. See [www.cityofevanston.org/mapdisclaimers.html](http://www.cityofevanston.org/mapdisclaimers.html) for more information.

## CITY OF EVANSTON

### SPECIAL PROVISIONS

#### 2025 MFT Resurfacing Project

The following Special Provisions supplement the “Standard Specifications for Road and Bridge Construction”, Adopted January 1, 2022, (herein after called “the Standard Specifications”), the latest edition of the “Watershed Management Ordinance” of the Metropolitan Water Reclamation District of Greater Chicago, the latest edition of the Standard Specifications for Water and Sewer Construction in Illinois, the latest edition of the “Manual of Uniform Traffic Control Devices for Streets and Highways”, and the “Manual of Test Procedures of Materials” in effect on the date of invitation of bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included herein which apply to the govern the construction of,

#### 2025 MFT Resurfacing Project

**IDOT Section No. 25-00301-00-RS**  
**Evanston Bid Number: 25-20**

and in case of conflict with any part, or parts, of said Specifications, the said Special Provisions shall take precedence and shall govern.

#### **PROJECT DESCRIPTION**

Work on this project includes the resurfacing of various streets with minor utility repairs, concrete curb and sidewalk replacement. The project also includes all incidental work including all materials, labor and equipment.

#### **COMPLETION DATES**

Work is anticipated to commence no earlier than June 9, 2025 and shall be substantially complete within **45 Working Days** or by **September 15, 2025 in 2 different phases**, whichever comes first. The contract award is scheduled for May 12, 2025 Council meeting. The contract has two separate phases to minimize neighborhood inconvenience with interim completion dates as noted below:

#### **Phase I – Hartzel St, Davis St, Cleveland St, and Colfax St**

Work is anticipated to commence no earlier than **June 9, 2025** and shall be substantially completed within **25 working days** or by **July 25, 2025**, whichever comes first.

#### **Phase II – Elmwood Ave (from Grove to Davis and From Howard to Brummel), Greenwood St, and Benson Ave.**

Work shall commence no later than the week of **August 4, 2025** and shall be substantially completed within **20 working days** or by **September 15, 2025**, whichever comes first.

Substantial completion shall be defined as completion of all items of work with the exception of punch list items and sod installation; preparation of the parkway area for sodding shall be complete. Additional preparation of the parkway area prior to sod installation after August 31 when temperatures allow will not be paid for separately but shall be considered as included in the contract. Concrete work will be required to be completed one side of the street at a time.

Final contract completion date (including punch list) is **September 15, 2025**. Only sod watering may occur after the contract completion date. The City reserves the right to assess deductions in the amounts as detailed in Article 108.09 of the Standard Specifications per Work Day for each day of overrun for each of the interim/substantial working day and/or completion dates listed above in bold.

### **MATERIAL TESTING/INSPECTION**

Add the following paragraphs to Article 106.01:

All materials incorporated in this Contract are to be inspected according to IDOT's QC/QA programs per the Project Procedures Guidelines (PPG). The latest version is available on the IDOT website at: <http://www.idot.illinois.gov/Assets/uploads/files/Doing-Business/Manuals-Guides-&-Handbooks/Highways/Materials/PPG.pdf>. All material incorporated into the work shall originate from IDOT approved sources (as required by PPG) and/or be accompanied by sufficient IDOT approved evidence of material inspection. All mix designs for PCC and HMA shall be submitted to the Engineer with QC Plans for review and approval.

### **SAW CUTS**

Add the following paragraphs to Article 442.05:

The Contractor shall full-depth saw cut for the removal of existing curb, sidewalk, all structure work, and for all pavement patches. The concrete saw shall be equipped with a diamond blade of sufficient size to saw pavements full-depth and be capable of accurately maintaining cutting depth. All saw cuts shall be parallel or perpendicular to the curb & gutter, edge of sidewalk, or the edge of pavement, with straight, clean, edges, to the satisfaction of the ENGINEER. This item shall be included with curb & gutter, sidewalk, structure work, and pavement removal. **The slurry resulting from the saw cutting work shall be immediately washed away using water to prevent tracking by vehicles or pedestrians to the satisfaction of the ENGINEER.**

When removing pavement, curb and gutter, shoulder, and/or any other structures, the use of any type of concrete breakers which might damage the underground public or private utilities or property will not be permitted. **Pavement openings must be initiated with hydraulic impact/air hammers and the use of excavator buckets to strike and break pavement is strictly prohibited and will result in an immediate deficiency deduction.**

If additional surface is damaged or removed due to negligence on the part of the Contractor, the additional work will not be measured for payment but shall be done at the Contractor's expense. It is Contractor's responsibility to determine the thickness of the existing pavement and whether or not it contains reinforcement.

### **FIBER OPTIC UTILITIES**

If the JULIE system locates a City of Evanston fiber optic communication utility, the Contractor/permit holder shall be required to visually expose fiber optic lines by hand digging within three (3) feet of either side of JULIE locate on all construction projects and permit work. This work will not be paid for separately. The cost of this work shall be included in the unit prices bid for various pay items.

### **LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC**

Add the following paragraphs to Article 107.09:

"The Contractor shall identify and obtain, at their own expense, other sites for storage of materials and equipment. Sites shall be approved by the Owner and shall conform to City zoning and land use regulations.

Contractors shall confine all work activities to the public right-of-ways, except areas designated as tree protection zones. If, for their convenience, Contractors wish to conduct work activities outside public right-of-ways, including storage of equipment and materials, Contractors shall obtain written permission from affected property owners prior to proceeding with these work activities. Costs of obtaining permission, permits, easements, site preparation, site maintenance, site restoration, and all other expenses associated with work outside right-of-ways and easements shall be borne by the Contractors at no additional expense to the Owner.

Construction materials may not be placed or stored along City streets and other public areas more than five (5) calendar days prior to their planned incorporation into the Project. Excess materials to be incorporated into the Project, including pipe, backfill materials, and other construction materials, not incorporated into the Project shall be removed from the construction site by the end of each day and shall be disposed of in accordance with these Specifications. Temporary storage of materials shall not interfere with curb line storm drainage. Reclaimed construction materials shall be moved to the Contractor's storage areas. **Excess spoils shall be removed at the end of each day.**

Excess construction equipment not actively engaged in daily work operations shall be stored only in the Contractor's storage areas and not along City streets. Tracked construction equipment shall be moved from place to place in the City only on rubber-tired trailers. "Walking" of tracked equipment between construction areas is expressly prohibited. Refueling trucks shall not be parked on City streets and shall be returned to the Contractor's storage area when not in use. The Contractor shall provide off-street parking for personal vehicles belonging to his employees, supplier's employees, and subcontractor's employees. These vehicles may not be parked along City streets or in Work areas. **No trailers and/or connex containers will be allowed to be stored on/in the City of Evanston R.O.W.**

The Contractor shall provide receptacles as necessary at construction areas for depositing waste paper and garbage; and, shall empty these receptacles regularly. The Contractor shall keep the construction site and his storage sites neat and shall promptly clean up any debris that accumulates. All waste materials shall be hauled to a legal waste disposal site of the Contractor's choice.

The Contractor shall conduct his operations so that access to homes and other buildings is maintained at all times when Contractor is not working at that specific location. The Contractor shall cooperate in efforts to notify home and other building owners as to when direct vehicular access to their property will be curtailed and the approximate length of time of such curtailment. Written and/or vocal notification shall be given to affected residents or tenants of the properties not less than 24 hours prior to access curtailment. The Contractor shall maintain access for emergency vehicles to all parts of the construction area at all times.

The Contractor shall provide for and maintain the flow in all sewers, drains, building or inlet connections and all water-courses which may be met with during the progress of the Work. He shall not allow the contents of any sewer, drain, or inlet connection to flow into trenches, sewers, or other structures to be constructed under the Contract and shall immediately remove and cart away from the vicinity of the Work all offensive matter. The Contractor shall not disrupt the function of individual sanitary services for more than four continuous hours. If construction operations are anticipated to disrupt individual services for more than four hours, the Contractor shall provide for temporary sanitary service for the duration of the disruption.

The Contractor shall promptly notify the proper utility company and all other effected parties of any

damage to water, gas, electric, telephone, sewer, and other utility lines and connections caused by the Contractor's operations. The damage shall be immediately repaired at the Contractor's expense. In the case of an accidental breaking of a water main or service line, the repairs of such a break shall have priority over all other operations. The parties whose services are affected by the break shall be notified at once and all assistance given to supply emergency water where necessary by temporary lines, tank truck, or other means. The Contractor shall maintain an appropriate inventory of the materials for emergency repairs. **In the case of an accidental breakage of a street light cable, the Contractor shall submit for approval a licensed electrical contractor to repair any and all damage to the existing street light cables.**

The Contractor shall not allow travel upon any street, park, roadway, or alley to be hindered or inconvenienced needlessly, nor shall the same be wholly obstructed without the written permission of the Owner thereof. No construction vehicles shall be driven through or shall be parked in alleys unless so approved by the Engineer. Construction traffic shall be routed on major City through-streets. Construction traffic on minor streets shall be limited as much as is practical. **All street closures must be approved by Engineer.**

When traffic must be obstructed, the Contractor shall provide proper traffic control as accepted by the Engineer and Owner by placing clearly worded signs announcing such fact with proper barricades, at the nearest cross-streets on each side of such obstructed portion, where travel can pass around the obstruction in the shortest and easiest way. "No parking" signs must be approved by the Engineer and must be POSTED AND DATED at least 48 hours before the intended date of use. "No Parking" signs are to be purchased from the Owner. If vehicles are still parked in "No Parking" areas identified by the Contractor, the Contractor shall notify the Engineer who will contact the Evanston Police to have the vehicles towed away. **No towing of vehicles shall be done by the Contractor.**

Driveways to fire department buildings, driveways to medical buildings, and driveways to businesses required for continuance of their commerce shall be kept open and maintained in passable conditions at all times unless modified by agreement between the Contractor and the property owner. All agreements between the Contractor and private property owners must be in writing to be considered binding. The Contractor shall give reasonable notice to the owners of all private driveways before interfering with them. Daily construction operations shall be terminated at such locations that the operations of driveways are not obstructed. Driveways shall be passable between the hours of 6:00 p.m. and 9:00 am.

Delete Article 107.18 and replace it with the following:

**"107.18 Use of Fire Hydrants.** If the Contractor desires to use water from hydrants, he shall fill out an application to the City of Evanston Utilities Department and shall conform to the municipal ordinances, rules, or regulations concerning their use. The Contractor shall obtain a use permit for each hydrant, and shall operate the hydrant properly. The Contractor is required to use an RPZ or appropriate back flow prevention device subject to approval of the City. There is a \$300 deposit on the fire hydrant and all borrowed equipment. Water shall be furnished from hydrants at no cost to the Contractor. However, the Contractor shall restore any damage to the hydrant caused by his use, including settlement.

Fire hydrants shall be accessible at all times to the Fire Department. No material or other obstructions shall be placed closer to a fire hydrant than permitted by municipal ordinances, rules or regulations, or within five (5) feet of a fire hydrant, in the absence of such ordinances, rules or regulations."

Existing roadways, driveways, sidewalks, curbs, utilities, structures, landscaping, site objects,

and other site improvements not indicated to be removed and/or replaced as part of the Project which are damaged by Contractor's operations shall be repaired to a condition equal or better than that prior to the start of construction; or, if deemed un-repairable by the Owner, removed and replaced by the Contractor at no cost to the Owner in accordance with the terms of the Project specifications, Drawings, applicable codes, ordinances, and technical standards.

The correction of defects in the Work performed by the Contractor shall be done at no additional cost to the Owner and in accordance with the terms of the Project specifications, Drawings, applicable codes, ordinances, and technical standards.

Add the following paragraph to Article 107.25:

"Prior to commencement of construction operations, the Contractor shall prepare a written inventory of existing traffic control and other signage along the routes of construction. This inventory shall list the location, wording, and general condition of signage. This inventory shall be submitted to the Engineer upon completion and before any signage is removed for construction activities. The Contractor shall remove all existing traffic control signs, store these signs in a manner, which prevents damage, and reinstall them as soon as possible following installation of new sewers as coordinated by the Engineer."

Delete Article 107.27 and replace it with the following:

Extension of Indemnification to Third Parties. In the event that some of the Work is to be completed on property that is not owned by the Owner, the Contractor shall provide the indemnification and save harmless protection to the owner of such property. The Contractor shall also provide the indemnification and save harmless protection to owners of adjacent properties that may be affected by his operations.

Claims and disputes by third parties arising from work on this Contract, including augering and directional drilling or excavation work, shall be resolved in accordance with the procedures hereinafter specified. This provision does not change, modify or alter the Contractor's responsibility to follow the insurance requirements of the Contract. Neither does this provision change, modify or alter the Contractor's responsibility to defend, indemnify and hold harmless the Owner and the Engineer from all types of claims that may arise out of or in consequence of the performance of this work by the Contractor or which may result in any way there from as that duty is stated in Section 107. Furthermore, this provision does not change, modify or alter the Contractor's responsibility to follow the provisions requiring a Contractor's Performance Bond.

The Contractor agrees to follow the procedure described following in resolving all property damage disputes that arise during the performance of the Work under the Contract. The Contractor agrees that the following procedure is the way the Contractor will hold the City of Evanston, MWRD and Engineer harmless for property damage claims:

i. Procedure for Resolving Property Damage Disputes

If the Contractor receives a claim for property damage allegedly caused by his performance of the Work under this Contract, the Contractor shall, within five (5) calendar days of receipt of such claims:

- Acknowledge the claim to the property owner.
- Send a copy of the said claim and acknowledgment to Engineer.
- If the claim is not settled (or the Contractor does not agree to settle the claim) within five (5) calendar days, the Contractor shall:

- Forward the claim to the Contractor's insurance carrier.
- Require his insurance company to forward to Engineer an acknowledgment of receipt of the claim.

The Contractor **and** insurance carrier shall either settle or deny claims within sixty (60) calendar days of initial receipt of the claims. The insurance carrier and Contractor shall notify the Engineer of claims settled and denied, including the terms of the settlement or reasons for denial. The Contractor shall advise property owners of the decision to deny their claims and shall include in the Notice of Denial the name and address of the person authorized to accept service of process on behalf of the Contractor.

When a claim is allowed in any amount, Contractor shall, within thirty (30) calendar days of the award, pay to the property owner the amount of the award. If the Contractor does not make these payments to the property owner within the thirty (30) calendar day period, the Owner shall be authorized to make these payments for the Contractor and then deduct the amounts paid from the next payment due the Contractor under this Contract.”

Add the following paragraphs to Article 107.30:

“The Contractor assumes full responsibility for the safekeeping of all materials and equipment and for all unfinished work until final acceptance by the Owner, and if any of it is damaged or destroyed from any cause, the Contractor shall replace it at his own expense.

The Contractor shall indemnify and save harmless the Owner against any liens filed for nonpayment of his bills in connection with the Contract work. The Contractor shall furnish the Owner satisfactory evidence that all persons who have done work or furnished materials, equipment or service of any type under this Contract have been fully paid prior to the acceptance of the Work by the Owner.

The Contractor shall indemnify and hold harmless the Owner, the Owner's employees, the Engineer, and the Engineer's employees from any and all liability, loss, cost, damages and claims, and expense (including reasonable attorney's fees and court costs) resulting from, arising out of, or incurred by reason of any claims, actions, or suits based upon or alleging bodily injury, including death, or property damage arising out of, or resulting from the Contractor's operations under this Contract, whether such operations be by himself or by any subcontractor or by anyone directly or indirectly employed by either of them. The Contractor shall obtain insurance for this purpose, which shall insure the interests of the Owner and Engineer as the same may appear, and shall file with the Owner and Engineer certificates of such insurance.

The Contractor shall protect the Owner's property and adjacent property from injury or loss resulting from his operations. Objects sustaining such damage shall be replaced to the satisfaction of the Owner and Engineer; the cost of such repairs shall be borne by the Contractor.

**The Contractor shall be completely responsible for protecting his work from vandalism. Any vandalized concrete shall be repaired and/or replaced as directed by the Engineer and at the Contractor's expense.”**

Delete the second and fourth paragraphs of Article 107.35.

Add Article 107.37, which shall read as follows:

**“107.37 Traffic Control and Protection.** Special attention is called to the following Highway Standard Details and Section 701 relating to Traffic control:

**STANDARDS**  
**701301, 701501, 701801, 701901**

If requested by Contractor, one-block-long road closures will be allowed by the Owner in areas deemed necessary by the Engineer. No more than one lane of other streets may be closed at any time. Traffic control shall be in accordance with the applicable sections of the Standard Specifications, the applicable guidelines contained in the Illinois Manual on Uniform Traffic Control Devices for Streets and Highways, any Special Provisions, any Supplemental Standard Specifications and any special details and Highway Standards contained herein.

At the Pre-Construction Meeting, the Contractor shall furnish the name, and a 24-hour telephone number of the individual in his direct employ, who is responsible for the installation and maintenance of the traffic control for the Project. In accordance with Article 108.01, if a subcontractor is to provide this aspect of the work, consent of the Engineer is required. This shall not relieve the Contractor of the foregoing requirement for an individual in his direct employ to superintend the implementation and maintenance of the traffic control.

The Contractor shall furnish, install, maintain, relocate, and remove all traffic cones, signs, barricades, warning lights and other devices which are to be used for the purpose of controlling pedestrian and vehicular traffic. The traffic control requirements presented in the Contract documents represent the minimum level of control which shall be provided. The Contractor is solely responsible for implementing all other traffic control measures required to fully protect pedestrians, vehicles, and his work forces.

The Contractor is responsible to ensure that all barricades, warning signs, lights and other devices installed for traffic control are in place and operational twenty-four hours each calendar day this Contract is in effect. In particular, the Contractor shall make sure that warning lights are functioning during night-time hours. Warning lights shall be checked each calendar day to verify functioning, replace batteries/bulbs, and/or replace light assemblies as necessary.

All areas of work shall be protected each night by Type II drum-type or sawhorse-type barricades at not greater than fifty (50) foot centers.

Drum-type and sawhorse barricades shall be equipped with working flashing lights and highly visible reflectors, reflective tape or reflective paint. At least six reflectors shall be visible from any viewing angle. Tape or paint shall cover at least 30 percent of the barricade from any viewing angle and shall conform to Section 700 of the Standard Specifications. Arrow boards shall be silent type powered by electricity or battery packs. No engine/generator-powered arrow boards are permitted.

The Contractor shall place "No Parking" signs a minimum of two (2) calendar days prior to curb replacement, patching or resurfacing operations. All "No Parking" signs must have the approval of, affixed, and displayed to the satisfaction of the Engineer. Posting of signs on trees shall be done in such a manner to facilitate removal; stapling or nailing of signs to trees is prohibited. Contractor shall keep a log of all posted "No Parking" signs and shall submit the log to the Engineer promptly upon request.

School busses and emergency vehicles shall have access to all premises at all times."

Add Article 107.38, which shall read as follows:

**“107.38 Maintenance of Roads.** Contractor shall maintain roads for all weather conditions and at all times in compliance with state and local regulations. Upon completion of construction, Contractor shall return all roads to their original condition as described in Section 442. With the Owner’s approval, roadways and drives may be closed temporarily in the immediate area of the work. However, roadways and driveways shall be reopened as soon as is practical following the completion of installation and/or restoration. All roadways shall be maintained open to local traffic between the hours of 6:00 p.m. and 9:00 am or at other times when Contractor is not actively engaged in sewer and/or water main installation. Roadways shall be open to through traffic whenever practical. Roadways shall be open to emergency vehicles at all times. Temporary pavements specified by Engineer or Owner shall be placed on the same day as sewer and/or water main work and shall be maintained as necessary until final roadway restoration. Contractor shall promptly remove all loose material spilled on roadways during the execution of the Work.

Temporary pavements for trenches crossing roadways and sewer and/or water main structures in through traffic lanes shall be hot mix when specified or as directed by Engineer. Temporary pavements around structures not located in through traffic lanes shall be aggregate surface course as specified or as directed by the Engineer.”

Add Article 107.39, which shall read as follows:

**“107.39 Water Control.** The Contractor shall perform grading and other operations to maintain site drainage. Surface water shall not be allowed to accumulate in excavations. The Contractor shall dispose of surface and subsurface water in a legal manner. He shall not allow mud, silt, or debris to flow into any surface water area or body other than in compliance with the State Water Quality Standards. Where the Contractor’s operations disturb existing combined sewers, the Contractor shall provide temporary bulkheads and pumping facilities as necessary to maintain the combined sewers, connected building services and storm water inlet leads in full operation, including transport of the maximum dry-weather and wet-weather flow of which the existing sewer is capable. Combined wastewater shall not be permitted to flow along streets, public right-of-ways, private property, trench areas or inactive relief sewers. All earthwork, moving of equipment, water control of excavations, and other operations likely to create silting, shall be conducted so as to minimize pollution to watercourses or water storage areas. Under no circumstances shall the Contractor discharge pollutants into any watercourse or water storage area.”

Add Article 107.40, which shall read as follows:

**“107.40 Overnight Protection of Work.** The Contractor shall adequately backfill, cover with appropriate plates, or suitably fence and barricade all open excavations at the completion of each day’s work. Open-cut excavations shall be reduced to a maximum length of thirty feet overnight. Excavations shall not block roadways or driveways. Open ends of sewers being installed shall be bulk-headed overnight with watertight plugs to prevent entrance of soils, entrance of groundwater, and/or entrance by the public. The Contractor shall protect all excavations from public access. All shafts for open-cut work shall be fully covered during non-working hours and during working hours when not being actively used for that day’s construction.”

## **PROSECUTION AND PROGRESS**

Delete the second paragraph of Article 108.03 and replace it with the following:

“The Contractor shall notify the Owner and Engineer at least 72 hours before beginning work. The Contractor shall give a minimum of 24 hour notice, not including Saturdays, Sundays or legal holidays, prior to suspension of construction activities for any non-weather related reason. Suspension of work for non-weather related reasons must be pre-approved by the Engineer. The

Contractor must be in advance of the Controlling Item as indicated by his submitted Construction Schedule as a condition of the Engineer's granting of authorization to suspend work. In addition, the suspension shall not affect the completion date of the Project. The Contractor shall notify the Engineer at least 24 hours, not including Saturdays, Sundays or legal holidays, prior to the resumption of work. The site must be left in a clean and neat manner, acceptable to the Engineer, prior to the authorization of the suspension.

The Contractor shall perform the Work in accordance with the following scheduling requirements:

- a. The Contractor will be required to discuss their operations and get verbal and / or written permission at least twenty-four (24) hours in advance in order to work on the following dates:

Thursday, June 19, 2025	Juneteenth
Wednesday, September 24, 2025	Rosh Hashana

Delete Article 108.04 and replace it with the following:

**“108.04 Normal Work Hours.** Normal work hours shall be Monday through Friday (excluding legal holidays) between 7:00 am and 4:00 p.m. local time during the calendar dates specified in Article 108.03. Except for work required to maintain warning lights, barricades and other safety/health-related systems no work shall be performed on Saturdays, Sundays, legal holidays, or between 4:00 pm and 7:00 am on other days without specific permission of the Owner. Any violation for working hours contractor will be fined \$1000.00 for each occurrence.

No work, except maintenance of warning lights, barricades and other safety/health-related systems, may be performed unless the Engineer is available to observe/inspect construction activities. Owner will provide the services of the Engineer as needed for construction observation/inspection between the hours of 7:00 am and 4:00 p.m., Monday through Friday, except legal holidays, in accordance with the calendar dates specified in Article 108.03.

If at any time during the project the Contractor elects to work on a Saturday, they must obtain Written permission from the Capital Planning and Engineering Bureau, Senior Project Manager and/or City Engineer/Bureau Chief, Public Works Agency. Contractor shall request this at least twenty-four hours in advance of Saturday work. The contractor is required to estimate any Saturday work and include that in the bid amount.

## **MEASUREMENT AND PAYMENT**

Delete Article 109.07 and replace it with the following:

**“109.07 Partial Payments and Retainage.** The Owner will pay the Contractor monthly for Work completed in accordance with the Contract Documents. Applications for Payment from the Contractor (and subcontractors) shall be prepared and submitted by the Contractor with all supporting documents to the Engineer. Supporting documents to be submitted with Applications for Payment shall include, but are not limited to:

### **Documents to be Submitted With Applications for Partial Payment**

- (a) MBE/WBE/EBE Monthly Utilization Report
- (b) All delivery tickets for concrete and asphalt.

- (c) Lien Waivers
- (d) Certified payrolls for general contractor and sub-contractors

**Failure to submit any of the above documents may cause the payment application to be rejected.**

Lien waivers shall accompany each Application for Payment and shall reflect the amount paid to each subcontractor, and supplier, and their respective supporting lien waivers. Contractor's lien waivers submitted with interim Applications for Payment shall reflect all costs up to the date of the Application. Lien waivers from subcontractors, suppliers and others accompanying interim Applications for Payment may be submitted one month in arrears. Lien waivers submitted with the final Application for Payment shall reflect the full values of Contractor's efforts; and, all subcontracts, materials purchases, and other Project costs.

Applications for Payment shall be reviewed by the Engineer within ten (10) calendar days of the submittal and returned to the Contractor for correction or forwarded to the Owner for approval, as appropriate. Engineer and Contractor must agree to quantities forwarded to the Owner. Any disputed quantities not included in the Application for Payment must be resolved within thirty (30) calendar days with any adjustments from disputed quantities to be included on the following Application for Payment. Applications for Payment certified by the Engineer must be in the City offices by the close of business on the last working day of each month. The Owner will pay the Contractor within thirty (30) calendar days of receipt of Applications for Payment certified by the Engineer.

Delete the first, third, and fourth paragraphs of Article 109.08 and add the following:

“Final payment will be made within sixty (60) calendar days after the Work is fully completed, and accepted by the Owner and the Contract fully performed. Request for final payment shall be prepared by the Contractor and accompanied by the documentation hereinafter listed. Quantities for this Contract shall be subject to the contract unit price applied to final measured quantities.

Neither the final payment nor any part of the retained percentage shall become due until the Contractor delivers to the Owner a complete release of all liens arising out of this Contract, or receipts in full in lieu thereof, and in either case, an affidavit that so far as he has the knowledge or information, the releases and receipts include all the labor and material for which a lien could be filed, but the Contractor may, if any subcontractor refuses to furnish a release or receipt in full, furnish a bond satisfactory to the Owner, to indemnify the Owner against any lien. If any liens remain unsatisfied after all payments are made, the Contractor shall refund to the Owner all moneys that the Owner may be compelled to pay in discharging such liens, including all costs and Attorney's fees.

Add the following as the first two paragraphs of Article 109.09:

“The Contractor shall notify the Engineer immediately when the Contractor becomes aware of any circumstances which the Contractor believes may lead to a claim for extra cost. Where possible, the Contractor shall delay proceeding with work which may result in the claim for extra cost until the Engineer has had a reasonable opportunity to review the situation, unless such delay will materially disrupt the prosecution of the Work or unless immediate Contractor action is required to resolve an emergency which endangers life or property. The purposes of the Engineer's review are: to verify that a claim for extra cost may be warranted, to make modifications to the Work to avoid or minimize the extra cost, and/or to monitor the Contractor's performance of the work generating the extra cost. For those situations where the Engineer is not notified prior to the Contractor

performing work which causes the claim, the amount of extra cost to which the Contractor is entitled shall not include costs which, in the Engineer's sole opinion, could reasonably have been avoided if the Contractor had notified the Engineer prior to proceeding with the Work.

The Contractor shall submit, in writing, claims for extra cost to the Engineer as soon as possible after the occurrence of the event(s) giving rise to the claim, but not more than thirty (30) calendar days thereafter. Claims shall include appropriate supporting documentation as specified in following paragraphs to justify the extra cost claimed. This documentation shall include, as a minimum: a description of the circumstances which generated the claim, prior notifications provided to the Engineer, and a detailed breakdown of costs incurred by the Contractor. In the event that this documentation cannot be assembled within thirty (30) calendar days or if the extra cost is ongoing, the Contractor shall submit, in writing, whatever partial information is available to keep the Engineer informed of the Contractor's progress. Extra costs incurred by the Contractor solely because of the particular means and methods which the Contractor chooses to perform the Work will not be considered. Claims submitted more than thirty (30) calendar days after the occurrence of the event(s) giving rise to the claim will not be considered."

Delete the first, second and third paragraphs of Article 109.09 sub-paragraph (e) and replace them with the following:

"(e) Procedure. All claims and supporting documentation shall be submitted to the Engineer. The Engineer shall review each claim and advise the Owner of the Engineer's opinion of the relative merit of each claim and the dollar and/or time adjustment which the Engineer believes is warranted, if any. The Owner shall make a determination of the merit of each claim and the dollar and/or time adjustment, if any, which is appropriate for resolution of the claim. If Contractor is dissatisfied with the Owner's decision regarding merit, dollar adjustment, and/or time adjustment associated with a claim, the Contractor may request arbitration in accordance with the following:

- All claims, counter-claims, disputes and other matters in question between the Owner and the Contractor arising out of, or relating to this Agreement or the breach of it, will be decided by arbitration if the parties mutually agree, or in a court of competent jurisdiction within the State.
- Notice of the demand for arbitration shall be filed in writing with the other party to the Contract Documents and with the American Arbitration Association, and a copy shall be filed with the Engineer. Demand for arbitration shall in no event be made on any claim, dispute or other matter in question which would be barred by the applicable statute of limitations.
- The Contractor will carry on the Work and maintain the progress schedule during any arbitration proceedings, unless otherwise mutually agreed in writing."

### **TREE PROTECTION**

Add the following paragraphs to Article 201.01:

Trees and shrubs damaged due to construction operations or removed without approval shall be replaced, at Contractor's expense, with trees or shrubs of like species and size, to a maximum trunk size of 6-inches diameter as directed by the Owner. If trees larger than 6-inches diameter are irreparably damaged or destroyed, the Contractor shall replace these trees with trees of like species 6-inches in diameter. Tree trimming, pruning, repair of wound surfaces, removal of trees and shrubs requested by Contractor, and replacement of trees and shrubs irreparably damaged shall be incidental to the items of work to which they pertain."

### Parkway Tree Protection

Prospective contractors are advised that it is the express intent of the City of Evanston to minimize trimming of trees in the work corridors and to vigorously protect the quality of the urban forest. The equipment and methods used to perform any and all portions of the work must be the size and nature that results in the least disruption to the existing environment. The City of Evanston reserves the right to limit the size of the equipment used on the project.

The Contractor shall at all times demonstrate to the satisfaction of the City of Evanston that suitable precautions and due diligence are being observed to protect the natural and improved features of the area. Special and continuing attention will be paid to the maintenance of tree protection fencing and the appropriate observance of tree protection areas as delineated by the fencing.

To insure compliance with the City of Evanston's intent to minimize area disturbances, the following procedures and actions will be followed: When the Engineer determines that a deficiency exists, the Contractor shall be notified. If the contractor fails to rectify the deficiency immediately, the Engineer will impose a daily monetary deduction for each 24-hour period (or portion thereof) the deficiency exists. This time period will begin with the time of notification to the Contractor and end with the Engineer's acceptance of the corrections. The cost of the daily deduction will be \$250 per occurrence per calendar day. In addition, the Contractor will be liable and responsible for any and all corrective and remedial actions required to restore the area or item to comparable pre-project conditions as well as any additional fines and fees as stated in the tree protection requirements in these specifications.

**Care of Existing Plant Material.** If construction is to occur within the root zone of existing plant material, root pruning and special plant care will be required, as hereinafter specified. All pruning shall be performed by a professional arborist (someone whose principal occupation is the care and maintenance of trees).

The Contractor shall be responsible for taking measures to minimize damage to tree limbs, tree trunks, and tree roots at each work site. All such measures shall be included in the contract price for other work except that payment will be made for Temporary Fence and Root Pruning as separate pay items.

- A. Root Pruning:
  - 1. Whenever the proposed excavation falls within the drip-line of a tree, the contractor shall:
    - a. Root prune 6-inches behind and parallel to the proposed edge of trench a neat, clean vertical cut to a minimum depth directed by the City Arborist through all the affected tree roots.
    - b. Root prune to a maximum width of 4 inches using a "Vermeer" wheel matching the following criteria. The root pruner wheel shall be 60" diameter (188" circumference) carrying 28 pair (56 total) stump cutter teeth with tooth spacing at 6.7" on center. The cutting depth shall be 24" and shall utilize a 65hp tractor. Trenching machines will not be permitted.
    - c. Exercise care not to cut any existing utilities.
    - d. If during construction it becomes evident that additional tree roots will require root pruning, the City Arborist and the Contractor shall have the root pruning sub-contractor return to the site to properly root prune the tree at the location directed by

the City Arborist. The contractor will be paid for the additional root pruning as described below; however, no additional compensation will be made for remobilization to the construction site.

- e. For locations where root pruning is performed for the purpose of curb and gutter removal and replacement, the contractor shall root prune 6-inches behind the curbing so as to neatly cut the tree roots.
  - f. Depth of cut shall be 12 inches for curb removal and replacement and 24 inches for structural work. Any roots encountered at a greater depth shall be neatly saw-cut at no additional cost.
  - g. The Engineer or City Arborist will mark locations where earth saw cutting of tree roots is required in the field.
- 2. All root pruning cuts shall be immediately backfilled with material side cast from the earth-sawing procedure, so that the ground surface is even and no tripping potential exists.
  - 3. All root pruning work is to be performed through the services of a certified arborist to be approved by the City Arborist.

ROOT PRUNING shall be used to protect all trees within the public right-of-way of the project limits or as directed by the Engineer. This work will be paid for at the Contract unit price per FOOT for ROOT PRUNING measured in place.

The Contract unit price per FOOT for ROOT PRUNING shall be payment in full for all materials, labor and equipment required for: root pruning as shown on plan details; and all related work which is not included under other Payment Items.

**B. Temporary Fence:**

- 1. The Contractor shall erect a temporary fence around all trees within the construction area to establish a "tree protection zone", as established by City Arborist, before any work begins or any material is delivered to the jobsite. No work is to be performed (other than root pruning), materials stored, or vehicles driven or parked within the "tree protection zone" at any time during the course of construction.
- 2. The exact location and establishment of the "tree protection zone" fence shall be approved by the City Arborist prior to setting the fence. The fence shall be 48 inches high, plastic poly-type or any other type of highly visible barrier in an open-weave type pattern with large openings. The type, color and pattern of the fence shall be approved by the Engineer prior to erection. This fence shall be properly maintained in an upright manner and shall remain up until final restoration, unless the Engineer directs removal otherwise. Tree fence shall be supported using T-Post style fence posts with a maximum of 8' spacing. T-posts must be at least six feet in length, two feet of which must be set in the ground. The fence shall be attached to posts and secured with a minimum of three nylon locking ties per post. Utilizing re-bar as a fence post will not be permitted.
- 3. The fence shall be installed 18" behind and parallel to the curb and between the curb and sidewalk. Fence shall be erected on a minimum of three sides with the fourth sidewalk side being optional. Fence shall be installed at the drip-line of the tree or as listed in the following guidelines:
  - a. Establish the diameter of the tree at a point four and a half feet above the ground, (referred to as

diameter breast height or DBH)

- i. Trees with diameters 10 inches and under require root zone protection a minimum of five feet from the center of the tree.
  - ii. Trees 10 to 19 inches in diameter shall have a minimum root zone protection of 10 feet from the center of the tree.
  - iii. Trees greater than 19 inches in diameter shall have a minimum root zone protection of 15 feet from the center of the tree.
4. Parking or maneuvering of machinery, stockpiling of materials or any other use will not be allowed upon unpaved areas within 10 feet of the root protection zone of trees or plants designated to be protected.
  5. Construction area is defined as all areas within 10 feet each side of roadway improvement location.
  6. All work within the "tree protection zone" shall have the Engineer's prior approval. All slopes and other areas not re-graded should be avoided so that unnecessary damage is not done to the existing turf, tree root system or ground cover.
  7. The grade within the "tree protection zone" shall not be changed unless approved by the Engineer prior to making said changes or performing the work.

TEMPORARY FENCE shall be used to protect all trees within the public right-of-way of the project limits or as directed by the Engineer. This work will be paid for at the Contract unit price per FOOT for TEMPORARY FENCE measured in place.

The Contract unit price per FOOT for TEMPORARY FENCE shall be payment in full for all materials, labor and equipment required for: providing snow fence as shown on plan details; and all related work which is not included under other Payment Items.

When improvements are required within the "tree protection zone", tree trunk protection will be required.

C. Tree Trunk Protection:

The Contractor shall provide 2 in. by 8 in. by 8 ft. boards banded continuously around each trunk to prevent scarring of trees shown on the plans or designated by the Engineer. For multi-stem trees, saplings, and shrubs to be protected within the area of construction, temporary fencing may be used for trunk protection

TREE PROTECTION shall be used to protect all trees within the public right-of-way of the project limits or as directed by the Engineer. This work will be paid for at the Contract unit price per EACH for TREE PROTECTION measured in place.

The Contract unit price per EACH for TREE PROTECTION shall be payment in full for all materials, labor and equipment required for: installation of trunk boards in accordance with Supplemental Standard Specifications; and all related work which is not included under other Payment Items.

D. Tree Pruning:

Tree pruning shall consist of pruning branches for aesthetic and structural enhancement or as directed by the Engineer. All pruning shall be done according to the current ANSI A300 (part 1)

pruning standard. Trees selected for pruning will be cleaned of dead, diseased, or broken branches, thinned appropriately to reduce density of branches, raised to provide vertical clearance for pedestrian and vehicular traffic, and if warranted by species tolerance and specimen needs limbs will be reduced to promote a central leader and good structure. Pruning to provide clearance over the street will be allowed up to 14 feet above the pavement. If additional clearance is needed a request in writing shall be submitted to the City Arborist. All branch pruning to American Elms and Oak trees shall be done between October 15 and April 15, when the trees are dormant. Under pruning to provide clearance over the street will be allowed up to 14 feet above the pavement. If additional clearance is needed a request in writing shall be submitted to the City Arborist.

TREE PRUNING will be paid for at the contract unit price per EACH for TREE PRUNING, which price shall include Under pruning branches the entire perimeter of the tree, for aesthetic and structural enhancement, of existing trees.

#### **DISPOSAL OF EXCAVATED MATERIAL**

This work shall consist of meeting IEPA requirements for the disposal of excavated material including, but not limited to, clean construction or demolition debris (CCDD), uncontaminated soil, and/or contaminated soil. **Excavated materials must be removed from the site by the end of each day.**

The Contractor will be responsible to provide CCDD and soil fill site operators with all testing information and fees as required by the IEPA and fill site operators. The City will provide the Contractor IEPA LPC documentation prior to the start of construction.

Excavated material identified by the City or during the course of construction as not conforming to CCDD requirements shall be sampled, analyzed, and screened for disposal site acceptance by the Contractor in accordance with Section 669 of the Standard Specifications. This work will be paid for at the contract unit price per Each as Soil Disposal Analysis for each test taken and at the contract unit price per Cubic Yard for Non-Special Waste Disposal.

#### **TOPSOIL FURNISH AND PLACE**

Add the following paragraph to Article 211.04:  
Topsoil shall be pulverized.

Revise Article 211.07 of the Standard Specifications to read:  
Topsoil furnish and place shall be that material obtained from outside the right-of-way and will be measured for payment by volume in cubic yards. Topsoil must be furnished from an inspected source with delivery tickets displaying the material volume delivered.

Revise Article 211.08 of the Standard Specifications to read:  
This work will be paid for at the contract unit price per cubic yard for TOPSOIL FURNISH AND PLACE.

**Topsoil used to backfill concrete work will not be paid for but shall be considered as included in the various contract items.**

#### **SODDING, SALT TOLERANT**

Add the following paragraph to Article 252.01:  
"All grassed areas disturbed by Contractor's operations shall be restored by sodding. To be acceptable, the sod shall be in a live, healthy condition and be knitted to the soil. Sod shall be

growing in place for forty-five (45) calendar days prior to measurement. Only living sod that is acceptable will be measured for payment.”  
approved by the Engineer.”

Add the following to Article 252.03:

“Sod bed preparation shall include the placement of top soil, including excavating and grading the areas to be sodded to a depth of at least 3-inches below a line connecting the top of the curb and the top of the sidewalk, disposing of the material removed and placing pulverized topsoil on the space so prepared, raked and ready for sodding. The topsoil shall be free from quack grass and weeds and shall be approved by the Engineer before placing. One rolling of the entire surface of the soil shall be made. Existing sidewalks, curbs and trees, and the like, which are not to be removed, shall be protected from damage during the placement of topsoil. Placement of topsoil shall be incidental to the cost of sodding and no separate payment shall be made.”

Add the following paragraph to Article 252.04:

“The Contractor is encouraged to refrain from placing sod during the months of July and August, when possible within the required construction schedule. No sod may be placed between November 1 and March 1 unless approved by the Engineer. Regardless of the time of placement and subsequent climatic conditions, the Contractor shall water sod sufficiently to maintain it in a healthy condition until accepted by the Owner. Sod shall be in a moist condition at the time of cutting and shall be kept in a moist condition until it is placed. Sod cut less than 24 hours before placement is preferred. Sod cut more than 48 hours before placement shall not be used.”

Add the following to Article 252.06:

“The placement of sodding shall consist of preparing the ground surface and furnishing, transporting, and placing sod and fertilizer required in the sodding operations. Fertilizer having an analysis of 10-6-4 or having a different analysis but still meeting the 5-3-2 ratio requirements, shall be applied at such a rate that each acre to be sodded shall receive a total of 160 pounds of the three nutrients specified in Article 1081.08. The fertilizer nutrient will not be paid separately but shall be incidental to the cost of sod placement.”

Delete the first paragraph of Article 252.08 and replace it with the following paragraphs:

“Within eight hours after sod has been placed five gallons of water per square yard shall be applied and the entire surface of sod rolled. Thereafter, on days designated by the Engineer, additional water shall be applied to sodded areas at the rate of three gallons per square yard. The number of additional applications shall not exceed ten and these applications will be required within a forty-five (45) calendar day growing period after the sod has been placed. The cost of this watering program shall be incidental to the cost of sodding.

The Contractor shall perform additional watering to maintain sod in a healthy condition. The cost of **additional watering** will be paid separately per UNIT of SUPPLEMENTAL WATERING. Any sodding that does not survive will be replaced by the Contractor at his own expense.”

This work will be paid for at the Contract unit price per SQUARE YARD for SODDING, SALT TOLERANT measured in place for the quantity actually installed within the pay limits shown on the Drawings, as hereinafter specified, or as directed by Engineer. Grassed areas to be restored by SODDING include parkways and all other turf areas which have been disturbed by construction activities.

## **AGGREGATE BASE COURSE**

Section 351 shall apply with the following modifications:

The Contractor shall furnish and place 4 inches or greater coarse aggregate conforming to Article 1004.04 and Article 311.05 (Type B) with a gradation number of CA-6 for use as the base course for driveways and curb and gutter, as shown on the Drawings and as directed by the Engineer. Aggregate base course for pavement patching, driveways, and sidewalk is incidental to the various contract pay items. Base course shall be placed on the prepared sub-grade. **The coarse aggregate shall be gravel, crushed gravel, crushed stone, or crushed concrete. Crushed slag and grindings from PCC or HMA surface removal operations will NOT be allowed.**

#### **INCIDENTAL HOT-MIX ASPHALT SURFACING**

This work shall consist of the preparation of the base, the application of bituminous priming material and the construction of the Hot-Mix Asphalt surface for driveway pavements and **speed humps**.

The Hot-Mix Asphalt for the Incidental Hot-Mix Asphalt surface shall meet the requirements of Section 406 of the Standard Specifications for Road and Bridge Construction. Areas where the Incidental Hot-Mix Asphalt surfacing will be placed shall have the base primed. The rate of application of prime and fine aggregate will be specified by the Engineer.

The Hot-Mix Asphalt mixture may be spread and finished by approved hand methods or a finishing machine approved by the Engineer.

The Hot-Mix Asphalt mixture shall be rolled and compacted to the satisfaction of the Engineer with tandem roller meeting the requirements of Article 1101.01 of the Standard Specifications for Road and Bridge Construction.

This work will be paid for at the contract unit price per ton for "INCIDENTAL HOT-MIX ASPHALT SURFACING", which price shall include all labor, materials and equipment necessary to complete the work.

The cost of Bituminous Materials (Tack Coat) will not be paid for separately but shall be incidental to the unit price per ton for INCIDENTAL HOT-MIX ASPHALT SURFACING.

#### **TEMPORARY HOT-MIX ASPHALT**

Section 406 shall apply with the following modifications:

This work shall consist of the placement of hot-mix asphalt surface course (typically 2-inches thickness) within all utility trenches to finished grade by the end of each day or to ramp frames or curb ramps for construction staging, maintenance, and the removal of the HMA at a later date in preparation for final pavement patching.

This work will be paid for per Ton for Temporary Hot-Mix Asphalt which shall include all work, equipment, and materials necessary to construct, maintain, and remove and disposal the hot-mix asphalt surface to the limits as directed by the Engineer.

Note: Removal of temporary stone in preparation for final pavement patching shall be considered as included in the contract unit price bid for Aggregate for Temporary Access.

#### **PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT**

Add the following paragraphs to Article 423.01:

"Materials: - Materials for concrete shall be in accordance with Section 420 as applicable. Class SI concrete shall be used. Forms shall be a minimum of 2" x 8" lumber or its approved equal, held in place by stakes or braces with the top edges true to line and grade. The aggregate base course

shall be four (4") inches thick constructed in accordance with Section 351 of the Standard Specifications. The driveway pavement shall be six (6") inches or eight (8") inches thick. Three-quarter (3/4") inch thick expansion joint material shall be placed between the curb and the full width of the proposed driveway. Contraction joints shall be provided.

Curing and Protection: Curing shall be in accordance with Article 1022.01. Curing compound shall be Type III. Protect all surfaces from sun. During hot weather, keep temperature of concrete below 90 degrees Fahrenheit. During cold weather, keep temperature of concrete between 50 degrees F and 70 degrees F for 3 to 5 days. Protect from frost and rapid drying for 6 days. The Contractor shall be solely responsible for protecting his work from vandalism.

**All vandalized concrete work shall be removed and replaced at the Contractor's expense."**

This work will be paid for at the Contract unit price per SQUARE YARD for PORTLAND CEMENT CONCRETE (PCC) DRIVEWAY PAVEMENT, of the thickness specified, measured in place. Payment shall be made for the quantity of pavement actually installed within the pay limits shown on the Drawings or as directed by Engineer.

The Contract unit price for PCC DRIVEWAY PAVEMENT shall be payment in full for all materials, labor, and equipment required for: aggregate base course for grading; reinforcement, if required; pavement placement, curing, and protective coating; and all related work required to complete the installation which is not included under other Payment Items. Earth excavation and/or addition of coarse aggregate to driveway subgrade and final grading will not be paid for separately but shall be considered as included in the contract unit price for concrete driveways.

Backfilling of driveway work will not be paid for separately but shall be considered as included in the contract unit price for concrete work.

#### **PORTLAND CEMENT CONCRETE SIDEWALK**

Add the following sentences to Article 424.01:

All sidewalk removed shall be formed within 3 working days of removal. New sidewalk shall be poured within 1 working day of being formed. The forms shall be removed within 1 working day after the concrete pour and the restoration adjacent to new sidewalk shall be done with 24 hours after removal of the forms. All low areas shall be filled in to match the surrounding grades within 72 hours of the sidewalk being poured.

Backfilling of sidewalk work will not be paid for separately but shall be considered as included in the contract unit price for concrete work.

Add the following sentences to Article 424.04:

Earth excavation and/or addition of coarse aggregate to sidewalk subgrade and final grading will not be paid for separately but shall be considered as included in the contract unit price for concrete sidewalk.

Add the following paragraphs to Article 424.06:

"Concrete placement will be permitted if air temperature is 40 degrees Fahrenheit or higher. Concrete pours shall be ended at expansion or control joints. Partial slabs shall not be allowed. The surface shall be divided by control joints extending to the depth of the slab. Control joints shall be tooled first, saw-cut to proper depth and shall be spaced at 5-foot or other uniform intervals as directed by the Engineer. All edges and intermediate joints of sidewalks shall be shaped with an edging tool having a 1/2 inch radius. Surfaces of sidewalks shall have a light broom finish, except handicapped ramps at intersections, which shall be finished as shown on the Drawings.

Curing shall be in accordance with Article 1022.01. Curing compound shall be Type III. Protect all surfaces from sun. During hot weather, keep temperature of concrete below 90 degrees Fahrenheit. During cold weather, keep temperature of concrete between 50 degrees F and 70 degrees F for 3 to 5 days. Protect from frost and rapid drying for 6 days. The Contractor shall be solely responsible for protecting his work from vandalism. **All vandalized concrete work shall be removed and replaced at the Contractor's expense.**"

Add the following paragraphs to Article 424.09:

"The product used for detectable warnings shall be Prefabricated Detectable Warning Panels (Red Brick) manufactured by one of the following:

- > Access Products, Inc. (888-679-4022)/ Supplier (630-689-7574)
- > Armorcast Products Company (818-982-3600)
- > Detectable Warning Systems, Inc. (866-999-7452)
- > www.TUFTILE.com (888-960-8897)."

### **HOT-MIX ASPHALT SURFACE REMOVAL (VARIABLE DEPTH)**

In addition to the requirements of Section 440 of the Standard Specifications, the Specifications shall be modified to include the following:

This work shall consist of removing the existing bituminous surface and underlying HMA base, PCC base, brick base, or aggregate base at varying depths from 2" to 4" (**nominal depth of 3"**) to the limits specified on the plans and/or as directed by the Engineer in accordance with the applicable portions of Section 440 of the Standard and Supplemental Specifications. The provisions of Article 440.03 of the Standard Specification should be modified to include the following:

Pavement patching shall be completed after the pavement is milled. The ENGINEER will inspect the milled pavement and identify the areas which will require pavement patching. If new curb and gutter is part of the project, the curb and gutter shall be constructed prior to the start of the milling operation.

HMA Surface Removal, Variable Depth shall include any additional passes of the milling machine required to remove an existing quarter crown and establish the proposed/uniform pavement cross slope as directed by the Engineer. These operations shall be considered incidental to the work, and no separate payment shall be made."

This work will be paid for at the Contract unit price per SQUARE YARD for HOT MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH outside of the standard trench width, but within the payment limits for full-width street resurfacing shown on the Drawings and/or as directed by the Enginee.

Basis of Payment: This work will be paid for at the Contract unit price per square yard for HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH, which price shall include all labor, material and equipment necessary to perform the work as specified herein

### **PAVEMENT PATCHING**

Add the following paragraph to Article 442.01:

"Class C (also called Type B on the Drawings) patches shall conform to Section 353-Portland Cement Concrete Base Course and Class D (also called Type D on the Drawings) patches shall

conform to Section 355 – Hot-Mix Asphalt (HMA) Base Course. Existing pavement is to be removed and replaced in accordance with the Drawings. The quantification sub-types: I, II, III, and IV, shall not apply.”

Delete Note 1 of Article 442.02 and replace with the following:

“Note 1. For Class C pavement patches, Early Strength Patching Mixture as specified in Article 1020.05(g)(1) shall be utilized.”

Add the following sentences to the first paragraph of Article 442.05:

“The Contractor shall saw-cut existing pavements to full depth, along the line of the maximum allowable trench width as showing on the Drawings. All excavated material including paving bricks shall be properly disposed of off-site. No drop hammer and/or guillotine-type concrete breakers/cutters shall be utilized for pavement removal. **No earth saw shall be utilized to saw-cut pavement.**”

Add the following sub-paragraph to Article 442.06 Paragraph (a) Subparagraph (2):

“On streets having a concrete base and HMA overlay, PCC concrete base patches will be 2 inches below existing pavement surface.

This work will be paid for at the Contract unit price per SQUARE YARD for CLASS C PATCHES, SPECIAL, 9” and CLASS D PATCHES, SPECIAL, 9”, measured in place. Payment shall be made for the quantity of patch actually installed within the pay limits shown on the Drawings or as directed by Engineer.

These Contract unit prices shall be payment in full for all materials, labor and equipment required for: saw-cutting (full depth), removal, and disposal of existing pavement and sub-base to proposed subgrade; furnishing, placement and final grading of aggregate base course, new paving materials and installation; furnishing and installing contraction joints, dowel bars, and expansion joints as required; finishing and additional reinforcement where required for concrete pavement; and related work required to complete the installation which is not included in other Payment Items.

### **CATCH BASIN, MANHOLE, INLET, AND VALVE VAULT CONSTRUCTION, ADJUSTMENT AND RECONSTRUCTION**

Delete Article 602.01 and replace it with the following:

“**602.01 Description.** This work, as shown on the Drawings, shall consist of:

- (a) Removing and disposing of existing manholes, inlets and catch basins designated to be abandoned.
- (b) Replacing existing manholes, catch basins, inlets, and valve vaults.
- (c) Adjusting or partially reconstructing existing manholes, catch basins, inlets, or valve vault structures in order to rehabilitate the utility structure and/or establish the utility structures at final finished grades.
- (d) Constructing new valve vaults, including bases, barrel sections, transition cone sections or flat slab tops (if required), and required frames and lids.
- (e) Constructing new combined sewer and relief sewer manholes, catch basins and inlets, including placing precast reinforced concrete sections together with flat slab tops (if required), transition sections, precast monolithic bases, frames and lids.
- (f) Installing new frames/lids on existing utility structures to meet grades shown on the Drawings, to match existing grades, or as directed by Engineer.”

Add the following paragraph and subparagraphs to Article 602.02:

"In addition to the requirements of the Standard Specifications previously cited, manhole catch basin, inlet and valve vaults materials shall conform to the following additional requirements, which, in case of conflict, shall take precedence over the Standard Specifications:

- (a) **Materials for Reconstructing Existing Structures.** Concrete brick or precast reinforced concrete sections.
- (b) **Materials for Constructing New Structures.** Precast reinforced concrete sections only.
- (c) **Final Grade Adjustments for Structures.** Tapered precast reinforced concrete adjustment rings shall be used for final grade adjustment of existing and new structures. Adjustment rings shall be laid on a full bed of mortar. A minimum of one and a maximum of two rings shall be used for final grade adjustment at each structure. The total height of final adjustment shall not exceed 11-inches for any structure. The use of brick for final structure adjustment is not permitted.
- (d) Frames, covers and grates shall conform to Frames & Grates special provision.
- (e) **Inlets.** Inlets shall be precast reinforced concrete conforming to INLET, TYPE A – IDOT STANDARD 602301 with the following exceptions: 1) Instead of a 16" depth, the depth shall be 34" unless otherwise specified on the drawings. 2) Instead of the 3" Sand Cushion, a minimum 6" deep granular material (CA-11) base will be required.

Shop drawings for system components shall be submitted for approval as soon as possible, but not less than thirty (30) calendar days prior to the time when the components are intended to be installed."

Delete Article 602.03 in its entirety.

Delete Article 602.07 and replace it with the following:

**"602.07 Precast Reinforced Concrete Sections.** Base, barrel, cone and top sections shall be set as shown on the Drawings. The joints between precast concrete base sections, barrel sections, cone sections, and top slab sections in manholes, vaults, catch basins and inlets shall be sealed with two rings of 100 percent butyl gasket in rope form having a square cross-section of 1-inch nominal size. Adjusting rings and frames shall be set in full-width beds of cement mortar.

All lift holes on precast elements for manholes, vaults, catch basins, and inlets shall be completely filled with mortar and sealed with a bitumastic material."

Add the following to Article 602.11:

"(d) All existing frames, lids, grates and inlets reclaimed during construction are the property of the City of Evanston. These frames lids and grates shall be moved to a suitable place on the job for storage and made available for removal by the Owner.

(e) All manhole frame castings placed shall be set in full mortar beds composed of one part masonry cement to two parts sand by volume, based on dry materials, with no admixtures. Castings must be set accurately to the finished elevation so that no subsequent adjustment will be required. All frames will be adjusted to final grade by means of concrete adjusting rings. No

brickwork to produce an adjustment ring will be accepted or permitted to adjust any structure to grade. Where manholes are located in roadways, paved alleys or paved driveways, casings shall be set to match the longitudinal slope and cross-slope of the pavement.

(f) Existing frames and lids must not be used as temporary covers during construction.”

Delete the second paragraph of Article 602.13 and replace it with the following:

“The space between the sides of the excavation and the outer surfaces of the structures shall be filled with CA-11 material as shown on the Drawings.”

This work will be paid for at the Contract unit price per EACH for CATCH BASINS, MANHOLES, INLETS, and VALVE VAULTS, of the types and sizes specified, measured in place. These Contract unit prices shall be payment in full for all materials, labor, and equipment required for: site preparation, including removal, replacement and/or repair of fences and other site objects; trench excavation, including removal and disposal of existing sewer pipes, structures, and excess excavated materials; protection, support and repair of damage to existing utilities; support of trench walls; shoring and bracing; dewatering of trenches; temporary pumping of combined sewer flows; new structures; bedding; sewer connection; frames, lids and other castings; flexible check valves; abandonment of existing sewers where called out on the Drawings, including filling and placement of required plugs; supply, placement, compaction, and compaction testing of material, infiltration/exfiltration and other testing/inspection; correction of defects; and, other related work required to complete the installation which is not included under other Payment Items.

Frames and lids/grates on structures to be reconstructed will be paid for separately.

This item shall not include the cost of pavement, sidewalk, driveway, and curb/gutter removal and disposal within the pay limits shown on the Drawings. Roadway, sidewalk, driveway, and curb/gutter removal/ replacement within pay limits or as directed by the Engineer shall be paid for in accordance with the appropriate Pay Items.

### **CATCH BASIN, MANHOLE, INLET, DRAINAGE STRUCTURE AND VALVE VAULT CONSTRUCTION**

Delete Article 602.01 and replace it with the following:

**“602.01 Description.** This work, as shown on the Drawings, shall consist of:

- (a) Removing and disposing of existing manholes, inlets and catch basins designated to be abandoned.
- (b) Replacing existing manholes, catch basins, inlets, and valve vaults.
- (c) Adjusting or partially reconstructing existing manholes, catch basins, inlets, or valve vault structures in order to rehabilitate the utility structure and/or establish the utility structures at final finished grades.
- (d) Constructing new valve vaults, including bases, barrel sections, transition cone sections or flat slab tops (if required), and required frames and lids.
- (e) Constructing new combined sewer and relief sewer manholes, catch basins and inlets, including placing precast reinforced concrete sections together with flat slab

tops (if required), transition sections, precast monolithic bases, frames and lids.

- (f) Installing new frames/lids on existing utility structures to meet grades shown on the Drawings, to match existing grades, or as directed by Engineer.”

Add the following paragraph and subparagraphs to Article 602.02:

“In addition to the requirements of the Standard Specifications previously cited, manhole catch basin, inlet and valve vaults materials shall conform to the following additional requirements, which, in case of conflict, shall take precedence over the Standard Specifications:

- (a) **Materials for Reconstructing Existing Structures.** Concrete brick or precast reinforced concrete sections.
- (b) **Materials for Constructing New Structures.** Precast reinforced concrete sections only.
- (c) **Final Grade Adjustments for Structures.** Tapered precast reinforced concrete adjustment rings shall be used for final grade adjustment of existing and new structures. Adjustment rings shall be laid on a full bed of mortar. A minimum of one and a maximum of two rings shall be used for final grade adjustment at each structure. The total height of final adjustment shall not exceed 11-inches for any structure. The use of brick for final structure adjustment is not permitted.
- (d) Frames, covers and grates shall conform to Section 604.
- (e) **Inlets.** Inlets shall be precast reinforced concrete conforming to INLET, TYPE A – IDOT STANDARD 602301 with the following exceptions: 1) Instead of a 16” depth, the depth shall be 34” unless otherwise specified on the drawings. 2) Instead of the 3” Sand Cushion, a minimum 6” deep granular material (CA-11) base will be required.
- (f) **Catch Basins.** Type A catch basins shall be precast reinforced concrete conforming to CATCH BASIN TYPE A – IDOT STANDARD 602001 with the following exceptions: 1) Instead of a 34” sump, a 48” sump will be required. 2) Instead of the 3” sand cushion, a minimum 6” deep granular material (CA-11) base will be required.
- (g) **Valve Vaults.** Valve vault sections shall be precast reinforced concrete conforming to ASTM C-478. All top sections for precast reinforced concrete valve vaults shall be precast reinforced concrete concentric cones or slab tops of the same quality as the barrel of the vault. Valve vaults shall be supplied with factory-formed openings to accommodate the various size water mains such that a minimum 12 inches of clearance between the top of the vault base and bottom of the main can be provided. Bases for replacement vaults on existing water mains shall be separate, one-piece precast units having a minimum thickness of 6 inches. No slab or split bottom shall be used. Valve vaults for new valves shall be 4-foot, 5-foot, or 6-foot diameter.
- (h) **Manholes.** Storm, sanitary, combined, and relief sewer manhole barrel sections shall be precast reinforced concrete conforming to the requirements of ASTM C-478. Pipe connections shall conform to ASTM C-923. No steps shall be installed in manholes. All top sections for precast reinforced concrete manholes shall be

precast reinforced concrete eccentric cones or slab tops of the same quality as the manhole barrel. Except where otherwise indicated on the drawings, manholes shall have a precast monolithic base with a factory-installed bench and otherwise be in conformance with Illinois Department of Transportation Highway Standards MANHOLE TYPE A – IDOT STANDARD 602401. Where indicated on the drawings, manholes supplied for 48” and larger pipes shall be of a “T”-pipe base-style fabrication. The pipeline portion of the base “T” section shall conform to ASTM C-76 and be of the same pipe class as connected sewer pipe. The riser section shall conform to ASTM C-478.

- (i) **Gasket Materials for Joints Between Precast Concrete Sections.** 100 percent butyl rubber rope-type gasket having a square cross-section of 1-inch nominal size conforming to the physical properties of Federal Specifications SS-S00210 as sold under the trade name E-Z Stik or equal.

Shop drawings for system components shall be submitted for approval as soon as possible, but not less than thirty (30) calendar days prior to the time when the components are intended to be installed.”

Delete Article 602.03 in its entirety.

Delete Article 602.07 and replace it with the following:

**“602.07 Precast Reinforced Concrete Sections.** Base, barrel, cone and top sections shall be set as shown on the Drawings. The joints between precast concrete base sections, barrel sections, cone sections, and top slab sections in manholes, vaults, catch basins and inlets shall be sealed with two rings of 100 percent butyl gasket in rope form having a square cross-section of 1-inch nominal size. Adjusting rings and frames shall be set in full-width beds of cement mortar.

For valve vault reconstruction, the precast bottom slab should be placed directly on level, undisturbed earth. Sand may be used for final leveling off the bottom of the excavation, but thickness shall be kept to a practical minimum. In no case, shall the thickness of sand used for leveling exceed 1-inch. The purpose of requiring the base slab to be set on undisturbed earth and limiting the use of sand for leveling is to minimize post-construction settlement of the replacement valve vault and resulting damage to the existing water main. The Contractor shall bear the cost of repairing existing water mains damaged by vault settlement.

All lift holes on precast elements for manholes, vaults, catch basins, and inlets shall be completely filled with mortar and sealed with a bitumastic material.”

Add the following to Article 602.11:

“(d) All existing frames, lids, grates and inlets reclaimed during construction are the property of the City of Evanston. These frames lids and grates shall be moved to a suitable place on the job for storage and made available for removal by the Owner.

(e) All manhole frame castings placed shall be set in full mortar beds composed of one part masonry cement to two parts sand by volume, based on dry materials, with no admixtures. Castings must be set accurately to the finished elevation so that no subsequent adjustment will be required. All frames will be adjusted to final grade by means of concrete adjusting rings. No brickwork to produce an adjustment ring will be accepted or permitted to adjust any structure to grade. Where manholes are located in roadways, paved alleys or paved driveways, casings shall be set to match the longitudinal slope and cross-slope of the pavement.

(f) Existing frames and lids must not be used as temporary covers during construction.”

Delete the second paragraph of Article 602.13 and replace it with the following:

“The space between the sides of the excavation and the outer surfaces of the structures shall be filled with CA-11 material as shown on the Drawings.”

Delete Article 602.16 and replace it with the following:

“This work will be paid for at the Contract unit price per EACH for CATCH BASINS, MANHOLES, INLETS, and VALVE VAULTS, of the types and sizes specified, measured in place. These Contract unit prices shall be payment in full for all materials, labor, and equipment required for: site preparation, including removal, replacement and/or repair of fences and other site objects; trench excavation, including removal and disposal of existing sewer pipes, structures, and excess excavated materials; protection, support and repair of damage to existing utilities; support of trench walls; shoring and bracing; dewatering of trenches; temporary pumping of combined sewer flows; new structures; bedding; sewer connection; frames, lids and other castings; flexible check valves; abandonment of existing sewers where called out on the Drawings, including filling and placement of required plugs; supply, placement, compaction, and compaction testing of material, infiltration/exfiltration and other testing/inspection; correction of defects; and, other related work required to complete the installation which is not included under other Payment Items.

Roadway, sidewalk, driveway, and curb/gutter removal/replacement outside the pay limits shown on the Drawings required for completion of the work or for Contractor's purposes shall be incidental to combined sewer, relief sewer, storm sewer, and sanitary sewer construction and no separate payment shall be made.”

#### **FRAMES AND LIDS TO BE ADJUSTED, SPECIAL**

Add the following to Article 603.03 of the Standard Specifications:

The contractor shall adjust the structures to the finished pavement elevation no more than 5 calendar days prior to placement of the final lift of surface unless approved by the Engineer.

Add the following to Article 603.09 of the Standard Specifications:

Removing frames and lids on drainage and utility structures in the pavement prior to milling, and adjusting to final grade prior to placing the surface course, will be paid for at the contract unit price each for FRAMES AND LIDS TO BE ADJUSTED, SPECIAL.

This work will **not be paid for separately** when drainage and utility structures are specified for payment as reconstructions or new manholes but shall be considered as included in the unit price bid for structure reconstructions or manholes.

#### **ADJUSTING FRAMES AND GRATES OF DRAINAGE AND UTILITY STRUCTURES**

Delete Article 603.08 and replace it with the following:

“**603.08 Adjusting Rings.** Drainage and utility structure frames shall be adjusted to grade by removal of the frame and adjustment from the structure, preparing the top of the structure to receive the new adjustment, installing the proper height precast concrete adjusting rings and reinstalling the frame, all in accordance with applicable provisions of Section 602. The use of cast iron adjusting rings is prohibited.”

#### **FRAMES AND GRATES**

Add the following to Article 604.02:

“(f) Frames and grates furnished under this Contract shall be Gray Iron Castings conforming to the Specifications for Gray Iron Castings, ASTM A-48, Class 35. Circular lids for manholes and vaults shall have large (2.5 inch nominal) pick holes. Circular lids for closing catch basins shall have large (2.5 inch nominal) pick holes:

(g) Frames and grates on structures shall be as follows (or approved equal):

Existing inlets and catch basins; new catch basins and inlets on Combined Sewer system:

- Neenah Type R-1712 (390 lbs.) Frame, Open Lid Grate (116 lbs.) with large (2.5 inch nominal) pick holes or equal.

New catch basins and type A inlets for Storm/Relief Sewer work:

- Neenah Type R-3031-B Frame, Sinusoidal Grate,
- Neenah Type R-3036-B Frame, Sinusoidal Grate (for Depressed Curb)

Manholes and vaults:

- Neenah Type R-1712 (390 lbs.) Frame and Extra Heavy Duty Cover (150 lbs.) with large (2.5 inch nominal) pick holes or equal. Valve Vault covers shall be lettered “WATER”.

High Capacity Inlet, Type A

- Neenah Type R-3067-L Frame, Vane Grate

New frames and grates may be requested by the Engineer during adjustment of existing structures.”

These items shall not include the costs of pavement, sidewalk, driveway, and curb/gutter removal and disposal necessary for installation of new frames and grates/lids. Roadway, sidewalk, driveway, and curb/gutter removal/replacement shall be paid for in accordance with the appropriate Payment Items.

Frames and grates or closed lids placed on new structures and/or reconstructions will be considered incidental to the cost of the new structures and/or reconstructions and will be paid for under the appropriate Pay Items for new structures.

Removed frames and grates shall remain the property of the city and shall be stored in a secured area for pickup by the city.

#### **CONCRETE CURB TYPE B AND CURB AND GUTTER TYPE B6.12**

Delete Article 606.01 and replace it with the following:

**“606.01 Description.** This work shall consist of concrete curb type B, combination concrete curb and gutter type B-6.12 and B-6.12 modified, and removal/replacement of existing medians.”

All curb and gutter removed shall be formed within 2 working days of removal. New curb and gutter shall be poured within 1 working day of being formed. The forms shall be removed within 1 working day after the concrete pour and the restoration behind the new curb shall be done with 24 hours after removal of the forms. All low areas shall be filled in to match the surrounding grades within 72 hours of the curb being poured.

Add the following Subparagraphs to Article 606.02:

(g) **Base.** A minimum of four (4") inches compacted thickness of aggregate base course shall be placed on the subgrade prior to construction of the proposed concrete curb and gutter.

(h) **Forms.** The use of a slip-form or curb machine is allowed, but the Contractor is advised that variable face height curb is required in many parts of the Project to match existing curbs, roadways and parkway grading. Additional pavement patching, restoration or excavation beyond the requirements of this proposal, as required for or resulting from the use of such a machine, will not be considered for additional payment and should be considered incidental to its use. **Excavation to accommodate the installation of concrete forms or use of slip-form shall be limited to 12 inches from back of proposed curb. Hand forming shall be required in the vicinity of specific trees where the root zones are near and/or have overgrown the existing curb line. These locations will be determined by the City Arborist.**

(i) **Curing.** Curing shall be in accordance with Article 1022.01. Curing compound shall be Type III. Protect all surfaces from sun. During hot weather, keep temperature of concrete below 90 degrees Fahrenheit. During cold weather, keep temperature of concrete between 50 degrees F and 70 degrees F for 3 to 5 days. Protect from frost and rapid drying for 6 days. The Contractor shall be solely responsible for protecting his work from vandalism. **All vandalized concrete work shall be removed and replaced at the Contractor's expense."**

Add the following sentence to Article 606.06 - Placing Concrete.

"The transition from full height curb to depressed curb shall be made at a maximum rate of three (3) inches per foot of length."

Delete the last sentence of the first paragraph of Article 606.07.

Add the following paragraphs to Article 606.07:

"Expansion joints consisting of pre-molded bituminous expansion joint filler, one-half inch in thickness and two greased 1-inch diameter dowel bars with expansion caps shall be placed at 50-foot intervals. When curb and gutter is constructed adjacent to flexible pavement, a 1-inch thick preformed expansion joint, conforming to the cross-section of the curb and gutter, shall be installed at points of curvature for short-radius curves and at construction joints.

Contraction joints shall be placed between expansion joints at distances not to exceed twenty-five (25) feet. Contraction joints shall be formed using steel templates one-eighth inch in thickness, equal to the width of the gutter or curb, and penetrating at least two (2) inches below the surface of the curb and gutter; using three-quarter ( $3/4$ ) inch thick preformed expansion joint filler placed fully across the curb or gutter; or by sawing to a depth of at least two (2) inches after the concrete is four-hours, but not more than twenty-four hours old. If steel templates are used, they shall be left in place until the concrete has set sufficiently to hold its shape but shall be removed while the forms are still in place. Template-formed or sawed joints shall be sealed in accordance with Article 420.12.

Hand removal and hand forming of the curb and gutter shall be required in the vicinity of specific trees and their root zones. These individual locations shall be determined, in the field, by the City Arborist. These operations shall be considered incidental to the work, and no separate payment shall be made. Excavation to accommodate the installation of concrete forms or use of slip-form shall be limited to 12 inches from back of proposed curb.

**Longitudinal joint tie bars are NOT required.**

Backfilling of curb or curb and gutter will not be paid for separately but shall be considered as included in the contract unit price for concrete work.

### **TRAFFIC CONTROL AND PROTECTION**

Delete Article 701.20 and replace it with the following:

This work will be paid for at the Contract LUMP SUM price for TRAFFIC CONTROL AND PROTECTION. This lump sum price shall be payment in full for all materials, labor and equipment required for: handling, furnishing, transporting, installing, maintaining, relocating and removing all traffic control devices and signage required for to fully protect construction operations and the general public; including implementing any detour plans shown on the Drawings. This lump sum price shall also include all materials, labor and equipment required for: furnishing, installing, relocating and removing steel plates and other temporary bridging over trenches, auger pits, receiving pits and other areas disturbed by construction activities. The salvage value of the materials removed shall be reflected in the price bid for this Item. Progress payments for traffic control will be made in direct proportion to the value of work completed. Contractor shall also refer to the IDOT Highway Standards and District One Details included herein for additional traffic control measures. The Contractor is advised that specific liquidated damages apply for failure to maintain traffic control devices.

TRAFFIC CONTROL AND PROTECTION shall be paid monthly in an amount equal to the lump sum price bid multiplied by the overall percentage completion of other Contract Payment Items.

### **STREET SWEEPING**

Add the following paragraphs to Article 107.15:

"The Contractor shall utilize a mechanical street sweeper to clean streets affected by the Contractor's operations, including haul routes, at least twice per week and additionally as directed by the Engineer. Liquidated Damages shall be assessed as outlined in the Bid Form if the Contractor fails to utilize a mechanical street sweeper to the satisfaction of the Engineer. The street-sweeper shall be a full-sized, municipal-type sweeper having dust collection and street washing capabilities. If, in the opinion of the Engineer, dust becomes a problem despite the normal cleanup measures of street sweeping, the Contractor shall wash down the pavement, spread calcium chloride as a palliative, or re-sweep streets as necessary, all at no additional cost to the Owner. The Contractor shall keep sufficient quantities of calcium chloride on site, for use as directed by the Engineer for dust control. The contractor shall provide cleanings twice per week and additionally as directed by the Engineer.

Street sweeping will be measured for payment for each trip no matter the number of street cleaned during each trip.

This work will be paid for at the Contract unit price per EACH for STREET SWEEPING, which price shall be payment in full for labor, equipment and materials required to complete the work.

### **REMOVE AND RESETTING PAVERS**

This work shall consist of the removal of existing brick/concrete paver, stone and/or any type of specialty sidewalk or driveway and replacement with the same material in kind to the same or better condition as was prior to the removal at locations and to the limits as directed by the Engineer.

The contractor will be required to furnish materials damaged during construction, surplus material for cutting or needed to replace sidewalk or driveway surfaces to the same dimensions. It is the sole responsibility of the contractor to determine the extent of work necessary prior to contract bidding and no additional compensation shall be provided.

#### Method of Measurement

Replacement of specialty sidewalk or driveway will be measured in place, and the area computed in square feet. Furnishing and placing sand and other replacement materials matching the existing surface will not be measured for payment, but shall be considered as included in the unit price bid.

#### Basis of Payment

This work will be paid for at the contract unit price per square foot for REMOVE AND RESETTING PAVERS.

### **REMOVING AND RESETTING STREET SIGNS**

This work shall consist of the removal, relocation, and secure storage of existing streets signs at the onset of construction; removal and disposal of existing sign posts; furnishing and installation of new sign posts; and the installation of existing signs using new mounting hardware prior to the conclusion of construction at locations as indicated on the plans, in conflict with proposed construction, or as directed by the Engineer.

The signs posts shall be furnished and installed according to section 729 of the Standard Specifications for metal posts and applicable Highway Standards; metal posts shall be 'enameled steel' (dark-green) and mounting hardware shall be stainless steel bolts, nuts, and washers in accordance with article 1006.29.

#### Method of Measurement

This work shall be measured for payment per each for every sign panel assembly removed, stored, and installed.

#### Basis for payment

This work shall be paid for at the contract unit price per each for REMOVING AND RESETTING STREET SIGNS.

Metal posts and mounting hardware will not be measured for payment but shall be considered as included in the contract unit price for removing and resetting street signs.

### **CONSTRUCTION LAYOUT AND STAKING**

This work shall consist of surveying local control points to establish horizontal and vertical control required for construction of concrete curb, sidewalks, and related contract items of work. These stakes or markings must be maintained throughout construction. The survey foreman will be responsible for the review of stakes and marking with the Engineer prior to the final placement of any materials.

This work will be measured and paid for at the contract unit price LUMP SUM as CONSTRUCTION LAYOUT AND STAKING, which price includes all labor, material and equipment necessary to survey control points, lines, establish stakes and marking, and the review of all such stakes and markings with the Engineer.

The limits of concrete construction contract items will be provided by the Engineer.

### **DETECTOR LOOP REPLACEMENT**

The following Traffic Signal Special Provisions and the "District 1 Standard Traffic Signal Design Details" supplement the requirements of the State of Illinois "Standard Specifications for Road and Bridge Construction".

The intent of this Special Provision is to prescribe the materials and construction methods commonly used to replace traffic signal detector loops and replace magnetic signal detectors with detector loops during roadway resurfacing, grinding and patching operations. Loop detector replacement will not require the transfer of traffic signal maintenance from the District Electrical Maintenance Contractor to this contract's electrical contractor. The locations and the details of all installations shall be as indicated on the Plans or as directed by the Engineer.

The work to be provided under this contract consists of furnishing and installing all traffic signal work as specified on the Plans and as specified herein in a manner acceptable and approved by the Engineer.

**DETECTOR LOOP REPLACEMENT.** This work shall consist of replacing existing detector loops which are destroyed during grinding, resurfacing, or patching operations.

If damage to the detector loop is unavoidable, replacement of the existing detection system will be necessary. This work shall be completed by an approved Electrical Contractor as directed by the Engineer.

Replacement of the loops shall be accomplished in the following manner: The Engineer shall mark the location of the replacement loops. The Contractor may reuse the existing conduit (duct) located between the existing handhole and the pavement if it hasn't been damaged. All burrs shall be removed from the edges of the existing conduit which may cause damage to the new detector loop during installation. If the existing conduit is damaged beyond repair, or if it cannot be located, or if additional conduits are required to provide one lead-in duct for each proposed loop; the Contractor shall be required to drill through the existing pavement into the appropriate handhole, and install 25 mm (1") unit duct conduit. This work and the required materials shall not be paid for separately but shall be included in the pay item Detector Loop Replacement. Upon establishment of the duct, the loop may be cut, installed, sealed and spliced to the twisted-shielded controller cable in the handhole.

Detector loop measurements shall include the saw-cut and the length of the loop lead-in leading to the edge of pavement. Unit duct, splicing, trench and backfill, and drilling of pavement or handholes shall be incidental to detector loop quantities.

All loops installed in new asphalt pavement shall be installed in the binder course and not in the surface course. The edge of pavement or the curb shall be cut with a 6.3 mm (1/4") deep x 100 mm (4") saw-cut to mark location of each loop lead-in.

Loop detectors shall be installed according to the requirements of the "District 1 Standard Traffic Signal Design Details." Saw-cuts from the loop to the edge of pavement shall be made perpendicular to the edge of pavement when possible in order to minimize the length of the saw-cut unless directed otherwise by the Engineer or as shown on the plan.

The detector loop cable insulation shall be labeled with the cable specifications.

Each loop detector lead-in wire shall be labeled in the handhole using a Panduit 250W175C water proof tag or approved equal secured to each wire with nylon ties. The lead-in wire, including all necessary connections for proper operation, from the edge of pavement to the handhole, shall be incidental to the price of the detector loop.

Loop sealant shall be a two-component thixotropic chemically cured polyurethane either Chemque Q-Seal 295, Percol Elastic Cement A/C Grade or an approved equal. The sealant shall be installed 3 mm (1/8") below the pavement surface, if installed above the surface the overlap shall be removed immediately.

Round loop(s) 1.8 m (six foot) diameter may be substituted for 1.8 m (six foot) by 1.8 m (six foot) square loop(s) and shall be paid for as 7.2 m (24 feet) of detector loop.

Resistance to ground shall be a minimum of 100 megohms under any conditions of weather or moisture.

Heat shrink splices shall be used according to the "District 1 Standard Traffic Signal Design Details."

Drilling handholes, sawing the pavement, furnishing and installing unit-duct to the appropriate handhole, cable splicing to provide a fully operable detector loop, testing and all trench and backfill shall be included in this item.

Detector loop replacement shall be measured along the sawed slot in the pavement containing the loop and lead-in, rather than the actual length of the wire in the slot.

Basis of Payment. Detector Loop Replacement shall be paid for at the contract unit price per foot (meter) of DETECTOR LOOP REPLACEMENT.

### **LAWN SPRINKLER SYSTEM REPAIRS**

This work shall consist of repairing lawn sprinkler systems damaged by construction operations to the full extent. The Contractor shall remove and properly dispose of damaged system materials and furnish and install sprinkler system replacement lines, fittings, and heads of the same or better quality as approved by the Engineer.

Sprinkler system repairs shall be made by an experienced contractor specializing in lawn sprinkler system installation, maintenance, and repair able to provide proof of past experience upon request. The sprinkler system repair contractor will be considered a qualified contractor as determined by the Engineer. The contractor shall coordinate all repairs with the individual sprinkler system owners in order to access controls for flushing and testing and under no circumstance shall the City take responsibility for scheduling repairs. The City will not make payment for system repairs until individual system owners have indicated in writing that their system has been satisfactorily repaired.

#### Basis of Payment

This work will be paid for at the contract unit price per foot for LAWN SPRINKLER SYSTEM REPAIRS.

**This work will only be paid for when the damaged materials are within 1-foot of a proposed improvement.** Damages that occur outside of 1-foot from proposed improvements shall be replaced by the Contractor at his/her own expense.

Payment shall include all types and sizes of sprinkler system materials. Fitting, heads, and all other components necessary to make system repairs to the full extent will not be paid for separately but shall be considered as included in the contract unit prices for LAWN SPRINKLER SYSTEM REPAIRS.

INDEX  
FOR  
SUPPLEMENTAL SPECIFICATIONS  
AND RECURRING SPECIAL PROVISIONS

Adopted January 1, 2025

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS, frequently used RECURRING SPECIAL PROVISIONS, and LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction  
(Adopted 1-1-22) (Revised 1-1-25)

SUPPLEMENTAL SPECIFICATIONS

<u>Std. Spec. Sec.</u>	<u>Page No.</u>
202 Earth and Rock Excavation .....	1
204 Borrow and Furnished Excavation .....	2
207 Porous Granular Embankment .....	3
211 Topsoil and Compost .....	4
406 Hot-Mix Asphalt Binder and Surface Course .....	5
407 Hot-Mix Asphalt Pavement (Full-Depth) .....	7
420 Portland Cement Concrete Pavement .....	8
502 Excavation for Structures .....	9
509 Metal Railings .....	10
540 Box Culverts .....	11
542 Pipe Culverts .....	31
550 Storm Sewers .....	40
586 Granular Backfill for Structures .....	47
630 Steel Plate Beam Guardrail .....	48
632 Guardrail and Cable Road Guard Removal .....	49
644 High Tension Cable Median Barrier .....	50
665 Woven Wire Fence .....	51
701 Work Zone Traffic Control and Protection .....	52
781 Raised Reflective Pavement Markers .....	54
782 Reflectors .....	55
801 Electrical Requirements .....	57
821 Roadway Luminaires .....	60
1003 Fine Aggregates .....	61
1004 Coarse Aggregates .....	62
1010 Finely Divided Minerals .....	63
1020 Portland Cement Concrete .....	64
1030 Hot-Mix Asphalt .....	67
1040 Drain Pipe, Tile, and Wall Drain .....	68
1061 Waterproofing Membrane System .....	69
1067 Luminaire .....	70
1097 Reflectors .....	77
1102 Hot-Mix Asphalt Equipment .....	78

State of Illinois  
Department of Transportation

ERRATA  
STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION

Adopted: January 1, 2022  
Revised: January 1, 2025

- Page viii Table of Contents. Change “SECTION 586. SAND BACKFILL FOR VAULTED ABUTMENTS” to “SECTION 586. GRANULAR BACKFILL FOR STRUCTURES”.
- Page 2 Article 101.01. In the list of abbreviations, add the following after “OSHA”:  
  
“Product Eval “Product Evaluation and Audit Solutions”  
& Audit”
- Page 170 Article 352.18(b)(3). Change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 170 Article 352.18(b)(4). Change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 170 Article 352.19(c). Change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 170 Article 352.19(d). Change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 267 Article 441.04. In Note 1/, change “unstable” to “unsuitable”.
- Page 269 Article 441.05. In the last paragraph, change “Unsuitable or unstable material” to “Unsuitable material”.
- Page 270 Article 441.10. In the second paragraph, change “unstable” to “unsuitable”.
- Page 273 Article 442.05. In the fourth paragraph, change “unsuitable and unstable materials” to “unsuitable materials”.
- Page 282 Article 442.08(b). Change “Articles 1030.05(d)(3), (d)(4), and (d)(7).” to “Articles 1030.09(b), 1030.09(c), and 1030.09(f).”
- Page 308 Article 502.12(b). In the last sentence of the first paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 310 Article 502.13. In the first sentence of the fourth paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.

- Page 310 Article 502.13. In the second sentence of the fourth paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 444 Article 522.15(b). In the eighteenth paragraph, change “unstable and/or unsuitable material” to “disposal of unsuitable material”.
- Page 446 Article 522.16. In the sixteenth paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 450 Article 540.07(b). In the last paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 450 Article 540.08. In the last paragraph, change “unstable and/or unsuitable material” to “unsuitable material”.
- Page 599 Section 672. In the section title, change “AVANDONED” to “ABANDONED”.
- Page 654 Article 780.04. In the sixth paragraph, change “Article 780.14” to “Article 780.15”.
- Page 656 Article 780.08. In the last sentence of the 3<sup>rd</sup> paragraph, change “Contractor shall not install” to “Contractor shall install.”
- Page 699 Article 818.02(b). In the Article/Section reference, change “1066.03(a)(3)” to “1066.03(b)”.
- Page 749 Article 1001.01(d)(1). Change “maximum final set” to “minimum final set”.
- Page 780 Article 1006.06(b). In the last sentence, change “AASHTO ASTM A 775 (A 775M)” to “ASTM A 775 (A 775M)”.
- Page 788 Article 1006.25. In the third paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 805 Article 1008.05. In the first sentence of the second paragraph, change “National Transportation Product Evaluation Program (NTPEP)” to “AASHTO Product Eval & Audit”.
- Page 805 Article 1008.05. In the second sentence of the second paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 806 Article 1008.05(b). In the Article title, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 808 Article 1008.05(f)(1). In the first sentence, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 817 Section 1018. In the section title, change “MORTOR” to “MORTAR”.

- Page 869 Article 1030.01. In the last sentence of the second paragraph, change “specificly” to “specifically”.
- Page 891 Article 1030.09(e)(1). In the sixth line of the first paragraph, change “contine” to “continue”.
- Page 894 Article 1030.09(i). In the second to last paragraph, change “aggegate” to “aggregate”.
- Page 919 Article 1040.04(a). In the first sentence, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 919 Article 1040.04(b). In the first sentence, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 951 Article 1062.02. Change the Article title from “1062.02 Lighting Protection” to “1065.02 Lighting Protection”.
- Page 1034 Article 1080.01(a)(3). In Note 2/, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1035 Article 1080.02. In Note 1/, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1035 Article 1080.02. In Note 2/, change all “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1036 Article 1080.03. In Note 1/, change all “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1036 Article 1080.04. In the fourth sentence of the first paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1036 Article 1080.04. In the fifth sentence of the first paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1037 Article 1080.05. In Note 1/, change all “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1039 Article 1080.06(d). In Note 1/, change “NTPEP” to “AASHTO Product Eval & Audit”.
- Page 1060 Article 1083.01. In the second sentence of the first paragraph, change “NTPEP” to “AASHTO Product Eval & Audit”.



Print Form

Reset Form

Local Public Agency

County

Section Number

City of Evanston

Cook

23-00296-00-RS

Check this box for lettings prior to 01/01/2025

The Following Recurring Special Provisions Indicated By An "X" Are Applicable To This Contract And Are Included By Reference:

Recurring Special Provisions

	Check Sheet #		Page No.
1	<input type="checkbox"/>	Additional State Requirements for Federal-Aid Construction Contracts	79
2	<input type="checkbox"/>	Subletting of Contracts (Federal-Aid Contracts)	82
3	<input type="checkbox"/>	EEO	83
4	<input type="checkbox"/>	Specific EEO Responsibilities Non Federal-Aid Contracts	93
5	<input type="checkbox"/>	Required Provisions - State Contracts	98
6	<input type="checkbox"/>	Asbestos Bearing Pad Removal	104
7	<input type="checkbox"/>	Asbestos Waterproofing Membrane and Asbestos HMA Surface Removal	105
8	<input type="checkbox"/>	Temporary Stream Crossings and In-Stream Work Pads	106
9	<input checked="" type="checkbox"/>	Construction Layout Stakes	107
10	<input type="checkbox"/>	Use of Geotextile Fabric for Railroad Crossing	110
11	<input type="checkbox"/>	Subsealing of Concrete Pavements	112
12	<input type="checkbox"/>	Hot-Mix Asphalt Surface Correction	116
13	<input checked="" type="checkbox"/>	Pavement and Shoulder Resurfacing	118
14	<input type="checkbox"/>	Patching with Hot-Mix Asphalt Overlay Removal	119
15	<input type="checkbox"/>	Polymer Concrete	121
16	<input type="checkbox"/>	Reserved	123
17	<input type="checkbox"/>	Bicycle Racks	124
18	<input type="checkbox"/>	Temporary Portable Bridge Traffic Signals	126
19	<input type="checkbox"/>	Nighttime Inspection of Roadway Lighting	128
20	<input type="checkbox"/>	English Substitution of Metric Bolts	129
21	<input type="checkbox"/>	Calcium Chloride Accelerator for Portland Cement Concrete	130
22	<input checked="" type="checkbox"/>	Quality Control of Concrete Mixtures at the Plant	131
23	<input checked="" type="checkbox"/>	Quality Control/Quality Assurance of Concrete Mixtures	139
24	<input type="checkbox"/>	Reserved	155
25	<input type="checkbox"/>	Reserved	156
26	<input type="checkbox"/>	Temporary Raised Pavement Markers	157
27	<input type="checkbox"/>	Restoring Bridge Approach Pavements Using High-Density Foam	158
28	<input type="checkbox"/>	Portland Cement Concrete Inlay or Overlay	161
29	<input type="checkbox"/>	Portland Cement Concrete Partial Depth Hot-Mix Asphalt Patching	165
30	<input type="checkbox"/>	Longitudinal Joint and Crack Patching	168
31	<input type="checkbox"/>	Concrete Mix Design - Department Provided	170
32	<input type="checkbox"/>	Station Numbers in Pavements or Overlays	171

City of Evanston

Cook

23-00296-00-RS

The Following Local Roads And Streets Recurring Special Provisions Indicated By An "X" Are Applicable To This Contract And Are Included By Reference:

Local Roads And Streets Recurring Special Provisions

<u>Check Sheet #</u>		<u>Page No.</u>
LRS 1	<b>Reserved</b>	173
LRS 2	<input type="checkbox"/> Furnished Excavation	174
LRS 3	<input checked="" type="checkbox"/> Work Zone Traffic Control Surveillance	175
LRS 4	<input checked="" type="checkbox"/> Flaggers in Work Zones	176
LRS 5	<input checked="" type="checkbox"/> Contract Claims	177
LRS 6	<input checked="" type="checkbox"/> Bidding Requirements and Conditions for Contract Proposals	178
LRS 7	<input type="checkbox"/> Bidding Requirements and Conditions for Material Proposals	184
LRS 8	<b>Reserved</b>	190
LRS 9	<input checked="" type="checkbox"/> Bituminous Surface Treatments	191
LRS 10	<b>Reserved</b>	195
LRS 11	<input checked="" type="checkbox"/> Employment Practices	196
LRS 12	<input checked="" type="checkbox"/> Wages of Employees on Public Works	198
LRS 13	<input checked="" type="checkbox"/> Selection of Labor	200
LRS 14	<input type="checkbox"/> Paving Brick and Concrete Paver Pavements and Sidewalks	201
LRS 15	<input checked="" type="checkbox"/> Partial Payments	204
LRS 16	<input type="checkbox"/> Protests on Local Lettings	205
LRS 17	<input type="checkbox"/> Substance Abuse Prevention Program	206
LRS 18	<input type="checkbox"/> Multigrade Cold Mix Asphalt	207
LRS 19	<input type="checkbox"/> Reflective Crack Control Treatment	208

## Instructions for BLR 11300 - Page 1 of 1

Note: Instructions are not to be submitted with the form.

This form shall be used and included in proposal/contract documents. Items checked on the check sheet are included by reference and do not need to also be attached.

For more information see Chapter 11 of the Bureau of Local Roads and Street Manual (BLRS Manual).

**Local Public Agency**                      Insert the name of the Local Public Agency (LPA) the proposal is for.

**County**                                      From the drop down, select the name of the County in which the LPA is located.

**Section Number**                        Insert the section number without dashes that the proposal/contract is for.

**Check Box for Letting Date**            Check this box if the letting is to be held prior to January 1, 2024. For lettings held on or after January 1, 2024 leave the box blank. This choice allows the correct version of the form to display for the desired letting.

**Special Provisions**                      Check the boxes for the Recurring Special Provisions and the Local Roads and Streets Recurring Special Provisions which are to be included in this proposal/contract package by reference.

This form is to be submitted in the proposal packet for material proposal/deliver and install proposals and contract proposals.

State of Illinois  
 DEPARTMENT OF TRANSPORTATION  
 Bureau of Local Roads & Streets  
 SPECIAL PROVISION  
 FOR  
 LOCAL QUALITY ASSURANCE/ QUALITY MANAGEMENT QC/QA  
 Effective: January 1, 2022

Replace the first five paragraphs of Article 1030.06 of the Standard Specifications with the following:

**"1030.06 Quality Management Program.** The Quality Management Program (QMP) will be Quality Control / Quality Assurance (QC/QA) according to the following."

Delete Article 1030.06(d)(1) of the Standard Specifications.

Revise Article 1030.09(g)(3) of the Standard Specifications to read:

"(3) If core testing is the density verification method, the Contractor shall provide personnel and equipment to collect density verification cores for the Engineer. Core locations will be determined by the Engineer following the document "Hot-Mix Asphalt QC/QA Procedure for Determining Random Density Locations" at density verification intervals defined in Article 1030.09(b). After the Engineer identifies a density verification location and prior to opening to traffic, the Contractor shall cut a 4 in. (100 mm) diameter core. With the approval of the Engineer, the cores may be cut at a later time."

Revise Article 1030.09(h)(2) of the Standard Specifications to read:

"(2) After final rolling and prior to paving subsequent lifts, the Engineer will identify the random density verification test locations. Cores or nuclear density gauge testing will be used for density verification. The method used for density verification will be as selected below.

Density Verification Method	
<input type="checkbox"/>	Cores
<input type="checkbox"/>	Nuclear Density Gauge (Correlated when paving $\geq$ 3,000 tons per mixture)

Density verification test locations will be determined according to the document "Hot-Mix Asphalt QC/QA Procedure for Determining Random Density Locations". The density testing interval for paving wider than or equal to 3 ft (1 m) will be 0.5 miles (800 m) for lift thicknesses of 3 in. (75 mm) or less and 0.2 miles (320 m) for lift thicknesses greater than 3 in. (75 mm). The density testing interval for paving less than 3 ft (1 m) wide will be 1 mile (1,600 m). If a day's paving will be less than the prescribed density testing interval, the length of the day's paving will be the interval for that day. The density testing interval for mixtures used for patching will be 50 patches with a minimum of one test per mixture per project.

If core testing is the density verification method, the Engineer will witness the Contractor coring, and secure and take possession of all density samples at the

density verification locations. The Engineer will test the cores collected by the Contractor for density according to Illinois Modified AASHTO T 166 or AASHTO T 275.

If nuclear density gauge testing is the density verification method, the Engineer will conduct nuclear density gauge tests. The Engineer will follow the density testing procedure detailed in the document "Illinois Modified ASTM D 2950, Standard Test Method for Density of Bituminous Concrete In-Place by Nuclear Method".

A density verification test will be the result of a single core or the average of the nuclear density tests at one location. The results of each density test must be within acceptable limits. The Engineer will promptly notify the Contractor of observed deficiencies."

Revise the seventh paragraph and all subsequent paragraphs in Section D. of the document "Hot-Mix Asphalt QC/QA Initial Daily Plant and Random Samples" to read:

"Mixtures shall be sampled from the truck at the plant by the Contractor following the same procedure used to collect QC mixture samples (Section A). This process will be witnessed by the Engineer who will take custody of the verification sample. Each sample bag with a verification mixture sample will be secured by the Engineer using a locking ID tag. Sample boxes containing the verification mixture sample will be sealed/taped by the Engineer using a security ID label."

BDE SPECIAL PROVISIONS  
For the April 25 and June 13, 2025 Lettings

The following special provisions indicated by a “check mark” are applicable to this contract and will be included by the Project Coordination and Implementation Section of the Bureau of Design & Environment (BDE).

File Name	#	<input type="checkbox"/>	Special Provision Title	Effective	Revised
80099	1	<input type="checkbox"/>	Accessible Pedestrian Signals (APS)	April 1, 2003	Jan. 1, 2022
80274	2	<input type="checkbox"/>	Aggregate Subgrade Improvement	April 1, 2012	April 1, 2022
80192	3	<input type="checkbox"/>	Automated Flagger Assistance Devices	Jan. 1, 2008	April 1, 2023
80173	4	<input type="checkbox"/>	Bituminous Materials Cost Adjustments	Nov. 2, 2006	Aug. 1, 2017
80426	5	<input type="checkbox"/>	Bituminous Surface Treatment with Fog Seal	Jan. 1, 2020	Jan. 1, 2022
* 80241	6	<input type="checkbox"/>	Bridge Demolition Debris	July 1, 2009	
* 50531	7	<input type="checkbox"/>	Building Removal	Sept. 1, 1990	Aug. 1, 2022
* 50261	8	<input type="checkbox"/>	Building Removal with Asbestos Abatement	Sept. 1, 1990	Aug. 1, 2022
80460	9	<input type="checkbox"/>	Cement, Finely Divided Minerals, Admixtures, Concrete, and Mortar	Jan. 1, 2025	
80384	10	<input type="checkbox"/>	Compensable Delay Costs	June 2, 2017	April 1, 2019
* 80198	11	<input type="checkbox"/>	Completion Date (via calendar days)	April 1, 2008	
* 80199	12	<input type="checkbox"/>	Completion Date (via calendar days) Plus Working Days	April 1, 2008	
80461	13	<input type="checkbox"/>	Concrete Barrier	Jan. 1, 2025	
80453	14	<input type="checkbox"/>	Concrete Sealer	Nov. 1, 2023	
80261	15	<input type="checkbox"/>	Construction Air Quality – Diesel Retrofit	June 1, 2010	Jan. 1, 2025
* 80029	16	<input type="checkbox"/>	Disadvantaged Business Enterprise Participation	Sept. 1, 2000	Jan. 2, 2025
80229	17	<input type="checkbox"/>	Fuel Cost Adjustment	April 1, 2009	Aug. 1, 2017
80452	18	<input type="checkbox"/>	Full Lane Sealant Waterproofing System	Nov. 1, 2023	
80447	19	<input type="checkbox"/>	Grading and Shaping Ditches	Jan. 1, 2023	
80433	20	<input type="checkbox"/>	Green Preformed Thermoplastic Pavement Markings	Jan. 1, 2021	Jan. 1, 2022
80456	21	<input type="checkbox"/>	Hot-Mix Asphalt	Jan. 1, 2024	Jan. 1, 2025
80446	22	<input type="checkbox"/>	Hot-Mix Asphalt - Longitudinal Joint Sealant	Nov. 1, 2022	Aug. 1, 2023
80438	23	<input type="checkbox"/>	Illinois Works Apprenticeship Initiative – State Funded Contracts	June 2, 2021	April 2, 2024
80450	24	<input type="checkbox"/>	Mechanically Stabilized Earth Retaining Walls	Aug. 1, 2023	
80464	25	<input type="checkbox"/>	Pavement Marking Inspection	April. 1, 2025	
80441	26	<input type="checkbox"/>	Performance Graded Asphalt Binder	Jan. 1, 2023	
80459	27	<input type="checkbox"/>	Preformed Plastic Pavement Marking	June 2, 2024	
* 34261	28	<input type="checkbox"/>	Railroad Protective Liability Insurance	Dec. 1, 1986	Jan. 1, 2022
80455	29	<input type="checkbox"/>	Removal and Disposal of Regulated Substances	Jan. 1, 2024	April 1, 2024
80445	30	<input type="checkbox"/>	Seeding	Nov. 1, 2022	
80457	31	<input type="checkbox"/>	Short Term and Temporary Pavement Markings	April 1, 2024	April 2, 2024
80462	32	<input type="checkbox"/>	Sign Panels and Appurtenances	Jan. 1, 2025	April 1, 2025
80448	33	<input type="checkbox"/>	Source of Supply and Quality Requirements	Jan. 2, 2023	
80340	34	<input type="checkbox"/>	Speed Display Trailer	April 2, 2014	Jan. 1, 2022
80127	35	<input type="checkbox"/>	Steel Cost Adjustment	April 2, 2004	Jan. 1, 2022
80397	36	<input type="checkbox"/>	Subcontractor and DBE Payment Reporting	April 2, 2018	
80391	37	<input type="checkbox"/>	Subcontractor Mobilization Payments	Nov. 2, 2017	April 1, 2019
80463	38	<input type="checkbox"/>	Submission of Bidders List Information	Jan. 2, 2025	
80437	39	<input type="checkbox"/>	Submission of Payroll Records	April 1, 2021	Nov. 2, 2023
80435	40	<input type="checkbox"/>	Surface Testing of Pavements – IRI	Jan. 1, 2021	Jan. 1, 2023
80465	41	<input type="checkbox"/>	Surveying Services	April 1, 2025	
80466	42	<input type="checkbox"/>	Temporary Rumble Strips	April 1, 2025	
* 20338	43	<input type="checkbox"/>	Training Special Provisions	Oct. 15, 1975	Sept. 2, 2021
80429	44	<input type="checkbox"/>	Ultra-Thin Bonded Wearing Course	April 1, 2020	Jan. 1, 2022
80439	45	<input type="checkbox"/>	Vehicle and Equipment Warning Lights	Nov. 1, 2021	Nov. 1, 2022
80458	46	<input type="checkbox"/>	Waterproofing Membrane System	Aug. 1, 2024	
80302	47	<input type="checkbox"/>	Weekly DBE Trucking Reports	June 2, 2012	Jan. 2, 2025
80454	48	<input type="checkbox"/>	Wood Sign Support	Nov. 1, 2023	
80427	49	<input type="checkbox"/>	Work Zone Traffic Control Devices	Mar. 2, 2020	Jan. 1, 2025
* 80071	50	<input type="checkbox"/>	Working Days	Jan. 1, 2002	

Highlighted items indicate a new or revised special provision for the letting.

An \* indicates the special provision requires additional information from the designer, which needs to be submitted separately. The Project Coordination and Implementation Section will then include the information in the applicable special provision.

The following special provisions are in the 2025 Supplemental Specifications and Recurring Special Provisions.

<u>File Name</u>	<u>Special Provision Title</u>	<u>New Location(s)</u>	<u>Effective</u>	<u>Revised</u>
80434	Corrugated Plastic Pipe (Culvert and Storm Sewer)	Articles 542.03, 550.03, 1040.03, 1040.04(b), 1040.04(d) & 1040.08	Jan. 1, 2021	
80443	High Tension Cable Median Barrier Removal	Section 632	April 1, 2022	
80045	Material Transfer Device	Articles 406.03, 406.06(f), 406.13(b), 406.14 & 1102.02	Nov 15, 1999	Jan. 1, 2022
80410	Traffic Spotters	Article 701.13	Jan. 1, 2019	



Local Public Agency

County

Section Number

City of Evanston

Cook

25-00301-00-RS

The following Special Provision supplement the "Standard Specifications for Road and Bridge Construction", adopted

January 1, 2022

, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual of Test Procedures of Materials" in effect on the date of invitation of bids, and the Supplemental Specification and Recurring Special Provisions indicated on the Check Sheet included here in which apply to and govern the construction of the above named section, and in case of conflict with any parts, or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

## **Instructions for BLR 11310**

This form shall be used as the starting paragraph for the special provision packet included in Federal Aid, Township Bridge (TBP) and Motor Fuel Tax (MFT) roadway improvement and maintenance projects. For more information see Chapter 11 of the Bureau of Local Roads and Street Manual (BLRS Manual).

## CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE)

Effective: June 1, 2010

Revised: January 1, 2025

The reduction of emissions of particulate matter (PM) for off-road equipment shall be accomplished by installing retrofit emission control devices. The term “equipment” refers to diesel fuel powered devices rated at 50 hp and above, to be used on the jobsite in excess of seven calendar days over the course of the construction period on the jobsite (including rental equipment).

Contractor and subcontractor diesel powered off-road equipment assigned to the contract shall be retrofitted according to the table below.

Horsepower Range	Model Year and Older
50-99	2003
100-299	2002
300-599	2000
600-749	2001
750 and up	2005

The retrofit emission control devices shall achieve a minimum PM emission reduction of 50 percent and shall be:

- a) Included on the U.S. Environmental Protection Agency (USEPA) *Verified Retrofit Technology List* (<https://www.epa.gov/verified-diesel-tech/verified-technologies-list-clean-diesel>), or verified by the California Air Resources Board (CARB) (<http://www.arb.ca.gov/diesel/verdev/vt/cvt.htm>); or
- b) Retrofitted with a non-verified diesel retrofit emission control device if verified retrofit emission control devices are not available for equipment proposed to be used on the project, and if the Contractor has obtained a performance certification from the retrofit device manufacturer that the emission control device provides a minimum PM emission reduction of 50 percent.

Note: Large cranes (Crawler mounted cranes) which are responsible for critical lift operations are exempt from installing retrofit emission control devices if such devices adversely affect equipment operation.

Diesel powered off-road equipment with engine ratings of 50 hp and above, which are unable to be retrofitted with verified emission control devices or if performance certifications are not available which will achieve a minimum 50 percent PM reduction, may be granted a waiver by the Department if documentation is provided showing good faith efforts were made by the Contractor to retrofit the equipment.

Construction shall not proceed until the Contractor submits a certified list of the diesel powered off-road equipment that will be used, and as necessary, retrofitted with emission control devices. The list(s) shall include (1) the equipment number, type, make, Contractor/rental company name; and (2) the emission control devices make, model, USEPA or CARB verification number, or performance certification from the retrofit device manufacturer. Equipment reported as fitted with emissions control devices shall be made available to the Engineer for visual inspection of the device installation, prior to being used on the jobsite.

The Contractor shall submit an updated list of retrofitted off-road construction equipment as retrofitted equipment changes or comes on to the jobsite. The addition or deletion of any diesel powered equipment shall be included on the updated list.

If any diesel powered off-road equipment is found to be in non-compliance with any portion of this special provision, the Engineer will issue the Contractor a diesel retrofit deficiency deduction.

Any costs associated with retrofitting any diesel powered off-road equipment with emission control devices shall be considered as included in the contract unit prices bid for the various items of work involved and no additional compensation will be allowed. The Contractor's compliance with this notice and any associated regulations shall not be grounds for a claim.

### **Diesel Retrofit Deficiency Deduction**

When the Engineer determines that a diesel retrofit deficiency exists, a daily monetary deduction will be imposed for each calendar day or fraction thereof the deficiency continues to exist. The calendar day(s) will begin when the time period for correction is exceeded and end with the Engineer's written acceptance of the correction. The daily monetary deduction will be \$1,000.00 for each deficiency identified.

The deficiency will be based on lack of diesel retrofit emissions control.

If a Contractor accumulates three diesel retrofit deficiency deductions for the same piece of equipment in a contract period, the Contractor will be shutdown until the deficiency is corrected. Such a shutdown will not be grounds for any extension of the contract time, waiver of penalties, or be grounds for any claim.

## WORK ZONE TRAFFIC CONTROL DEVICES (BDE)

Effective: March 2, 2020

Revised: January 1, 2025

Add the following to Article 701.03 of the Standard Specifications:

“(q) Temporary Sign Supports ..... 1106.02”

Revise the third paragraph of Article 701.14 of the Standard Specifications to read:

“For temporary sign supports, the Contractor shall provide a FHWA eligibility letter for each device used on the contract. The letter shall provide information for the set-up and use of the device as well as a detailed drawing of the device. The signs shall be supported within 20 degrees of vertical. Weights used to stabilize signs shall be attached to the sign support per the manufacturer’s specifications.”

Revise the first paragraph of Article 701.15 of the Standard Specifications to read:

“**701.15 Traffic Control Devices.** For devices that must meet crashworthiness standards, the Contractor shall provide a manufacturer’s self-certification or a FHWA eligibility letter for each Category 1 device and a FHWA eligibility letter for each Category 2 and Category 3 device used on the contract. The self-certification or letter shall provide information for the set-up and use of the device as well as a detailed drawing of the device.”

Revise the first six paragraphs of Article 1106.02 of the Standard Specifications to read:

“**1106.02 Devices.** Work zone traffic control devices and combinations of devices shall meet crashworthiness standards for their respective categories. The categories are as follows.

Category 1 includes small, lightweight, channelizing and delineating devices that have been in common use for many years and are known to be crashworthy by crash testing of similar devices or years of demonstrable safe performance. These include cones, tubular markers, plastic drums, and delineators, with no attachments (e.g. lights). Category 1 devices shall be MASH compliant.

Category 2 includes devices that are not expected to produce significant vehicular velocity change but may otherwise be hazardous. These include vertical panels with lights, barricades, temporary sign supports, and Category 1 devices with attachments (e.g. drums with lights). Category 2 devices shall be MASH compliant.

Category 3 includes devices that are expected to cause significant velocity changes or other potentially harmful reactions to impacting vehicles. These include crash cushions (impact attenuators), truck mounted attenuators, and other devices not meeting the definitions of Category 1 or 2. Category 3 devices manufactured after December 31, 2019 shall be MASH compliant. Category 3 devices manufactured on or before December 31, 2019, and compliant

with NCHRP 350, may be used on contracts let before December 31, 2029. Category 3 devices shall be crash tested for Test Level 3 or the test level specified.

Category 4 includes portable or trailer-mounted devices such as sign supports, speed feedback displays, arrow boards, changeable message signs, temporary traffic signals, and area lighting supports. It is preferable for Category 4 devices manufactured after December 31, 2019 to be MASH-16 compliant; however, there are currently no crash tested devices in this category, so it remains exempt from the NCHRP 350 or MASH compliance requirement.

For each type of device, when no more than one MASH compliant is available, an NCHRP 350 compliant device may be used, even if manufactured after December 31, 2019.”

Revise Articles 1106.02(g), 1106.02(k), and 1106.02(l) to read:

“(g) Truck Mounted/Trailer Mounted Attenuators. The attenuator shall be approved for use at Test Level 3. Test Level 2 may be used for normal posted speeds less than or equal to 45 mph.

(k) Temporary Water Filled Barrier. The water filled barrier shall be a lightweight plastic shell designed to accept water ballast and be on the Department’s qualified product list.

Shop drawings shall be furnished by the manufacturer and shall indicate the deflection of the barrier as determined by acceptance testing; the configuration of the barrier in that test; and the vehicle weight, velocity, and angle of impact of the deflection test. The Engineer shall be provided one copy of the shop drawings.

(l) Movable Traffic Barrier. The movable traffic barrier shall be on the Department’s qualified product list.

Shop drawings shall be furnished by the manufacturer and shall indicate the deflection of the barrier as determined by acceptance testing; the configuration of the barrier in that test; and the vehicle weight, velocity, and angle of impact of the deflection test. The Engineer shall be provided one copy of the shop drawings. The barrier shall be capable of being moved on and off the roadway on a daily basis.”

**WORKING DAYS (BDE)**

Effective: January 1, 2002

The Contractor shall complete the work within 40 working days.

80071

## **MAINTENANCE OF ROADWAYS (D1)**

Effective: September 30, 1985

Revised: November 1, 1996

Beginning on the date that work begins on this project, the Contractor shall assume responsibility for normal maintenance of all existing roadways within the limits of the improvement. This normal maintenance shall include all repair work deemed necessary by the Engineer, but shall not include snow removal operations. Traffic control and protection for maintenance of roadways will be provided by the Contractor as required by the Engineer.

If items of work have not been provided in the contract, or otherwise specified for payment, such items, including the accompanying traffic control and protection required by the Engineer, will be paid for in accordance with Article 109.04 of the Standard Specifications.

## GROUND TIRE RUBBER (GTR) MODIFIED ASPHALT BINDER (D1)

Effective: June 26, 2006

Revised: December 1, 2021

Add the following to the end of article 1032.05 of the Standard Specifications:

“(c) Ground Tire Rubber (GTR) Modified Asphalt Binder. A quantity of 10.0 to 14.0 percent GTR (Note 1) shall be blended by dry unit weight with a PG 64-28 to make a GTR 70-28 or a PG 58-28 to make a GTR 64-28. The base PG 64-28 and PG 58-28 asphalt binders shall meet the requirements of Article 1032.05(a). Compatible polymers may be added during production. The GTR modified asphalt binder shall meet the requirements of the following table.

Test	Asphalt Grade GTR 70-28	Asphalt Grade GTR 64-28
Flash Point (C.O.C.), AASHTO T 48, °F (°C), min.	450 (232)	450 (232)
Rotational Viscosity, AASHTO T 316 @ 275 °F (135 °C), Poises, Pa·s, max.	30 (3)	30 (3)
Softening Point, AASHTO T 53, °F (°C), min.	135 (57)	130 (54)
Elastic Recovery, ASTM D 6084, Procedure A (sieve waived) @ 77 °F, (25 °C), aged, ss, 100 mm elongation, 5 cm/min., cut immediately, %, min.	65	65

Note 1. GTR shall be produced from processing automobile and/or light truck tires by the ambient grinding method. GTR shall not exceed 1/16 in. (2 mm) in any dimension and shall contain no free metal particles or other materials. A mineral powder (such as talc) meeting the requirements of AASHTO M 17 may be added, up to a maximum of four percent by weight of GTR to reduce sticking and caking of the GTR particles. When tested in accordance with Illinois modified AASHTO T 27, a 50 g sample of the GTR shall conform to the following gradation requirements:

Sieve Size	Percent Passing
No. 16 (1.18 mm)	100
No. 30 (600 µm)	95 ± 5
No. 50 (300 µm)	> 20

Add the following to the end of Note 1. of article 1030.03 of the Standard Specifications:

“A dedicated storage tank for the Ground Tire Rubber (GTR) modified asphalt binder shall be provided. This tank must be capable of providing continuous mechanical mixing throughout by continuous agitation and recirculation of the asphalt binder to provide a uniform mixture. The tank shall be heated and capable of maintaining the temperature

of the asphalt binder at 300 °F to 350 °F (149 °C to 177 °C). The asphalt binder metering systems of dryer drum plants shall be calibrated with the actual GTR modified asphalt binder material with an accuracy of  $\pm 0.40$  percent."

## HOT-MIX ASPHALT – MIXTURE DESIGN VERIFICATION AND PRODUCTION (D1)

Effective: January 1, 2019

Revised: December 1, 2021

Add to Article 1030.05 (d)(3) of the Standard Specifications to read:

“ During mixture design, prepared samples shall be submitted to the District laboratory by the Contractor for verification testing. The required testing, and number and size of prepared samples submitted, shall be according to the following tables.

High ESAL – Required Samples for Verification Testing	
Mixture	Hamburg Wheel and I-FIT Testing <sup>1/2/</sup>
Binder	total of 3 - 160 mm tall bricks
Surface	total of 4 - 160 mm tall bricks

Low ESAL – Required Samples for Verification Testing	
Mixture	I-FIT Testing <sup>1/2/</sup>
Binder	1 - 160 mm tall brick
Surface	2 - 160 mm tall bricks

1/ The compacted gyratory bricks for Hamburg wheel and I-FIT testing shall be  $7.5 \pm 0.5$  percent air voids.

2/ If the Contractor does not possess the equipment to prepare the 160 mm tall brick(s), twice as many 115 mm tall compacted gyratory bricks will be acceptable.

Revise the fourth paragraph of Article 1030.10 of the Standard Specifications to read:

“When a test strip is not required, each HMA mixture shall still be sampled on the first day of production: I-FIT and Hamburg wheel testing for High ESAL; I-FIT testing for Low ESAL. Within two working days after sampling the mixture, the Contractor shall deliver gyratory cylinders to the District laboratory for Department verification testing. The High ESAL mixture test results shall meet the requirements of Articles 1030.05(d)(3) and 1030.05(d)(4). The Low ESAL mixture test results shall meet the requirements of Article 1030.05(d)(4). The required number and size of prepared samples submitted for the Hamburg wheel and I-FIT testing shall be according to the “High ESAL - Required Samples for Verification Testing” table in Article 1030.05(d)(3) above.”

Add the following to the end of Article 1030.10 of the Standard Specifications to read:

**"Mixture sampled during first day of production shall include approximately 60 lb (27 kg) of additional material for the Department to conduct Hamburg wheel testing and approximately 80 lb (36 kg) of additional material for the Department to conduct I-FIT testing. Within two working days after sampling, the Contractor shall deliver prepared samples to the District laboratory for verification testing. The required number and size of prepared samples submitted for the Hamburg wheel and I-FIT testing shall be according to the "High ESAL - Required Samples for Verification Testing" table in Article 1030.05(d)(3) above."**

## FRICITION AGGREGATE (D1)

Effective: January 1, 2011

Revised: December 1, 2021

Revise Article 1004.03(a) of the Standard Specifications to read:

**"1004.03 Coarse Aggregate for Hot-Mix Asphalt (HMA).** The aggregate shall be according to Article 1004.01 and the following.

(a) Description. The coarse aggregate for HMA shall be according to the following table.

Use	Mixture	Aggregates Allowed
Class A	Seal or Cover	<u>Allowed Alone or in Combination</u> <sup>5/</sup> : Gravel Crushed Gravel Carbonate Crushed Stone Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag Crushed Concrete
HMA Low ESAL	Stabilized Subbase or Shoulders	<u>Allowed Alone or in Combination</u> <sup>5/</sup> : Gravel Crushed Gravel Carbonate Crushed Stone Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag <sup>1/</sup> Crushed Concrete
HMA High ESAL Low ESAL	Binder IL-19.0 or IL-19.0L  SMA Binder	<u>Allowed Alone or in Combination</u> <sup>5/ 6/</sup> : Crushed Gravel Carbonate Crushed Stone <sup>2/</sup> Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Concrete <sup>3/</sup>

Use	Mixture	Aggregates Allowed								
HMA High ESAL Low ESAL	C Surface and Binder IL-9.5 IL-9.5FG or IL-9.5L	<u>Allowed Alone or in Combination</u> <sup>5/</sup> : Crushed Gravel Carbonate Crushed Stone <sup>2/</sup> Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag <sup>4/</sup> Crushed Concrete <sup>3/</sup>								
HMA High ESAL	D Surface and Binder IL-9.5 or IL-9.5FG	<u>Allowed Alone or in Combination</u> <sup>5/</sup> : Crushed Gravel Carbonate Crushed Stone (other than Limestone) <sup>2/</sup> Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag <sup>4/</sup>  <u>Other Combinations Allowed:</u> <table border="1" data-bbox="753 1056 1273 1392"> <thead> <tr> <th data-bbox="753 1056 997 1108"><i>Up to...</i></th> <th data-bbox="1002 1056 1273 1108"><i>With...</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="753 1115 997 1167">25% Limestone</td> <td data-bbox="1002 1115 1273 1167">Dolomite</td> </tr> <tr> <td data-bbox="753 1173 997 1278">50% Limestone</td> <td data-bbox="1002 1173 1273 1278">Any Mixture D aggregate other than Dolomite</td> </tr> <tr> <td data-bbox="753 1285 997 1392">75% Limestone</td> <td data-bbox="1002 1285 1273 1392">Crushed Slag (ACBF) or Crushed Sandstone</td> </tr> </tbody> </table>	<i>Up to...</i>	<i>With...</i>	25% Limestone	Dolomite	50% Limestone	Any Mixture D aggregate other than Dolomite	75% Limestone	Crushed Slag (ACBF) or Crushed Sandstone
<i>Up to...</i>	<i>With...</i>									
25% Limestone	Dolomite									
50% Limestone	Any Mixture D aggregate other than Dolomite									
75% Limestone	Crushed Slag (ACBF) or Crushed Sandstone									
HMA High ESAL	E Surface IL-9.5  SMA Ndesign 80 Surface	<u>Allowed Alone or in Combination</u> <sup>5/ 6/</sup> : Crushed Gravel Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag  No Limestone.  <u>Other Combinations Allowed:</u> <table border="1" data-bbox="753 1734 1273 1829"> <thead> <tr> <th data-bbox="753 1734 997 1787"><i>Up to...</i></th> <th data-bbox="1002 1734 1273 1787"><i>With...</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="753 1793 997 1829"></td> <td data-bbox="1002 1793 1273 1829"></td> </tr> </tbody> </table>	<i>Up to...</i>	<i>With...</i>						
<i>Up to...</i>	<i>With...</i>									

Use	Mixture	Aggregates Allowed	
		50% Dolomite <sup>2/</sup>	Any Mixture E aggregate
		75% Dolomite <sup>2/</sup>	Crushed Sandstone, Crushed Slag (ACBF), Crushed Steel Slag, or Crystalline Crushed Stone
		75% Crushed Gravel <sup>2/</sup>	Crushed Sandstone, Crystalline Crushed Stone, Crushed Slag (ACBF), or Crushed Steel Slag
HMA High ESAL	F Surface IL-9.5  SMA Ndesign 80 Surface	<u>Allowed Alone or in Combination</u> <sup>5/ 6/</sup> .	
		Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag No Limestone.	
		<u>Other Combinations Allowed:</u>	
		<i>Up to...</i>	<i>With...</i>
		50% Crushed Gravel <sup>2/</sup> or Dolomite <sup>2/</sup>	Crushed Sandstone, Crushed Slag (ACBF), Crushed Steel Slag, or Crystalline Crushed Stone

- 1/ Crushed steel slag allowed in shoulder surface only.
- 2/ Carbonate crushed stone (limestone) and/or crushed gravel shall not be used in SMA Ndesign 80.
- 3/ Crushed concrete will not be permitted in SMA mixes.
- 4/ Crushed steel slag shall not be used as binder.
- 5/ When combinations of aggregates are used, the blend percent measurements shall be by volume."
- 6/ Combining different types of aggregate will not be permitted in SMA Ndesign 80."

**DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (BDED1)**

Effective: April 1, 2011

Revised: April 2, 2011

Add the following to Article 603.02 of the Standard Specifications:

- "(i) Temporary Hot-Mix Asphalt (HMA) Ramp (Note 1) ..... 1030
- (j) Temporary Rubber Ramps (Note 2)

Note 1. The HMA shall have maximum aggregate size of 3/8 in. (95 mm).

Note 2. The rubber material shall be according to the following.

Property	Test Method	Requirement
Durometer Hardness, Shore A	ASTM D 2240	75 ±15
Tensile Strength, psi (kPa)	ASTM D 412	300 (2000) min
Elongation, percent	ASTM D 412	90 min
Specific Gravity	ASTM D 792	1.0 - 1.3
Brittleness, °F (°C)	ASTM D 746	-40 (-40)"

Revise Article 603.07 of the Standard Specifications to read:

**603.07 Protection Under Traffic.** After the casting has been adjusted and the Class PP concrete has been placed, the work shall be protected by a barricade and two lights according to Article 701.17(e)(3)b. ~~After the casting has been adjusted and Class SI concrete has been placed, the work shall be protected by a barricade and two lights for at least 72 hours.~~

When castings are under traffic before the final surfacing operation has been started, properly sized temporary ramps shall be placed around the drainage and/or utility castings according to the following methods.

- (a) Temporary Asphalt Ramps. Temporary hot-mix asphalt ramps shall be placed around the casting, flush with its surface and decreasing to a featheredge in a distance of 2 ft (600 mm) around the entire surface of the casting.
- (b) Temporary Rubber Ramps. Temporary rubber ramps shall only be used on roadways with permanent posted speeds of 40 mph or less and when the height of the casting to be protected meets the proper sizing requirements for the rubber ramps as shown below.

Dimension	Requirement
Inside Opening	Outside dimensions of casting + 1 in. (25 mm)
Thickness at inside edge	Height of casting $\pm$ 1/4 in. (6 mm)
Thickness at outside edge	1/4 in. (6 mm) max.
Width, measured from inside opening to outside edge	8 1/2 in. (215 mm) min

Placement shall be according to the manufacturer's specifications.

Temporary ramps for castings shall remain in place until surfacing operations are undertaken within the immediate area of the structure. Prior to placing the surface course, the temporary ramp shall be removed. Excess material shall be disposed of according to Article 202.03."

|

## **ADJUSTMENTS AND RECONSTRUCTIONS (D1)**

Effective: March 15, 2011

Revise the first paragraph of Article 602.04 to read:

**“602.04 Concrete.** Cast-in-place concrete for structures shall be constructed of Class SI concrete according to the applicable portions of Section 503. Cast-in-place concrete for pavement patching around adjustments and reconstructions shall be constructed of Class PP-1 concrete, unless otherwise noted in the plans, according to the applicable portions of Section 1020.”

Revise the third, fourth and fifth sentences of the second paragraph of Article 602.11(c) to read:

“Castings shall be set to the finished pavement elevation so that no subsequent adjustment will be necessary, and the space around the casting shall be filled with Class PP-1 concrete, unless otherwise noted in the plans, to the elevation of the surface of the base course or binder course. HMA surface or binder course material shall not be allowed. The pavement may be opened to traffic according to Article 701.17(e)(3)b.”

Revise Article 603.05 to read:

**“603.05 Replacement of Existing Flexible Pavement.** After the castings have been adjusted, the surrounding space shall be filled with Class PP-1 concrete, unless otherwise noted in the plans, to the elevation of the surface of the base course or binder course. HMA surface or binder course material shall not be allowed. The pavement may be opened to traffic according to Article 701.17(e)(3)b.”

Revise Article 603.06 to read:

**“603.06 Replacement of Existing Rigid Pavement.** After the castings have been adjusted, the pavement and HMA that was removed, shall be replaced with Class PP-1 concrete, unless otherwise noted in the plans, not less than 9 in. (225 mm) thick. The pavement may be opened to traffic according to Article 701.17(e)(3)b.

The surface of the Class PP concrete shall be constructed flush with the adjacent surface.”

Revise the first sentence of Article 603.07 to read:

**“603.07 Protection Under Traffic.** After the casting has been adjusted and the Class PP concrete has been placed, the work shall be protected by a barricade and two lights according to Article 701.17(e)(3)b.”

## HOT-MIX ASPHALT BINDER AND SURFACE COURSE (D1)

Effective: November 1, 2019

Revised: December 1, 2021

Revise Article 1004.03(c) to read:

“(c) Gradation. The coarse aggregate gradations shall be as listed in the following table.

Use	Size/Application	Gradation No.
Class A-1, A-2, & A-3	3/8 in. (10 mm) Seal	CA 16 or CA 20
Class A-1	1/2 in. (13 mm) Seal	CA 15
Class A-2 & A-3	Cover Coat	CA 14
HMA High ESAL	IL-19.0; Stabilized Subbase IL-19.0	CA 11 <sup>1/</sup>
	SMA 12.5 <sup>2/</sup>	CA 13 <sup>4/</sup> , CA 14, or CA 16
	SMA 9.5 <sup>2/</sup>	CA 13 <sup>3/4/</sup> or CA 16 <sup>3/</sup>
	IL-9.5	CA 16, CM 13 <sup>4/</sup>
	IL-9.5FG	CA 16
HMA Low ESAL	IL-19.0L	CA 11 <sup>1/</sup>
	IL-9.5L	CA 16

1/ CA 16 or CA 13 may be blended with the CA 11.

2/ The coarse aggregates used shall be capable of being combined with the fine aggregates and mineral filler to meet the approved mix design and the mix requirements noted herein.

3/ The specified coarse aggregate gradations may be blended.

4/ CA 13 shall be 100 percent passing the 1/2 in. (12.5mm) sieve.”

Revise Article 1004.03(e) of the Supplemental Specifications to read:

“(e) Absorption. For SMA the coarse aggregate shall also have water absorption ≤ 2.0 percent.”

Revise the "High ESAL" portion of the table in Article 1030.01 to read:

"High ESAL"	Binder Courses	IL-19.0, IL-9.5, IL-9.5FG, IL-4.75, SMA 12.5, Stabilized Subbase IL-19.0
	Surface Courses	IL-9.5, IL-9.5FG, SMA 12.5, SMA 9.5"

Revise Note 2. and add Note 6 to Article 1030.02 of the Standard Specifications to read:

"Item	Article/Section
(g) Performance Graded Asphalt Binder (Note 6)	1032
(h) Fibers (Note 2)	

Note 2. A stabilizing additive such as cellulose or mineral fiber shall be added to the SMA mixture according to Illinois Modified AASHTO M 325. The stabilizing additive shall meet the Fiber Quality Requirements listed in Illinois Modified AASHTO M 325. Prior to approval and use of fibers, the Contractor shall submit a notarized certification by the producer of these materials stating they meet these requirements. Reclaimed Asphalt Shingles (RAS) may be used in Stone Matrix Asphalt (SMA) mixtures designed with an SBA polymer modifier as a fiber additive if the mix design with RAS included meets AASHTO T305 requirements. The RAS shall be from a certified source that produces either Type I or Type 2. Material shall meet requirements noted herein and the actual dosage rate will be determined by the Engineer.

Note 6. The asphalt binder shall be an SBS PG 76-28 when the SMA is used on a full-depth asphalt pavement and SBS PG 76-22 when used as an overlay, except where modified herein. The asphalt binder shall be a SBS PG 76-22 for IL-4.75, except where modified herein.."

Revise table in Article 1030.05(a) of the Standard Specifications to read:

"MIXTURE COMPOSITION (% PASSING)" <sup>1/</sup>												
Sieve Size	IL-19.0 mm		SMA 12.5		SMA 9.5		IL-9.5mm		IL-9.5FG		IL-4.75 mm	
	min	max	min	max	min	max	min	max	min	max	min	max
1 1/2 In. (37.5 mm)												
1 In. (25 mm)		100										
3/4 In. (19 mm)	90	100		100								
1/2 In. (12.5 mm)	75	89	60	100		100		100		100		100
3/8 In. (9.5 mm)				65	90	100	90	100	90	100		100
#4 (4.75 mm)	40	60	20	30	36	50	34	69	60	75 <sup>6/</sup>	90	100
#8 (2.36 mm)	20	42	16	24 <sup>4/</sup>	16	32 <sup>4/</sup>	34 <sup>3/</sup>	52 <sup>2/</sup>	45	60 <sup>6/</sup>	70	90
#16 (1.18 mm)	15	30					10	32	25	40	50	65
#30 (600 μm)			12	16	12	18			15	30		
#50 (300 μm)	6	15					4	15	8	15	15	30
#100 (150 μm)	4	9					3	10	6	10	10	18
#200 (75 μm)	3.0	6.0	7.0	9.0 <sup>3/</sup>	7.5	9.5 <sup>3/</sup>	4.0	6.0	4.0	6.5	7.0	9.0 <sup>3/</sup>
#635 (20 μm)			≤ 3.0		≤ 3.0							
Ratio Dust/Asphalt Blinder		1.0		1.5		1.5		1.0		1.0		1.0

1/ Based on percent of total aggregate weight.

2/ The mixture composition shall not exceed 44 percent passing the #8 (2.36 mm) sieve for surface courses with Ndesign = 90.

3/ Additional minus No. 200 (0.075 mm) material required by the mix design shall be mineral filler, unless otherwise approved by the Engineer.

4/ When establishing the Adjusted Job Mix Formula (AJMF) the percent passing the #8 (2.36 mm) sieve shall not be adjusted above the percentage stated on the table.

- 5/ When establishing the Adjusted Job Mix Formula (AJMF) the percent passing the #8 (2.36 mm) sieve shall not be adjusted below 34 percent.
- 6/ When the mixture is used as a binder, the maximum shall be increased by 0.5 percent passing."

Revise Article 1030.05(b) of the Standard Specifications to read:

(b) Volumetric Requirements. The target value for the air voids of the HMA shall be 4.0 percent, for IL-4.75 and SMA mixtures it shall be 3.5 percent and for Stabilized Subbase it shall be 3.0 percent at the design number of gyrations. The voids in the mineral aggregate (VMA) and voids filled with asphalt binder (VFA) of the HMA design shall be based on the nominal maximum size of the aggregate in the mix and shall conform to the following requirements.

Mix Design	Voids in the Mineral Aggregate (VMA), % Minimum for Ndesign				
	30	50	70	80	90
IL-19.0		13.5	13.5		13.5
IL-9.5		15.0	15.0		
IL-9.5FG		15.0	15.0		
IL-4.75 <sup>1/</sup>		18.5			
SMA-12.5 <sup>1/2/5/</sup>				17.0 <sup>3/</sup> /16.0 <sup>4/</sup>	
SMA-9.5 <sup>1/2/5/</sup>				17.0 <sup>3/</sup> /16.0 <sup>4/</sup>	
IL-19.0L	13.5				
IL-9.5L	15.0				

- 1/ Maximum draindown shall be 0.3 percent according to Illinois Modified AASHTO T 305.
- 2/ The draindown shall be determined at the JMF asphalt binder content at the mixing temperature plus 30°F.
- 3/ Applies when specific gravity of coarse aggregate is  $\geq 2.760$ .
- 4/ Applies when specific gravity of coarse aggregate is  $< 2.760$ .
- 5/ For surface course, the coarse aggregate can be crushed steel slag, crystalline crushed stone or crushed sandstone. For binder course, coarse aggregate shall be crushed stone (dolomite), crushed gravel, crystalline crushed stone, or crushed sandstone"

10/30/2014

10/30/2014

10/30/2014

Revise the last paragraph of Article 1102.01 (a) (5) of the Standard Specifications to read:

"IL-4.75 and Stone Matrix Asphalt (SMA) mixtures which contain aggregate having absorptions greater than or equal to 2.0 percent, or which contain steel slag sand, shall have minimum surge bin storage plus haul time of 1.5 hours."

Add after third sentence of Article 1030.09(b) to read:

"If the Contractor and Engineer agree the nuclear density test method is not appropriate for the mixture, cores shall be taken at random locations determined according to the QC/QA document "Determination of Random Density Test Site Locations". Core densities shall be determined using the Illinois Modified AASHTO T 166 or T 275 procedure."

Revise Table 1 and Note 4/ of Table 1 in Article 406.07(a) of the Standard Specifications to read:

	Breakdown/Intermediate Roller (one of the following)	Final Roller (one or more of the following)	Density Requirement
IL-9.5, IL-9.5FG, IL-19.0 <sup>1/</sup>	V <sub>D</sub> , P, T <sub>B</sub> , 3W, O <sub>T</sub> , O <sub>B</sub>	V <sub>S</sub> , T <sub>B</sub> , T <sub>F</sub> , O <sub>T</sub>	As specified in Section 1030
IL-4.75 and SMA <sup>3/ 4/</sup>	T <sub>B</sub> , 3W, O <sub>T</sub>	T <sub>F</sub> , 3W	As specified in Section 1030
Mixtures on Bridge Decks <sup>2/</sup>	T <sub>B</sub>	T <sub>F</sub>	As specified in Articles 582.05 and 582.06.

"4/ The Contractor shall provide a minimum of two steel-wheeled tandem rollers (T<sub>B</sub>), and/or three-wheel (3W) rollers for breakdown, except one of the (T<sub>B</sub>) or (3W) rollers shall be 84 inches (2.14 m) wide and a weight of 315 pound per linear inch (PLI) (5.63 kg/mm) and one of the (T<sub>B</sub>) or (3W) rollers can be substituted for an oscillatory roller (O<sub>T</sub>). T<sub>F</sub> rollers shall be a minimum of 280 lb/in. (50 N/mm). The 3W and T<sub>B</sub> rollers shall be operated at a uniform speed not to exceed 3 mph (5 km/h), with the drive roll for T<sub>B</sub> rollers nearest the paver and maintain an effective rolling distance of not more than 150 ft (45 m) behind the paver."

Add the following after the fourth paragraph of Article 406.13 (b):

"The plan quantities of SMA mixtures shall be adjusted using the actual approved binder and surface Mix Design's G<sub>mb</sub>."

Revise first paragraph of Article 1030.10 of the Standard Specifications to read:

"A test strip of 300 ton (275 metric tons), except for SMA mixtures it will be 400 ton (363 metric ton), will be required for each mixture on each contract at the beginning of HMA production for each construction year according to the Manual of Test Procedures for Materials "Hot Mix Asphalt Test Strip Procedures". At the request of the Producer, the Engineer may waive the test strip if previous construction during the current construction year has demonstrated the constructability of the mix using Department test results."

Revise third paragraph of Article 1030.10 of the Standard Specifications to read:

"When a test strip is constructed, the Contractor shall collect and split the mixture according to the document "Hot-Mix Asphalt Test Strip Procedures". The Engineer, or a representative, shall deliver split sample to the District Laboratory for verification testing. The Contractor shall complete mixture tests stated in Article 1030.09(a). Mixture sampled shall include enough material for the Department to conduct mixture tests detailed in Article 1030.09(a) and in the document "Hot-Mix Asphalt Mixture Design Verification Procedure" Section 3.3. The mixture test results shall meet the requirements of Articles 1030.05(b) and 1030.05(d), except Hamburg wheel tests will only be conducted on High ESAL mixtures during production."

**PUBLIC CONVENIENCE AND SAFETY (D1)**

Effective: May 1, 2012

Revised: July 15, 2012

Add the following to the end of the fourth paragraph of Article 107.09:

"If the holiday is on a Saturday or Sunday, and is legally observed on a Friday or Monday, the length of Holiday Period for Monday or Friday shall apply."

Add the following sentence after the Holiday Period table in the fourth paragraph of Article 107.09:

"The Length of Holiday Period for Thanksgiving shall be from 5:00 AM the Wednesday prior to 11:59 PM the Sunday After"

Delete the fifth paragraph of Article 107.09 of the Standard Specifications:

"On weekends, excluding holidays, roadways with Average Daily Traffic of 25,000 or greater, all lanes shall be open to traffic from 3:00 P.M. Friday to midnight Sunday except where structure construction or major rehabilitation makes it impractical."

## STATUS OF UTILITIES (D1)

Effective: June 1, 2016

Revised: January 1, 2020

Utility companies and/or municipal owners located within the construction limits of this project have provided the following information regarding their facilities and the proposed improvements. The tables below contain a description of specific conflicts to be resolved and/or facilities which will require some action on the part of the Department's contractor to proceed with work. Each table entry includes an identification of the action necessary and, if applicable, the estimated duration required for the resolution.

### UTILITIES TO BE ADJUSTED

Conflicts noted below have been identified by following the suggested staging plan included in the contract. The company has been notified of all conflicts and will be required to obtain the necessary permits to complete their work; in some instances, resolution will be a function of the construction staging. The responsible agency must relocate, or complete new installations as noted below; this work has been deemed necessary to be complete for the Department's contractor to then work in the stage under which the item has been listed.

#### Pre-Stage

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY	DURATION OF TIME

#### Stage 1

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY	DURATION OF TIME

#### Stage 2

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY	DURATION OF TIME

No conflicts to be resolved (or if there are conflicts they are to be listed as noted above)

Pre-Stage: \_\_\_\_\_ Days Total Installation

Stage 1: \_\_\_\_\_ Days Total Installation

Stage 2: \_\_\_\_\_ Days Total Installation

The following contact information is what was used during the preparation of the plans as provided by the Agency/Company responsible for resolution of the conflict.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address

**UTILITIES TO BE WATCHED AND PROTECTED**

The areas of concern noted below have been identified by following the suggested staging plan included for the contract. The information provided is not a comprehensive list of all remaining utilities, but those which during coordination were identified as ones which might require the Department's contractor to take into consideration when making the determination of the means and methods that would be required to construct the proposed improvement. In some instances, the contractor will be responsible to notify the owner in advance of the work to take place so necessary staffing on the owner's part can be secured.

**Pre-Stage**

STAGE / LOCATION	TYPE	DESCRIPTION	OWNER

**Stage 1**

STAGE / LOCATION	TYPE	DESCRIPTION	OWNER

**Stage 2**

STAGE / LOCATION	TYPE	DESCRIPTION	OWNER

No facilities requiring extra consideration *(or listed as noted above)*

The following contact information is what was used during the preparation of the plans as provided by the owner of the facility.


Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address

The above represents the best information available to the Department and is included for the convenience of the bidder. The days required for conflict resolution should be considered in the bid as this information has also been factored into the timeline identified for the project when setting the completion date. The applicable portions of the Standard Specifications for Road and Bridge Construction shall apply.

Estimated duration of time provided above for the first conflicts identified will begin on the date of the executed contract regardless of the status of the utility relocations. The responsible agencies will be working toward resolving subsequent conflicts in conjunction with contractor activities in the number of days noted.

The estimated relocation duration must be part of the progress schedule submitted by the contractor. A utility kickoff meeting will be scheduled between the Department, the Department's contractor and the utility companies when necessary. The Department's contractor is responsible for contacting J.U.L.I.E. prior to all excavation work.

# City of Evanston Fiber Network Booklet



City of  
**Evanston**  
Geographic Information  
System Division

— Evanston Corridor  
— NID Corridor

1,100 Feet







**EROSION & SEDIMENT CONTROL ITEMS**

Cleaving & Grading Limits		PR
Dike		PR
Erosion Control Fence		PR
Perimeter Erosion Barrier		PR
Temporary Fence		PR
Catch Check Temporary		PR
Outlet Check Permanent		PR
Inlet & Pipe Protection		PR
Sequencer Basin		PR
Erosion Control Blanket		PR
Fabric Formed Concrete Retention Wall		PR
Turf Reinforced eroded Mat		PR
Mulch Temporary		PR
Mulch Method 1		PR
Mulch Method 2 Stabilized		PR
Mulch Method 3 Hydraulic		PR
<b>CONTOUR ITEMS</b>		
Appas Index Line		EX
Appas Intermediate Line		EX
Index Contour		EX
Intermediate Contour		EX

**NON-HIGHWAY IMPROVEMENT ITEMS**

Noise Abn./Screen		EX
Field Line		EX
Fence		EX
Gate of Fence		EX
Mallows		PR
Stumps Mulchings		PR
Pay Telephone		PR
Advertising Sign		PR
TV Camera		PR
Wind Turbine		PR
Cellular Tower		PR
Independent Transportation Systems		
<b>LANOSCAPING ITEMS</b>		
Contour Mounding Use		PR
Fence		PR
Fence Post		PR
Shrubs		PR
Mowline		PR
Perennial Plants		PR
Seeding Class 2		PR
Seeding Class 2A		PR
Seeding Class 4		PR
Seeding Class 4 & 5 Combined		PR

**EXISTING LANDSCAPING ITEMS (cont'd.)**

Seeding Class 3		PR
Seeding Class 1		PR
Seeding Class 2		PR
Seeding Class 4		PR
Seeding Class 5		PR
Manhole w/Sign		PR
Tree Trunk Protection		PR
Evergreen Tree		PR
Shrub Tree		PR
<b>LIGHTING</b>		
Duct		PR
Conduit		PR
Electrical Aerial Cable		PR
Electrical Bunked Cable		PR
Controller		PR
Underpass Luminaire		PR
Power Pole		PR

Missouri Department of Transportation  
 PROJECT NO. 100-1000000000  
 SHEET NO. 100-1000000000  
 DATE 10/1/00  
 DRAWN BY [Signature]  
 CHECKED BY [Signature]

**STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS**  
 (Sheet 3 of 91)  
 STANDARD 000001-08



**PAVEMENT MARKINGS**  
(cont'd.)

CL 2-lane 2-way  
SRPS 117 2 mi o.c.

CL 2-lane 2-way  
SRPS 80 124.4 mi o.c.

CL Multiple Div.  
SRPS 47 112 2 mi o.c.

CL Multiple Div.  
SRPS 80 124.4 mi o.c.

CL Multiple Div., Div.  
SRPS 80 124.4 mi o.c.

CL Multiple Lanes

Two Way Turn Left Line

Urban Combination Left

Urban Combination Right

Urban Left Turn Arrow

Urban Right Turn Arrow

Urban Left Turn Only

Urban Right Turn Only

Urban Thru Only

**EX**

**PR**

**RAILROAD ITEMS**

Abandoned Railroad

Railroad

Railroad Point

Control Box

Crossing Gate

Flashing Signal

Railroad Cent. Mast Arm

Crestback

**REMOVAL ITEMS**

Removal Tick

Blunt-nosed Removal

Health Pattern

Tree Removal Sludge

**RIGHT OF WAY ITEMS**

Future ROW Center Monument

ROW Marker

ROW Line

Entrance

Temporary Easement

**EX**

**PR**

Small Department of Transportation  
 NAME: W.P. GALL 2011  
 COUNTY: ALBERTA 2011  
 PROJECT: SRPS 47 112 2 mi o.c.  
 DRAWN BY: W.P. GALL  
 CHECKED BY: W.P. GALL

Urban LT & RT Turn Arrow

Urban Thru Arrow

**STANDARD SYMBOLS,  
ABBREVIATIONS  
AND PATTERNS**  
(Sheet 3 of 3)

STANDARD 000001-08

**PAVEMENT MARKINGS**  
**(cont'd.)**

**EX**

Urban U-Turn



Urban Controlled U-Turn



Rural Combination Left

Rural Combination Right

Rural Left Turn Arrow

Rural Right Turn Arrow

Rural Left Turn Only

Rural Right Turn Only

Rural Thru Only

Rural Thru Arrow

Rural L & R Turn Arrow


Bike Lane Symbol

Bike Lane Text

Bike Path Shared

Bike Shared Roadway

Lane Drop Symbol



**ONLY ONLY ONLY**

Michigan Department of Transportation MICHIGAN DEPARTMENT OF TRANSPORTATION TRANSPORTATION DIVISION 220 N. ZEEB ROAD, LANSING, MI 48206-1600	DATE: 11/18/11 DRAWN BY: [Signature] CHECKED BY: [Signature]
	SHEET NO. 111 TOTAL SHEETS 111

W/eng Vray Arrows

**STANDARD SYMBOLS,  
ABBREVIATIONS  
AND PATTERNS**

(Sheet 8 of 11)

STANDARD 000001-08



**SIGNING ITEMS**  
(cont'd.)

EX	PR
One Way Arrow Up W14-01 (Half Size)	
Two Way Arrow Large W17-01 (Half Size)	
Deceleration A4-10L-01 (Half Size)	
Deceleration A4-10R-01 (Half Size)	
One Way Left R6-11 (Half Size)	
One Way Right R6-1R (Half Size)	
Left Turn Lane R3110CL (Half Size)	
Keep Left R4-7AL (Half Size)	
Keep Left R4-7BL (Half Size)	
Keep Right R4-7AR (Half Size)	
Keep Right R4-7BR (Half Size)	
Stop Here on Red R10-6AL (Half Size)	
Stop Here on Red R10-6AR (Half Size)	
No Left Turn R3-2 (Half Size)	
No Right Turn R3-1 (Half Size)	
Road Closed R11-2 (Half Size)	
Road Closed Through Traffic R11-2 (Half Size)	

**STRUCTURES ITEMS**

EX	PR
Box Culvert Bents	
Box Culvert Headwall	
Bridge Pier	
Grade	
Retaining Wall	
Temporary Street Paving	

**TRAFFIC SHEET ITEMS**

EX	PR
Cable Number	
Left Turn Green	
Left Turn Yellow	
Signal Backplate	
Signal Section 8" (200 mm)	
Signal Section 12" (300 mm)	
Water/Dont Walk Letters	
Water/Dont Walk Symbols	

**TRAFFIC SIGNAL ITEMS**


EX	PR
Cable Steel Conduit	
Underground Cable	
Detector Loop Wire	
Detector Loop Large	
Detector Loop Small	
Detector Loop Outdraped	

Michigan Department of Transportation  
 DATE: \_\_\_\_\_  
 DRAWN BY: \_\_\_\_\_  
 CHECKED BY: \_\_\_\_\_  
 APPROVED BY: \_\_\_\_\_  
 LICENSE OF PROFESSIONAL ENGINEER


**STANDARD SYMBOLS,  
ABBREVIATIONS  
AND PATTERNS**  
 Sheet 8 of 31  
**STANDARD 008001-08**







**RAMP IN LANDSCAPED AREA  
SETBACK > 5'**



**RAMP IN PAVED AREA  
SETBACK > 5'**

**GENERAL NOTES**

All slope signs are required on units of vertical attachment to curb of horizontal signposts (V-24).

Where the turning slope is combined on a side separate a ramp, the minimum length of the turning space in the direction of the approach shall be 5' (1.52 m).

Where 1:50 maximum slope is shown, 1:54 is preferred.

Detectable warnings are shown in their local locations and the following placement tolerances are allowed.

Side Slope - Detectable warnings should extend the full width of the walking surface (including flared sidewalk) but a barrier along each side up to 2' (0.61 m) is allowed to match its adjacent.

**CURB SETBACKS** - Detectable warnings located at the top of the curb shall be placed with the curb but a gap up to 6" (152 mm) is allowed between the curb and the warning.

See Standard Section for details of detectable warning required for curb ramp.

All dimensions are in inches (millimeters) unless otherwise shown.




**SECTION C-C**

- ① This turning slope not required for lowered transitions.
- ② The turning slope of a curb ramp shall be 1:50 max. and 1:54 max. The turning slope of a lowered transition shall be 1:50 max.


**PERPENDICULAR CURB RAMPS  
FOR SIDEWALKS**  
(Sheet 1 of 2)

**STANDARD 424001-21**

Department of Transportation  
 Title: PERPENDICULAR CURB RAMPS FOR SIDEWALKS  
 Date: 11/19/2010  
 Revision: 1  
 Author: [Signature]  
 Checker: [Signature]



**RAMP IN LANDSCAPED AREA**




**RAMP IN PAVED AREA**

**GENERAL NOTES**

This Standard shall only be used for curb radii of 24 ft. (6.1 m) or greater.  
 Where the turning space is limited on a side curb, the minimum length of the turning space in the direction of the ramp-turn shall be 5'-11.52 ft.  
 Where 1:50 maximum slope is shown, 1:64 is preferred.  
 Detectable warnings are shown in their ideal locations, but the following placement tolerances are allowed.  
 Side Curb: - Detectable warnings should extend the full width of the existing surface (existing sloped sides) but a border along each side up to 2 ft. (610 mm) in width is allowed.  
 Curb Section: - Detectable warnings located at the base of curb should extend along with the curb but a gap up to 6 ft. (1830 mm) behind the curb is allowed.  
 All slope ratios are expressed as units of vertical to one unit of horizontal (e.g., 1:50).  
 See Standard 600001 for details of depressed curb adjacent to curb ramp.  
 All dimensions are in inches (millimeters) unless otherwise shown.



**DETAIL A**



**SECTION A-A**

The turning slope of a curb ramp shall be 1:50 max. and 1:17 min. The running slope of a beveled transition shall be 1:50 max.


Illinois Department of Transportation	
PROJECT NO. 1-1-11	DATE 1-1-11
DESIGNED BY: [Signature]	CHECKED BY: [Signature]
DRAWN BY: [Signature]	IN CHARGE: [Signature]
PROJECT TITLE: CURB RAMP	

DATE	REVISIONS
1-1-11	Checked minimum crest width and location.
1-1-11	Revised "15-foot rule" added "beveled transition" and clearance tolerances for detectable warnings.


**DIAGONAL CURB RAMPS FOR SIDEWALKS**

STANDARD 424008-05






**PARALLEL MID-BLOCK CURB RAMP**



**PERPENDICULAR MID-BLOCK CURB RAMP**





**GENERAL NOTES**


- All these rates are expressed in units of vertical construction to units of horizontal placement (V/H).
- Where the turning slab is constructed on a side opposite a curb, the minimum length of the turning slab in the direction of the ramp-out shall be 5' (152 mm).
- Where a 10 percent slope is shown, 1:54 is preferred.
- Detectable warnings are shown in their ideal locations but the following alternative tolerances are allowed.
- 3/16" (4.8 mm) - Detectable warnings should extend the full width of the walking surface (including flared sides) but a barrier along each side up to 2 in. (51 mm) is, which is allowed.
- Curb Details - Detectable warnings located at curb ends of curb should clearly align with the curb but a gap up to 6 in. (152 mm) behind the curb is allowed.
- See Standard Details for details of approved curb adjacent to curb ramp.
- All dimensions are in inches unless otherwise noted.

State Department of Transportation  
 DIVISION OF HIGHWAYS  
 DIVISION OF TRANSPORTATION  
 DIVISION OF TRANSPORTATION  
 DIVISION OF TRANSPORTATION

DATE	REVISIONS
11-18	Revised curb landing, added detectable warnings and detectable warning materials.
11-18	Revised diagram sheet 41
	Revised sheet and cover
	Revised



STANDARD 424016-05



**GENERAL NOTES**

This standard shall only be used for curb radii of 6 ft. (1.83 m) or greater.  
 All slope rates are expressed as units of vertical displacement to units of horizontal displacement (V:H).  
 Where 1:50 maximum slope is shown, 1:84 is preferred.  
 Detectable warnings are shown in their ideal references but the following placement tolerances are allowed:  
 Side Border - Detectable warnings should extend the full width of the curb and gutter. Blended side(s) left & border along each side up to 2 in. (50 mm) in width is allowed.  
 Curb Scribble - Detectable warnings located at the back of curb should closely align with the curb but a gap up to 5 in. (125 mm) behind the curb is allowed.  
 See Standard 606001 for details of depressed curb adjacent to curb ramp.  
 All dimensions are in inches (millimeters) unless otherwise shown.

**DEPRESSED CORNER FOR SIDEWALKS**

STANDARD 424021-06

DATE	REVISIONS
1-1-71	Added crestwalk, sliding and a "batter" for side sidewalk.
1-1-19	Revised upper linings, added blended transition and detectable warning tolerances.


**SECTION A-A**

① The running slope of a curb ramp shall be 1:20 max. and 1:12 min. The running slope of a blended transition shall be 1:20 max.

Illinois Department of Transportation  
 MARS  
 PROJECT NO. 11-11-11  
 DRAWING NO. 424021-06  
 DATE 11/11/11  
 DRAWN BY [Signature]  
 CHECKED BY [Signature]  
 DESIGNED BY [Signature]

**DEPRESSED CORNER**

② Sidewalks 2.6 ft. (0.8 m) in width should be used where it is not part of the P.A.B. The barrier height shall be 4 inches from traffic and provide a clear to inside sign.



- ① Detectable warning shall only be installed at crosswalks with permitted traffic control devices (e.g. stop signs, signals).
- ② Where available, maintain the grade of the sidewalk across the crosswalk to avoid the need for ramps and turning lanes.

**ENTRANCE / ALLEY PEDESTRIAN CROSSING**

**GENERAL NOTES**

All slope ratios are expressed as units of vertical measurement to units of horizontal displacement (V:H).



Where 1:10 maximum slope is shown, 1:54 is preferred.

Detectable warnings are shown in post layout locations but the following placement tolerances are allowed:

**Side Face:** - Detectable warnings should extend the full width of the existing surface (including flange sides) but a buffer along path side up to 3 ft. (910 mm) in width is allowed.

**Corner:** - Detectable warnings located at the back of curb should extend along with the curb but a gap up to 6 in. (150 mm) behind the curb is allowed.

All dimensions are in inches (millimeters) unless otherwise shown.



- ① Turning lanes not required for blocked transitions.
- ② The running slope of a curb ramp shall be 1:20 max and 1:12 min. The running slope of a blocked transition shall be 1:20 max.

State Department of Transportation

Project: \_\_\_\_\_

Sheet: \_\_\_\_\_

Date: \_\_\_\_\_

Scale: \_\_\_\_\_

Drawn by: \_\_\_\_\_

Checked by: \_\_\_\_\_

Approved by: \_\_\_\_\_


1 (Scale 1/8" = 1'-0" unless otherwise noted)

**SIDE CURB DETAIL**


DATE	REVISIONS
1-1-18	Added blocked transitions and placement tolerances for detectable warnings.
1-1-18	Corrected diagonal slope #1 upper landing.

**ENTRANCE / ALLEY PEDESTRIAN CROSSINGS**


STANDARD 424028-03




**PAVEMENT SAWING DETAIL**  
(PCC SHOULDER)




**ALTERNATE SAWING DETAIL**  
(PCC SHOULDER)




**12' (3.6 m) WIDE LANES**




**14' (4.2 m) WIDE RAMP**




**16' (4.8 m) WIDE RAMP**




**PAVEMENT SAWING DETAIL**  
(PCC SHOULDER)



**ALTERNATE SAWING DETAIL**  
(PCC SHOULDER)



**TRANSVERSE JOINT**



**CENTERLINE JOINT**

DOWEL BAR TABLE	
PAVEMENT THICKNESS	DOWEL BAR DIAMETER
10 (250) or greater	1 1/2 (41.3)
8 (200) thru 9.75 (247.5)	1 1/8 (31.8)
Less than 8 (200)	1 (25.4)



**GENERAL NOTES**  
The transverse joints for CLASS B patches shall align with joints or cracks in the adjacent lane whenever possible.  
See Standard 429193 for details of welded wire reinforcement.  
All dimensions are in inches (millimeters) unless otherwise shown.

DATE	REVISIONS
3-1-80	Revised reference to Standard 429193 in General Notes.
3-0-88	Revised DOWEL BAR TABLE.


**CLASS B PATCHES**  
(Sheet 1 of 2)  
**STANDARD 442101-09**

Illinois Department of Transportation  
Date: 3-1-80  
Project: I-55/US-40  
Sheet: 442101-09  
Scale: As Shown  
Drawn: [Signature]  
Checked: [Signature]  
Approved: [Signature]

**TRANSVERSE EXPANSION JOINTS**



**SEALING DETAIL**



**SEALING DETAIL**

**NOTE**

When re-establishing a concrete expansion joint on a two-lane, two-way road, remove the shoulders of the road. Bars must be placed in traffic lanes of the pavement such that the joint will be completely across both lanes.

Missouri Department of Transportation

PROJECT NO. 100-1000

DATE: 10/10/10

SCALE: 1/2" = 1'-0"

DESIGNED BY: [Signature]

CHECKED BY: [Signature]



APPROVED BY: [Signature]

**CLASS B PATCHES**

(Sheet 2 of 2)



**STANDARD 442101-09**

**CLASS C**




Note: Longitudinal joints shall be as detailed on Standard 47000-L, except the bars are not required for patches 24" or less in length.

**CLASS D**




**SECTION A-A**  
(Made in two operations)




**SECTION B-B**




**SECTION C-C**



**SECTION D-D**



**SECTION E-E**




**GENERAL NOTES**  
Cutting the bars shall be either cut or removed.  
Reinforced bars shall be cut.  
All dimensions are in inches (millimeters)  
Unless otherwise shown.

State Department of Transportation  
Project No. 1-4-87  
Contract No. 1-4-87  
Revision No. 1-4-87  
Drawn by: [Name]  
Checked by: [Name]  
Approved by: [Name]

DATE	REVISIONS
1-1-88	Revised to meet English feet/meters.
1-4-87	Revised to meet Class C patches.


**CLASS C and D PATCHES**  
STANDARD 44203-03






Undowled contraction joint (typ.) construction options:


1. Form with  $\frac{1}{8}$  (3) thick steel template 2 (50) deep, and seal.
2. Saw 2 (50) deep at 4 to 24 hours, and seal.
3. Insert  $\frac{1}{8}$  (20) thick preformed joint filler full depth and width.



ON DISTURBED SUBGRADE



ON UNDISTURBED SUBGRADE




DEPRESSED CURB

ADJACENT TO FLEXIBLE PAVEMENT



DEPRESSED CURB



BARRIER CURB

ADJACENT TO PCC PAVEMENT OR PCC BASE COURSE

CONCRETE CURB TYPE B


ADJACENT TO FLEXIBLE PAVEMENT

CONCRETE CURB TYPE B  
AND COMBINATION  
CONCRETE CURB AND GUTTER  
(Sheet 2 of 2)

STANDARD 606001-08

Illinois Department of Transportation PASSED Michael J. ... APPROVED ENGINEER OF DESIGN AND ENVIRONMENT	SHEET 1 202	ISSUED 1-1-97
	Michael J. ... ENGINEER OF POLYMER AND PROCEDURES	
	APPROVED SHEET 1 202	
	Michael J. ... ENGINEER OF DESIGN AND ENVIRONMENT	





**GENERAL NOTES**

This standard is used where or any time, day or night, any vehicle, equipment, workers or their activities on the pavement requiring the closure of one traffic lane in an urban area.

All dimensions are in feet (millimeters) unless otherwise noted.

**SYMBOLS**

Work area  
 Cam, down to barricade (not required for moving operations)  
 Sign on portable or permanent support  
 Sign with traffic control sign  
 Barricade as shown with flashing light  
 Type II barricade with flashing light

**SCALE TABLE**


Project Name	Sign Spacing
55'	100' (30.5 m)
50-75'	150' (45.7 m)
<45'	200' (61.0 m)

**REVISIONS**

DATE	REVISIONS
1-1-11	Revised Support sign.
1-1-09	Switched words to English format.
	Corrected Sign No. 2.

**URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED**


**STANDARD 701601-06**



172523-10-10-10 for  
construction  
projects

172523-10-10-10 for  
maintenance  
and utility  
projects

**SIDEWALK DIMENSION**



172523-10-10-10 for  
construction  
projects

172523-10-10-10 for  
maintenance  
and utility  
projects

**SIDEWALK CLOSURE**

- SYMBOLS**
- ▭ Work area
  - ▬ Slip on possible or permanent support
  - Barbed wire or drum
  - Cone, drum or barrier
  - Type II barrier
  - Detectable pedestrian circumventing barrier

Illinois Department of Transportation  
 STATE OF ILLINOIS  
 DIVISION OF TRANSPORTATION  
 PROJECT NO. 172523-10-10-10

1. Work area designated by road sign traffic control.

**GENERAL NOTES**


- This Standard is used where, at any time, pedestrian traffic must be removed for at least being performed.
- This Standard must be used in conjunction with other Traffic Control & Protection Standards which roadway traffic is affected.
- Temporary facilities shall be detectable and accessible.
- The temporary pedestrian facilities shall be provided on the same side of the closed facility whenever possible.
- The SIDEWALK CLOSED / USE OTHER SIDE sign shall be placed at the nearest approach to intersection to each end of the closure. Where the closure occurs at a corner, the signs shall be erected on the corners across the street from the closure. The SIDEWALK CLOSED signs shall be used at the ends of the actual closure.
- Type II barriers and 811-10-10 signs shall be provided in areas to be closed TO ALL TRAFFIC under Standard 701001.
- All dimensions are in inches unless otherwise noted.

DATE	REVISIONS
6-1-10	Standard except safety levels from Standard at this is covered in the vol. spec.
1-1-12	Added SIDEWALK DIMENSION.
	Issued amendments of Joint Order, Revised 5/11.


**SIDEWALK, CORNER OR CROSSWALK CLOSURE**

Sheet 1 of 21  
 STANDARD 701001-06







**DRUM**




**VERTICAL PANEL  
POST MOUNTED**




**TUBULAR MARKER**




**CONES  
ON INVERTED USE**




**CONES  
UPRIGHT USE**




**CONES  
ON INVERTED USE**




**CONES  
UPRIGHT USE**




**VERTICAL BARRICADE**




**DIRECTION INDICATOR  
BARRICADE**




**TYPE III BARRICADE**



**TYPE II BARRICADE**



**TYPE I BARRICADE**



**DETECTABLE PEDESTRIAN  
CHANNELIZED BARRICADE**


**GENERAL NOTES**

All heights shown shall be measured above the pavement surface.  
All dimensions are in inches (millimeters) unless otherwise shown.

DATE	REVISIONS
1-1-10	Revised cone usage and added chart > 24" (600) m height.
1-1-10	Revised ERO WIDTH 24" (600) m
	SPEED LIMIT sign from orange to white background.

**TRAFFIC CONTROL DEVICES**  
Sheet 1 of 2  
**STANDARD 701901-08**


Illinois Department of Transportation  
 APPROVED: \_\_\_\_\_ DATE: \_\_\_\_\_  
 PROJECT: \_\_\_\_\_  
 DRAWN BY: \_\_\_\_\_  
 CHECKED BY: \_\_\_\_\_  
 DESIGNED BY: \_\_\_\_\_



5' 11.5 inch wide embossed


**POST MOUNTED SIGNS**

\*\* When curb or paved shoulder are present this dimension shall be 20 (640) to the face of curb or 5' 11.5 inch to the outside edge of the paved shoulder.



**SIGNS ON TEMPORARY SUPPORTS**

\*\*\* When soil operations exceed four days, this dimension shall be 5' 11.5 inch min. If located behind other devices, the height dimension shall be taken completely above the devices.




**HIGH LEVEL WARNING DEVICE**

**ROAD CONSTRUCTION NEXT 2 MILES**  
G20-11049-0226

**END CDMS TRUCK 1000**  
G20-11010-0072

This sign is required for all projects 2 miles (3200 m) or more in length.  
ROAD CONSTRUCTION NEXT 2 MILES sign shall be placed 300 (1130 m) in advance of project limit.  
END CDMS TRUCK sign shall be erected at the project limit and a smaller job is within 2 miles (3200 m).  
Dual sign displays shall be utilized on multi-lane highways.

**WORK LIGHT SIGNING**





Sign assembly as shown on Standard or as shown by District Consultant.

**END WORK ZONE SPEED LIMIT**  
G20-1101-0070

This sign shall be used when the above sign assembly is used.

**HIGHWAY CONSTRUCTION SPEED ZONE SIGNS**

\*\*\*\* R10-1000 shall only be used above roadways under the jurisdiction of the State.



**FLAGGED TRAFFIC CONTROL SIGN**

REVERSE SIDE

FRONT SIDE



W11-1103-1038

**WIDTH RESTRICTION SIGN**

20'-25' when used in miles are optional.

USA Blank Department of Transportation  
 APPROVED: \_\_\_\_\_ DATE: \_\_\_\_\_  
 DESIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_  
 DRAWN: \_\_\_\_\_ DATE: \_\_\_\_\_  
 CHECKED: \_\_\_\_\_ DATE: \_\_\_\_\_  
 RMB 5-1-79


**TRAFFIC CONTROL DEVICES**

(Sheet 2 of 3)

**STANDARD 701901-08**



**DETAILS FOR FRAMES AND LIDS ADJUSTMENT WITH MILLING**




1. CONCRETE  
 2. CONCRETE  
 3. CONCRETE  
 4. CONCRETE  
 5. CONCRETE  
 6. CONCRETE  
 7. CONCRETE  
 8. CONCRETE  
 9. CONCRETE  
 10. CONCRETE  
 11. CONCRETE

- 1. CONCRETE
- 2. CONCRETE
- 3. CONCRETE
- 4. CONCRETE
- 5. CONCRETE
- 6. CONCRETE
- 7. CONCRETE
- 8. CONCRETE
- 9. CONCRETE
- 10. CONCRETE
- 11. CONCRETE

**NOTES**

1. ALL CONCRETE SHALL BE TYPE III OR TYPE IV PORTLAND CEMENT CONCRETE WITH A MINIMUM COMPRESSIVE STRENGTH OF 4000 PSI AT 28 DAYS.  
 2. ALL CONCRETE SHALL BE PLACED AND FINISHED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS FOR BRIDGE CONSTRUCTION.  
 3. ALL CONCRETE SHALL BE CURIED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS FOR BRIDGE CONSTRUCTION.  
 4. ALL CONCRETE SHALL BE TESTED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS FOR BRIDGE CONSTRUCTION.  
 5. ALL CONCRETE SHALL BE PROTECTED FROM FREEZING AND THAWING DAMAGE.  
 6. ALL CONCRETE SHALL BE PROTECTED FROM CORROSION.  
 7. ALL CONCRETE SHALL BE PROTECTED FROM SULFATE ATTACK.  
 8. ALL CONCRETE SHALL BE PROTECTED FROM ACID ATTACK.  
 9. ALL CONCRETE SHALL BE PROTECTED FROM OIL AND GREASE.  
 10. ALL CONCRETE SHALL BE PROTECTED FROM DEBRIS AND RUBBER TIRE MARKS.  
 11. ALL CONCRETE SHALL BE PROTECTED FROM WEAR AND TEAR.



SEE NOTE 1.

**NOTES:**

1. THE WIDTH OF THE FULL DEPTH PATCH OVER A TRENCH SHALL BE 12 (300) WIDER ON EACH SIDE OF THE TRENCH.
2. FOR METHOD OF MEASUREMENT AND BASIS OF PAYMENT, SEE RECURRING SPECIAL PROVISION "PATCHING WITH HOT-MIX ASPHALT OVERLAY REMOVAL".

**SEQUENCE OF CONSTRUCTION (PATCHING FIRST)**


1. REMOVE THE EXISTING HMA MATERIAL OVER THE AREA TO BE PATCHED.
2. REMOVE AND REPLACE WITH CLASS C OR O PATCH.
3. REPLACE HMA MATERIAL OVER THE AREA TO BE PATCHED.

**SEQUENCE OF CONSTRUCTION (MILLING FIRST)**


1. MILL HMA FIRST IF THERE IS AT LEAST 4 1/2 INCHES OR MORE OF HMA MATERIAL ON TOP OF THE EXISTING PAVEMENT OR IF THE PAVEMENT IS FULL DEPTH HMA. A MINIMUM OF 2 INCHES OF HMA MATERIAL SHALL BE IN PLACE AFTER MILLING.
2. REMOVE AND REPLACE WITH FULL DEPTH CLASS O PATCHES TO TOP OF MILLED SURFACE.

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION		PROJECT NUMBER HMA PATCHING		DATE 12/11/11	
DATE 12/11/11	BY [Signature]	DATE 12/11/11	BY [Signature]	DATE 12/11/11	BY [Signature]
DATE 12/11/11	BY [Signature]	DATE 12/11/11	BY [Signature]	DATE 12/11/11	BY [Signature]

ALL DIMENSIONS ARE IN UNITS OF FEET AND INCHES  
UNLESS OTHERWISE SPECIFIED




**MILLED TEMPORARY RAMP FOR BUTT JOINT AND HMA TAPER SEE DETAIL SECTION**



**CAST-IN-PLACE TEMPORARY RAMP FOR BUTT JOINT AND HMA TAPER SEE DETAIL SECTION**


**OPTION 2**

**TYPICAL TEMPORARY RAMP**




**BUTT JOINT AND HMA TAPER**

**TYPICAL BUTT JOINT AND HMA TAPER FOR MILLING AND RESURFACING**



**BUTT JOINT AND HMA TAPER**



**TYPICAL BUTT JOINT AND HMA TAPER FOR RESURFACING ONLY**

1. PREP. AND FINISHING OF MILD STEEL SURFACE TO BE MADE IN ACCORDANCE WITH THE SPECIFICATIONS OF THE CONTRACT DOCUMENTS.

**NOTES**

1. MILLING OPERATIONS AND HMA TAPER SHALL BE MADE IN ACCORDANCE WITH THE SPECIFICATIONS OF THE CONTRACT DOCUMENTS.
2. THE HMA TAPER SHALL BE CONSTRUCTED IMMEDIATELY UPON COMPLETION OF THE MILLING OPERATIONS.
3. THE BUTT JOINT SHALL BE CONSTRUCTED IMMEDIATELY UPON COMPLETION OF THE MILLING OPERATIONS.
4. THE HMA TAPER SHALL BE CONSTRUCTED IMMEDIATELY UPON COMPLETION OF THE MILLING OPERATIONS.
5. THE BUTT JOINT SHALL BE CONSTRUCTED IMMEDIATELY UPON COMPLETION OF THE MILLING OPERATIONS.
6. THE HMA TAPER SHALL BE CONSTRUCTED IMMEDIATELY UPON COMPLETION OF THE MILLING OPERATIONS.
7. THE BUTT JOINT SHALL BE CONSTRUCTED IMMEDIATELY UPON COMPLETION OF THE MILLING OPERATIONS.
8. THE HMA TAPER SHALL BE CONSTRUCTED IMMEDIATELY UPON COMPLETION OF THE MILLING OPERATIONS.

**LIST OF MATERIALS**


1. HMA TAPER SHALL BE CONSTRUCTED IMMEDIATELY UPON COMPLETION OF THE MILLING OPERATIONS.

NO.	DESCRIPTION	QUANTITY	UNIT
1	HMA TAPER		SQ. YD.
2	BUTT JOINT		LINEAL FT.

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

DATE	BY	CHECKED	DATE

NO.	DESCRIPTION	QUANTITY	UNIT
1	HMA TAPER		SQ. YD.
2	BUTT JOINT		LINEAL FT.



**NOTES:**

1. SIGN SHALL BE PLACED 1000 FEET OR MORE BEFORE THE INTERSECTION, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA. THE SIGN SHALL BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA.
2. SIGN SHALL BE PLACED 1000 FEET OR MORE BEFORE THE INTERSECTION, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA. THE SIGN SHALL BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA.
3. SIGN SHALL BE PLACED 1000 FEET OR MORE BEFORE THE INTERSECTION, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA. THE SIGN SHALL BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA.
4. SIGN SHALL BE PLACED 1000 FEET OR MORE BEFORE THE INTERSECTION, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA. THE SIGN SHALL BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA.









STATE OF ALABAMA DEPARTMENT OF TRANSPORTATION		TRAFFIC CONTROL AND PROTECTION FOR ROAD CONSTRUCTION AND OBSTRUCTIONS		TRAFFIC CONTROL AND PROTECTION FOR ROAD CONSTRUCTION AND OBSTRUCTIONS	
DATE	BY	SECTION	SCALE	PROJECT NO.	PROJECT NAME
1958	J. H. ...	...	...	...	...

1. THE TRAFFIC CONTROL AND PROTECTION FOR ROAD CONSTRUCTION AND OBSTRUCTIONS SHALL BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA.

2. THE TRAFFIC CONTROL AND PROTECTION FOR ROAD CONSTRUCTION AND OBSTRUCTIONS SHALL BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA.

3. THE TRAFFIC CONTROL AND PROTECTION FOR ROAD CONSTRUCTION AND OBSTRUCTIONS SHALL BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA.

4. THE TRAFFIC CONTROL AND PROTECTION FOR ROAD CONSTRUCTION AND OBSTRUCTIONS SHALL BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA, OR MORE THAN 1000 FEET BEFORE THE INTERSECTION, AND IS TO BE PLACED AT THE BEGINNING OF THE ROAD CONSTRUCTION AREA.



TYPICAL ISLAND MARKING

| TYPE OF MARKING   | SECTION OF ROAD   |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| EDGE LINE         |
| LANE MARKING      |
| CROSSWALK MARKING |
| ISLAND MARKING    |
| MEDIAN MARKING    |
| TURB LANE MARKING |

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

PROJECT NO. 111111  
SHEET NO. 1 OF 1

DATE: 11/11/11

SCALE: AS SHOWN

DESIGNED BY: [Name]  
CHECKED BY: [Name]  
APPROVED BY: [Name]

PROJECT TITLE: [Title]

LOCATION: [Location]

DATE: 11/11/11

State of Illinois  
DEPARTMENT OF TRANSPORTATION  
Bureau of Local Roads & Streets  
SPECIAL PROVISION  
FOR  
LOCAL QUALITY ASSURANCE/ QUALITY MANAGEMENT QC/QA  
Effective: January 1, 2022

Replace the first five paragraphs of Article 1030.06 of the Standard Specifications with the following:

**“1030.06 Quality Management Program.** The Quality Management Program (QMP) will be Quality Control / Quality Assurance (QC/QA) according to the following.”

Delete Article 1030.06(d)(1) of the Standard Specifications.

Revise Article 1030.09(g)(3) of the Standard Specifications to read:

“(3) If core testing is the density verification method, the Contractor shall provide personnel and equipment to collect density verification cores for the Engineer. Core locations will be determined by the Engineer following the document “Hot-Mix Asphalt QC/QA Procedure for Determining Random Density Locations” at density verification intervals defined in Article 1030.09(b). After the Engineer identifies a density verification location and prior to opening to traffic, the Contractor shall cut a 4 in. (100 mm) diameter core. With the approval of the Engineer, the cores may be cut at a later time.”

Revise Article 1030.09(h)(2) of the Standard Specifications to read:

“(2) After final rolling and prior to paving subsequent lifts, the Engineer will identify the random density verification test locations. Cores or nuclear density gauge testing will be used for density verification. The method used for density verification will be as selected below.

Density Verification Method	
<input type="checkbox"/>	Cores
<input type="checkbox"/>	Nuclear Density Gauge (Correlated when paving $\geq$ 3,000 tons per mixture)

Density verification test locations will be determined according to the document “Hot-Mix Asphalt QC/QA Procedure for Determining Random Density Locations”. The density testing interval for paving wider than or equal to 3 ft (1 m) will be 0.5 miles (800 m) for lift thicknesses of 3 in. (75 mm) or less and 0.2 miles (320 m) for lift thicknesses greater than 3 in. (75 mm). The density testing interval for paving less than 3 ft (1 m) wide will be 1 mile (1,600 m). If a day’s paving will be less than the prescribed density testing interval, the length of the day’s paving will be the interval for that day. The density testing interval for mixtures used for patching will be 50 patches with a minimum of one test per mixture per project.

If core testing is the density verification method, the Engineer will witness the Contractor coring, and secure and take possession of all density samples at the

density verification locations. The Engineer will test the cores collected by the Contractor for density according to Illinois Modified AASHTO T 166 or AASHTO T 275.

If nuclear density gauge testing is the density verification method, the Engineer will conduct nuclear density gauge tests. The Engineer will follow the density testing procedure detailed in the document "Illinois Modified ASTM D 2950, Standard Test Method for Density of Bituminous Concrete In-Place by Nuclear Method".

A density verification test will be the result of a single core or the average of the nuclear density tests at one location. The results of each density test must be within acceptable limits. The Engineer will promptly notify the Contractor of observed deficiencies."

Revise the seventh paragraph and all subsequent paragraphs in Section D. of the document "Hot-Mix Asphalt QC/QA Initial Daily Plant and Random Samples" to read:

"Mixtures shall be sampled from the truck at the plant by the Contractor following the same procedure used to collect QC mixture samples (Section A). This process will be witnessed by the Engineer who will take custody of the verification sample. Each sample bag with a verification mixture sample will be secured by the Engineer using a locking ID tag. Sample boxes containing the verification mixture sample will be sealed/taped by the Engineer using a security ID label."



600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra File No. 9826  
1/21/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

### **PAVEMENT CORE REPORT**

2025 Water Main Improvement Projects  
2025 MFT Street Resurfacing Projects  
2025 Special Assessment Alley Projects  
City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this summary report on pavement composition and condition for various projects in the City of Evanston (CLIENT) in Cook County, Illinois.

#### **Scope of Work**

The scope of work consisted of locating and coring a total of twenty-one (21) full depth pavement cores, measuring the thickness of various layers, and providing photographic documentation.

Pavement cores were obtained at Woodbine Avenue, Dewey Avenue, McDaniel Avenue, Church Street, Darrow Avenue, Hartrey Avenue, and Brown Avenue for 2025 Water Main Improvements Projects. A pavement core was collected from the alley north of Lincoln Street and east of Hartrey Avenue for the 2025 Special Assessment Alley Projects. Pavement cores were also collected from Benson Avenue, Davis Street, Greenwood Street, Elmwood Avenue (between Grove Street and Davis Street), Hartzell Street, Colfax Street, Elmwood Avenue (between Howard Street and Brummel Street), and Cleveland Street for 2025 MFT Street Resurfacing Projects.

### **Field Investigation and Laboratory Testing**

The fieldwork consisted of locating and obtaining full depth pavement cores at twenty-one (21) locations. Pavement core locations were selected based on general guidelines provided by City of Evanston. The approximate location of the cores is presented on the attached Pavement Core Location Maps in Appendix A. All cores were taken between 3 and 8 feet from the curb at the addresses indicated in Table 1 – Pavement Core Thickness Summary, in Appendix A of this report. The core locations were marked in the field by INTERRA. Prior to coring, the coring sub-contractor cleared the underground utilities by contacting the local one-call utility clearance service (JULIE). INTERRA posted “No Parking” signs (where necessary) a minimum of 48 hours before scheduled coring. During the coring operations, traffic control and protection was provided by our sub-contractor.

All cores were nominal 4 inches in diameter and extended to the full depth of pavement. After recovering the core, a 2-foot long split spoon sampler was advanced below the pavement to identify subgrade material. Preliminary documentation of the pavement cores was performed in the field by our geologist before securing and transporting the cores to the laboratory for further examination and documentation. After completion of coring, backfill and patching was performed by the coring sub-contractor using non-shrink cement grout. Pavement cores and subbase material were examined by a qualified materials lab technician and the thickness, composition and type of materials (such as Asphalt and concrete) was identified and noted for each core. In addition, subbase materials were also identified whenever possible. Details including photographs are presented in the core logs. Thicknesses are rounded to the nearest one-quarter inch.

### **Summary of Findings**

The thickness of the Asphalt layer varied between 2.25 inches and 11 inches with an average thickness of 5 inches. The total pavement thickness varied between 3.25 inches and 13.5 inches with an average of 9.25 inches. HMA was underlain by concrete base at thirteen locations, with thicknesses ranging from 3 inches to 10 inches, and an average of 6.5 inches thick. Brick was

identified in the pavement core boreholes at Elmwood\_GD-PC-01 (6 inches) and Hartzell-PC-01 (1.5 inches). Crushed aggregate base was noted in 14 out of 21 locations and the thickness varied between 2 inches and 6 inches.

The thicknesses of various layers of the cores were measured in INTERRA's laboratory and the information is presented in Table 1 – Pavement Core Thickness Summary, in Appendix A. Location maps and photographs of the pavement cores are also included in Appendix A of this report.

We appreciate the opportunity to be of service to you. Please feel free to contact us if you have any questions.

Very truly yours,

**Interra, Inc.**



Ashok Guntaka, EI  
Project Manager



Anshuman S. Balekai, PE  
Principal Engineer

**Appendix A**

Table 1 – Pavement Core Thickness Summary

Pavement Core Location Maps

Pavement Core Photo Logs

2025 MFT Street Resurfacing Projects  
Benson Avenue from Church Street to Elgin Road  
INTERRA Project No. 9826  
Date: 12/19/2024

Benson-PC-01

Benson-PC-02



2025 MFT Street Resurfacing Projects  
Davis Street from McDaniel Avenue to Fowler Avenue  
INTERRA Project No. 9826  
Date: 12/19/2024

Davis-PC-01

Davis St

McDaniel Ave

Fowler Ave

Pitner Ave

Davis St

Pitner Ave

McDaniel Ave

Rimland Services

Linda A. Sylvester, MPT

Joseph E. Hill Early Childhood Center


Fowler Ave

Pitner Ave



300 ft

2025 MFT Street Resurfacing Projects  
Greenwood Street from Hinman Avenue to Judson Avenue  
INTERRA Project No. 9826  
Date: 12/19/2024



Greenwood-PC-01

Greenwo



2025 MFT Street Resurfacing Projects  
Elmwood Avenue from Grove Street to Davis Street  
INTERRA Project No. 9826  
Date: 12/19/2024



Elmwood\_GD-PC-01




300 ft


Google Earth

2025 MFT Street Resurfacing Projects  
Hartzell Street from Lincolnwood Avenue to Reese Avenue  
INTERRA Project No. 9826  
Date: 12/19/2024

Hartzell-PC-01




2025 MFT Street Resurfacing Projects  
Colfax Street from Poplar Avenue to Ashland Avenue  
INTERRA Project No. 9826  
Date: 12/20/2024



Colfax-PC-01



2025 MFT Street Resurfacing Projects  
Elmwood Avenue from Howard Street to Brummel Street  
INTERRA Project No. 9826  
Date: 12/19/2024



**2025 MFT Street Resurfacing Projects**  
Cleveland Street from Dead End West to Brown Avenue  
INTERRA Project No. 9826  
Date: 12/19/2024

Pro Paws Dog Training

Cleveland-PC-01

Higher Level Maids

Captain Corporations

TRS Garage Door Installation

Vogue Fabrics Retail and Wholesale

Google Earth

300 ft



Dodge Ave

Seward St

Seward St

Grey Ave

Cleveland St

Cleveland St

Brown Ave

Grey Ave

Hart

Madison Pl

Madison Pl

Cleveland St



<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Benson-PC-01	<b>Date Cored:</b>	12/19/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaugle
<b>Core Location:</b>	1821 Benson (NB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	18.4	<b>Notes:</b>			



Separation/debonding

Separation/debonding

Asphalt Surface - 3.0"

Asphalt Binder - 4.0"

Asphalt Binder - 3.1"

Concrete - 8.3"

Subbase - Subgrade:

0" subbase material  
brown fine sand

<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Benson-PC-02	<b>Date Cored:</b>	12/19/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaugle
<b>Core Location:</b>	1731 Benson (SB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	11.3	<b>Notes:</b>			



Asphalt Surface - 3.1"

Asphalt Binder - 4.4"

Weathered Concrete - ~3.8"  
(could not core due to fractured concrete - thickness measured in core hole)

Separation/debonding

Subbase - Subgrade:

4" crushed stone  
brown fine sand

All measurements are average.

<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Davis-PC-01	<b>Date Cored:</b>	12/19/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaugle
<b>Core Location:</b>	2425 Davis (WB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	4.4	<b>Notes:</b>			



Separation/debonding

Asphalt Surface - 1.3"

Asphalt Binder - 1.5"

Weathered asphalt surface - 1.6"

Subbase - Subgrade:

5" crushed stone  
 dark gray silty clay

All measurements are average.

<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Greenwood-PC-01	<b>Date Cored:</b>	12/19/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaule
<b>Core Location:</b>	415 Greenwood (WB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	3.3	<b>Notes:</b>			



Asphalt Surface - 2.6"

Weathered asphalt binder - 0.7"

Subbase - Subgrade:

4" crushed stone  
 brown fine sand

All measurements are average.

<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Elmwood_GD-PC-01	<b>Date Cored:</b>	12/19/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaugle
<b>Core Location:</b>	901 Grove (SB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	12.1	<b>Notes:</b>			



Asphalt Surface - 3.1"

Weathered/fractured concrete - ~3"  
(could not core due to fractured concrete - thickness measured in core hole)

Brick (no recovery) - ~6"  
(could not core due to fractured concrete - thickness measured in core hole)

Subbase - Subgrade:

6" crushed stone  
brown fine sand

<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Hartzell-PC-01	<b>Date Cored:</b>	12/19/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaugle
<b>Core Location:</b>	2837 Hartzell (WB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	5.0	<b>Notes:</b>			



Asphalt Surface - 2.5"

Asphalt Binder - 1.0"

Brick Pieces - ~ 1.5"  
 (thickness measured in core hole)

Subbase - Subgrade:

3" crushed stone  
 gray silty clay

All measurements are average.

<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Colfax-PC-01	<b>Date Cored:</b>	12/20/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaugle
<b>Core Location:</b>	1611 Colfax (WB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	3.5	<b>Notes:</b>			



Asphalt Surface - 3.5"

Subbase - Subgrade:  
5" crushed stone  
dark grayish brown silty clay

<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Elmwood_HB-PC-01	<b>Date Cored:</b>	12/19/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaugle
<b>Core Location:</b>	129 Elmwood (NB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	8.0	<b>Notes:</b>			



Asphalt Surface - 1.8"

Asphalt Binder - 1.8"

Concrete - 4.4"

Subbase - Subgrade:

0" subbase material  
brown fine sand

<b>File No.:</b>	9826	<b>Project Name:</b>	2025 Evanston Watermain Improvements, MFT Resurfacing, and SAA projects				
<b>Client:</b>	City of Evanston, 2100 Ridge Avenue, Evanston, IL 60201						
<b>Core No.</b>	Cleveland-PC-01	<b>Date Cored:</b>	12/19/24	<b>Cored By:</b>	Geocon	<b>Measured By:</b>	Sponaugle
<b>Core Location:</b>	2031 Cleveland (WB)						
<b>Core Diameter (in):</b>	3.7	<b>Core Height (in):</b>	9.7	<b>Notes:</b>			



Separation/debonding

Asphalt Surface - 2.2"

Asphalt Binder - 3.2"

Asphalt Binder - 4.3"

Subbase - Subgrade:  
0" subbase material  
dark brown sandy loam (fill)

All measurements are average.



600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra Project No: 9826

2/13/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

**Environmental Report**  
2025 MFT Improvement Projects  
Benson Avenue from Church Street to Elgin Road  
City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this report on environmental sampling and analytical testing performed at the above referenced project in Evanston, Illinois. We understand that the purpose of the investigation is to aid in soil management during construction.

**Scope of Work**

The scope of work included review of readily available historical documents to identify past land use and selection of parameters for analytical testing; collection of two (2) soil samples for analytical testing; and determination of soil management options based on analytical test results.

**Historical Document Review**

A review of the Federal, State and Local databases was performed to identify past land use and recognized environmental conditions on or near the property. Potentially Impacted Properties (PIP) identified in the vicinity of the site included Leaking Underground Storage Tanks (LUST), Site Remediation Program (SRP), Institutional Control, and spills. Historical reports reviewed are included in Appendix A.

### **Field Work**

Boreholes for collecting environmental samples were located in the field by INTERRA. The drilling sub-contractor, Geocon Professional Services (GEOCON) obtained underground utility clearances prior to drilling. Drilling was performed on 12/19/2024. Soil sampling was performed at 2.5-foot intervals up to the planned exploration depth of 10 feet. Soil sampling was performed using decontaminated split-spoon sampler. All soil samples were field screened using a Minirae 2020 Plus (photoionization detector) to aid in sample selection for analytical testing. Field screening did not indicate the presence of VOC contamination. Sample Location Map is presented in Appendix B of this report.

Soil grab samples for environmental analysis were chosen between the 0.0 to 5.0 feet interval. INTERRA collected and preserved the environmental soil sample in accordance with applicable SW 846 methods and transported them to the NELAC accredited Suburban Laboratories for analytical testing.

### **Analytical Testing**

The soil samples were analyzed for the contaminants of concern identified based on Historical Document review. Based on this, the sample was tested for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), total RCRA Metals, Pesticides, PCBs and pH. The sample analytical test reports are presented in Appendix C of this report.

### **Conclusions and Recommendations**

The analytical results were compared to 35 ILL. Adm. Code 1100, "Maximum Allowable Concentrations (MAC) of chemical constituents in Uncontaminated Soil used as fill in a Clean Construction & Demolition Debris (CCDD) or "Uncontaminated Soil Fill Operation" and Illinois Tiered Approach to Corrective Action Objectives (TACO) Residential Soil Remediation Objectives in accordance with Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022).

Samples Benson-SGB-01 and Benson-SGB-02 encountered contaminants of concern above the CCDD and TACO regulatory limits specified in Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022). Exceedances are summarized in the table below.

**Table 1: Exceedance Table**

Sample Number	Exceeding Constituent	Results (mg/kg)/*	CCDD MAC Values			TACO Tier 1 Residential SROs		SCGW SRO Class 1 (mg/kg)	Construction Worker SRO	
			Most Stringent	Chicago	MSA	Ingestion (mg/kg)	Inhalation (mg/kg)		Ingestion (mg/kg)	Inhalation (mg/kg)
Benson-SGB-01	pH	9.1	6.25-9.0							
Benson-SGB-02	Benzo(a)anthracene	24.1	0.9	1.1	1.8	1.8	NC	2	170	NC
	Benzo(a)pyrene	19.5	0.09	1.3	2.1	2.1	NC	8	17	NC
	Benzo(b)flouranthene	27.4	0.9	1.5	2.1	2.1	NC	5	170	NC
	Benzo(k)flouranthene	9.99	9			9	NC	49	1700	NC
	Dibenzo(a,h)anthracene	3.11	0.09	0.2	0.42	0.42	NC	2	17	NC
	Indeno(1,2,3-cd) pyrene	11	0.9	0.9	1.6	1.6	NC	14	170	NC
	Arsenic	13.8	11.3		13					
	pH*	9.59	6.25-9.0							

**Notes:**

- Regulatory limit exceeded
- \* pH is unitless
- NC No toxicity criteria for this exposure route

Based on the exceedance shown in Table 1, the soil shall be managed according to Article 669.05 (a) (5) of IDOT Standard Specifications. LPC 663 form for this area is not provided since the material shall be managed as non-special waste and disposed of at a subtitle D landfill.

We appreciate the opportunity to be of service to you. Should you need additional information or clarifications, please call us at (630) 754-8700.

Yours truly,  
**Interra, Inc.**

  
 Supraja Reddy, Ph.D., PE  
 Geotechnical Engineer

  
 Ashok Guntaka, EI  
 Project Manager

  
 Sanjeev Bandi, Ph.D., PE  
 Principal Engineer

**APPENDIX A**  
Historical Reports

**9826-M Benson Avenue From Church St To Elgin Road**

Benson Avenue and Church St

Evanston, IL 60201

Inquiry Number: 7841921.47s

December 06, 2024

## EDR Summary Radius Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

SECTION	PAGE
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	299
Government Records Searched/Data Currency Tracking .....	GR-1
<b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-9
Physical Setting Source Map Findings .....	A-10
Physical Setting Source Records Searched .....	PSGR-1

*Thank you for your business.*  
 Please contact EDR at 1-800-352-0050  
 with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

BENSON AVENUE AND CHURCH ST  
EVANSTON, IL 60201

#### COORDINATES

Latitude (North): 42.0499940 - 42° 2' 59.97"  
Longitude (West): 87.6833440 - 87° 41' 0.03"  
Universal Transverse Mercator: Zone 16  
UTM X (Meters): 443449.7  
UTM Y (Meters): 4655339.5  
Elevation: 609 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: TP  
Source: U.S. Geological Survey

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20190802  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
 BENSON AVENUE AND CHURCH ST  
 EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">A1</a>	NORTHWESTERN GAS LIG	912 CLARK ST	IL SRP, IL BOL	Higher	73, 0.014, SW
<a href="#">A2</a>	NORTHWESTERN GAS, LI	912 CLARK STREET	EDR MGP	Higher	73, 0.014, SW
<a href="#">3</a>	OPTIMA VIEWS	1720 MAPLE AVE	IL UST	Higher	231, 0.044, NNW
<a href="#">B4</a>	EVANSTON ATHLECTIC C	1723 BENSEN	IL UST	Higher	247, 0.047, SSE
<a href="#">B5</a>	LOCK UP	1723 BENSON AVE	UST FINDER	Higher	247, 0.047, SSE
<a href="#">B6</a>	LOCK UP	1723 BENSON AVE	IL UST	Higher	247, 0.047, SSE
<a href="#">C7</a>	OFFICE BUILDING	1800 SHERMAN AVENUE	IL UST	Lower	261, 0.049, NE
<a href="#">C8</a>	MAPPIX	1800 SHERMAN AVE STE	RCRA-VSQG, FINDS, ECHO	Lower	261, 0.049, NE
<a href="#">C9</a>	OPTIMA HORIZONS, L.P	800 ELGIN AVE	IL UST	Lower	335, 0.063, NE
<a href="#">D10</a>	NORTHWESTERN UNIVERS	1801 MAPLE AVE	RCRA-SQG, E MANIFEST	Higher	340, 0.064, WNW
<a href="#">D11</a>	TECHNIKROM INC	1801 MAPLE AVE	RCRA NonGen / NLR, FINDS, ECHO, WI MANIFEST	Higher	340, 0.064, WNW
<a href="#">D12</a>	NUTRASWEET CO	1801 MAPLE AVE-B	RCRA-VSQG, FINDS, ECHO	Higher	340, 0.064, WNW
<a href="#">13</a>	PRENTISS PROPERTIES	1816 SHERMAN AVE	IL SRP, IL BOL	Lower	413, 0.078, ENE
<a href="#">E14</a>	CHURCH STREET PLAZA	1701-1749 MAPLE AVEN	IL SRP	Higher	431, 0.082, SW
<a href="#">E15</a>	CHURCH ST. PLAZA LLC	1701 MAPLE AVE.	IL LUST, IL BOL	Higher	431, 0.082, SW
<a href="#">E16</a>	CONSTRUCTION SITE	1701 MAPLE	IL UST	Higher	431, 0.082, SW
<a href="#">E17</a>	COST PLUS WORLD MARK	1725 MAPLE AVE.	RCRA-VSQG, FINDS, ECHO, E MANIFEST	Higher	431, 0.082, SW
<a href="#">18</a>	CEEN INC	1728 SHERMAN	EDR Hist Cleaner	Lower	449, 0.085, ESE
<a href="#">19</a>	NORTH WESTERN GAS WO	918 UNIVERSITY PLACE	EDR MGP	Lower	458, 0.087, North
<a href="#">20</a>	807 CHURCH ST.	807 CHURCH ST.	IL UST	Lower	530, 0.100, SSE
<a href="#">21</a>	VARSITY LAUNDRY & DR	726 CLARK ST	EDR Hist Cleaner	Lower	567, 0.107, East
<a href="#">F22</a>	HERTZ CORP.	910 CHURCH ST.	UST FINDER RELEASE	Lower	575, 0.109, South
<a href="#">F23</a>	HERTZ RENT A CAR	910 CHURCH ST	IL UST	Lower	575, 0.109, South
<a href="#">F24</a>	HERTZ CORP.	910 CHURCH ST.	IL LUST, IL SPILLS, IL BOL	Lower	575, 0.109, South
<a href="#">F25</a>	HERTZ RENT A CAR	910 CHURCH ST	UST FINDER	Lower	575, 0.109, South
<a href="#">G26</a>	CVS	1711 SHERMAN AVENUE	RCRA-VSQG, E MANIFEST	Lower	646, 0.122, SE
<a href="#">G27</a>		1711 SHERMAN AVE	MI MANIFEST	Lower	646, 0.122, SE
<a href="#">28</a>	SHERMAN GARDEN APART	1856-1866 SHERMAN	IL UST	Lower	670, 0.127, NE
<a href="#">29</a>	NORTHSHORE RESEARCH	1001 UNIVERSITY PL	RCRA-SQG, FINDS, ECHO, E MANIFEST	Lower	695, 0.132, NW
<a href="#">H30</a>	NORMANDEALE PROPERTIE	1701 SHERMAN AVE.	UST FINDER RELEASE	Lower	706, 0.134, SE
<a href="#">H31</a>	GREAT WEST LIFE ASSU	1701 SHERMAN AVE	IL UST	Lower	706, 0.134, SE
<a href="#">H32</a>	NORMANDEALE PROPERTIE	1701 SHERMAN AVE.	IL LUST	Lower	706, 0.134, SE
<a href="#">I33</a>	OMNI ORRINGTON HOTEL	1710 ORRINGTON AVE	RCRA-VSQG	Lower	798, 0.151, ESE
<a href="#">I34</a>	OMNI-ORRINGTON HOTEL	1710 ORRINGTON AVENU	IL UST	Lower	798, 0.151, ESE
<a href="#">I35</a>	CONNECTICUT GENERAL	1710 ORRINGTON AVENU	IL LUST, IL ENG CONTROLS, IL INST CONTROL, IL SRP,...	Lower	798, 0.151, ESE
<a href="#">I36</a>	TIMES SQUARE CAPITOL	1710 ORRINGTON AVE.	UST FINDER RELEASE	Lower	798, 0.151, ESE
<a href="#">I37</a>	OMNI-ORRINGTON HOTEL	1710 ORRINGTON AVENU	UST FINDER	Lower	798, 0.151, ESE
<a href="#">38</a>	EVANSTON LABS	710 CLARK STREET	IL AST, IL INST CONTROL, IL SRP	Lower	808, 0.153, East
<a href="#">J39</a>	SHELL OIL CO.	824 EMERSON ST.	UST FINDER RELEASE	Lower	809, 0.153, NNE

MAPPED SITES SUMMARY

Target Property Address:  
 BENSON AVENUE AND CHURCH ST  
 EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">J40</a>	FIRST BANK & TRUST	824 EMERSON	RCRA NonGen / NLR, FINDS, ECHO	Lower	809, 0.153, NNE
<a href="#">J41</a>	SHELL OIL CO.	824 EMERSON ST.	IL LUST	Lower	809, 0.153, NNE
<a href="#">42</a>	SHELL	824 BENSON/EMERSON	IL UST	Lower	831, 0.157, NNW
<a href="#">J43</a>	LAKE CITY CLEANERS	821-831 EMERSON STRE	IL UST, IL SPILLS	Lower	837, 0.159, NNE
<a href="#">J44</a>	FOCUS EVANSTON	811 EMERSON STREET	UST FINDER RELEASE	Lower	868, 0.164, NNE
<a href="#">J45</a>	811 EMERSON	811 EMERSON STREET	IL INST CONTROL, IL SRP	Lower	868, 0.164, NNE
<a href="#">J46</a>	FOCUS CONSTRUCTION,	811 EMERSON STREET	UST FINDER RELEASE	Lower	868, 0.164, NNE
<a href="#">J47</a>	FOCUS CONSTRUCTION,	811 EMERSON STREET	IL LUST	Lower	868, 0.164, NNE
<a href="#">J48</a>	FOCUS EVANSTON	811 EMERSON STREET	IL LUST	Lower	868, 0.164, NNE
<a href="#">K49</a>	LAKE CITY CLEANERS	821-831 EMERSON STRE	UST FINDER	Lower	890, 0.169, North
<a href="#">K50</a>	LAKE CITY CLEANERS L	821 EMERSON ST	IL LUST, IL AIRS	Lower	890, 0.169, North
<a href="#">K51</a>	PERFECTO CLEANERS	821 EMERSON ST.	UST FINDER RELEASE	Lower	890, 0.169, North
<a href="#">52</a>	AVIDOR EVANSTONAVIDO	1727 OAK PARK AVENUE	IL AST	Higher	933, 0.177, West
<a href="#">L53</a>	JANE R. PERLMAN APAR	1900 SHERMAN RD	UST FINDER	Lower	1008, 0.191, NNE
<a href="#">L54</a>	JANE R. PERLMAN APAR	1900 SHERMAN RD	IL LUST, IL UST, IL AST, IL SPILLS	Lower	1008, 0.191, NNE
<a href="#">L55</a>	HOUSING AUTHORITY OF	1900 SHERMAN AVENUE	UST FINDER RELEASE	Lower	1008, 0.191, NNE
<a href="#">M56</a>	NORTHWESTERN UNIVERS	1725 ORRINGTON	IL LUST, IL SPILLS	Lower	1028, 0.195, ESE
<a href="#">M57</a>	NORTHWESTERN UNIVERS	1725 ORRINGTON AVENU	IL UST, IL BOL	Lower	1028, 0.195, ESE
<a href="#">N58</a>	CONSTRUCTION SITE	1620 SHERMAN	IL UST	Lower	1033, 0.196, SSE
<a href="#">N59</a>	CONSTRUCTION SITE	1616 SHERMAN AVENUE	IL UST	Lower	1051, 0.199, SSE
<a href="#">N60</a>	TARGET STORE 3283	1616 SHERMAN AVE	RCRA-SQG, FINDS, E MANIFEST	Lower	1051, 0.199, SSE
<a href="#">N61</a>	EVANSTON, CITY OF	1616 SHERMAN AVENUE	UST FINDER RELEASE	Lower	1051, 0.199, SSE
<a href="#">N62</a>	EVANSTON, CITY OF	1616 SHERMAN AVE	IL LUST, IL BOL	Lower	1051, 0.199, SSE
<a href="#">O63</a>	BLDG TO BE DEMOLISHE	1102 EMERSON	IL UST	Lower	1059, 0.201, NW
<a href="#">O64</a>	EVANSTON, CITY OF	1102 EMERSON ST.	IL LUST	Lower	1059, 0.201, NW
<a href="#">O65</a>	EVANSTON, CITY OF	1102 EMERSON ST.	UST FINDER RELEASE	Lower	1059, 0.201, NW
<a href="#">O66</a>	BLDG TO BE DEMOLISHE	1102 EMERSON	UST FINDER	Lower	1059, 0.201, NW
<a href="#">N67</a>	1601 SHERMAN	1601 SHERMAN	IL UST	Lower	1099, 0.208, SSE
<a href="#">P68</a>	CITIBANK	801 DAVIS	RCRA NonGen / NLR, FINDS, ECHO	Lower	1102, 0.209, SSE
<a href="#">P69</a>	DEMOLITION SITE	801-823 DAVIS STREET	IL UST	Lower	1102, 0.209, SSE
<a href="#">P70</a>	BRANCH 39 EVANSTON	801 DAVIS ST	IL UST	Lower	1102, 0.209, SSE
<a href="#">71</a>	WILMETE REAL ESTATE	636 CHURCH ST	RCRA NonGen / NLR	Lower	1118, 0.212, SE
<a href="#">Q72</a>	EVANSTON FIREPROOF W	1839 E RAILROAD AVE	IL UST	Higher	1137, 0.215, WNW
<a href="#">Q73</a>	EVANSTON FIREPROOF W	1839 E RAILROAD AVE	UST FINDER	Higher	1137, 0.215, WNW
<a href="#">74</a>	CH VENTURES	711 EMERSON ST	RCRA-SQG	Lower	1140, 0.216, NE
<a href="#">R75</a>	SHERMAN PLAZA VENTUR	820 DAVIS ST	IL LUST, IL BOL	Higher	1164, 0.220, South
<a href="#">R76</a>	SHERMAN PLAZA VENTUR	820 DAVIS STREET, SU	UST FINDER RELEASE	Higher	1164, 0.220, South
<a href="#">77</a>	BUCK JOHN CO THE	1603 ORRINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	1180, 0.223, SSE
<a href="#">78</a>	A & G PROPERTY MANAG	614 CLARK ST	IL UST	Lower	1204, 0.228, East

MAPPED SITES SUMMARY

Target Property Address:  
 BENSON AVENUE AND CHURCH ST  
 EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
S79	TRULEE SENIOR LIVIN	1815 RIDGE AVE.	IL UST	Higher	1205, 0.228, WNW
S80	1815 RIDGE AVENUE, L	1815-1823 RIDGE AVEN	IL LUST	Higher	1205, 0.228, WNW
S81	NATIONAL SCHOOL TOWE	1815 RIDGE AVENUE	IL ENG CONTROLS, IL INST CONTROL, IL SRP, IL...	Higher	1205, 0.228, WNW
S82	1815 RIDGE AVENUE, L	1815-1823 RIDGE AVEN	IL LUST	Higher	1205, 0.228, WNW
Q83	EVANSTON ENTERPRISE	1839 THRU 49 RAILROA	RCRA NonGen / NLR, FINDS, ECHO	Higher	1225, 0.232, WNW
T84	FRIEDMAN, ALLEN ESTA	1615 OAK AVENUE	IL LUST, IL SPILLS	Lower	1225, 0.232, SW
T85	FRIEDMAN, ALLEN ESTA	1615 OAK AVENUE	UST FINDER RELEASE	Lower	1225, 0.232, SW
86	WARD MANUFACTURING	1112 EMERSON ST	IL UST	Higher	1248, 0.236, NW
U87	BANK ONE CHICAGO N.	800 DAVIS STREET	UST FINDER	Lower	1255, 0.238, SSE
U88	BANK ONE CHICAGO N.	800 DAVIS STREET	IL UST	Lower	1255, 0.238, SSE
T89	VACANT COMMERCIAL BU	1611-1615 OAK AVE.	IL UST	Lower	1276, 0.242, SW
V90	BP PRODUCTS NORTH AM	1803 RIDGE AVENUE	UST FINDER RELEASE	Higher	1321, 0.250, West
V91	BP SERVICE STATION #	1803 RIDGE AVE	IL LUST, IL SPILLS, IL AIRS, IL BOL	Higher	1321, 0.250, West
92	RADAIOS TRUST #10503	1033 DAVIS ST.	IL LUST, IL BOL	Lower	1335, 0.253, SW
V93	AMOCO OIL CO. #5309	RIDGE & CLARK	UST FINDER RELEASE	Higher	1354, 0.256, West
V94	AMOCO OIL CO. #5309	RIDGE & CLARK	IL LUST	Higher	1354, 0.256, West
W95	CHURCH ST.	1719 CHICAGO AVE.	IL LUST, IL SPILLS, IL BOL	Lower	1450, 0.275, ESE
W96	CHURCH ST.	1719 CHICAGO AVE.	UST FINDER RELEASE	Lower	1450, 0.275, ESE
97	WASHINGTON NATIONAL	1630 CHICAGO AVE	IL SRP, IL SPILLS, RCRA NonGen / NLR, FINDS, ECHO,...	Lower	1561, 0.296, SE
98	LASSEN, ADELLA	1575 OAK AVE.	IL LUST, IL BOL	Lower	1567, 0.297, SW
99	SCHWARTZHOFF CLEANER	1623 CHICAGO AVE	IL INST CONTROL, IL SRP, IL BOL	Lower	1575, 0.298, SE
X100	GROVE ELMWOOD SERVIC	900 GROVE ST.	UST FINDER RELEASE	Lower	1685, 0.319, South
X101	GROVE ELMWOOD SERVIC	900 GROVE ST.	IL LUST	Lower	1685, 0.319, South
X102	WILSON, TERRY ASSOC	1508 ELMWOOD AVE	IL LUST, IL BOL	Lower	1784, 0.338, South
103	EVANSTON CLEANERS	1463 ELMWOOD	IL INST CONTROL, IL SRP, IL BOL	Higher	1813, 0.343, South
Y104	1500 CHICAGO AVENUE	1500 CHICAGO AVENUE	UST FINDER RELEASE	Lower	1877, 0.355, SSE
Y105	1500 CHICAGO AVE LLC	1500 CHICAGO AVE	IL LUST, IL SPILLS, IL BOL	Lower	1877, 0.355, SSE
Z106	VENTURA REALTY LIMIT	1459-1463 ELMWOOD AV	UST FINDER RELEASE	Higher	1958, 0.371, South
Z107	VENTURA REALTY LIMIT	1459-1463 ELMWOOD AV	IL LUST	Higher	1958, 0.371, South
AA108	SHERMAN, LLC	1460 SHERMAN AVENUE	UST FINDER RELEASE	Higher	1970, 0.373, South
AA109	PARKING LOT	1460 SHERMAN AVE.	IL LUST, IL UST, IL SPILLS, IL BOL	Higher	1970, 0.373, South
AA110	ALBION @ EVANSTON, L	1450-1460 SHERMAN AV	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	2047, 0.388, South
AB111	MATHER LIFEWAYS	1615 HINMAN	UST FINDER RELEASE	Lower	2080, 0.394, SE
AB112	MATHER HOME	1615 HINMAN AVE	IL LUST, IL SPILLS, IL BOL	Lower	2080, 0.394, SE
113	ST. MARY'S PARISH	1012 LAKE STREET	IL LUST	Lower	2216, 0.420, SSW
AC114	EVANSTON, CITY OF	2020 ASBURY	UST FINDER RELEASE	Lower	2224, 0.421, NW
AC115	EVANSTON, CITY OF	2020 ASBURY AVE.	UST FINDER RELEASE	Lower	2224, 0.421, NW
AC116	EVANSTON, CITY OF	2020 ASBURY	IL LUST, IL BOL	Lower	2224, 0.421, NW
AC117	WERTYMER, FRED	1911 GREEN BAY RD.	UST FINDER RELEASE	Higher	2233, 0.423, NW

MAPPED SITES SUMMARY

Target Property Address:  
 BENSON AVENUE AND CHURCH ST  
 EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">AC118</a>	PEP BOYS 1458	1911 GREEN BAY ROAD	IL LUST, IL ENG CONTROLS, IL INST CONTROL, IL SRP,...	Higher	2233, 0.423, NW
<a href="#">AC119</a>	EMERSON PIT STOP	1925 GREEN BAY RD.	UST FINDER RELEASE	Higher	2235, 0.423, NW
<a href="#">AC120</a>	EVANSTON CITGO	1925 GREEN BAY ROAD	IL LUST, IL UST	Higher	2235, 0.423, NW
<a href="#">AC121</a>	HASAPIES, DEAN	1925 GREEN BAY RD.	UST FINDER RELEASE	Higher	2235, 0.423, NW
<a href="#">AC122</a>	FIRE KING CAR WASH	1950 NORTH GREEN BAY	UST FINDER RELEASE	Lower	2248, 0.426, NW
<a href="#">AC123</a>	FIRE KING CAR WASH	1950 N GREEN BAY RD	IL LUST, IL BOL	Lower	2248, 0.426, NW
<a href="#">AC124</a>	GREEN BAY FUEL MART	1950 GREEN BAY ROAD	IL LUST, IL UST, IL SPILLS	Lower	2248, 0.426, NW
<a href="#">125</a>	NORTHWESTERN UNIVERS		FUDS	Lower	2611, 0.495, WSW

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of Federal RCRA generators***

RCRA-SQG: A review of the RCRA-SQG list, as provided by EDR, and dated 06/03/2024 has revealed that there are 4 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>NORTHWESTERN UNIVERS</i></b> EPA ID:: ILD982646721	<b><i>1801 MAPLE AVE</i></b>	<b><i>WNW 0 - 1/8 (0.064 mi.)</i></b>	<b><i>D10</i></b>	<b><i>10</i></b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>NORTHSHORE RESEARCH</i></b> EPA ID:: ILR000114892	<b><i>1001 UNIVERSITY PL</i></b>	<b><i>NW 1/8 - 1/4 (0.132 mi.)</i></b>	<b><i>29</i></b>	<b><i>15</i></b>
<b><i>TARGET STORE 3283</i></b> EPA ID:: ILR000197061	<b><i>1616 SHERMAN AVE</i></b>	<b><i>SSE 1/8 - 1/4 (0.199 mi.)</i></b>	<b><i>N60</i></b>	<b><i>22</i></b>
CH VENTURES EPA ID:: ILR000183004	711 EMERSON ST	NE 1/8 - 1/4 (0.216 mi.)	74	26

RCRA-VSQQ: A review of the RCRA-VSQQ list, as provided by EDR, and dated 06/03/2024 has revealed that there are 5 RCRA-VSQQ sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>NUTRASWEET CO</i></b> EPA ID:: ILR000119784	<b><i>1801 MAPLE AVE-B</i></b>	<b><i>WNW 0 - 1/8 (0.064 mi.)</i></b>	<b><i>D12</i></b>	<b><i>10</i></b>
<b><i>COST PLUS WORLD MARK</i></b> EPA ID:: ILR000188904	<b><i>1725 MAPLE AVE.</i></b>	<b><i>SW 0 - 1/8 (0.082 mi.)</i></b>	<b><i>E17</i></b>	<b><i>12</i></b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>MAPPIX</i></b>	<b><i>1800 SHERMAN AVE STE</i></b>	<b><i>NE 0 - 1/8 (0.049 mi.)</i></b>	<b><i>C8</i></b>	<b><i>9</i></b>

## EXECUTIVE SUMMARY

EPA ID:: IL0000079525				
<b>CVS</b>	<b>1711 SHERMAN AVENUE</b>	<b>SE 0 - 1/8 (0.122 mi.)</b>	<b>G26</b>	<b>14</b>
EPA ID:: ILR000171264				
<b>OMNI ORRINGTON HOTEL</b>	<b>1710 ORRINGTON AVE</b>	<b>ESE 1/8 - 1/4 (0.151 mi.)</b>	<b>I33</b>	<b>16</b>
EPA ID:: ILR000128553				

### ***Lists of state and tribal leaking storage tanks***

IL LUST: A review of the IL LUST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 33 IL LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CHURCH ST. PLAZA LLC</b> Incident Num: 991961 IL EPA Id: 0310815224	<b>1701 MAPLE AVE.</b>	<b>SW 0 - 1/8 (0.082 mi.)</b>	<b>E15</b>	<b>11</b>
<b>SHERMAN PLAZA VENTUR</b> NFA/NFR Letter: 11/30/2006 Incident Num: 20021436 Incident Num: 20021437 IL EPA Id: 0310815145	<b>820 DAVIS ST</b>	<b>S 1/8 - 1/4 (0.220 mi.)</b>	<b>R75</b>	<b>26</b>
1815 RIDGE AVENUE, L Incident Num: 20200433 IL EPA Id: 0310815178	1815-1823 RIDGE AVEN	WNW 1/8 - 1/4 (0.228 mi.)	S80	27
1815 RIDGE AVENUE, L Incident Num: 20200535 IL EPA Id: 0310815178	1815-1823 RIDGE AVEN	WNW 1/8 - 1/4 (0.228 mi.)	S82	28
<b>BP SERVICE STATION #</b> NFA/NFR Letter: 7/30/2013 Incident Num: 20040256 IL EPA Id: 0310815084	<b>1803 RIDGE AVE</b>	<b>W 1/4 - 1/2 (0.250 mi.)</b>	<b>V91</b>	<b>30</b>
AMOCO OIL CO. #5309 NFA/NFR Letter: 7/30/2013 Incident Num: 900401 IL EPA Id: 0310815084	RIDGE & CLARK	W 1/4 - 1/2 (0.256 mi.)	V94	31
VENTURA REALTY LIMIT NFA/NFR Letter: 9/17/2013 Incident Num: 20120368 IL EPA Id: 0310815341	1459-1463 ELMWOOD AV	S 1/4 - 1/2 (0.371 mi.)	Z107	35
<b>PARKING LOT</b> NFA/NFR Letter: 1/24/2013 Incident Num: 20110399 IL EPA Id: 0310815326	<b>1460 SHERMAN AVE.</b>	<b>S 1/4 - 1/2 (0.373 mi.)</b>	<b>AA109</b>	<b>35</b>
<b>PEP BOYS 1458</b> NFA/NFR Letter: 7/29/1996 Incident Num: 952381 IL EPA Id: 0310815179	<b>1911 GREEN BAY ROAD</b>	<b>NW 1/4 - 1/2 (0.423 mi.)</b>	<b>AC118</b>	<b>37</b>
<b>EVANSTON CITGO</b>	<b>1925 GREEN BAY ROAD</b>	<b>NW 1/4 - 1/2 (0.423 mi.)</b>	<b>AC120</b>	<b>38</b>

## EXECUTIVE SUMMARY

NFA/NFR Letter: 10/18/2001  
 NFA/NFR Letter: 4/5/2005  
 Incident Num: 920479  
 Incident Num: 982914  
 IL EPA Id: 0310815091

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>HERTZ CORP.</b> NFA/NFR Letter: 1/10/2000 Incident Num: 891972 IL EPA Id: 0310815113	<b>910 CHURCH ST.</b>	<b>S 0 - 1/8 (0.109 mi.)</b>	<b>F24</b>	<b>13</b>
NORMANDALE PROPERTIE NFA/NFR Letter: 6/1/1993 Incident Num: 922837 IL EPA Id: 0310815137	1701 SHERMAN AVE.	SE 1/8 - 1/4 (0.134 mi.)	H32	15
<b>CONNECTICUT GENERAL</b> NFA/NFR Letter: 1/24/2003 Incident Num: 20010464 Incident Num: 20010890 IL EPA Id: 0310815162	<b>1710 ORRINGTON AVENU</b>	<b>ESE 1/8 - 1/4 (0.151 mi.)</b>	<b>I35</b>	<b>16</b>
SHELL OIL CO. NFA/NFR Letter: 9/3/1998 Incident Num: 901987 Incident Num: 900344 Incident Num: 932789 IL EPA Id: 0310815067	824 EMERSON ST.	NNE 1/8 - 1/4 (0.153 mi.)	J41	18
FOCUS CONSTRUCTION, Incident Num: 20180256 IL EPA Id: 0310815220	811 EMERSON STREET	NNE 1/8 - 1/4 (0.164 mi.)	J47	19
FOCUS EVANSTON Incident Num: 20180165 IL EPA Id: 0310815220	811 EMERSON STREET	NNE 1/8 - 1/4 (0.164 mi.)	J48	19
<b>LAKE CITY CLEANERS L</b> NFA/NFR Letter: 5/2/2002 Incident Num: 991252 Incident Num: 991270 IL EPA Id: 0310815220	<b>821 EMERSON ST</b>	<b>N 1/8 - 1/4 (0.169 mi.)</b>	<b>K50</b>	<b>20</b>
<b>JANE R. PERLMAN APAR</b> NFA/NFR Letter: 10/19/2012 Incident Num: 20120905 IL EPA Id: 0310815345	<b>1900 SHERMAN RD</b>	<b>NNE 1/8 - 1/4 (0.191 mi.)</b>	<b>L54</b>	<b>21</b>
<b>NORTHWESTERN UNIVERS</b> Incident Num: 20050441 IL EPA Id: 0310815230	<b>1725 ORRINGTON</b>	<b>ESE 1/8 - 1/4 (0.195 mi.)</b>	<b>M56</b>	<b>21</b>
<b>EVANSTON, CITY OF</b> NFA/NFR Letter: 3/28/2005 Incident Num: 20041583 IL EPA Id: 0310815276	<b>1616 SHERMAN AVE</b>	<b>SSE 1/8 - 1/4 (0.199 mi.)</b>	<b>N62</b>	<b>23</b>
EVANSTON, CITY OF NFA/NFR Letter: 2/9/2004	1102 EMERSON ST.	NW 1/8 - 1/4 (0.201 mi.)	O64	23

## EXECUTIVE SUMMARY

Incident Num: 901599 IL EPA Id: 0310815078				
<b>FRIEDMAN, ALLEN ESTA</b> NFA/NFR Letter: 12/24/2012 Incident Num: 20120970 IL EPA Id: 0310815347	<b>1615 OAK AVENUE</b>	<b>SW 1/8 - 1/4 (0.232 mi.)</b>	<b>T84</b>	<b>28</b>
<b>RADAIOS TRUST #10503</b> Incident Num: 972433 IL EPA Id: 0310815201	<b>1033 DAVIS ST.</b>	<b>SW 1/4 - 1/2 (0.253 mi.)</b>	<b>92</b>	<b>30</b>
<b>CHURCH ST.</b> NFA/NFR Letter: 9/6/1990 Incident Num: 891682 IL EPA Id: 0310815069	<b>1719 CHICAGO AVE.</b>	<b>ESE 1/4 - 1/2 (0.275 mi.)</b>	<b>W95</b>	<b>31</b>
<b>LASSEN, ADELLA</b> Incident Num: 931847 IL EPA Id: 0310815149	<b>1575 OAK AVE.</b>	<b>SW 1/4 - 1/2 (0.297 mi.)</b>	<b>98</b>	<b>32</b>
GROVE ELMWOOD SERVIC NFA/NFR Letter: 2/28/1997 Incident Num: 961175 IL EPA Id: 0310815186	900 GROVE ST.	S 1/4 - 1/2 (0.319 mi.)	X101	33
<b>WILSON, TERRY ASSOC</b> Incident Num: 20001579 IL EPA Id: 0310815232	<b>1508 ELMWOOD AVE</b>	<b>S 1/4 - 1/2 (0.338 mi.)</b>	<b>X102</b>	<b>33</b>
<b>1500 CHICAGO AVE LLC</b> NFA/NFR Letter: 2/5/2013 Incident Num: 20110204 IL EPA Id: 0310815323	<b>1500 CHICAGO AVE</b>	<b>SSE 1/4 - 1/2 (0.355 mi.)</b>	<b>Y105</b>	<b>34</b>
<b>MATHER HOME</b> NFA/NFR Letter: 12/7/2007 Incident Num: 20071319 IL EPA Id: 0310815300	<b>1615 HINMAN AVE</b>	<b>SE 1/4 - 1/2 (0.394 mi.)</b>	<b>AB112</b>	<b>36</b>
ST. MARY'S PARISH NFA/NFR Letter: 6/9/2020 Incident Num: 20191219 IL EPA Id: 0310815391	1012 LAKE STREET	SSW 1/4 - 1/2 (0.420 mi.)	113	36
<b>EVANSTON, CITY OF</b> NFA/NFR Letter: 9/21/2001 Incident Num: 20240420 Incident Num: 991522 Incident Num: 971960 IL EPA Id: 0310815056	<b>2020 ASBURY</b>	<b>NW 1/4 - 1/2 (0.421 mi.)</b>	<b>AC116</b>	<b>37</b>
<b>FIRE KING CAR WASH</b> Incident Num: 20191036 IL EPA Id: 0310815092	<b>1950 N GREEN BAY RD</b>	<b>NW 1/4 - 1/2 (0.426 mi.)</b>	<b>AC123</b>	<b>39</b>
<b>GREEN BAY FUEL MART</b> NFA/NFR Letter: 5/19/1992 Incident Num: 891562 IL EPA Id: 0310815092	<b>1950 GREEN BAY ROAD</b>	<b>NW 1/4 - 1/2 (0.426 mi.)</b>	<b>AC124</b>	<b>39</b>

## EXECUTIVE SUMMARY

### ***Lists of state and tribal registered storage tanks***

IL UST: A review of the IL UST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 27 IL UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
OPTIMA VIEWS Tank Status: Removed Tank Status: Pre 1974 Status: EXEMPT Facility Id: 2040817	1720 MAPLE AVE	NNW 0 - 1/8 (0.044 mi.)	3	8
EVANSTON ATHLECTIC C Tank Status: Removed Status: EXEMPT Facility Id: 2034112	1723 BENSEN	SSE 0 - 1/8 (0.047 mi.)	B4	8
LOCK UP Tank Status: Removed Status: CLOSED Facility Id: 2030167	1723 BENSON AVE	SSE 0 - 1/8 (0.047 mi.)	B6	9
CONSTRUCTION SITE Tank Status: Removed Status: EXEMPT Facility Id: 2039092	1701 MAPLE	SW 0 - 1/8 (0.082 mi.)	E16	12
EVANSTON FIREPROOF W Tank Status: Removed Status: CLOSED Facility Id: 2027446	1839 E RAILROAD AVE	WNW 1/8 - 1/4 (0.215 mi.)	Q72	25
TRULEE SENIOR LIVIN Tank Status: Removed Status: EXEMPT Facility Id: 2047050	1815 RIDGE AVE.	WNW 1/8 - 1/4 (0.228 mi.)	S79	27
WARD MANUFACTURING Tank Status: Pre 1974 Status: EXEMPT Facility Id: 2037273	1112 EMERSON ST	NW 1/8 - 1/4 (0.236 mi.)	86	29
<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction / Distance</u></b>	<b><u>Map ID</u></b>	<b><u>Page</u></b>
OFFICE BUILDING Tank Status: Pre 1974 Tank Status: Removed Status: EXEMPT Facility Id: 2040363	1800 SHERMAN AVENUE	NE 0 - 1/8 (0.049 mi.)	C7	9
OPTIMA HORIZONS, L.P Tank Status: Removed Status: EXEMPT Facility Id: 2041680	800 ELGIN AVE	NE 0 - 1/8 (0.063 mi.)	C9	10
807 CHURCH ST. Tank Status: Abandoned in place Status: EXEMPT	807 CHURCH ST.	SSE 0 - 1/8 (0.100 mi.)	20	13

## EXECUTIVE SUMMARY

Facility Id: 2045199					
HERTZ RENT A CAR	910 CHURCH ST	S 0 - 1/8 (0.109 mi.)	F23	13	
Tank Status: Removed					
Tank Status: Pre 1974					
Status: CLOSED					
Facility Id: 2010978					
SHERMAN GARDEN APART	1856-1866 SHERMAN	NE 1/8 - 1/4 (0.127 mi.)	28	14	
Tank Status: Abandoned in place					
Status: EXEMPT					
Facility Id: 2045403					
GREAT WEST LIFE ASSU	1701 SHERMAN AVE	SE 1/8 - 1/4 (0.134 mi.)	H31	15	
Tank Status: Removed					
Status: CLOSED					
Facility Id: 2029031					
OMNI-ORRINGTON HOTEL	1710 ORRINGTON AVENU	ESE 1/8 - 1/4 (0.151 mi.)	I34	16	
Tank Status: Removed					
Tank Status: Abandoned in place					
Status: CLOSED					
Facility Id: 2040434					
SHELL	824 BENSON/EMERSON	NNW 1/8 - 1/4 (0.157 mi.)	42	18	
Tank Status: Removed					
Status: CLOSED					
Facility Id: 2021056					
<b>LAKE CITY CLEANERS</b>	<b>821-831 EMERSON STRE</b>	<b>NNE 1/8 - 1/4 (0.159 mi.)</b>	<b>J43</b>	<b>18</b>	
Tank Status: Removed					
Tank Status: Does Not Exist					
Status: CLOSED					
Facility Id: 2013759					
<b>JANE R. PERLMAN APAR</b>	<b>1900 SHERMAN RD</b>	<b>NNE 1/8 - 1/4 (0.191 mi.)</b>	<b>L54</b>	<b>21</b>	
Tank Status: Removed					
Status: CLOSED					
Facility Id: 2026217					
<b>NORTHWESTERN UNIVERS</b>	<b>1725 ORRINGTON AVENU</b>	<b>ESE 1/8 - 1/4 (0.195 mi.)</b>	<b>M57</b>	<b>22</b>	
Tank Status: Aboveground					
Status: EXEMPT					
Facility Id: 2042797					
CONSTRUCTION SITE	1620 SHERMAN	SSE 1/8 - 1/4 (0.196 mi.)	N58	22	
Tank Status: Removed					
Status: EXEMPT					
Facility Id: 2042659					
CONSTRUCTION SITE	1616 SHERMAN AVENUE	SSE 1/8 - 1/4 (0.199 mi.)	N59	22	
Tank Status: Removed					
Status: EXEMPT					
Facility Id: 2042536					
BLDG TO BE DEMOLISHE	1102 EMERSON	NW 1/8 - 1/4 (0.201 mi.)	O63	23	
Tank Status: Removed					
Status: CLOSED					
Facility Id: 2025405					
1601 SHERMAN	1601 SHERMAN	SSE 1/8 - 1/4 (0.208 mi.)	N67	24	
Tank Status: Abandoned in place					
Status: EXEMPT					

## EXECUTIVE SUMMARY

Facility Id: 2047155				
DEMOLITION SITE	801-823 DAVIS STREET	SSE 1/8 - 1/4 (0.209 mi.)	P69	25
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2041228				
BRANCH 39 EVANSTON	801 DAVIS ST	SSE 1/8 - 1/4 (0.209 mi.)	P70	25
Tank Status: Abandoned in place				
Status: CLOSED				
Facility Id: 2030990				
A & G PROPERTY MANAG	614 CLARK ST	E 1/8 - 1/4 (0.228 mi.)	78	27
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2046158				
BANK ONE CHICAGO N.	800 DAVIS STREET	SSE 1/8 - 1/4 (0.238 mi.)	U88	29
Tank Status: Removed				
Status: CLOSED				
Facility Id: 2035426				
VACANT COMMERCIAL BU	1611-1615 OAK AVE.	SW 1/8 - 1/4 (0.242 mi.)	T89	29
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2045205				

IL AST: A review of the IL AST list, as provided by EDR, and dated 08/08/2024 has revealed that there are 3 IL AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
AVIDOR EVANSTONAVIDO Occupancy Number: CN-059-1576191762123	1727 OAK PARK AVENUE	W 1/8 - 1/4 (0.177 mi.)	52	20
<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction / Distance</u></b>	<b><u>Map ID</u></b>	<b><u>Page</u></b>
<b>EVANSTON LABS</b> Occupancy Number: 1705947951493-CN-059	<b>710 CLARK STREET</b>	<b>E 1/8 - 1/4 (0.153 mi.)</b>	<b>38</b>	<b>17</b>
<b>JANE R. PERLMAN APAR</b> Occupancy Number: 001-CN-059	<b>1900 SHERMAN RD</b>	<b>NNE 1/8 - 1/4 (0.191 mi.)</b>	<b>L54</b>	<b>21</b>

### **State and tribal institutional control / engineering control registries**

IL ENG CONTROLS: A review of the IL ENG CONTROLS list, as provided by EDR, and dated 06/24/2024 has revealed that there are 4 IL ENG CONTROLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>NATIONAL SCHOOL TOWE</b> Illinois Epa Id: 0310815178	<b>1815 RIDGE AVENUE</b>	<b>WNW 1/8 - 1/4 (0.228 mi.)</b>	<b>S81</b>	<b>27</b>
<b>ALBION @ EVANSTON, L</b>	<b>1450-1460 SHERMAN AV</b>	<b>S 1/4 - 1/2 (0.388 mi.)</b>	<b>AA110</b>	<b>35</b>



## EXECUTIVE SUMMARY

IL EPA Id: 0310815178				
<b>EVANSTON CLEANERS</b>	<b>1463 ELMWOOD</b>	<b>S 1/4 - 1/2 (0.343 mi.)</b>	<b>103</b>	<b>33</b>
IL EPA Id: 0310815144				
<b>ALBION @ EVANSTON, L</b>	<b>1450-1460 SHERMAN AV</b>	<b>S 1/4 - 1/2 (0.388 mi.)</b>	<b>AA110</b>	<b>35</b>
IL EPA Id: 0310815380				
<b>PEP BOYS 1458</b>	<b>1911 GREEN BAY ROAD</b>	<b>NW 1/4 - 1/2 (0.423 mi.)</b>	<b>AC118</b>	<b>37</b>
IL EPA Id: 0310815179				
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>PRENTISS PROPERTIES</b>	<b>1816 SHERMAN AVE</b>	<b>ENE 0 - 1/8 (0.078 mi.)</b>	<b>13</b>	<b>11</b>
IL EPA Id: 0310815254				
<b>CONNECTICUT GENERAL</b>	<b>1710 ORRINGTON AVENU</b>	<b>ESE 1/8 - 1/4 (0.151 mi.)</b>	<b>I35</b>	<b>16</b>
IL EPA Id: 0310815162				
<b>EVANSTON LABS</b>	<b>710 CLARK STREET</b>	<b>E 1/8 - 1/4 (0.153 mi.)</b>	<b>38</b>	<b>17</b>
IL EPA Id: 0310815405				
<b>811 EMERSON</b>	<b>811 EMERSON STREET</b>	<b>NNE 1/8 - 1/4 (0.164 mi.)</b>	<b>J45</b>	<b>19</b>
IL EPA Id: 0310815220				
<b>WASHINGTON NATIONAL</b>	<b>1630 CHICAGO AVE</b>	<b>SE 1/4 - 1/2 (0.296 mi.)</b>	<b>97</b>	<b>32</b>
IL EPA Id: 0310815050				
<b>SCHWARTZHOFF CLEANER</b>	<b>1623 CHICAGO AVE</b>	<b>SE 1/4 - 1/2 (0.298 mi.)</b>	<b>99</b>	<b>32</b>
IL EPA Id: 0310815364				

### ADDITIONAL ENVIRONMENTAL RECORDS

#### *Other Ascertainable Records*

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/03/2024 has revealed that there are 6 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<b>Equal/Higher Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>TECHNIKROM INC</b>	<b>1801 MAPLE AVE</b>	<b>WNW 0 - 1/8 (0.064 mi.)</b>	<b>D11</b>	<b>10</b>
EPA ID:: ILR000053850				
<b>EVANSTON ENTERPRISE</b>	<b>1839 THRU 49 RAILROA</b>	<b>WNW 1/8 - 1/4 (0.232 mi.)</b>	<b>Q83</b>	<b>28</b>
EPA ID:: ILD984782938				
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>FIRST BANK &amp; TRUST</b>	<b>824 EMERSON</b>	<b>NNE 1/8 - 1/4 (0.153 mi.)</b>	<b>J40</b>	<b>17</b>
EPA ID:: IL0000122119				
<b>CITIBANK</b>	<b>801 DAVIS</b>	<b>SSE 1/8 - 1/4 (0.209 mi.)</b>	<b>P68</b>	<b>24</b>
EPA ID:: ILD984914887				
<b>WILMETE REAL ESTATE</b>	<b>636 CHURCH ST</b>	<b>SE 1/8 - 1/4 (0.212 mi.)</b>	<b>71</b>	<b>25</b>
EPA ID:: ILR000145771				
<b>BUCK JOHN CO THE</b>	<b>1603 ORRINGTON AVE</b>	<b>SSE 1/8 - 1/4 (0.223 mi.)</b>	<b>77</b>	<b>26</b>

## EXECUTIVE SUMMARY

EPA ID:: ILR000060632

FUDS: A review of the FUDS list, as provided by EDR, and dated 07/31/2024 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTHWESTERN UNIVERS		WSW 1/4 - 1/2 (0.495 mi.)	125	40

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 26 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SHERMAN PLAZA VENTUR	820 DAVIS STREET, SU	S 1/8 - 1/4 (0.220 mi.)	R76	26
BP PRODUCTS NORTH AM	1803 RIDGE AVENUE	W 1/4 - 1/2 (0.250 mi.)	V90	30
AMOCO OIL CO. #5309	RIDGE & CLARK	W 1/4 - 1/2 (0.256 mi.)	V93	31
VENTURA REALTY LIMIT	1459-1463 ELMWOOD AV	S 1/4 - 1/2 (0.371 mi.)	Z106	34
SHERMAN, LLC	1460 SHERMAN AVENUE	S 1/4 - 1/2 (0.373 mi.)	AA108	35
WERTYMER, FRED	1911 GREEN BAY RD.	NW 1/4 - 1/2 (0.423 mi.)	AC117	37
EMERSON PIT STOP	1925 GREEN BAY RD.	NW 1/4 - 1/2 (0.423 mi.)	AC119	38
HASAPIES, DEAN	1925 GREEN BAY RD.	NW 1/4 - 1/2 (0.423 mi.)	AC121	39

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HERTZ CORP.	910 CHURCH ST.	S 0 - 1/8 (0.109 mi.)	F22	13
NORMANDALE PROPRTIE	1701 SHERMAN AVE.	SE 1/8 - 1/4 (0.134 mi.)	H30	15
TIMES SQUARE CAPITOL	1710 ORRINGTON AVE.	ESE 1/8 - 1/4 (0.151 mi.)	I36	17
SHELL OIL CO.	824 EMERSON ST.	NNE 1/8 - 1/4 (0.153 mi.)	J39	17
FOCUS EVANSTON	811 EMERSON STREET	NNE 1/8 - 1/4 (0.164 mi.)	J44	19
FOCUS CONSTRUCTION,	811 EMERSON STREET	NNE 1/8 - 1/4 (0.164 mi.)	J46	19
PERFECTO CLEANERS	821 EMERSON ST.	N 1/8 - 1/4 (0.169 mi.)	K51	20
HOUSING AUTHORITY OF	1900 SHERMAN AVENUE	NNE 1/8 - 1/4 (0.191 mi.)	L55	21
EVANSTON, CITY OF	1616 SHERMAN AVENUE	SSE 1/8 - 1/4 (0.199 mi.)	N61	23
EVANSTON, CITY OF	1102 EMERSON ST.	NW 1/8 - 1/4 (0.201 mi.)	O65	24
FRIEDMAN, ALLEN ESTA	1615 OAK AVENUE	SW 1/8 - 1/4 (0.232 mi.)	T85	29
CHURCH ST.	1719 CHICAGO AVE.	ESE 1/4 - 1/2 (0.275 mi.)	W96	31
GROVE ELMWOOD SERVIC	900 GROVE ST.	S 1/4 - 1/2 (0.319 mi.)	X100	33
1500 CHICAGO AVENUE	1500 CHICAGO AVENUE	SSE 1/4 - 1/2 (0.355 mi.)	Y104	34
MATHER LIFEWAYS	1615 HINMAN	SE 1/4 - 1/2 (0.394 mi.)	AB111	36
EVANSTON, CITY OF	2020 ASBURY	NW 1/4 - 1/2 (0.421 mi.)	AC114	37
EVANSTON, CITY OF	2020 ASBURY AVE.	NW 1/4 - 1/2 (0.421 mi.)	AC115	37
FIRE KING CAR WASH	1950 NORTH GREEN BAY	NW 1/4 - 1/2 (0.426 mi.)	AC122	39

UST FINDER: A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 8 UST FINDER sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOCK UP	1723 BENSON AVE	SSE 0 - 1/8 (0.047 mi.)	B5	9
EVANSTON FIREPROOF W	1839 E RAILROAD AVE	WNW 1/8 - 1/4 (0.215 mi.)	Q73	25

## EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HERTZ RENT A CAR	910 CHURCH ST	S 0 - 1/8 (0.109 mi.)	F25	14
OMNI-ORRINGTON HOTEL	1710 ORRINGTON AVENU	ESE 1/8 - 1/4 (0.151 mi.)	I37	17
LAKE CITY CLEANERS	821-831 EMERSON STRE	N 1/8 - 1/4 (0.169 mi.)	K49	20
JANE R. PERLMAN APAR	1900 SHERMAN RD	NNE 1/8 - 1/4 (0.191 mi.)	L53	20
BLDG TO BE DEMOLISHE	1102 EMERSON	NW 1/8 - 1/4 (0.201 mi.)	O66	24
BANK ONE CHICAGO N.	800 DAVIS STREET	SSE 1/8 - 1/4 (0.238 mi.)	U87	29

E MANIFEST: A review of the E MANIFEST list, as provided by EDR, and dated 07/24/2023 has revealed that there are 5 E MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>NORTHWESTERN UNIVERS</b>	<b>1801 MAPLE AVE</b>	<b>WNW 0 - 1/8 (0.064 mi.)</b>	<b>D10</b>	<b>10</b>
<b>COST PLUS WORLD MARK</b>	<b>1725 MAPLE AVE.</b>	<b>SW 0 - 1/8 (0.082 mi.)</b>	<b>E17</b>	<b>12</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CVS</b>	<b>1711 SHERMAN AVENUE</b>	<b>SE 0 - 1/8 (0.122 mi.)</b>	<b>G26</b>	<b>14</b>
<b>NORTHSHORE RESEARCH</b>	<b>1001 UNIVERSITY PL</b>	<b>NW 1/8 - 1/4 (0.132 mi.)</b>	<b>29</b>	<b>15</b>
<b>TARGET STORE 3283</b>	<b>1616 SHERMAN AVE</b>	<b>SSE 1/8 - 1/4 (0.199 mi.)</b>	<b>N60</b>	<b>22</b>

MI MANIFEST: A review of the MI MANIFEST list, as provided by EDR, and dated 06/30/2018 has revealed that there is 1 MI MANIFEST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1711 SHERMAN AVE	SE 0 - 1/8 (0.122 mi.)	G27	14

WI MANIFEST: A review of the WI MANIFEST list, as provided by EDR, and dated 05/31/2018 has revealed that there is 1 WI MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>TECHNIKROM INC</b> ACT Status: A FID: 0 EPA ID: ILR000053850	<b>1801 MAPLE AVE</b>	<b>WNW 0 - 1/8 (0.064 mi.)</b>	<b>D11</b>	<b>10</b>

### EDR HIGH RISK HISTORICAL RECORDS

#### **EDR Exclusive Records**

EDR MGP: A review of the EDR MGP list, as provided by EDR, has revealed that there are 2 EDR MGP

## EXECUTIVE SUMMARY

sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTHWESTERN GAS, LI	912 CLARK STREET	SW 0 - 1/8 (0.014 mi.)	A2	8

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTH WESTERN GAS WO	918 UNIVERSITY PLACE	N 0 - 1/8 (0.087 mi.)	19	12

EDR Hist Cleaner: A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 2 EDR Hist Cleaner sites within approximately 0.125 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CEEN INC	1728 SHERMAN	ESE 0 - 1/8 (0.085 mi.)	18	12
VARSITY LAUNDRY & DR	726 CLARK ST	E 0 - 1/8 (0.107 mi.)	21	13


Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
------	--------	-----------	--------------	-----	-------------


NO SITES FOUND

# OVERVIEW MAP - 7841921.47S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites

- ☒ Indian Reservations BIA
- ⚡ Power transmission lines
- 🌊 Special Flood Hazard Area (1%)
- 🌊 0.2% Annual Chance Flood Hazard
- 🌿 National Wetland Inventory
- 🌿 State Wetlands




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-M Benson Avenue From Church St To Elgin Road  
 ADDRESS: Benson Avenue and Church St  
 Evanston IL 60201  
 LAT/LONG: 42.049994 / 87.683344

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.47s  
 DATE: December 06, 2024 1:04 pm

# DETAIL MAP - 7841921.47S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚡ Manufactured Gas Plants
- ⚠ Sensitive Receptors
- 🚚 National Priority List Sites
- 🏢 Dept. Defense Sites

- 🏠 Indian Reservations BIA
- 🌊 Special Flood Hazard Area (1%)
- 🌊 0.2% Annual Chance Flood Hazard

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-M Benson Avenue From Church St To Elgin Road  
 ADDRESS: Benson Avenue and Church St  
 Evanston IL 60201  
 LAT/LONG: 42.049994 / 87.683344

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.47S  
 DATE: December 06, 2024 1:05 pm

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><u>STANDARD ENVIRONMENTAL RECORDS</u></b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		1	3	NR	NR	NR	4
RCRA-VSQG	0.250		4	1	NR	NR	NR	5
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal hazardous waste facilities</i></b>								
IL SSU	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
IL SWF/LF	0.500		0	0	0	NR	NR	0
IL CCDD	0.500		0	0	0	NR	NR	0
IL LF SPECIAL WASTE	0.500		0	0	0	NR	NR	0
IL NIPC	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
IL LUST	0.500		2	14	17	NR	NR	33
INDIAN LUST	0.500		0	0	0	NR	NR	0
IL LUST TRUST	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
IL UST	0.250		8	19	NR	NR	NR	27
IL AST	0.250		0	3	NR	NR	NR	3
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
IL ENG CONTROLS	0.500		0	2	2	NR	NR	4
IL INST CONTROL	0.500		0	4	4	NR	NR	8
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
IL SRP	0.500		3	4	5	NR	NR	12
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
IL BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
IL CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
IL TANKS	0.250		0	0	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
IL SPILLS	TP		NR	NR	NR	NR	NR	0
IL COMPLAINTS	TP		NR	NR	NR	NR	NR	0
IL SPILLS 90	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		1	5	NR	NR	NR	6
FUDS	1.000		0	0	1	0	NR	1
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0



MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
A1 SW < 1/8 0.014 mi. 73 ft.	<b>NORTHWESTERN GAS LIGHT &amp; COKE</b> 912 CLARK ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL SRP IL BOL	S104491259 N/A
Relative: Higher	<b>IL SRP</b> IL EPA Id 0310815190  <b>IL BOL</b> Site Id 170000451758 Inv Num 0310815190		
A2 SW < 1/8 0.014 mi. 73 ft.	<b>NORTHWESTERN GAS, LIGHT AND COKE</b> 912 CLARK STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR MGP	1008407373 N/A
Relative: Higher			
3 NNW < 1/8 0.044 mi. 231 ft.	<b>OPTIMA VIEWS</b> 1720 MAPLE AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003838661 N/A
Relative: Higher	<b>IL UST</b> Status EXEMPT Facility Id 2040817 Tank Status Removed Tank Status Pre 1974		
B4 SSE < 1/8 0.047 mi. 247 ft.	<b>EVANSTON ATHLECTIC CLUB</b> 1723 BENSEN EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL UST	U002222659 N/A
Relative: Higher	<b>IL UST</b> Status EXEMPT Facility Id 2034112 Tank Status Removed		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
B5 SSE < 1/8 0.047 mi. 247 ft.  Relative: Higher	LOCK UP 1723 BENSON AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028316343 N/A
B6 SSE < 1/8 0.047 mi. 247 ft.  Relative: Higher	LOCK UP 1723 BENSON AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL UST Status CLOSED Facility Id 2030167 Tank Status Removed	IL UST	U000792677 N/A
C7 NE < 1/8 0.049 mi. 261 ft.  Relative: Lower	OFFICE BUILDING 1800 SHERMAN AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL UST Status EXEMPT Facility Id 2040363 Tank Status Pre 1974 Tank Status Removed	IL UST	U003763036 N/A
C8 NE < 1/8 0.049 mi. 261 ft.  Relative: Lower	MAPPX 1800 SHERMAN AVE STE 200 EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  RCRA-VSQQ EPA Id IL0000079525  FINDS Registry ID: 110005796763  ECHO Registry ID 110005796763	RCRA-VSQQ FINDS ECHO	1004692311 IL0000079525

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
C9 NE < 1/8 0.063 mi. 335 ft.	OPTIMA HORIZONS, L.P. 800 ELGIN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003914120 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2041680 Tank Status Removed		
D10 WNW < 1/8 0.064 mi. 340 ft.	NORTHWESTERN UNIVERSITY 1801 MAPLE AVE EVANSTON, IL 60208  <a href="#">Click here for full text details</a>	RCRA-SQG E MANIFEST	1000410564 ILD982646721
Relative: Higher	RCRA-SQG EPA Id ILD982646721		
D11 WNW < 1/8 0.064 mi. 340 ft.	TECHNIKROM INC 1801 MAPLE AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO WI MANIFEST	1001227927 ILR000053850
Relative: Higher	RCRA NonGen / NLR EPA Id ILR000053850		
	FINDS Registry ID: 110009385815		
	ECHO Registry ID 110009385815		
	WI MANIFEST ACT Status A FID 0 EPA ID ILR000053850		
D12 WNW < 1/8 0.064 mi. 340 ft.	NUTRASWEET CO 1801 MAPLE AVE-B EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA-VSQQ FINDS ECHO	1006807420 ILR000119784
Relative: Higher	RCRA-VSQQ EPA Id ILR000119784		
	FINDS		

MAP FINDINGS

Map ID									
Direction									
Distance									
Elevation									
	Site				Database(s)			EDR ID Number	EPA ID Number

**NUTRASWEET CO (Continued)**

1006807420

Registry ID: 110014368745

**ECHO**

Registry ID 110014368745

13  
ENE  
< 1/8  
0.078 mi.  
413 ft.

**PRETISS PROPERTIES**  
1816 SHERMAN AVE  
EVANSTON, IL 60201

IL SRP S105600597  
IL BOL N/A

[Click here for full text details](#)

Relative:  
Lower

**IL SRP**  
IL EPA Id 0310815254

**IL BOL**  
Site Id 170000452230  
Inv Num 0310815254

E14  
SW  
< 1/8  
0.082 mi.  
431 ft.

**CHURCH STREET PLAZA**  
1701-1749 MAPLE AVENUE  
EVANSTON, IL 60202

IL SRP S104491264  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL SRP**  
IL EPA Id 0310815224

E15  
SW  
< 1/8  
0.082 mi.  
431 ft.

**CHURCH ST. PLAZA LLC**  
1701 MAPLE AVE.  
EVANSTON, IL 60201

IL LUST S104002510  
IL BOL N/A

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**  
Incident Num 991961  
IL EPA Id 0310815224

**IL BOL**  
Site Id 170000451972  
Inv Num 0310815224

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
E16 SW < 1/8 0.082 mi. 431 ft.	<b>CONSTRUCTION SITE</b> 1701 MAPLE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003668816 N/A
Relative: Higher	<b>IL UST</b> Status EXEMPT Facility Id 2039092 Tank Status Removed		
E17 SW < 1/8 0.082 mi. 431 ft.	<b>COST PLUS WORLD MARKET</b> 1725 MAPLE AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA-VSQQ FINDS ECHO E MANIFEST	1017786521 ILR000188904
Relative: Higher	<b>RCRA-VSQQ</b> EPA Id ILR000188904  <b>FINDS</b> Registry ID: 110064438979  <b>ECHO</b> Registry ID 110064438979		
18 ESE < 1/8 0.085 mi. 449 ft.	<b>CEEN INC</b> 1728 SHERMAN EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1019951308 N/A
Relative: Lower			
19 North < 1/8 0.087 mi. 458 ft.	<b>NORTH WESTERN GAS WORKS</b> 918 UNIVERSITY PLACE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR MGP	1008407372 N/A
Relative: Lower			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
20 SSE < 1/8 0.100 mi. 530 ft.	807 CHURCH ST. 807 CHURCH ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004192695 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2045199 Tank Status Abandoned in place		
21 East < 1/8 0.107 mi. 567 ft.	VARSITY LAUNDRY & DRY CLEANERS 726 CLARK ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1018448121 N/A
Relative: Lower			
F22 South < 1/8 0.109 mi. 575 ft.	HERTZ CORP. 910 CHURCH ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989160 N/A
Relative: Lower			
F23 South < 1/8 0.109 mi. 575 ft.	HERTZ RENT A CAR 910 CHURCH ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U000175075 N/A
Relative: Lower	IL UST Status CLOSED Facility Id 2010978 Tank Status Removed Tank Status Pre 1974		
F24 South < 1/8 0.109 mi. 575 ft.	HERTZ CORP. 910 CHURCH ST. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS IL BOL	S103689058 N/A
Relative: Lower	IL LUST NFA/NFR Letter 1/10/2000 Incident Num 891972 IL EPA Id 0310815113		
	IL SPILLS		

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP. (Continued)**

**S103689058**

Incident ID NL891972

**IL BOL**

Site Id 170000451375  
Inv Num 0310815113

**F25**  
South  
< 1/8  
0.109 mi.  
575 ft.

**HERTZ RENT A CAR**  
**910 CHURCH ST**  
**EVANSTON, IL 60201**

**UST FINDER 1028309750**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**G26**  
SE  
< 1/8  
0.122 mi.  
646 ft.

**CVS**  
**1711 SHERMAN AVENUE**  
**EVANSTON, IL 60201**

**RCRA-VSQQ 1014952753**  
**E MANIFEST ILR000171264**

[Click here for full text details](#)

Relative:  
Lower

**RCRA-VSQQ**  
EPA Id ILR000171264

**G27**  
SE  
< 1/8  
0.122 mi.  
646 ft.

**1711 SHERMAN AVE**  
**EVANSTON, IL 60201**

**MI MANIFEST S130523341**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**28**  
NE  
1/8-1/4  
0.127 mi.  
670 ft.

**SHERMAN GARDEN APARTMENTS**  
**1856-1866 SHERMAN**  
**EVANSTON, IL 60201**

**IL UST U004196199**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**IL UST**  
Status EXEMPT  
Facility Id 2045403  
Tank Status Abandoned in place

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
29 NW 1/8-1/4 0.132 mi. 695 ft.	<b>NORTHSHORE RESEARCH INSTITUTE</b> 1001 UNIVERSITY PL EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA-SQG FINDS ECHO E MANIFEST	1005905090 ILR000114892
Relative: Lower	<b>RCRA-SQG</b> EPA Id ILR000114892  <b>FINDS</b> Registry ID: 110013295772  <b>ECHO</b> Registry ID 110013295772		
H30 SE 1/8-1/4 0.134 mi. 706 ft.	<b>NORMANDEALE PROPERTIES</b> 1701 SHERMAN AVE. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989173 N/A
Relative: Lower			
H31 SE 1/8-1/4 0.134 mi. 706 ft.	<b>GREAT WEST LIFE ASSURANCE CO</b> 1701 SHERMAN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U001143589 N/A
Relative: Lower	<b>IL UST</b> Status CLOSED Facility Id 2029031 Tank Status Removed		
H32 SE 1/8-1/4 0.134 mi. 706 ft.	<b>NORMANDEALE PROPERTIES</b> 1701 SHERMAN AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S100530994 N/A
Relative: Lower	<b>IL LUST</b> NFA/NFR Letter 6/1/1993 Incident Num 922837 IL EPA Id 0310815137		

MAP FINDINGS

Map ID Direction Distance Elevation		Database(s)	EDR ID Number EPA ID Number
--	--	-------------	--------------------------------

<b>I33</b> <b>ESE</b> <b>1/8-1/4</b> <b>0.151 mi.</b> <b>798 ft.</b>	<b>OMNI ORRINGTON HOTEL</b> <b>1710 ORRINGTON AVE</b> <b>EVANSTON, IL 60201</b>	<b>RCRA-VSQG</b>	<b>1007370573</b> <b>ILR000128553</b>
--	---	------------------	--

[Click here for full text details](#)

Relative:  
Lower  
**RCRA-VSQG**  
 EPA Id ILR000128553

<b>I34</b> <b>ESE</b> <b>1/8-1/4</b> <b>0.151 mi.</b> <b>798 ft.</b>	<b>OMNI-ORRINGTON HOTEL PARKING GARAGE</b> <b>1710 ORRINGTON AVENUE</b> <b>EVANSTON, IL 60201</b>	<b>IL UST</b>	<b>U003769777</b> <b>N/A</b>
--	---	---------------	---------------------------------

[Click here for full text details](#)

Relative:  
Lower  
**IL UST**  
 Status CLOSED  
 Facility Id 2040434  
 Tank Status Removed  
 Tank Status Abandoned in place

<b>I35</b> <b>ESE</b> <b>1/8-1/4</b> <b>0.151 mi.</b> <b>798 ft.</b>	<b>CONNECTICUT GENERAL LIFE INSURANCE CO.</b> <b>1710 ORRINGTON AVENUE</b> <b>EVANSTON, IL 60201</b>	<b>IL LUST</b> <b>IL ENG CONTROLS</b> <b>IL INST CONTROL</b> <b>IL SRP</b> <b>IL ASBESTOS</b> <b>IL BOL</b>	<b>S104967942</b> <b>N/A</b>
--	--	--	---------------------------------

[Click here for full text details](#)

Relative:  
Lower  
**IL LUST**  
 NFA/NFR Letter 1/24/2003  
 Incident Num 20010464  
 Incident Num 20010890  
 IL EPA Id 0310815162

**IL ENG CONTROLS**  
 Illinois Epa Id 0310815162

**IL INST CONTROL**  
 Illinois EPA Id 0310815162

**IL SRP**  
 IL EPA Id 0310815162

**IL BOL**  
 Site Id 170000451623  
 Inv Num 0310815162

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
I36 ESE 1/8-1/4 0.151 mi. 798 ft.	TIMES SQUARE CAPITOL MANAGEMENT 1710 ORRINGTON AVE. EVANSTON, IL 0	UST FINDER RELEASE	1028989185 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
I37 ESE 1/8-1/4 0.151 mi. 798 ft.	OMNI-ORRINGTON HOTEL PARKING GARAGE 1710 ORRINGTON AVENUE EVANSTON, IL 60201	UST FINDER	1028318419 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
38 East 1/8-1/4 0.153 mi. 808 ft.	EVANSTON LABS 710 CLARK STREET EVANSTON, IL 60201	IL AST IL INST CONTROL IL SRP	S129397963 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
	IL AST Occupancy Number 1705947951493-CN-059		
	IL INST CONTROL Illinois EPA Id 0310815405		
	IL SRP IL EPA Id 0310815405		
J39 NNE 1/8-1/4 0.153 mi. 809 ft.	SHELL OIL CO. 824 EMERSON ST. EVANSTON, IL 0	UST FINDER RELEASE	1028989131 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
J40 NNE 1/8-1/4 0.153 mi. 809 ft.	FIRST BANK & TRUST 824 EMERSON EVANSTON, IL 60202	RCRA NonGen / NLR FINDS ECHO	1000861435 IL0000122119
Relative: Lower	<a href="#">Click here for full text details</a>		
	RCRA NonGen / NLR EPA Id IL0000122119		
	FINDS		

MAP FINDINGS

Map ID				EDR ID Number
Direction				EPA ID Number
Distance				
Elevation	Site	Database(s)		

**FIRST BANK & TRUST (Continued)**

1000861435

Registry ID: 110005797708

**ECHO**

Registry ID 110005797708

J41  
NNE  
1/8-1/4  
0.153 mi.  
809 ft.

**SHELL OIL CO.**  
**824 EMERSON ST.**  
**EVANSTON, IL 60201**

IL LUST S103689072  
N/A

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**

NFA/NFR Letter 9/3/1998  
Incident Num 901987  
Incident Num 900344  
Incident Num 932789  
IL EPA Id 0310815067

42  
NNW  
1/8-1/4  
0.157 mi.  
831 ft.

**SHELL**  
**824 BENSON/EMERSON**  
**EVANSTON, IL 60201**

IL UST U000792672  
N/A

[Click here for full text details](#)

Relative:  
Lower

**IL UST**

Status CLOSED  
Facility Id 2021056  
Tank Status Removed

J43  
NNE  
1/8-1/4  
0.159 mi.  
837 ft.

**LAKE CITY CLEANERS**  
**821-831 EMERSON STREET**  
**EVANSTON, IL 60201**

IL UST U003193679  
IL SPILLS N/A

[Click here for full text details](#)

Relative:  
Lower

**IL UST**

Status CLOSED  
Facility Id 2013759  
Tank Status Removed  
Tank Status Does Not Exist

**IL SPILLS**

Incident ID 20180256

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
J44 NNE 1/8-1/4 0.164 mi. 868 ft. Relative: Lower	FOCUS EVANSTON 811 EMERSON STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989202 N/A
J45 NNE 1/8-1/4 0.164 mi. 868 ft. Relative: Lower	811 EMERSON 811 EMERSON STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL INST CONTROL Illinois EPA Id 0310815220  IL SRP IL EPA Id 0310815220	IL INST CONTROL IL SRP	S121824326 N/A
J46 NNE 1/8-1/4 0.164 mi. 868 ft. Relative: Lower	FOCUS CONSTRUCTION, INC. 811 EMERSON STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989201 N/A
J47 NNE 1/8-1/4 0.164 mi. 868 ft. Relative: Lower	FOCUS CONSTRUCTION, INC. 811 EMERSON STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL LUST Incident Num 20180256 IL EPA Id 0310815220	IL LUST	S121824887 N/A
J48 NNE 1/8-1/4 0.164 mi. 868 ft. Relative: Lower	FOCUS EVANSTON 811 EMERSON STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL LUST Incident Num 20180165 IL EPA Id 0310815220	IL LUST	S121824884 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
K49 North 1/8-1/4 0.169 mi. 890 ft.  Relative: Lower	LAKE CITY CLEANERS 821-831 EMERSON STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028310680 N/A
K50 North 1/8-1/4 0.169 mi. 890 ft.  Relative: Lower	LAKE CITY CLEANERS LLC 821 EMERSON ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL LUST NFA/NFR Letter 5/2/2002 Incident Num 991252 Incident Num 991270 IL EPA Id 0310815220  IL AIRS Facility Id 1290	IL LUST IL AIRS	S107745067 N/A
K51 North 1/8-1/4 0.169 mi. 890 ft.  Relative: Lower	PERFECTO CLEANERS 821 EMERSON ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989203 N/A
52 West 1/8-1/4 0.177 mi. 933 ft.  Relative: Higher	AVIDOR EVANSTON AVIDOR-EVANSTON ACTIVE ADULT APTS-T 1727 OAK PARK AVENUE EVANSTON, IL 60085  <a href="#">Click here for full text details</a>  IL AST Occupancy Number CN-059-1576191762123	IL AST	A100489239 N/A
L53 NNE 1/8-1/4 0.191 mi. 1008 ft.  Relative: Lower	JANE R. PERLMAN APARTMENTS 1900 SHERMAN RD EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028315341 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

<b>L54</b> <b>NNE</b> <b>1/8-1/4</b> <b>0.191 mi.</b> <b>1008 ft.</b>	<b>JANE R. PERLMAN APARTMENTS</b> <b>1900 SHERMAN RD</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	<b>IL LUST</b> <b>IL UST</b> <b>IL AST</b> <b>IL SPILLS</b>	<b>U003971846</b> <b>N/A</b>
---	--	--	---------------------------------

Relative:  
Lower

**IL LUST**  
 NFA/NFR Letter 10/19/2012  
 Incident Num 20120905  
 IL EPA Id 0310815345

**IL UST**  
 Status CLOSED  
 Facility Id 2026217  
 Tank Status Removed

**IL AST**  
 Occupancy Number 001-CN-059

**IL SPILLS**  
 Incident ID 20120905

<b>L55</b> <b>NNE</b> <b>1/8-1/4</b> <b>0.191 mi.</b> <b>1008 ft.</b>	<b>HOUSING AUTHORITY OF COOK COUNTY</b> <b>1900 SHERMAN AVENUE</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989231</b> <b>N/A</b>
---	--	---------------------------	---------------------------------

Relative:  
Lower

<b>M56</b> <b>ESE</b> <b>1/8-1/4</b> <b>0.195 mi.</b> <b>1028 ft.</b>	<b>NORTHWESTERN UNIVERSITY</b> <b>1725 ORRINGTON</b> <b>EVANSTON, IL 60208</b>  <a href="#">Click here for full text details</a>	<b>IL LUST</b> <b>IL SPILLS</b>	<b>S106878854</b> <b>N/A</b>
---	--	------------------------------------	---------------------------------

Relative:  
Lower

**IL LUST**  
 Incident Num 20050441  
 IL EPA Id 0310815230

**IL SPILLS**  
 Incident ID 20050441

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
M57 ESE 1/8-1/4 0.195 mi. 1028 ft.	NORTHWESTERN UNIVERSITY 1725 ORRINGTON AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST IL BOL	U003995164 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2042797 Tank Status Aboveground  IL BOL Site Id 170000452025 Inv Num 0310815230		
N58 SSE 1/8-1/4 0.196 mi. 1033 ft.	CONSTRUCTION SITE 1620 SHERMAN EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003987985 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2042659 Tank Status Removed		
N59 SSE 1/8-1/4 0.199 mi. 1051 ft.	CONSTRUCTION SITE 1616 SHERMAN AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003984896 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2042536 Tank Status Removed		
N60 SSE 1/8-1/4 0.199 mi. 1051 ft.	TARGET STORE 3283 1616 SHERMAN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA-SQG FINDS E MANIFEST	1024090227 ILR000197061
Relative: Lower	RCRA-SQG EPA Id ILR000197061  FINDS Registry ID: 110070206508		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**N61** EVANSTON, CITY OF  
**SSE** 1616 SHERMAN AVENUE  
 1/8-1/4 EVANSTON, IL 0  
 0.199 mi.  
 1051 ft.

UST FINDER RELEASE 1028989218  
 N/A

[Click here for full text details](#)

Relative:  
 Lower

**N62** EVANSTON, CITY OF  
**SSE** 1616 SHERMAN AVE  
 1/8-1/4 EVANSTON, IL 60201  
 0.199 mi.  
 1051 ft.

IL LUST S106781291  
 IL BOL N/A

[Click here for full text details](#)

Relative:  
 Lower

**IL LUST**  
 NFA/NFR Letter 3/28/2005  
 Incident Num 20041583  
 IL EPA Id 0310815276

**IL BOL**  
 Site Id 170001583613  
 Inv Num 0310815272

**O63** BLDG TO BE DEMOLISHED  
**NW** 1102 EMERSON  
 1/8-1/4 EVANSTON, IL 60201  
 0.201 mi.  
 1059 ft.

IL UST U001143583  
 N/A

[Click here for full text details](#)

Relative:  
 Lower

**IL UST**  
 Status CLOSED  
 Facility Id 2025405  
 Tank Status Removed

**O64** EVANSTON, CITY OF  
**NW** 1102 EMERSON ST.  
 1/8-1/4 EVANSTON, IL 60204  
 0.201 mi.  
 1059 ft.

IL LUST S103689050  
 N/A

[Click here for full text details](#)

Relative:  
 Lower

**IL LUST**  
 NFA/NFR Letter 2/9/2004  
 Incident Num 901599  
 IL EPA Id 0310815078

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

O65  
 NW  
 1/8-1/4  
 0.201 mi.  
 1059 ft.

EVANSTON, CITY OF  
 1102 EMERSON ST.  
 EVANSTON, IL 0

UST FINDER RELEASE

1028989137  
 N/A

[Click here for full text details](#)

Relative:  
 Lower

O66  
 NW  
 1/8-1/4  
 0.201 mi.  
 1059 ft.

BLDG TO BE DEMOLISHED  
 1102 EMERSON  
 EVANSTON, IL 60201

UST FINDER

1028314988  
 N/A

[Click here for full text details](#)

Relative:  
 Lower

N67  
 SSE  
 1/8-1/4  
 0.208 mi.  
 1099 ft.

1601 SHERMAN  
 1601 SHERMAN  
 EVANSTON, IL 60201

IL UST

U004333373  
 N/A

[Click here for full text details](#)

Relative:  
 Lower

IL UST  
 Status EXEMPT  
 Facility Id 2047155  
 Tank Status Abandoned in place

P68  
 SSE  
 1/8-1/4  
 0.209 mi.  
 1102 ft.

CITIBANK  
 801 DAVIS  
 EVANSTON, IL 60204

RCRA NonGen / NLR  
 FINDS  
 ECHO

1000825085  
 ILD984914887

[Click here for full text details](#)

Relative:  
 Lower

RCRA NonGen / NLR  
 EPA Id ILD984914887

FINDS  
 Registry ID: 110005923073

ECHO  
 Registry ID 110005923073

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
P69 SSE 1/8-1/4 0.209 mi. 1102 ft.	DEMOLITION SITE 801-823 DAVIS STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003865059 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2041228 Tank Status Removed		
P70 SSE 1/8-1/4 0.209 mi. 1102 ft.	BRANCH 39 EVANSTON 801 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U000866289 N/A
Relative: Lower	IL UST Status CLOSED Facility Id 2030990 Tank Status Abandoned in place		
71 SE 1/8-1/4 0.212 mi. 1118 ft.	WILMETE REAL ESTATE 636 CHURCH ST EVANSON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR	1010317445 ILR000145771
Relative: Lower	RCRA NonGen / NLR EPA Id ILR000145771		
Q72 WNW 1/8-1/4 0.215 mi. 1137 ft.	EVANSTON FIREPROOF WAREHOUSE 1839 E RAILROAD AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U000866288 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2027446 Tank Status Removed		
Q73 WNW 1/8-1/4 0.215 mi. 1137 ft.	EVANSTON FIREPROOF WAREHOUSE 1839 E RAILROAD AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028315784 N/A
Relative: Higher			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
74 NE 1/8-1/4 0.216 mi. 1140 ft.	CH VENTURES 711 EMERSON ST EVANSTON, IL 00000  <a href="#">Click here for full text details</a>	RCRA-SQG	1016956397 ILR000183004
Relative: Lower	RCRA-SQG EPA Id ILR000183004		
R75 South 1/8-1/4 0.220 mi. 1164 ft.	SHERMAN PLAZA VENTURE LLC 820 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S105620805 N/A
Relative: Higher	IL LUST NFA/NFR Letter 11/30/2006 Incident Num 20021436 Incident Num 20021437 IL EPA Id 0310815145  IL BOL Site Id 170000304757 Inv Num 0310815145		
R76 South 1/8-1/4 0.220 mi. 1164 ft.	SHERMAN PLAZA VENTURE LLC 820 DAVIS STREET, SUITE 151 EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989180 N/A
Relative: Higher			
77 SSE 1/8-1/4 0.223 mi. 1180 ft.	BUCK JOHN CO THE 1603 ORRINGTON AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1001404625 ILR000060632
Relative: Lower	RCRA NonGen / NLR EPA Id ILR000060632  FINDS Registry ID: 110003048354  ECHO Registry ID 110003048354		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
78 East 1/8-1/4 0.228 mi. 1204 ft.	A & G PROPERTY MANAGEMENT C/O 614 CLARK STREET, LL 614 CLARK ST EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL UST	U004251653 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2046158 Tank Status Removed		
S79 WNW 1/8-1/4 0.228 mi. 1205 ft.	TRULEE SENIOR LIVIN 1815 RIDGE AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004321075 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2047050 Tank Status Removed		
S80 WNW 1/8-1/4 0.228 mi. 1205 ft.	1815 RIDGE AVENUE, LLC 1815-1823 RIDGE AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S126327000 N/A
Relative: Higher	IL LUST Incident Num 20200433 IL EPA Id 0310815178		
S81 WNW 1/8-1/4 0.228 mi. 1205 ft.	NATIONAL SCHOOL TOWEL SERVICE 1815 RIDGE AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL ENG CONTROLS IL INST CONTROL IL SRP IL SPILLS IL ASBESTOS IL BOL	S113257635 N/A
Relative: Higher	IL ENG CONTROLS Illinois Epa Id 0310815178  IL INST CONTROL Illinois EPA Id 0310815178  IL SRP IL EPA Id 0310815178  IL BOL Site Id 170000451687		

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NATIONAL SCHOOL TOWEL SERVICE (Continued)**

**S113257635**

Inv Num 0310815178

**S82**  
**WNW**  
1/8-1/4  
0.228 mi.  
1205 ft.

**1815 RIDGE AVENUE, LLC**  
**1815-1823 RIDGE AVENUE**  
**EVANSTON, IL 60201**

**IL LUST** **S126327015**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**  
Incident Num 20200535  
IL EPA Id 0310815178

**Q83**  
**WNW**  
1/8-1/4  
0.232 mi.  
1225 ft.

**EVANSTON ENTERPRISE BLDG**  
**1839 THRU 49 RAILROAD AVE**  
**EVANSTON, IL 60202**

**RCRA NonGen / NLR** **1000321063**  
**FINDS** **ILD984782938**  
**ECHO**

[Click here for full text details](#)

Relative:  
Higher

**RCRA NonGen / NLR**  
EPA Id ILD984782938

**FINDS**  
Registry ID: 110005872403

**ECHO**  
Registry ID 110005872403

**T84**  
**SW**  
1/8-1/4  
0.232 mi.  
1225 ft.

**FRIEDMAN, ALLEN ESTATE OF**  
**1615 OAK AVENUE**  
**EVANSTON, IL 60201**

**IL LUST** **S112205218**  
**IL SPILLS** **N/A**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**  
NFA/NFR Letter 12/24/2012  
Incident Num 20120970  
IL EPA Id 0310815347

**IL SPILLS**  
Incident ID 20120970

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
T85 SW 1/8-1/4 0.232 mi. 1225 ft.	FRIEDMAN, ALLEN ESTATE OF 1615 OAK AVENUE EVANSTON, IL 0	UST FINDER RELEASE	1028989232 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
86 NW 1/8-1/4 0.236 mi. 1248 ft.	WARD MANUFACTURING 1112 EMERSON ST EVANSTON, IL 60201	IL UST	U003668247 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
U87 SSE 1/8-1/4 0.238 mi. 1255 ft.	BANK ONE CHICAGO N. A. 800 DAVIS STREET EVANSTON, IL 60201	UST FINDER	1028317542 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
U88 SSE 1/8-1/4 0.238 mi. 1255 ft.	BANK ONE CHICAGO N. A. 800 DAVIS STREET EVANSTON, IL 60201	IL UST	U003152413 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
T89 SW 1/8-1/4 0.242 mi. 1276 ft.	VACANT COMMERCIAL BUILDING 1611-1615 OAK AVE. EVANSTON, IL 60201	IL UST	U004192699 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
	IL UST Status EXEMPT Facility Id 2045205 Tank Status Removed		

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

V90  
West  
1/4-1/2  
0.250 mi.  
1321 ft.

**BP PRODUCTS NORTH AMERICA, INC.**  
1803 RIDGE AVENUE  
EVANSTON, IL 0

UST FINDER RELEASE

1028989142  
N/A

[Click here for full text details](#)

Relative:  
Higher

V91  
West  
1/4-1/2  
0.250 mi.  
1321 ft.

**BP SERVICE STATION #5309**  
1803 RIDGE AVE  
EVANSTON, IL 60201

IL LUST  
IL SPILLS  
IL AIRS  
IL BOL

S107740317  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**  
NFA/NFR Letter 7/30/2013  
Incident Num 20040256  
IL EPA Id 0310815084

**IL SPILLS**  
Incident ID 20040256

**IL AIRS**  
Facility Id 28332

**IL BOL**  
Site Id 170000020652  
Inv Num 0310815084

92  
SW  
1/4-1/2  
0.253 mi.  
1335 ft.

**RADAIOS TRUST #105032-0-1**  
1033 DAVIS ST.  
EVANSTON, IL 60201

IL LUST  
IL BOL

S104528399  
N/A

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**  
Incident Num 972433  
IL EPA Id 0310815201

**IL BOL**  
Site Id 170000451810  
Inv Num 0310815201

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
V93 West 1/4-1/2 0.256 mi. 1354 ft.  Relative: Higher	AMOCO OIL CO. #5309 RIDGE & CLARK EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989141 N/A
V94 West 1/4-1/2 0.256 mi. 1354 ft.  Relative: Higher	AMOCO OIL CO. #5309 RIDGE & CLARK EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL LUST NFA/NFR Letter 7/30/2013 Incident Num 900401 IL EPA Id 0310815084	IL LUST	S103689036 N/A
W95 ESE 1/4-1/2 0.275 mi. 1450 ft.  Relative: Lower	CHURCH ST. 1719 CHICAGO AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL LUST NFA/NFR Letter 9/6/1990 Incident Num 891682 IL EPA Id 0310815069  IL SPILLS Incident ID NL891682  IL BOL Site Id 170000451142 Inv Num 0310815069	IL LUST IL SPILLS IL BOL	S100054047 N/A
W96 ESE 1/4-1/2 0.275 mi. 1450 ft.  Relative: Lower	CHURCH ST. 1719 CHICAGO AVE. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989134 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
97 SE 1/4-1/2 0.296 mi. 1561 ft.	<b>WASHINGTON NATIONAL INSURANCE</b> 1630 CHICAGO AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL SRP IL SPILLS RCRA NonGen / NLR FINDS ECHO IL BOL	1000862261 ILD984921619
Relative: Lower	<b>IL SRP</b> IL EPA Id 0310815050  <b>IL SPILLS</b> Incident ID NL881030  <b>RCRA NonGen / NLR</b> EPA Id ILD984921619  <b>FINDS</b> Registry ID: 110005927649  <b>ECHO</b> Registry ID 110005927649  <b>IL BOL</b> Site Id 170000308986 Inv Num 0310815050		
98 SW 1/4-1/2 0.297 mi. 1567 ft.	<b>LASSEN, ADELLA</b> 1575 OAK AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S100567207 N/A
Relative: Lower	<b>IL LUST</b> Incident Num 931847 IL EPA Id 0310815149  <b>IL BOL</b> Site Id 170000306014 Inv Num 0310815149		
99 SE 1/4-1/2 0.298 mi. 1575 ft.	<b>SCHWARTZHOFF CLEANER, FORMER</b> 1623 CHICAGO AVE EVANSTON, IL 60601  <a href="#">Click here for full text details</a>	IL INST CONTROL IL SRP IL BOL	S117534105 N/A
Relative: Lower	<b>IL INST CONTROL</b> Illinois EPA Id 0310815364  <b>IL SRP</b>		

MAP FINDINGS

Map ID				EDR ID Number
Direction				EPA ID Number
Distance				
Elevation	Site	Database(s)		

**SCHWARTZHOFF CLEANER, FORMER (Continued)**

S117534105

IL EPA Id 0310815364

**IL BOL**

Site Id 170002077311  
Inv Num 0310815364

X100  
South  
1/4-1/2  
0.319 mi.  
1685 ft.

**GROVE ELMWOOD SERVICE**  
**900 GROVE ST.**  
**EVANSTON, IL 0**

**UST FINDER RELEASE** 1028989191  
N/A

[Click here for full text details](#)

Relative:  
Lower

X101  
South  
1/4-1/2  
0.319 mi.  
1685 ft.

**GROVE ELMWOOD SERVICE**  
**900 GROVE ST.**  
**EVANSTON, IL 60201**

**IL LUST** S102455618  
N/A

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**

NFA/NFR Letter 2/28/1997  
Incident Num 961175  
IL EPA Id 0310815186

X102  
South  
1/4-1/2  
0.338 mi.  
1784 ft.

**WILSON, TERRY ASSOC**  
**1508 ELMWOOD AVE**  
**EVANSTON, IL 60201**

**IL LUST** S104564540  
**IL BOL** N/A

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**

Incident Num 20001579  
IL EPA Id 0310815232

**IL BOL**

Site Id 170000452043  
Inv Num 0310815232

103  
South  
1/4-1/2  
0.343 mi.  
1813 ft.

**EVANSTON CLEANERS**  
**1463 ELMWOOD**  
**EVANSTON, IL 60201**

**IL INST CONTROL** S107261755  
**IL SRP** N/A  
**IL BOL**

[Click here for full text details](#)

Relative:  
Higher

**IL INST CONTROL**

Illinois EPA Id 0310815144

**IL SRP**

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**EVANSTON CLEANERS (Continued)**

**S107261755**

IL EPA Id 0310815144

**IL BOL**

Site Id 170000301901  
Inv Num 0310815144

Y104  
SSE  
1/4-1/2  
0.355 mi.  
1877 ft.

**1500 CHICAGO AVENUE LLC  
1500 CHICAGO AVENUE  
EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989225  
N/A**

[Click here for full text details](#)

Relative:  
Lower

Y105  
SSE  
1/4-1/2  
0.355 mi.  
1877 ft.

**1500 CHICAGO AVE LLC  
1500 CHICAGO AVE  
EVANSTON, IL 60201**

**IL LUST  
IL SPILLS  
IL BOL**

**S110824972  
N/A**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**

NFA/NFR Letter 2/5/2013  
Incident Num 20110204  
IL EPA Id 0310815323

**IL SPILLS**

Incident ID 20110204

**IL BOL**

Site Id 170001878305  
Inv Num 0310815323

Z106  
South  
1/4-1/2  
0.371 mi.  
1958 ft.

**VENTURA REALTY LIMITED  
1459-1463 ELMWOOD AVENUE  
EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989230  
N/A**

[Click here for full text details](#)

Relative:  
Higher

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
Z107 South 1/4-1/2 0.371 mi. 1958 ft.	VENTURA REALTY LIMITED 1459-1463 ELMWOOD AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S112056861 N/A
Relative: Higher	IL LUST NFA/NFR Letter 9/17/2013 Incident Num 20120368 IL EPA Id 0310815341		
AA108 South 1/4-1/2 0.373 mi. 1970 ft.	SHERMAN, LLC 1460 SHERMAN AVENUE EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989226 N/A
Relative: Higher			
AA109 South 1/4-1/2 0.373 mi. 1970 ft.	PARKING LOT 1460 SHERMAN AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL UST IL SPILLS IL BOL	U004179098 N/A
Relative: Higher	IL LUST NFA/NFR Letter 1/24/2013 Incident Num 20110399 IL EPA Id 0310815326  IL UST Status EXEMPT Facility Id 2044888 Tank Status Removed  IL SPILLS Incident ID 20110399  IL BOL Site Id 170001883816 Inv Num 0310815326		
AA110 South 1/4-1/2 0.388 mi. 2047 ft.	ALBION @ EVANSTON, LLC 1450-1460 SHERMAN AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL ENG CONTROLS IL INST CONTROL IL SRP	S122869894 N/A
Relative: Higher	IL ENG CONTROLS Illinois Epa Id 0310815380		

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALBION @ EVANSTON, LLC (Continued)**

**S122869894**

**IL INST CONTROL**

Illinois EPA Id 0310815380

**IL SRP**

IL EPA Id 0310815380

**AB111**  
**SE**  
1/4-1/2  
0.394 mi.  
2080 ft.

**MATHER LIFEWAYS**  
**1615 HINMAN**  
**EVANSTON, IL 0**

**UST FINDER RELEASE** **1028989222**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**AB112**  
**SE**  
1/4-1/2  
0.394 mi.  
2080 ft.

**MATHER HOME**  
**1615 HINMAN AVE**  
**EVANSTON, IL 60201**

**IL LUST** **S108891442**  
**IL SPILLS** **N/A**  
**IL BOL**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**

NFA/NFR Letter 12/7/2007  
Incident Num 20071319  
IL EPA Id 0310815300

**IL SPILLS**

Incident ID 20071319

**IL BOL**

Site Id 170001686968  
Inv Num 0310815300

**113**  
**SSW**  
1/4-1/2  
0.420 mi.  
2216 ft.

**ST. MARY'S PARISH**  
**1012 LAKE STREET**  
**EVANSTON, IL 60201**

**IL LUST** **S125715362**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**

NFA/NFR Letter 6/9/2020  
Incident Num 20191219  
IL EPA Id 0310815391

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

<b>AC114</b> NW 1/4-1/2 0.421 mi. 2224 ft.	<b>EVANSTON, CITY OF</b> 2020 ASBURY EVANSTON, IL 0	<b>UST FINDER RELEASE</b>	<b>1028989128</b> N/A
Relative: Lower			
<a href="#">Click here for full text details</a>			

---

<b>AC115</b> NW 1/4-1/2 0.421 mi. 2224 ft.	<b>EVANSTON, CITY OF</b> 2020 ASBURY AVE. EVANSTON, IL 0	<b>UST FINDER RELEASE</b>	<b>1028989127</b> N/A
Relative: Lower			
<a href="#">Click here for full text details</a>			

---

<b>AC116</b> NW 1/4-1/2 0.421 mi. 2224 ft.	<b>EVANSTON, CITY OF</b> 2020 ASBURY EVANSTON, IL 60201	<b>IL LUST</b> <b>IL BOL</b>	<b>S103689053</b> N/A
Relative: Lower			
<b>IL LUST</b> NFA/NFR Letter 9/21/2001 Incident Num 20240420 Incident Num 991522 Incident Num 971960 IL EPA Id 0310815056			
<b>IL BOL</b> Site Id 170000020386 Inv Num 0310815056			

---

<b>AC117</b> NW 1/4-1/2 0.423 mi. 2233 ft.	<b>WERTYMER, FRED</b> 1911 GREEN BAY RD. EVANSTON, IL 0	<b>UST FINDER RELEASE</b>	<b>1028989188</b> N/A
Relative: Higher			
<a href="#">Click here for full text details</a>			

---

<b>AC118</b> NW 1/4-1/2 0.423 mi. 2233 ft.	<b>PEP BOYS 1458</b> 1911 GREEN BAY ROAD EVANSTON, IL 60201	<b>IL LUST</b> <b>IL ENG CONTROLS</b> <b>IL INST CONTROL</b> <b>IL SRP</b> <b>IL BOL</b>	<b>S101823673</b> N/A
Relative: Higher			
<b>IL LUST</b> NFA/NFR Letter 7/29/1996 Incident Num 952381			

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PEP BOYS 1458 (Continued)**

**S101823673**

IL EPA Id 0310815179

**IL ENG CONTROLS**

Illinois Epa Id 0310815179

**IL INST CONTROL**

Illinois EPA Id 0310815179

**IL SRP**

IL EPA Id 0310815179

**IL BOL**

Site Id 170000451696

Inv Num 0310815179

AC119  
NW  
1/4-1/2  
0.423 mi.  
2235 ft.

**EMERSON PIT STOP  
1925 GREEN BAY RD.  
EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989144  
N/A**

[Click here for full text details](#)

Relative:  
Higher

AC120  
NW  
1/4-1/2  
0.423 mi.  
2235 ft.

**EVANSTON CITGO  
1925 GREEN BAY ROAD  
EVANSTON, IL 60201**

**IL LUST  
IL UST**

**U000175070  
N/A**

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**

NFA/NFR Letter 10/18/2001

NFA/NFR Letter 4/5/2005

Incident Num 920479

Incident Num 982914

IL EPA Id 0310815091

**IL UST**

Status ACTIVE

Facility Id 2008554

Tank Status Currently in use

Tank Status Abandoned in place

MAP FINDINGS

Map ID				EDR ID Number
Direction				EPA ID Number
Distance				
Elevation	Site	Database(s)		

AC121 HASAPIES, DEAN UST FINDER RELEASE 1028989145  
 NW 1925 GREEN BAY RD. N/A  
 1/4-1/2 EVANSTON, IL 0  
 0.423 mi.  
 2235 ft.  
[Click here for full text details](#)  
 Relative:  
 Higher

AC122 FIRE KING CAR WASH UST FINDER RELEASE 1028989146  
 NW 1950 NORTH GREEN BAY RD. N/A  
 1/4-1/2 EVANSTON, IL 0  
 0.426 mi.  
 2248 ft.  
[Click here for full text details](#)  
 Relative:  
 Lower

AC123 FIRE KING CAR WASH IL LUST S113257603  
 NW 1950 N GREEN BAY RD IL BOL N/A  
 1/4-1/2 EVANSTON, IL 60201  
 0.426 mi.  
 2248 ft.  
[Click here for full text details](#)  
 Relative:  
 Lower  
 IL LUST  
 Incident Num 20191036  
 IL EPA Id 0310815092  
 IL BOL  
 Site Id 170000451240  
 Inv Num 0310815092

AC124 GREEN BAY FUEL MART IL LUST U001143588  
 NW 1950 GREEN BAY ROAD IL UST N/A  
 1/4-1/2 EVANSTON, IL 60201 IL SPILLS  
 0.426 mi.  
 2248 ft.  
[Click here for full text details](#)  
 Relative:  
 Lower  
 IL LUST  
 NFA/NFR Letter 5/19/1992  
 Incident Num 891562  
 IL EPA Id 0310815092  
 IL UST  
 Status ACTIVE  
 Facility Id 2021506  
 Tank Status Removed  
 Tank Status Currently in use  
 IL SPILLS  
 Incident ID 20191036  
 Incident ID NL891562

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

125  
WSW  
1/4-1/2  
0.495 mi.  
2611 ft.

NORTHWESTERN UNIVERSITY CWM SITE  
EVANSTON, IL

FUDS 1024900182  
N/A

Relative:  
Lower

[Click here for full text details](#)

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
IL	AIRS	Air Inventory Listing	Illinois EPA	07/01/2024	07/02/2024	09/25/2024
IL	ASBESTOS	Asbestos Notification Tracker Information	Illinois EPA	06/21/2024	06/26/2024	09/16/2024
IL	AST	Above Ground Storage Tanks	State Fire Marshal	08/08/2024	08/13/2024	10/29/2024
IL	BOL	Bureau of Land Inventory Database	Illinois Environmental Protection Agency	10/16/2023	04/23/2024	07/16/2024
IL	BROWNFIELDS	Redevelopment Assessment Database	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	BROWNFIELDS	Municipal Brownfields Redevelopment Grant Program Project De	Illinois Environmental Protection Agency	02/11/2010	07/31/2014	09/08/2014
IL	CCDD	Clean Construction or Demolition Debris	Illinois EPA	03/28/2024	07/02/2024	09/24/2024
IL	CDL	Meth Drug Lab Site Listing	Department of Public Health	07/05/2024	07/08/2024	09/27/2024
IL	COAL ASH	Coal Ash Site Listing	Illinois EPA	10/01/2011	03/09/2012	04/10/2012
IL	DRYCLEANERS	Illinois Licensed Drycleaners	Drycleaner Environmental Response Trust Fund	07/02/2024	08/12/2024	10/29/2024
IL	ENG CONTROLS	Sites with Engineering Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	FIN ASSURANCE	Financial Assurance Information Listing	Illinois Environmental Protection Agency	08/28/2024	09/12/2024	11/25/2024
IL	HWAR	Hazard Waste Annual Report	Illinois EPA	12/31/2019	05/11/2021	08/02/2021
IL	IEMA SPILLS	Illinois Emergency Management Agency Spills	Illinois Emergency Management Agency	07/22/2024	07/23/2024	10/11/2024
IL	IL NIPC	Solid Waste Landfill Inventory	Northeastern Illinois Planning Commission	08/01/1988	04/07/2022	07/01/2022
IL	IMPDMENT	Surface Impoundment Inventory	Illinois Waste Management & Research Center	12/31/1980	03/08/2002	06/03/2002
IL	Inst Control	Institutional Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	LF SPECIAL WASTE	Special Waste Site List	Illinois EPA	01/01/1990	06/17/2009	07/15/2009
IL	LF WMRC	Waste Management & Research Center Landfill Database	Department of Natural Resources	12/31/2001	10/06/2006	11/06/2006
IL	LUST	Leaking Underground Storage Tank Sites	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	LUST TRUST	Underground Storage Tank Fund Payment Priority List	Illinois EPA	06/06/2016	07/27/2016	10/18/2016
IL	NPDES	A Listing of Active Permits	Illinois EPA	04/16/2014	04/18/2014	05/20/2014
IL	PFAS	PFAS Sampling Listing	Illinois Environmental Protection Agency	12/15/2023	12/27/2023	12/29/2023
IL	PIMW	Potentially Infectious Medical Waste	Illinois EPA	09/09/2024	09/11/2024	11/19/2024
IL	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Natural Resources		07/01/2013	12/30/2013
IL	RGA LF	Recovered Government Archive Solid Waste Facilities List	Illinois Environmental Protection Agency		07/01/2013	01/10/2014
IL	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	Illinois Environmental Protection Agency		07/01/2013	12/30/2013
IL	SPILLS	State spills	Illinois EPA	05/06/2024	07/02/2024	09/24/2024
IL	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	07/18/2012	01/03/2013	03/15/2013
IL	SRP	Site Remediation Program Database	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	SSU	State Sites Unit Listing	Illinois Environmental Protection Agency	01/31/2024	01/31/2024	02/13/2024
IL	SWF/LF	Available Disposal for Solid Waste in Illinois - Solid Waste	Illinois Environmental Protection Agency	12/31/2022	10/17/2023	01/08/2024
IL	TIER 2	Tier 2 Information Listing	Illinois Emergency Management Agency	12/31/2023	05/07/2024	08/01/2024
IL	UIC	Underground Injection Wells	Illinois EPA	02/15/2024	05/22/2024	08/19/2024
IL	UST	Underground Storage Tank Facility List	Illinois State Fire Marshal	07/15/2024	07/16/2024	09/27/2024
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	09/10/2024	09/11/2024	11/19/2024
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	10/13/2024	10/16/2024	10/23/2024
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2021	03/09/2023	03/20/2023
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2022	11/27/2023	02/22/2024
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/30/2024	07/08/2024	09/26/2024
US	CORRACTS	Corrective Action Report	EPA	06/03/2024	06/07/2024	06/20/2024
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DOT OPS	Incident and Accident Data	Department of Transportation, Office of Pipeli	01/02/2020	01/28/2020	04/17/2020
US	Delisted NPL	National Priority List Deletions	EPA	09/25/2024	10/01/2024	10/23/2024
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	07/24/2023	04/18/2024	06/06/2024
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	06/23/2024	06/28/2024	07/12/2024
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	06/11/2024	06/17/2024	09/04/2024
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	06/07/2024	06/25/2024	09/19/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	03/15/2024	03/19/2024	06/17/2024
US	FINDS	Facility Index System/Facility Registry System	EPA	08/13/2024	08/20/2024	08/28/2024
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	07/31/2024	08/12/2024	10/09/2024
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	08/13/2024	08/13/2024	10/09/2024
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	06/14/2024	06/17/2024	06/24/2024
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Serivces, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LUCIS	Land Use Control Information System	Department of the Navy	07/15/2024	07/17/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	MINES MRDS	Mineral Resources Data System	USGS	08/23/2022	11/22/2022	02/28/2023
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	10/01/2024	10/02/2024	10/09/2024
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	09/25/2024	10/01/2024	10/23/2024
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	05/23/2024	07/02/2024	09/26/2024
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	09/25/2024	10/01/2024	10/23/2024
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RMP	Risk Management Plans	Environmental Protection Agency	07/12/2024	07/17/2024	10/09/2024
US	ROD	Records Of Decision	EPA	10/24/2024	11/01/2024	11/19/2024
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	09/25/2024	10/01/2024	10/23/2024
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	09/25/2024	10/01/2024	10/23/2024
US	SSTS	Section 7 Tracking Systems	EPA	07/11/2024	07/11/2024	07/12/2024
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2022	11/13/2023	02/07/2024
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	05/08/2024	08/14/2024	08/28/2024
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	06/10/2024	06/11/2024	09/04/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	06/10/2024	06/17/2024	09/04/2024
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/06/2024	08/14/2024	08/15/2024
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protection Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protection	08/05/2024	08/06/2024	10/25/2024
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
IL	Daycare Centers	Sensitive Receptor: Homes & Centers Listing	Department of Children & Family Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
IL	State Wetlands	Wetland Inventory	Illinois State Geological Survey			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM

### TARGET PROPERTY ADDRESS

9826-M BENSON AVENUE FROM CHURCH ST TO ELGIN ROAD  
BENSON AVENUE AND CHURCH ST  
EVANSTON, IL 60201

### TARGET PROPERTY COORDINATES

Latitude (North):	42.049994 - 42° 2' 59.98"
Longitude (West):	87.683344 - 87° 41' 0.04"
Universal Transverse Mercator:	Zone 16
UTM X (Meters):	443449.7
UTM Y (Meters):	4655339.5
Elevation:	609 ft. above sea level

### USGS TOPOGRAPHIC MAP

Target Property Map:	24185589 EVANSTON, IL
Version Date:	2021

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NE

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
17031C0270J	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
17031C0255J	FEMA FIRM Flood data
17031C0260J	FEMA FIRM Flood data
17031C0265J	FEMA FIRM Flood data

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EVANSTON	YES - refer to the Overview Map and Detail Map

## **HYDROGEOLOGIC INFORMATION**

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### ***Site-Specific Hydrogeological Data\*:***

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
18	1/8 - 1/4 Mile NNE	E
64	1/4 - 1/2 Mile WNW	Not Reported
1G	1/4 - 1/2 Mile WNW	Not Reported
2G	1/8 - 1/4 Mile NNE	E

For additional site information, refer to Physical Setting Source Map Findings.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

## GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

### ROCK STRATIGRAPHIC UNIT

Era: Paleozoic  
System: Silurian  
Series: Middle Silurian (Niagoaran)  
Code: S2 *(decoded above as Era, System & Series)*

### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

## DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBANLAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Bedrock Max: > 0 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	60 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

**OTHER SOIL TYPES IN AREA**

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
fine sandy loam  
loam  
fine sand

Surficial Soil Types: silt loam  
fine sandy loam  
loam  
fine sand

Shallow Soil Types: sandy loam

Deeper Soil Types: silt loam  
sand  
loamy sand  
loam

**LOCAL / REGIONAL WATER AGENCY RECORDS**

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

**WELL SEARCH DISTANCE INFORMATION**

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

**FEDERAL USGS WELL INFORMATION**

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
97	IL0001115	1/2 - 1 Mile SSW

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	ILSG40000064450	0 - 1/8 Mile WNW
A2	ILSG40000064451	0 - 1/8 Mile WNW
A3	ILSG40000064452	0 - 1/8 Mile NW
A4	ILSG40000064449	0 - 1/8 Mile North
A5	ILSG40000064447	0 - 1/8 Mile SSW
A6	ILSG40000064453	0 - 1/8 Mile NNW
A7	ILSG40000064455	0 - 1/8 Mile WNW
B8	ILSG40000064448	0 - 1/8 Mile NNW
C9	ILSG40000059382	0 - 1/8 Mile East
10	ILSG40000060672	0 - 1/8 Mile SE
C11	ILSG40000037918	0 - 1/8 Mile ESE
B12	ILSG40000054369	0 - 1/8 Mile NNW
B13	ILSG40000054367	0 - 1/8 Mile NNW
B14	ILSG40000064454	1/8 - 1/4 Mile NW
B15	ILSG40000054368	1/8 - 1/4 Mile NNW
B16	ILSG40000054366	1/8 - 1/4 Mile NNW
C17	ILSG40000059383	1/8 - 1/4 Mile East
C19	ILSG40000059384	1/8 - 1/4 Mile East
D20	ILSG40000059328	1/8 - 1/4 Mile SE
D21	ILSG40000059327	1/8 - 1/4 Mile SE
D22	ILSG40000059326	1/8 - 1/4 Mile SE
D23	ILSG40000054375	1/8 - 1/4 Mile SE
24	ILSG40000061714	1/8 - 1/4 Mile NNE
D25	ILSG40000059331	1/4 - 1/2 Mile SE
D26	ILSG40000059329	1/4 - 1/2 Mile SE
E27	ILSG40000059299	1/4 - 1/2 Mile SE
E28	ILSG40000059431	1/4 - 1/2 Mile SSE
D29	ILSG40000059330	1/4 - 1/2 Mile SE
F30	ILSG40000060480	1/4 - 1/2 Mile NW
E31	ILSG40000059429	1/4 - 1/2 Mile SSE
F32	ILSG40000060479	1/4 - 1/2 Mile NW
F33	ILSG40000060478	1/4 - 1/2 Mile NW
E34	ILSG40000059430	1/4 - 1/2 Mile SSE
E35	ILSG40000059300	1/4 - 1/2 Mile SE
E36	ILSG40000059301	1/4 - 1/2 Mile SE
G37	ILSG40000054497	1/4 - 1/2 Mile SSW

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
H38	ILSG40000059700	1/4 - 1/2 Mile SSE
G39	ILSG40000054496	1/4 - 1/2 Mile SSW
F40	ILSG40000054352	1/4 - 1/2 Mile NW
H41	ILSG40000037920	1/4 - 1/2 Mile SSE
I42	ILSG40000059708	1/4 - 1/2 Mile SSW
J43	ILSG40000054351	1/4 - 1/2 Mile NW
H44	ILSG40000059702	1/4 - 1/2 Mile SSE
G45	ILSG40000054495	1/4 - 1/2 Mile SSW
H46	ILSG40000059701	1/4 - 1/2 Mile SSE
E47	ILSG40000059306	1/4 - 1/2 Mile SE
J48	ILSG40000054355	1/4 - 1/2 Mile NW
G49	ILSG40000059703	1/4 - 1/2 Mile SSW
K50	ILSG40000059305	1/4 - 1/2 Mile SSE
I51	ILSG40000059707	1/4 - 1/2 Mile SSW
J52	ILSG40000054354	1/4 - 1/2 Mile NW
J53	ILSG40000054353	1/4 - 1/2 Mile NW
I54	ILSG40000059706	1/4 - 1/2 Mile SSW
K55	ILSG40000059304	1/4 - 1/2 Mile SE
J56	ILSG40000054356	1/4 - 1/2 Mile NW
K57	ILSG40000059303	1/4 - 1/2 Mile SE
K58	ILSG40000037919	1/4 - 1/2 Mile SE
J59	ILSG40000054357	1/4 - 1/2 Mile NW
K60	ILSG40000059302	1/4 - 1/2 Mile SE
K61	ILSG40000059325	1/4 - 1/2 Mile SSE
I62	ILSG40000059704	1/4 - 1/2 Mile SSW
K63	ILSG40000059324	1/4 - 1/2 Mile SSE
K65	ILSG40000059766	1/4 - 1/2 Mile SE
66	ILSG40000061713	1/4 - 1/2 Mile NNE
I67	ILSG40000059705	1/4 - 1/2 Mile SSW
K68	ILSG40000059767	1/4 - 1/2 Mile SE
K69	ILSG40000059323	1/4 - 1/2 Mile SSE
L70	ILSG40000059763	1/4 - 1/2 Mile SE
M71	ILSG40000059768	1/4 - 1/2 Mile SE
L72	ILSG40000059764	1/4 - 1/2 Mile SE
L73	ILSG40000059765	1/4 - 1/2 Mile SE
M74	ILSG40000059770	1/4 - 1/2 Mile SE
M75	ILSG40000059769	1/4 - 1/2 Mile SE
N76	ILSG40000059293	1/4 - 1/2 Mile ENE
M77	ILPW8886	1/4 - 1/2 Mile SE
78	ILSG40000059771	1/4 - 1/2 Mile SE
N79	ILSG40000059294	1/4 - 1/2 Mile ENE
80	ILSG40000040079	1/2 - 1 Mile SE
81	ILSG40000060639	1/2 - 1 Mile NE
O82	ILSG40000060653	1/2 - 1 Mile NE
O83	ILSG40000060654	1/2 - 1 Mile NE
O84	ILSG40000060652	1/2 - 1 Mile NE
O85	ILSG40000060651	1/2 - 1 Mile NE
O86	ILSG40000060650	1/2 - 1 Mile NE
P87	ILSG40000060649	1/2 - 1 Mile NE
P88	ILSG40000060637	1/2 - 1 Mile NE
P89	ILSG40000060648	1/2 - 1 Mile NE
Q90	ILSG40000060638	1/2 - 1 Mile NNE

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
R91	ILSG40000059332	1/2 - 1 Mile West
R92	ILSG40000059334	1/2 - 1 Mile West
P93	ILSG40000060633	1/2 - 1 Mile NE
P94	ILSG40000060632	1/2 - 1 Mile NE
P95	ILSG40000060630	1/2 - 1 Mile NE
P96	ILSG40000060631	1/2 - 1 Mile NE
Q98	ILSG40000060636	1/2 - 1 Mile NE
R99	ILSG40000059333	1/2 - 1 Mile West
Q100	ILSG40000060655	1/2 - 1 Mile NNE
S101	ILSG40000061712	1/2 - 1 Mile NW
T102	ILSG40000049576	1/2 - 1 Mile NNW
S103	ILSG40000049565	1/2 - 1 Mile NW
T104	ILSG40000042131	1/2 - 1 Mile NNW
U105	ILSG40000064441	1/2 - 1 Mile NW
V106	ILSG40000060635	1/2 - 1 Mile NNE
U107	ILSG40000064442	1/2 - 1 Mile NW
V108	ILSG40000060634	1/2 - 1 Mile NNE
109	ILSG40000040074	1/2 - 1 Mile WSW
W110	ILSG40000050182	1/2 - 1 Mile NNW
U111	ILSG40000042130	1/2 - 1 Mile NW
W112	ILSG40000050183	1/2 - 1 Mile NNW
W113	ILSG40000050180	1/2 - 1 Mile NNW
114	ILSG40000059502	1/2 - 1 Mile West
W115	ILSG40000050181	1/2 - 1 Mile NNW
X116	ILSG40000050177	1/2 - 1 Mile NW
X117	ILSG40000050176	1/2 - 1 Mile NW
118	ILSG40000039732	1/2 - 1 Mile NW
Y119	ILSG40000059503	1/2 - 1 Mile WSW
Z120	ILSG40000059292	1/2 - 1 Mile SSE
Z121	ILSG40000059291	1/2 - 1 Mile SSE
Y122	ILSG40000059504	1/2 - 1 Mile WSW
X123	ILSG40000050178	1/2 - 1 Mile NW
X124	ILSG40000050179	1/2 - 1 Mile NW
125	ILSG40000059505	1/2 - 1 Mile WSW
AA126	ILSG40000059508	1/2 - 1 Mile WSW
127	ILSG40000055188	1/2 - 1 Mile NW
Y128	ILSG40000059507	1/2 - 1 Mile WSW
129	ILSG40000039992	1/2 - 1 Mile South
AA130	ILSG40000059509	1/2 - 1 Mile WSW
131	ILSG40000055187	1/2 - 1 Mile WNW
Y132	ILSG40000059506	1/2 - 1 Mile WSW
AB133	ILSG40000054364	1/2 - 1 Mile WNW
AB134	ILSG40000054365	1/2 - 1 Mile WNW
135	ILSG40000045918	1/2 - 1 Mile SE
AC136	ILSG40000040932	1/2 - 1 Mile North
AB137	ILSG40000054363	1/2 - 1 Mile WNW
AC138	ILSG40000042132	1/2 - 1 Mile North

## OTHER STATE DATABASE INFORMATION

### STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	ILOG30000031483	0 - 1/8 Mile ESE

# PHYSICAL SETTING SOURCE MAP - 7841921.47s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

<p>SITE NAME: 9826-M Benson Avenue From Church St To Elgin Road          ADDRESS: Benson Avenue and Church St          Evanston IL 60201          LAT/LONG: 42.049994 / 87.683344</p>	<p>CLIENT: Interra, Inc.          CONTACT: Ashok Guntaka          INQUIRY #: 7841921.47s          DATE: December 06, 2024 1:05 pm</p>
---	---

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 ESE 0 - 1/8 Mile	<a href="#">Click here for full text details</a>	OIL_GAS	ILOG30000031483
A1 WNW 0 - 1/8 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064450
A2 WNW 0 - 1/8 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064451
A3 NW 0 - 1/8 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064452
A4 North 0 - 1/8 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064449
A5 SSW 0 - 1/8 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064447
A6 NNW 0 - 1/8 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064453
A7 WNW 0 - 1/8 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064455
B8 NNW 0 - 1/8 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064448

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
C9 East 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059382
10 SE 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060672
C11 ESE 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037918
B12 NNW 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054369
B13 NNW 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054367
B14 NW 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064454
B15 NNW 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054368
B16 NNW 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054366
C17 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059383

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
18 NNE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	27259
C19 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059384
D20 SE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059328
D21 SE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059327
D22 SE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059326
D23 SE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054375
24 NNE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061714
D25 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059331
D26 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059329

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
E27 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059299
E28 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059431
D29 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059330
F30 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060480
E31 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059429
F32 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060479
F33 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060478
E34 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059430
E35 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059300

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
E36 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059301
G37 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054497
H38 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059700
G39 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054496
F40 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054352
H41 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037920
I42 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059708
J43 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054351
H44 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059702

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
G45 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054495
H46 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059701
E47 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059306
J48 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054355
G49 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059703
K50 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059305
I51 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059707
J52 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054354
J53 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054353

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
I54 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059706
K55 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059304
J56 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054356
K57 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059303
K58 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037919
J59 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054357
K60 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059302
K61 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059325
I62 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059704

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
K63 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059324
64 WNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	62391
K65 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059766
66 NNE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061713
I67 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059705
K68 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059767
K69 SSE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059323
L70 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059763
M71 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059768

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
L72 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059764
L73 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059765
M74 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059770
M75 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059769
N76 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059293
M77 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8886
78 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059771
N79 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059294
80 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040079

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
81 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060639
O82 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060653
O83 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060654
O84 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060652
O85 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060651
O86 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060650
P87 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060649
P88 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060637
P89 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060648

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
Q90 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060638
R91 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059332
R92 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059334
P93 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060633
P94 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060632
P95 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060630
P96 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060631
97 SSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	FRDS PWS	IL0001115
Q98 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060636

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
R99 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059333
Q100 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060655
S101 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061712
T102 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049576
S103 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049565
T104 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042131
U105 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064441
V106 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060635
U107 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064442

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
V108 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060634
109 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040074
W110 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050182
U111 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042130
W112 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050183
W113 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050180
114 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059502
W115 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050181
X116 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050177

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
X117 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050176
118 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039732
Y119 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059503
Z120 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059292
Z121 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059291
Y122 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059504
X123 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050178
X124 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050179
125 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059505

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
AA126 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059508
127 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055188
Y128 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059507
129 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039992
AA130 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059509
131 WNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055187
Y132 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059506
AB133 WNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054364
AB134 WNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054365

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
135 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000045918
AC136 North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040932
AB137 WNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054363
AC138 North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042132
1G WNW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62391
2G NNE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	27259

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: IL Radon

### Radon Test Results

Zipcode	Result
60201	0.7
60201	1.6
60201	0.7
60201	0.9
60201	
60201	0.7
60201	1.1
60201	0.3
60201	0.6
60201	1.6
60201	0.8
60201	1
60201	0.3
60201	1.8

Federal EPA Radon Zone for COOK County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.  
 : Zone 2 indoor average level  $\geq$  2 pCi/L and  $\leq$  4 pCi/L.  
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 60201

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	-0.500 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Illinois State Geological Survey

Telephone: 217-333-4747

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## OTHER STATE DATABASE INFORMATION

### Oil and Gas Wells Listing

Source: Illinois State Geological Survey

Telephone: 217-333-5109

Oil and gas wells location points from the Illinois State Geological Survey database.

### Water Well Records

Source: Illinois Geological Survey

Telephone: 217-333-4747

### Illinois Private Well Database and PICS (Public, Industrial, Commercial Survey)

Source: Illinois State Water Survey

Telephone: 217-333-9043

### Water Well Location Information

Source: Illinois Environmental Protection Agency

Telephone: 217-782-0810

## RADON

### State Database: IL Radon

Source: Department of Nuclear Safety

Telephone: 217-785-9958

County Radon Results

### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix B**  
Sample Location Map

2025 MFT Street Resurfacing Projects  
Benson Avenue from Church Street to Elgin Road  
INTERRA Project No. 9826  
Date: 12/19/2024



Benson-PC-01

Benson-PC-02

**Appendix C**  
Analytical Test Reports

January 13, 2025

INTERRA, Inc.  
INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

RE: 9826 - Evanston Geotech and Environmental 2024  
AAL1402

Metiri Analytical Group Inc, - Geneva received sample(s) on 12/20/2024 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,



Daniel Galeher  
Project Manager



INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

## Notes and Definitions

Item	Definition
------	------------

J	Analyte detected below quantitation limit (QL)
S	Spike Recovery outside accepted recovery limits
U	Analyte included in the analysis, but not detected

General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS: (Surrogate Standard): Quality control compound added to the sample by the lab.
- LA: Lab Accident - No valid data to report.
- VO: Insufficient Volume provided
- BR: Received broken
- IP: Invalid Sampling

Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater



Illinois Department of Public Health Accredited #17585

Illinois Environmental Protection Agency Accredited #100225

## Table of Contents

Qualifiers and Definitions	2
Case Narratives Analyses	4
Sample Results	5
Chain of Custody	16

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

### Analysis Case Narrative

The CCV recovered above the upper control limit for Acetone. Corrective action: None, XAcetone was not detected in the associated samples.

Sample AAL1402-01RE2: S=For Methylene chloride, the Blank Spike percent recovery (125%) was outside laboratory control limits (20% - 123%).

Sample AAL1402-01RE2 recovered outside of control limits for t-Butyl Bromofluorobenzene surrogate.

### Samples in this Report

Lab ID	Sample	Matrix	Date Sampled	Date Received
AAL1402-01	Benson-PC-01	Solid	12/19/2024 09:15	12/20/2024
AAL1402-01	Benson-PC-01	Solid	12/19/2024 09:15	12/20/2024
AAL1402-02	Benson-PC-02	Solid	12/19/2024 10:15	12/20/2024

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

## Sample Results

**Sample: Benson-PC-01**  
**AAL1402-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.150	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.081	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.087	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.064	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.608	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.619	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2,4-Dichlorophenol	ND	0.579	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2,4-Dimethylphenol	ND	0.932	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2,4-Dinitrophenol	ND	1.22	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.104	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.087	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2-Chloronaphthalene	ND	0.098	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2-Chlorophenol	ND	0.550	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2-Methylnaphthalene	ND	0.104	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2-Nitroaniline	ND	0.642	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
2-Nitrophenol	ND	0.654	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.573	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
3-Nitroaniline	ND	0.295	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.573	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.104	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.596	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
4-Chloroaniline	ND	0.457	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.075	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
4-Nitroaniline	ND	0.376	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
4-Nitrophenol	ND	0.527	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Acenaphthene	ND	0.093	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Acenaphthylene	ND	0.081	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Aniline	ND	0.394	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Anthracene	ND	0.069	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Azobenzene	ND	0.058	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Benzidine	ND	0.405	4.82	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Benzo(a)anthracene	ND	0.058	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Benzo(a)pyrene	ND	0.075	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Benzo(b)fluoranthene	ND	0.075	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Benzo(g,h,i)perylene	ND	0.093	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Benzo(k)fluoranthene	ND	0.064	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Benzoic acid	ND	0.660	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Benzyl alcohol	ND	0.712	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.110	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.168	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.139	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Bis(2-ethylhexyl)phthalate	ND	0.683	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Butyl benzyl phthalate	ND	0.677	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Carbazole	ND	0.075	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Chrysene	ND	0.075	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

### Sample Results (Continued)

#### Sample: Benson-PC-01 (Continued) AAL1402-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### SVOC (Continued)

Dibenzo(a,h)anthracene	ND	0.098	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Dibenzofuran	ND	0.087	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Diethyl phthalate	ND	0.567	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Dimethyl phthalate	ND	0.631	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Di-n-butyl phthalate	ND	0.527	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Di-n-octyl phthalate	ND	0.758	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Fluoranthene	ND	0.064	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Fluorene	ND	0.087	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Hexachlorobenzene	ND	0.619	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Hexachlorobutadiene	ND	0.596	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.503	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Hexachloroethane	ND	0.561	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	ND	0.010	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Isophorone	ND	0.009	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
m,p-Cresol	ND	0.137	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Naphthalene	ND	0.087	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
n-Decane	ND	0.631	1.28	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Nitrobenzene	ND	0.069	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
N-nitrosodimethylamine	ND	0.104	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.093	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.160	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
n-Octadecane	ND	0.642	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
O-Cresol	ND	0.133	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Pentachlorophenol	ND	1.01	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Phenanthrene	ND	0.075	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Phenol	ND	0.585	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Pyrene	ND	0.081	0.386	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384
Pyridine	ND	0.399	1.93	mg/kg dry	12/19/24 09:15	01/09/25	5	8270C	BAL1384

Surrogate: 2,4,6-Tribromophenol	56%	38-105	01/09/25	5	8270C
Surrogate: 2-Fluorobiphenyl	76%	40-110	01/09/25	5	8270C
Surrogate: 2-Fluorophenol	75%	41-105	01/09/25	5	8270C
Surrogate: 4-Terphenyl-d14	84%	26-133	01/09/25	5	8270C
Surrogate: Nitrobenzene-d5	68%	27-129	01/09/25	5	8270C
Surrogate: Phenol-d5	74%	43-105	01/09/25	5	8270C

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546

4,4'-DDD	ND	0.000440	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
4,4'-DDE	ND	0.000463	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
4,4'-DDT	ND	0.00121	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Aldrin	ND	0.000220	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
alpha-BHC	ND	0.000382	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
alpha-Chlordane	ND	0.000208	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
beta-BHC	ND	0.000370	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

### Sample Results (Continued)

#### Sample: Benson-PC-01 (Continued) AAL1402-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546 (Continued)

Chlordane, Technical	ND	0.0228	0.0385	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
delta-BHC	ND	0.000220	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Dieldrin	ND	0.000474	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Endosulfan I	ND	0.000185	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Endosulfan II	ND	0.000393	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Endosulfan sulfate	ND	0.000405	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Endrin	ND	0.000497	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Endrin aldehyde	ND	0.000451	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Endrin ketone	ND	0.000532	0.00154	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
gamma-BHC	ND	0.000243	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
gamma-Chlordane	ND	0.000278	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Heptachlor	ND	0.000359	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Heptachlor epoxide	ND	0.000185	0.000771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Methoxychlor	ND	0.00717	0.00771	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
Toxaphene	ND	0.0460	0.0963	mg/kg dry	12/19/24 09:15	12/31/24	1	8081	BAL1377
<i>Surrogate: Decachlorobiphenyl</i>		76%	29-133			12/31/24	1	8081	
<i>Surrogate: Tetrachloro-m-xylene</i>		75%	36-118			12/31/24	1	8081	
AROCLOR 1016	ND	0.004	0.019	mg/kg dry	12/19/24 09:15	12/31/24	1	8082	BAL1377
AROCLOR 1221	ND	0.004	0.019	mg/kg dry	12/19/24 09:15	12/31/24	1	8082	BAL1377
AROCLOR 1232	ND	0.003	0.019	mg/kg dry	12/19/24 09:15	12/31/24	1	8082	BAL1377
AROCLOR 1242	ND	0.004	0.019	mg/kg dry	12/19/24 09:15	12/31/24	1	8082	BAL1377
AROCLOR 1248	ND	0.004	0.019	mg/kg dry	12/19/24 09:15	12/31/24	1	8082	BAL1377
AROCLOR 1254	ND	0.004	0.019	mg/kg dry	12/19/24 09:15	12/31/24	1	8082	BAL1377
AROCLOR 1260	ND	0.008	0.019	mg/kg dry	12/19/24 09:15	12/31/24	1	8082	BAL1377
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		73%	20-142			12/31/24	1	8082	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		72%	22-123			12/31/24	1	8082	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - CVAA

Mercury	ND	0.0426	0.0931	mg/kg dry	12/19/24 09:15	01/06/25	1	7471B	BBA0136
---------	----	--------	--------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Wet Chemistry

pH	9.10	0.100	0.100	pH Units	12/19/24 09:15	12/21/24	1	SW 9045D	BAL1178
Temperature	21.5	1.00	1.00	pH Units	12/19/24 09:15	12/21/24	1	SW 9045D	BAL1178
Percent Moisture	14	0.10	0.10	%	12/19/24 09:15	12/26/24	1	ASTM-D2216	BAL1234

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics - Prep EPA 5035

1,1,1-Trichloroethane	ND	0.000477	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
1,1,2,2-Tetrachloroethane	ND	0.000620	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104

INTERRA, Inc. 600 Territorial Drive, Suite G Bolingbrook, IL 60440	Project: INTERRA - Soil Project Number: 9826 - Evanston Geotech and Environmental 2024 Project Manager: INTERRA, Inc.	Reported: 01/13/2025 14:26
--	---	----------------------------

**Sample Results**  
(Continued)

**Sample: Benson-PC-01 (Continued)**  
**AAL1402-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics - Prep EPA 5035 (Continued)**

1,1,2-Trichloroethane	ND	0.000596	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
1,1-Dichloroethane	ND	0.000537	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
1,1-Dichloroethene	ND	0.000573	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
1,2-Dichloroethane	ND	0.000394	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
1,2-Dichloropropane	ND	0.00196	0.00596	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
2-Butanone	ND	0.00283	0.0239	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
2-Hexanone	ND	0.000883	0.0298	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
4-Methyl-2-pentanone	ND	0.000895	0.0298	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Acetone	ND	0.00633	0.0298	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Benzene	ND	0.000370	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Bromoform	ND	0.00196	0.00596	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Bromomethane	0.00307	0.000549	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Carbon disulfide	ND	0.00179	0.00596	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Carbon tetrachloride	ND	0.000465	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Chlorobenzene	ND	0.000346	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Chloroethane	ND	0.00328	0.00596	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Chloroform	ND	0.000537	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Chloromethane	ND	0.00459	0.00596	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
cis-1,2-Dichloroethene	ND	0.000453	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
cis-1,3-dichloropropene	ND	0.000298	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Dibromochloromethane	ND	0.000513	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Ethylbenzene	ND	0.000465	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
m,p-Xylene	ND	0.000716	0.00239	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Methyl tert-butyl ether	ND	0.000418	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Methylene chloride	0.00351 J	0.00308	0.00596	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
o-Xylene	ND	0.000322	0.00239	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Styrene	ND	0.000346	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Tetrachloroethene	ND	0.000716	0.00239	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Toluene	ND	0.000561	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
trans-1,2-Dichloroethene	ND	0.000441	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
trans-1,3-dichloropropene	ND	0.000310	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Trichloroethene	ND	0.000429	0.00119	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104
Vinyl chloride	ND	0.00123	0.00596	mg/kg dry	12/19/24 09:15	12/30/24	1	8260B	BBA0104

Surrogate: 4-Bromofluorobenzene	149%	S	76-119		12/30/24	1	8260B
Surrogate: Dibromofluoromethane	96%		66-137		12/30/24	1	8260B
Surrogate: Toluene-d8	97%		80-120		12/30/24	1	8260B

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics**

Total 1,3-Dichloropropene	ND	0.000298	0.00119	mg/kg Dry	12/19/24 09:15	12/30/24	1	8260B	[CALC]
Total Xylenes	ND	0.000322	0.00239	mg/kg Dry	12/19/24 09:15	12/30/24	1	8260B	[CALC]

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document. No duplication of this report is allowed, except in its entirety.

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

## Sample Results (Continued)

**Sample: Benson-PC-01 (Continued)**  
**AAL1402-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

### Metals - ICP

Arsenic	2.10 J	0.314	4.76	mg/kg Dry	12/19/24 09:15	12/23/24	1	6010B	BAL1200
Barium	18.8	0.505	2.38	mg/kg Dry	12/19/24 09:15	12/23/24	1	6010B	BAL1200
Cadmium	ND	0.0286	0.238	mg/kg Dry	12/19/24 09:15	12/23/24	1	6010B	BAL1200
Chromium	6.55	0.0829	0.238	mg/kg Dry	12/19/24 09:15	12/23/24	1	6010B	BAL1200
Lead	7.38	0.200	1.19	mg/kg Dry	12/19/24 09:15	12/23/24	1	6010B	BAL1200
Selenium	ND	0.343	4.76	mg/kg Dry	12/19/24 09:15	12/23/24	1	6010B	BAL1200
Silver	ND	0.248	0.476	mg/kg Dry	12/19/24 09:15	12/23/24	1	6010B	BAL1200

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

### Sample Results (Continued)

**Sample: Benson-PC-02**  
**AAL1402-02 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.143	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.077	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.083	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.061	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.579	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.590	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2,4-Dichlorophenol	ND	0.551	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2,4-Dimethylphenol	ND	0.887	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2,4-Dinitrophenol	ND	1.16	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.099	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.083	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2-Chloronaphthalene	ND	0.094	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2-Chlorophenol	ND	0.524	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2-Methylnaphthalene	ND	0.099	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2-Nitroaniline	ND	0.612	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
2-Nitrophenol	ND	0.623	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.546	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
3-Nitroaniline	ND	0.281	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.546	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.099	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.568	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
4-Chloroaniline	ND	0.435	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.072	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
4-Nitroaniline	ND	0.358	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
4-Nitrophenol	ND	0.502	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Acenaphthene	0.573	0.088	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Acenaphthylene	0.219 J	0.077	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Aniline	ND	0.375	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Anthracene	6.38	0.066	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Anthracene	6.19	0.661	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Azobenzene	ND	0.055	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Benzidine	ND	0.386	4.59	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Benzo(a)anthracene	24.1	0.551	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Benzo(a)pyrene	19.5	0.072	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Benzo(a)pyrene	19.5	0.717	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Benzo(b)fluoranthene	27.4	0.717	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Benzo(g,h,i)perylene	11.5	0.088	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Benzo(g,h,i)perylene	11.1	0.882	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Benzo(k)fluoranthene	8.58	0.061	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Benzo(k)fluoranthene	9.99	0.606	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Benzoic acid	ND	0.628	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Benzyl alcohol	ND	0.678	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.105	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.160	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.132	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

### Sample Results (Continued)

#### Sample: Benson-PC-02 (Continued) AAL1402-02 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC (Continued)</b>									
Bis(2-ethylhexyl)phthalate	ND	0.650	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Butyl benzyl phthalate	ND	0.645	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Carbazole	0.742	0.072	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Carbazole	ND	0.717	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Chrysene	21.3	0.717	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Dibenzo(a,h)anthracene	3.35	0.094	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Dibenzo(a,h)anthracene	3.11 J	0.937	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Dibenzofuran	0.263 J	0.083	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Diethyl phthalate	ND	0.540	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Dimethyl phthalate	ND	0.601	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Di-n-butyl phthalate	ND	0.502	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Di-n-octyl phthalate	ND	0.722	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Fluoranthene	51.4	0.606	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Fluorene	1.16	0.083	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Fluorene	1.10 J	0.827	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Hexachlorobenzene	ND	0.590	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Hexachlorobutadiene	ND	0.568	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.480	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Hexachloroethane	ND	0.535	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	12.0	0.009	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	11.0	0.094	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Isophorone	ND	0.009	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
m,p-Cresol	ND	0.131	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Naphthalene	0.162 J	0.083	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
n-Decane	ND	0.601	1.22	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Nitrobenzene	ND	0.066	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
N-nitrosodimethylamine	ND	0.099	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.088	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.152	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
n-Octadecane	ND	0.612	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
O-Cresol	ND	0.127	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Pentachlorophenol	ND	0.965	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Phenanthrene	17.7	0.072	0.368	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Phenanthrene	17.5	0.717	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Phenol	ND	0.557	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
Pyrene	36.5	0.772	3.68	mg/kg dry	12/19/24 10:15	01/10/25	50	8270C	BAL1384
Pyridine	ND	0.380	1.84	mg/kg dry	12/19/24 10:15	01/09/25	5	8270C	BAL1384
<hr/>									
Surrogate: 2,4,6-Tribromophenol		66%	38-105			01/09/25	5	8270C	
Surrogate: 2-Fluorobiphenyl		72%	40-110			01/09/25	5	8270C	
Surrogate: 2-Fluorophenol		72%	41-105			01/09/25	5	8270C	
Surrogate: 4-Terphenyl-d14		82%	26-133			01/09/25	5	8270C	
Surrogate: Nitrobenzene-d5		68%	27-129			01/09/25	5	8270C	
Surrogate: Phenol-d5		72%	43-105			01/09/25	5	8270C	

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

**Sample Results**  
(Continued)

**Sample: Benson-PC-02 (Continued)**  
**AAL1402-02 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Semivolatile Organics - Prep EPA 3546**

4,4'-DDD	ND	0.000418	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
4,4'-DDE	ND	0.000440	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
4,4'-DDT	ND	0.00115	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Aldrin	ND	0.000209	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
alpha-BHC	ND	0.000363	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
alpha-Chlordane	ND	0.000198	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
beta-BHC	ND	0.000352	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Chlordane, Technical	ND	0.0217	0.0366	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
delta-BHC	ND	0.000209	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Dieldrin	ND	0.000451	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Endosulfan I	ND	0.000176	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Endosulfan II	ND	0.000374	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Endosulfan sulfate	ND	0.000385	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Endrin	ND	0.000473	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Endrin aldehyde	ND	0.000429	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Endrin ketone	ND	0.000506	0.00146	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
gamma-BHC	ND	0.000231	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
gamma-Chlordane	ND	0.000264	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Heptachlor	ND	0.000341	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Heptachlor epoxide	ND	0.000176	0.000733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Methoxychlor	ND	0.00682	0.00733	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
Toxaphene	ND	0.0438	0.0916	mg/kg dry	12/19/24 10:15	12/31/24	1	8081	BAL1377
<i>Surrogate: Decachlorobiphenyl</i>		<i>79%</i>	<i>29-133</i>			<i>12/31/24</i>	<i>1</i>	<i>8081</i>	
<i>Surrogate: Tetrachloro-m-xylene</i>		<i>66%</i>	<i>36-118</i>			<i>12/31/24</i>	<i>1</i>	<i>8081</i>	
AROCLOR 1016	ND	0.004	0.018	mg/kg dry	12/19/24 10:15	12/31/24	1	8082	BAL1377
AROCLOR 1221	ND	0.004	0.018	mg/kg dry	12/19/24 10:15	12/31/24	1	8082	BAL1377
AROCLOR 1232	ND	0.003	0.018	mg/kg dry	12/19/24 10:15	12/31/24	1	8082	BAL1377
AROCLOR 1242	ND	0.003	0.018	mg/kg dry	12/19/24 10:15	12/31/24	1	8082	BAL1377
AROCLOR 1248	ND	0.004	0.018	mg/kg dry	12/19/24 10:15	12/31/24	1	8082	BAL1377
AROCLOR 1254	ND	0.004	0.018	mg/kg dry	12/19/24 10:15	12/31/24	1	8082	BAL1377
AROCLOR 1260	ND	0.007	0.018	mg/kg dry	12/19/24 10:15	12/31/24	1	8082	BAL1377
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		<i>55%</i>	<i>20-142</i>			<i>12/31/24</i>	<i>1</i>	<i>8082</i>	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		<i>54%</i>	<i>22-123</i>			<i>12/31/24</i>	<i>1</i>	<i>8082</i>	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Metals - CVAA**

Mercury	ND	0.0393	0.0859	mg/kg dry	12/19/24 10:15	01/06/25	1	7471B	BBA0136
---------	----	--------	--------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Wet Chemistry**

pH	9.59	0.100	0.100	pH Units	12/19/24 10:15	12/21/24	1	SW 9045D	BAL1178
Temperature	21.5	1.00	1.00	pH Units	12/19/24 10:15	12/21/24	1	SW 9045D	BAL1178

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document. No duplication of this report is allowed, except in its entirety.

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

### Sample Results (Continued)

#### Sample: Benson-PC-02 (Continued) AAL1402-02 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Wet Chemistry (Continued)

Percent Moisture	9.4	0.10	0.10	%	12/19/24 10:15	12/26/24	1	ASTM-D2216	BAL1234
------------------	-----	------	------	---	----------------	----------	---	------------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics - Prep EPA 5035

1,1,1-Trichloroethane	ND	0.000372	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
1,1,2,2-Tetrachloroethane	ND	0.000483	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
1,1,2-Trichloroethane	ND	0.000465	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
1,1-Dichloroethane	ND	0.000418	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
1,1-Dichloroethene	ND	0.000446	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
1,2-Dichloroethane	ND	0.000307	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
1,2-Dichloropropane	ND	0.00152	0.00465	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
2-Butanone	0.00384 J	0.00220	0.0186	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
2-Hexanone	ND	0.000688	0.0232	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
4-Methyl-2-pentanone	ND	0.000697	0.0232	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Acetone	ND	0.00494	0.0232	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Benzene	ND	0.000288	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Bromoform	ND	0.00152	0.00465	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Bromomethane	ND	0.000428	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Carbon disulfide	ND	0.00139	0.00465	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Carbon tetrachloride	ND	0.000363	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Chlorobenzene	ND	0.000270	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Chloroethane	ND	0.00256	0.00465	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Chloroform	ND	0.000418	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Chloromethane	ND	0.00358	0.00465	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
cis-1,2-Dichloroethene	ND	0.000353	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
cis-1,3-dichloropropene	ND	0.000232	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Dibromochloromethane	ND	0.000400	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Ethylbenzene	ND	0.000363	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
m,p-Xylene	ND	0.000558	0.00186	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Methyl tert-butyl ether	ND	0.000325	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Methylene chloride	ND	0.00240	0.00465	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
o-Xylene	ND	0.000251	0.00186	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Styrene	ND	0.000270	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Tetrachloroethene	ND	0.000558	0.00186	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Toluene	ND	0.000437	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
trans-1,2-Dichloroethene	ND	0.000344	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
trans-1,3-dichloropropene	ND	0.000242	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Trichloroethene	ND	0.000335	0.000930	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459
Vinyl chloride	ND	0.000958	0.00465	mg/kg dry	12/19/24 10:15	12/30/24	1	8260B	BAL1459

Surrogate: 4-Bromofluorobenzene

104%

76-119

12/30/24

1

8260B

Surrogate: Dibromofluoromethane

96%

66-137

12/30/24

1

8260B

Surrogate: Toluene-d8

103%

80-120

12/30/24

1

8260B

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

## Sample Results (Continued)

### Sample: Benson-PC-02 (Continued) AAL1402-02 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics

Total 1,3-Dichloropropene	ND	0.000232	0.000930	mg/kg Dry dry	12/19/24 10:15	12/30/24	1	8260B	[CALC]
Total Xylenes	ND	0.000251	0.00186	mg/kg Dry dry	12/19/24 10:15	12/30/24	1	8260B	[CALC]

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - ICP

Arsenic	13.8	0.330	5.00	mg/kg Dry	12/19/24 10:15	12/23/24	1	6010B	BAL1200
Barium	18.7	0.530	2.50	mg/kg Dry	12/19/24 10:15	12/23/24	1	6010B	BAL1200
Cadmium	ND	0.0300	0.250	mg/kg Dry	12/19/24 10:15	12/23/24	1	6010B	BAL1200
Chromium	7.15	0.0870	0.250	mg/kg Dry	12/19/24 10:15	12/23/24	1	6010B	BAL1200
Lead	4.34	0.210	1.25	mg/kg Dry	12/19/24 10:15	12/23/24	1	6010B	BAL1200
Selenium	ND	0.360	5.00	mg/kg Dry	12/19/24 10:15	12/23/24	1	6010B	BAL1200
Silver	ND	0.260	0.500	mg/kg Dry	12/19/24 10:15	12/23/24	1	6010B	BAL1200

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

*8260 SRP Package*

---

8260 SRP





**STATE OF ILLINOIS**  
**ENVIRONMENTAL PROTECTION AGENCY**  
**NELAP - RECOGNIZED**  
**ENVIRONMENTAL LABORATORY ACCREDITATION**

is hereby granted to

**Suburban Laboratories**  
**1950 South Batavia Ave., Suite 150**  
**Geneva, IL 60134**

**NELAP ACCREDITED**

Accreditation Number #100225



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose  
 Supervisor  
 Environmental Laboratory Accreditation Program

Certificate No: 1002252024-26

Expiration Date: 10/31/2025

Issued On: 10/30/2024



600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra Project No: 9826

2/13/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

**Environmental Report**  
2025 MFT Improvement Projects  
Cleveland Street from Dead End West to Brown Avenue  
City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this report on environmental sampling and analytical testing performed at the above referenced project in Evanston, Illinois. We understand that the purpose of the investigation is to aid in soil management during construction.

**Scope of Work**

The scope of work included review of readily available historical documents to identify past land use and selection of parameters for analytical testing; collection of one (1) soil sample for analytical testing; and determination of soil management options based on analytical test results.

**Historical Document Review**

A review of the Federal, State and Local databases was performed to identify past land use and recognized environmental conditions on or near the property. Potentially Impacted Properties (PIP) identified in the vicinity of the site included Leaking Underground Storage Tanks (LUST), Site Remediation Program (SRP), Institutional Control, and spills. Historical reports reviewed are included in Appendix A.

### **Field Work**

Boreholes for collecting environmental samples were located in the field by INTERRA. The drilling sub-contractor, Geocon Professional Services (GEOCON) obtained underground utility clearances prior to drilling. Drilling was performed on 12/19/2024. Soil sampling was performed at 2.5-foot intervals up to the planned exploration depth of 10 feet. Soil sampling was performed using decontaminated split-spoon sampler. All soil samples were field screened using a Minirae 2020 Plus (photoionization detector) to aid in sample selection for analytical testing. Field screening did not indicate the presence of VOC contamination. Sample Location Map is presented in Appendix B of this report.

Soil grab samples for environmental analysis were chosen between the 0.0 to 5.0 feet interval. INTERRA collected and preserved the environmental soil sample in accordance with applicable SW 846 methods and transported them to the NELAC accredited Suburban Laboratories for analytical testing.

### **Analytical Testing**

The soil samples were analyzed for the contaminants of concern identified based on Historical Document review. Based on this, the sample was tested for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), total RCRA Metals, Pesticides, PCBs and pH. The sample analytical test reports are presented in Appendix C of this report.

### **Conclusions and Recommendations**

The analytical results were compared to 35 ILL. Adm. Code 1100, "Maximum Allowable Concentrations (MAC) of chemical constituents in Uncontaminated Soil used as fill in a Clean Construction & Demolition Debris (CCDD) or "Uncontaminated Soil Fill Operation" and Illinois Tiered Approach to Corrective Action Objectives (TACO) Residential Soil Remediation Objectives in accordance with Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022).

Sample Cleveland-PC-01 encountered contaminants of concern above the CCDD and TACO regulatory limits specified in Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022). Exceedances are summarized in the table below.

**Table 1: Exceedance Table**

Sample Number	Exceeding Constituent	Results (mg/kg)*	CCDD MAC Values			TACO Tier 1 Residential SROs		SCGW SRO Class 1 (mg/kg)	Construction Worker SRO	
			Most Stringent	Chicago	MSA	Ingestion (mg/kg)	Inhalation (mg/kg)		Ingestion (mg/kg)	Inhalation (mg/kg)
Church-SGB-02	Benzo(a)anthracene	1.99	0.9	1.1	1.8	1.8	NC	2	170	NC
	Benzo(a)pyrene	1.94	0.09	1.3	2.1	2.1	NC	8	17	NC
	Benzo(b)fluoranthene	2.43	0.9	1.5	2.1	2.1	NC	5	170	NC
	Dibenzo(a,h)anthracene	0.3	0.09	0.2	0.42	0.42	NC	2	17	NC
	Indeno(1,2,3-cd)pyrene	1.17	0.9	0.9	1.6	1.6	NC	14	170	NC
	pH*	9.04	6.25-9.0							

**Notes:**

- Regulatory limit exceeded
- \* pH is unitless
- NC No toxicity criteria for this exposure route

Based on the exceedance shown in Table 1, the soil shall be managed according to Article 669.05 (a) (5) of IDOT Standard Specifications. LPC 663 form for this area is not provided since the material shall be managed as non-special waste and disposed of at a subtitle D landfill.


We appreciate the opportunity to be of service to you. Should you need additional information or clarifications, please call us at (630) 754-8700.

Yours truly,

**Interra, Inc.**

  
 Supraja Reddy, Ph.D., PE  
 Geotechnical Engineer

  
 Ashok Guntaka, EI  
 Project Manager

  
 Sanjeev Bandi, Ph.D., PE  
 Principal Engineer

**APPENDIX A**  
Historical Reports

**9826-T Cleveland St From Dead End W To Brown Ave**

Cleveland Street and Dead End Wes

Evanston, IL 60202

Inquiry Number: 7841921.82s

December 06, 2024

## EDR Summary Radius Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	543
Government Records Searched/Data Currency Tracking .....	GR-1
 <b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-8
Physical Setting Source Map Findings .....	A-9
Physical Setting Source Records Searched .....	PSGR-1

*Thank you for your business.*  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

CLEVELAND STREET AND DEAD END WES  
EVANSTON, IL 60202

#### COORDINATES

Latitude (North): 42.0301850 - 42° 1' 48.66"  
Longitude (West): 87.7023070 - 87° 42' 8.30"  
Universal Transverse Mercator: Zone 16  
UTM X (Meters): 441862.3  
UTM Y (Meters): 4653152.5  
Elevation: 598 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: TP  
Source: U.S. Geological Survey

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20190802  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
 CLEVELAND STREET AND DEAD END WES  
 EVANSTON, IL 60202

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">A1</a>	ETHYL MOLDED PRODUCT		PFAS ECHO	Higher	623, 0.118, SW
<a href="#">A2</a>	VOGUE FABRICS	618 HARTREY AVENUE	IL LUST	Higher	679, 0.129, SW
<a href="#">A3</a>	VOGUE FABRICS	618 HARTREY AVE.	IL UST	Higher	679, 0.129, SW
<a href="#">A4</a>	ETHYL MOLDED PRODUCT	618 HARTREY	RCRA NonGen / NLR, FINDS, ECHO	Higher	679, 0.129, SW
<a href="#">A5</a>	VOGUE FABRICS	618 HARTREY AVENUE	UST FINDER RELEASE	Higher	679, 0.129, SW
<a href="#">B6</a>	CHUNG, HANH	626 HARTREY AVENUE	IL LUST, IL SPILLS, IL AIRS, IL BOL	Lower	761, 0.144, WSW
<a href="#">B7</a>	CHUNG, HANH	626 HARTREY AVENUE	UST FINDER RELEASE	Lower	761, 0.144, WSW
<a href="#">B8</a>	WAREHOUSE	626 HARTREY AVENUE	IL UST	Lower	761, 0.144, WSW
<a href="#">9</a>	616 HARTREY AVENUE-L	616 HARTREY AVENUE	IL ENG CONTROLS, IL INST CONTROL, IL SRP, IL BOL	Higher	793, 0.150, SW
<a href="#">10</a>	LIFTOMATIC	2224 CLEVELAND	RCRA-VSQQ, FINDS, ECHO	Lower	842, 0.159, West
<a href="#">C11</a>	ROOT INC.	600 HARTNEY	IL UST	Higher	931, 0.176, SW
<a href="#">D12</a>	M&P INVESTMENTS	730 PITNER	UST FINDER RELEASE	Lower	944, 0.179, WNW
<a href="#">D13</a>	WAL-MART	730 PITNER AVE.	UST FINDER RELEASE	Lower	944, 0.179, WNW
<a href="#">D14</a>	MAP INVESTMENTS INC	730 PITNER AVE	IL UST	Lower	944, 0.179, WNW
<a href="#">D15</a>	M&P INVESTMENTS	730 PITNER	IL LUST	Lower	944, 0.179, WNW
<a href="#">D16</a>	MAP INVESTMENTS INC	730 PITNER AVE	UST FINDER	Lower	944, 0.179, WNW
<a href="#">C17</a>	TA AUTO BODY	550 HARTREY AVE	RCRA-VSQQ	Higher	952, 0.180, SW
<a href="#">18</a>	A SUBURBAN AUTO WREC	640 PITNER	RCRA NonGen / NLR, FINDS, ECHO	Lower	978, 0.185, West
<a href="#">19</a>	HEATH & MILLIGAN	1833 SEWARD ST	SEMS-ARCHIVE	Higher	1146, 0.217, ESE
<a href="#">E20</a>	SAM'S CLUB	2450 MAIN ST	RCRA-SQG, E MANIFEST	Lower	1168, 0.221, WNW
<a href="#">E21</a>	SAM'S CLUB #6444	2450 MAIN ST.	IL UST, IL BOL	Lower	1168, 0.221, WNW
<a href="#">E22</a>		2450 MAIN ST	MI MANIFEST	Lower	1168, 0.221, WNW
<a href="#">E23</a>	SAM'S CLUB #6444	2450 MAIN ST.	UST FINDER	Lower	1168, 0.221, WNW
<a href="#">24</a>	HOME DEPOT #1902	2201 OAKTON ST	RCRA-SQG, FINDS, ECHO, E MANIFEST	Higher	1219, 0.231, SSW
<a href="#">F25</a>	MAIN ASSOCIATES, LLC	836-848 DODGE AVENUE	IL ENG CONTROLS, IL INST CONTROL, IL SRP, IL BOL	Higher	1270, 0.241, NE
<a href="#">26</a>	WARD MFG	2230 MAIN ST	RCRA-VSQQ, FINDS, ECHO	Lower	1301, 0.246, NW
<a href="#">F27</a>	MAIN ASSOCIATES, LLC	846 DODGE	IL UST	Higher	1302, 0.247, NE
<a href="#">F28</a>	CLEANER PLUS	839 DODGE	RCRA-SQG, FINDS, ECHO	Higher	1318, 0.250, NE
<a href="#">F29</a>		839 DODGE	MI MANIFEST	Higher	1318, 0.250, NE
<a href="#">F30</a>	839 DODGE AVENUE, LL	839 DODGE AVENUE	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	1318, 0.250, NE
<a href="#">G31</a>	ANIXTER	2201 WEST MAIN ST.	UST FINDER RELEASE	Higher	1427, 0.270, NNW
<a href="#">G32</a>	ANIXTER	2201 WEST MAIN ST.	IL LUST	Higher	1427, 0.270, NNW
<a href="#">H33</a>	EVANSTON ANIMAL SHEL	2310 OAKTON AVENUE	US BROWNFIELDS, FINDS, ECHO	Higher	1472, 0.279, SSW
<a href="#">H34</a>	EVANSTON ANIMAL HOSP	2310 OAKTON STREET	IL BROWNFIELDS	Higher	1472, 0.279, SSW
<a href="#">I35</a>	ADDISON STEEL INC	2225 MAIN ST	UST FINDER, UST FINDER RELEASE	Higher	1492, 0.283, NNW
<a href="#">I36</a>	ADDISON STEEL, INC.	2225 MAIN ST.	IL LUST	Higher	1492, 0.283, NNW
<a href="#">J37</a>	SHELL OIL PRODUCTS U	500 DODGE AVENUE	UST FINDER RELEASE	Higher	1495, 0.283, SSE
<a href="#">J38</a>	SHELL OIL CO.	500 DODGE ST.	IL LUST, IL SPILLS	Higher	1495, 0.283, SSE
<a href="#">J39</a>	SHELL OIL CO.	500 DODGE ST.	UST FINDER RELEASE	Higher	1495, 0.283, SSE

MAPPED SITES SUMMARY

Target Property Address:  
 CLEVELAND STREET AND DEAD END WES  
 EVANSTON, IL 60202

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">40</a>	1818-1820 MAIN STREE	1818-1820 MAIN STREE	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	1642, 0.311, NE
<a href="#">K41</a>	MAIN-DODGE LLC	900 DODGE AVE.	UST FINDER RELEASE	Higher	1643, 0.311, NNE
<a href="#">K42</a>	MICHAEL STUMPF	900 DODGE STREET	IL LUST, IL ENG CONTROLS, IL INST CONTROL, IL SRP,...	Higher	1643, 0.311, NNE
<a href="#">43</a>	GREENWISE ORGANIC LA	2215 MAIN STREET	IL ENG CONTROLS, IL INST CONTROL, IL SRP, IL BOL	Higher	1752, 0.332, NNW
<a href="#">44</a>	JOHNSON TREE EXPERTS	912 PITNER AVE	IL LUST, IL SPILLS, IL BOL	Higher	1798, 0.341, NNW
<a href="#">L45</a>	RUST OLEUM CORP EVAN	2301 OAKTON ST	SEMS-ARCHIVE, CORRACTS, RCRA-TSDF, RCRA NonGen /..	Higher	1886, 0.357, SW
<a href="#">L46</a>	RUST OLIUM CORP.	2301 OAKTON ST.	UST FINDER RELEASE	Higher	1886, 0.357, SW
<a href="#">L47</a>	RUST-OLEUM CORP.	2301 OAKTON ST	IL LUST, ICIS, FINDS, ECHO, IL AIRS	Higher	1886, 0.357, SW
<a href="#">M48</a>	KAP-SUM PROPERTIES L	2402 WEST MAIN STREE	IL LUST	Lower	1891, 0.358, NW
<a href="#">M49</a>	KAP-SUM PROPERTIES L	2402 WEST MAIN STREE	UST FINDER RELEASE	Lower	1891, 0.358, NW
<a href="#">N50</a>	ILLINOIS BELL TELEPH	921 PITNER	UST FINDER RELEASE	Higher	1894, 0.359, NNW
<a href="#">N51</a>	AMERITECH	921 PITNER	UST FINDER RELEASE	Higher	1894, 0.359, NNW
<a href="#">N52</a>	IL BELL TELEPHONE CO	921 PITNER	IL LUST, IL UST, IL BOL	Higher	1894, 0.359, NNW
<a href="#">O53</a>	PITNER PARTNERSHIP	930 PITNER	IL LUST, IL SPILLS, IL BOL	Higher	1987, 0.376, NNW
<a href="#">O54</a>	PITNER PARTNERSHIP	930 PITNER	UST FINDER RELEASE	Higher	1987, 0.376, NNW
<a href="#">P55</a>	RILEY-GEEHR INC.	2205 LEE ST.	UST FINDER RELEASE	Higher	2039, 0.386, NNW
<a href="#">P56</a>	RILEY-GEEHR INC.	2205 LEE ST.	IL LUST, IL AIRS, IL BOL	Higher	2039, 0.386, NNW
<a href="#">Q57</a>	C.E. NIEHOFF & CO.	2021 LEE ST.	IL LUST, IL AIRS, IL ASBESTOS, IL BOL	Higher	2057, 0.390, North
<a href="#">Q58</a>	C.E. NIEHOFF & CO.	2021 LEE ST.	UST FINDER RELEASE	Higher	2057, 0.390, North
<a href="#">R59</a>	PACE	2424 WEST OAKTON ST.	UST FINDER RELEASE	Higher	2069, 0.392, SW
<a href="#">R60</a>	BELMONT STEEL CORP.	2424 OAKTON	UST FINDER RELEASE	Higher	2069, 0.392, SW
<a href="#">R61</a>	BELMONT STEEL CORP.	2424 OAKTON	IL LUST, IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	2069, 0.392, SW
<a href="#">R62</a>	PACE	2424 WEST OAKTON ST.	IL LUST	Higher	2069, 0.392, SW
<a href="#">63</a>	C.E. NIEHOFF & CO..	1000 GREY ST.	IL LUST, IL BOL	Higher	2119, 0.401, North
<a href="#">64</a>	MISSION PROPERTIES	2400 OAKTON STREET	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	2222, 0.421, SW
<a href="#">S65</a>	U.S. ROBOTICS	8100 NORTH MCCORMICK	IL LUST, IL INST CONTROL, IL SRP, IL AIRS, IL BOL	Lower	2474, 0.469, West
<a href="#">S66</a>	U.S. ROBOTICS	8100 NORTH MCCORMICK	UST FINDER RELEASE	Lower	2474, 0.469, West
<a href="#">S67</a>	BEST CUTTING DIE	8080 MCCORMICK	UST FINDER RELEASE	Lower	2505, 0.474, West
<a href="#">S68</a>	BEST CUTTING DIE CO	8080 MCCORMICK BLVD	IL LUST, IL UST, IL BOL	Lower	2505, 0.474, West
<a href="#">T69</a>	DEVAN REALTY CO., RH	2200 GREENLEAF AVE.	UST FINDER RELEASE	Lower	2621, 0.496, North
<a href="#">T70</a>	PNEU-FAST CO THE	2200 GREENLEAF	IL LUST, RCRA NonGen / NLR, FINDS, ECHO	Lower	2621, 0.496, North
<a href="#">71</a>	COMM ED TSS 85	MCCORMICK AND OAKTON	EDR MGP	Lower	2865, 0.543, WSW
<a href="#">72</a>	MWRD OF GREATER CHIC	3501 OAKTON STREET	EDR MGP	Lower	3319, 0.629, SW

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of Federal CERCLA sites with NFRAP***

SEMS-ARCHIVE: A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 09/25/2024 has revealed that there are 2 SEMS-ARCHIVE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HEATH & MILLIGAN Site ID: 0501080 EPA Id: ILD981536089	1833 SEWARD ST	ESE 1/8 - 1/4 (0.217 mi.)	19	12
<b><i>RUST OLEUM CORP EVAN</i></b> Site ID: 0507322 EPA Id: ILD094748571	<b><i>2301 OAKTON ST</i></b>	<b><i>SW 1/4 - 1/2 (0.357 mi.)</i></b>	<b><i>L45</i></b>	<b><i>19</i></b>

### ***Lists of Federal RCRA facilities undergoing Corrective Action***

CORRACTS: A review of the CORRACTS list, as provided by EDR, and dated 06/03/2024 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>RUST OLEUM CORP EVAN</i></b> EPA ID:: ILD094748571	<b><i>2301 OAKTON ST</i></b>	<b><i>SW 1/4 - 1/2 (0.357 mi.)</i></b>	<b><i>L45</i></b>	<b><i>19</i></b>

## EXECUTIVE SUMMARY

### ***Lists of Federal RCRA TSD facilities***

RCRA-TSDF: A review of the RCRA-TSDF list, as provided by EDR, and dated 06/03/2024 has revealed that there is 1 RCRA-TSDF site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>RUST OLEUM CORP EVAN</b> EPA ID:: ILD094748571	<b>2301 OAKTON ST</b>	<b>SW 1/4 - 1/2 (0.357 mi.)</b>	<b>L45</b>	<b>19</b>

### ***Lists of Federal RCRA generators***

RCRA-SQG: A review of the RCRA-SQG list, as provided by EDR, and dated 06/03/2024 has revealed that there are 3 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>HOME DEPOT #1902</b> EPA ID:: ILR000018119	<b>2201 OAKTON ST</b>	<b>SSW 1/8 - 1/4 (0.231 mi.)</b>	<b>24</b>	<b>13</b>
<b>CLEANER PLUS</b> EPA ID:: ILD981783426	<b>839 DODGE</b>	<b>NE 1/8 - 1/4 (0.250 mi.)</b>	<b>F28</b>	<b>15</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>SAM'S CLUB</b> EPA ID:: ILR000029306	<b>2450 MAIN ST</b>	<b>WNW 1/8 - 1/4 (0.221 mi.)</b>	<b>E20</b>	<b>12</b>

RCRA-VSQG: A review of the RCRA-VSQG list, as provided by EDR, and dated 06/03/2024 has revealed that there are 3 RCRA-VSQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>TA AUTO BODY</b> EPA ID:: ILR000133546	<b>550 HARTREY AVE</b>	<b>SW 1/8 - 1/4 (0.180 mi.)</b>	<b>C17</b>	<b>12</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>LIFTOMATIC</b> EPA ID:: ILD984875054	<b>2224 CLEVELAND</b>	<b>W 1/8 - 1/4 (0.159 mi.)</b>	<b>10</b>	<b>10</b>
<b>WARD MFG</b> EPA ID:: ILR000011510	<b>2230 MAIN ST</b>	<b>NW 1/8 - 1/4 (0.246 mi.)</b>	<b>26</b>	<b>14</b>

## EXECUTIVE SUMMARY

### *Lists of state and tribal leaking storage tanks*

IL LUST: A review of the IL LUST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 20 IL LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VOGUE FABRICS NFA/NFR Letter: 12/24/2013 Incident Num: 20131005 IL EPA Id: 0310815353	618 HARTREY AVENUE	SW 1/8 - 1/4 (0.129 mi.)	A2	8
ANIXTER NFA/NFR Letter: 7/11/1996 Incident Num: 952137 IL EPA Id: 0310815003	2201 WEST MAIN ST.	NNW 1/4 - 1/2 (0.270 mi.)	G32	16
ADDISON STEEL, INC. Incident Num: 20011399 IL EPA Id: 0310815240	2225 MAIN ST.	NNW 1/4 - 1/2 (0.283 mi.)	I36	16
<b>SHELL OIL CO.</b> NFA/NFR Letter: 12/23/2010 NFA/NFR Letter: 6/4/1996 Incident Num: 20051280 Incident Num: 932874 IL EPA Id: 0310815140	<b>500 DODGE ST.</b>	<b>SSE 1/4 - 1/2 (0.283 mi.)</b>	<b>J38</b>	<b>17</b>
<b>MICHAEL STUMPF</b> Incident Num: 971830 IL EPA Id: 0310815193	<b>900 DODGE STREET</b>	<b>NNE 1/4 - 1/2 (0.311 mi.)</b>	<b>K42</b>	<b>18</b>
<b>JOHNSON TREE EXPERTS</b> Incident Num: 20210169 IL EPA Id: 0310815199	<b>912 PITNER AVE</b>	<b>NNW 1/4 - 1/2 (0.341 mi.)</b>	<b>44</b>	<b>19</b>
<b>RUST-OLEUM CORP.</b> Incident Num: 900045 IL EPA Id: 0310810002	<b>2301 OAKTON ST</b>	<b>SW 1/4 - 1/2 (0.357 mi.)</b>	<b>L47</b>	<b>20</b>
<b>IL BELL TELEPHONE CO</b> NFA/NFR Letter: 7/3/2002 NFA/NFR Letter: 8/8/1990 Incident Num: 971707 Incident Num: 891621 IL EPA Id: 0310815068	<b>921 PITNER</b>	<b>NNW 1/4 - 1/2 (0.359 mi.)</b>	<b>N52</b>	<b>21</b>
<b>PITNER PARTNERSHIP</b> NFA/NFR Letter: 8/3/2005 Incident Num: 20041742 IL EPA Id: 0310815275	<b>930 PITNER</b>	<b>NNW 1/4 - 1/2 (0.376 mi.)</b>	<b>O53</b>	<b>21</b>
<b>RILEY-GEEHR INC.</b> NFA/NFR Letter: 3/14/1994 Incident Num: 930152 IL EPA Id: 0310815142	<b>2205 LEE ST.</b>	<b>NNW 1/4 - 1/2 (0.386 mi.)</b>	<b>P56</b>	<b>22</b>
<b>C.E. NIEHOFF &amp; CO.</b> NFA/NFR Letter: 12/13/1994 Incident Num: 911912 IL EPA Id: 0310815114	<b>2021 LEE ST.</b>	<b>N 1/4 - 1/2 (0.390 mi.)</b>	<b>Q57</b>	<b>22</b>
<b>BELMONT STEEL CORP.</b>	<b>2424 OAKTON</b>	<b>SW 1/4 - 1/2 (0.392 mi.)</b>	<b>R61</b>	<b>23</b>

## EXECUTIVE SUMMARY

NFA/NFR Letter: 10/7/1994  
 Incident Num: 913250  
 IL EPA Id: 0310815121

PACE NFA/NFR Letter: 2/17/2009 Incident Num: 911034 IL EPA Id: 0310813007	2424 WEST OAKTON ST.	SW 1/4 - 1/2 (0.392 mi.)	R62	24
<b>C.E. NIEHOFF &amp; CO.</b> Incident Num: 971234 IL EPA Id: 0310815189	<b>1000 GREY ST.</b>	<b>N 1/4 - 1/2 (0.401 mi.)</b>	<b>63</b>	<b>24</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CHUNG, HANH</b> NFA/NFR Letter: 12/15/2011 Incident Num: 20110591 IL EPA Id: 0310815327	<b>626 HARTREY AVENUE</b>	<b>WSW 1/8 - 1/4 (0.144 mi.)</b>	<b>B6</b>	<b>9</b>
M&P INVESTMENTS NFA/NFR Letter: 9/4/2012 NFA/NFR Letter: 8/18/1993 Incident Num: 900622 Incident Num: 931226 IL EPA Id: 0310815081	730 PITNER	WNW 1/8 - 1/4 (0.179 mi.)	D15	11
KAP-SUM PROPERTIES L NFA/NFR Letter: 4/15/2005 Incident Num: 20031703 IL EPA Id: 0310815265	2402 WEST MAIN STREE	NW 1/4 - 1/2 (0.358 mi.)	M48	20
<b>U.S. ROBOTICS</b> NFA/NFR Letter: 7/28/1998 Incident Num: 902116 IL EPA Id: 0312885152	<b>8100 NORTH MCCORMICK</b>	<b>W 1/4 - 1/2 (0.469 mi.)</b>	<b>S65</b>	<b>24</b>
<b>BEST CUTTING DIE CO</b> NFA/NFR Letter: 9/14/1992 Incident Num: 921115 IL EPA Id: 0312880006	<b>8080 MCCORMICK BLVD</b>	<b>W 1/4 - 1/2 (0.474 mi.)</b>	<b>S68</b>	<b>25</b>
<b>PNEU-FAST CO THE</b> NFA/NFR Letter: 6/17/1991 Incident Num: 910410 IL EPA Id: 0310815100	<b>2200 GREENLEAF</b>	<b>N 1/4 - 1/2 (0.496 mi.)</b>	<b>T70</b>	<b>26</b>

### ***Lists of state and tribal registered storage tanks***

IL UST: A review of the IL UST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 6 IL UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VOGUE FABRICS Tank Status: Removed	618 HARTREY AVE.	SW 1/8 - 1/4 (0.129 mi.)	A3	8

## EXECUTIVE SUMMARY

Tank Status: Abandoned in place  
 Status: EXEMPT  
 Facility Id: 2045480

ROOT INC. Tank Status: Abandoned in place Status: EXEMPT Facility Id: 2039148	600 HARTNEY	SW 1/8 - 1/4 (0.176 mi.)	C11	10
MAIN ASSOCIATES, LLC Tank Status: Abandoned in place Status: EXEMPT Facility Id: 2044333	846 DODGE	NE 1/8 - 1/4 (0.247 mi.)	F27	14

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WAREHOUSE Tank Status: Removed Status: EXEMPT Facility Id: 2044899	626 HARTREY AVENUE	WSW 1/8 - 1/4 (0.144 mi.)	B8	9
MAP INVESTMENTS INC Tank Status: Removed Status: CLOSED Facility Id: 2017609	730 PITNER AVE	WNW 1/8 - 1/4 (0.179 mi.)	D14	11
<b>SAM'S CLUB #6444</b> Tank Status: Currently in use Status: ACTIVE Facility Id: 2042981	<b>2450 MAIN ST.</b>	<b>WNW 1/8 - 1/4 (0.221 mi.)</b>	<b>E21</b>	<b>13</b>

### **State and tribal institutional control / engineering control registries**

IL ENG CONTROLS: A review of the IL ENG CONTROLS list, as provided by EDR, and dated 06/24/2024 has revealed that there are 8 IL ENG CONTROLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>616 HARTREY AVENUE-L</b> Illinois Epa Id: 0310815223	<b>616 HARTREY AVENUE</b>	<b>SW 1/8 - 1/4 (0.150 mi.)</b>	<b>9</b>	<b>10</b>
<b>MAIN ASSOCIATES, LLC</b> Illinois Epa Id: 0310815317	<b>836-848 DODGE AVENUE</b>	<b>NE 1/8 - 1/4 (0.241 mi.)</b>	<b>F25</b>	<b>14</b>
<b>839 DODGE AVENUE, LL</b> Illinois Epa Id: 0310810008	<b>839 DODGE AVENUE</b>	<b>NE 1/8 - 1/4 (0.250 mi.)</b>	<b>F30</b>	<b>15</b>
<b>1818-1820 MAIN STREE</b> Illinois Epa Id: 0310815396	<b>1818-1820 MAIN STREE</b>	<b>NE 1/4 - 1/2 (0.311 mi.)</b>	<b>40</b>	<b>17</b>
<b>MICHAEL STUMPF</b> Illinois Epa Id: 0310815193	<b>900 DODGE STREET</b>	<b>NNE 1/4 - 1/2 (0.311 mi.)</b>	<b>K42</b>	<b>18</b>
<b>GREENWISE ORGANIC LA</b> Illinois Epa Id: 0310815352	<b>2215 MAIN STREET</b>	<b>NNW 1/4 - 1/2 (0.332 mi.)</b>	<b>43</b>	<b>18</b>
<b>BELMONT STEEL CORP.</b>	<b>2424 OAKTON</b>	<b>SW 1/4 - 1/2 (0.392 mi.)</b>	<b>R61</b>	<b>23</b>

## EXECUTIVE SUMMARY

Illinois Epa Id: 0310815121

**MISSION PROPERTIES**

Illinois Epa Id: 0310815357

**2400 OAKTON STREET**

**SW 1/4 - 1/2 (0.421 mi.)**

**64**

**24**

IL INST CONTROL: A review of the IL INST CONTROL list, as provided by EDR, and dated 06/24/2024 has revealed that there are 9 IL INST CONTROL sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>616 HARTREY AVENUE-L</b> Illinois EPA Id: 0310815223	<b>616 HARTREY AVENUE</b>	<b>SW 1/8 - 1/4 (0.150 mi.)</b>	<b>9</b>	<b>10</b>
<b>MAIN ASSOCIATES, LLC</b> Illinois EPA Id: 0310815317	<b>836-848 DODGE AVENUE</b>	<b>NE 1/8 - 1/4 (0.241 mi.)</b>	<b>F25</b>	<b>14</b>
<b>839 DODGE AVENUE, LL</b> Illinois EPA Id: 0310810008	<b>839 DODGE AVENUE</b>	<b>NE 1/8 - 1/4 (0.250 mi.)</b>	<b>F30</b>	<b>15</b>
<b>1818-1820 MAIN STREE</b> Illinois EPA Id: 0310815396	<b>1818-1820 MAIN STREE</b>	<b>NE 1/4 - 1/2 (0.311 mi.)</b>	<b>40</b>	<b>17</b>
<b>MICHAEL STUMPF</b> Illinois EPA Id: 0310815193	<b>900 DODGE STREET</b>	<b>NNE 1/4 - 1/2 (0.311 mi.)</b>	<b>K42</b>	<b>18</b>
<b>GREENWISE ORGANIC LA</b> Illinois EPA Id: 0310815352	<b>2215 MAIN STREET</b>	<b>NNW 1/4 - 1/2 (0.332 mi.)</b>	<b>43</b>	<b>18</b>
<b>BELMONT STEEL CORP.</b> Illinois EPA Id: 0310815121	<b>2424 OAKTON</b>	<b>SW 1/4 - 1/2 (0.392 mi.)</b>	<b>R61</b>	<b>23</b>
<b>MISSION PROPERTIES</b> Illinois EPA Id: 0310815357	<b>2400 OAKTON STREET</b>	<b>SW 1/4 - 1/2 (0.421 mi.)</b>	<b>64</b>	<b>24</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>U.S. ROBOTICS</b> Illinois EPA Id: 0312885152	<b>8100 NORTH MCCORMICK</b>	<b>W 1/4 - 1/2 (0.469 mi.)</b>	<b>S65</b>	<b>24</b>

***Lists of state and tribal voluntary cleanup sites***

IL SRP: A review of the IL SRP list, as provided by EDR, and dated 06/24/2024 has revealed that there are 9 IL SRP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>616 HARTREY AVENUE-L</b> IL EPA Id: 0310815223	<b>616 HARTREY AVENUE</b>	<b>SW 1/8 - 1/4 (0.150 mi.)</b>	<b>9</b>	<b>10</b>
<b>MAIN ASSOCIATES, LLC</b> IL EPA Id: 0310815317	<b>836-848 DODGE AVENUE</b>	<b>NE 1/8 - 1/4 (0.241 mi.)</b>	<b>F25</b>	<b>14</b>
<b>839 DODGE AVENUE, LL</b> IL EPA Id: 0310810008	<b>839 DODGE AVENUE</b>	<b>NE 1/8 - 1/4 (0.250 mi.)</b>	<b>F30</b>	<b>15</b>
<b>1818-1820 MAIN STREE</b>	<b>1818-1820 MAIN STREE</b>	<b>NE 1/4 - 1/2 (0.311 mi.)</b>	<b>40</b>	<b>17</b>

## EXECUTIVE SUMMARY

IL EPA Id: 0310815396				
<b>MICHAEL STUMPF</b>	<b>900 DODGE STREET</b>	<b>NNE 1/4 - 1/2 (0.311 mi.)</b>	<b>K42</b>	<b>18</b>
IL EPA Id: 0310815193				
<b>GREENWISE ORGANIC LA</b>	<b>2215 MAIN STREET</b>	<b>NNW 1/4 - 1/2 (0.332 mi.)</b>	<b>43</b>	<b>18</b>
IL EPA Id: 0310815352				
<b>BELMONT STEEL CORP.</b>	<b>2424 OAKTON</b>	<b>SW 1/4 - 1/2 (0.392 mi.)</b>	<b>R61</b>	<b>23</b>
IL EPA Id: 0310815121				
<b>MISSION PROPERTIES</b>	<b>2400 OAKTON STREET</b>	<b>SW 1/4 - 1/2 (0.421 mi.)</b>	<b>64</b>	<b>24</b>
IL EPA Id: 0310815357				
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>U.S. ROBOTICS</b>	<b>8100 NORTH MCCORMICK</b>	<b>W 1/4 - 1/2 (0.469 mi.)</b>	<b>S65</b>	<b>24</b>
IL EPA Id: 0312885152				

### ***Lists of state and tribal brownfield sites***

IL BROWNFIELDS: A review of the IL BROWNFIELDS list, as provided by EDR, has revealed that there is 1 IL BROWNFIELDS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EVANSTON ANIMAL HOSP Database: BROWNFIELDS, Date of Government Version: 07/15/2024 IL EPA ID: 0310815303	2310 OAKTON STREET	SSW 1/4 - 1/2 (0.279 mi.)	H34	16

### **ADDITIONAL ENVIRONMENTAL RECORDS**

#### ***Local Brownfield lists***

US BROWNFIELDS: A review of the US BROWNFIELDS list, as provided by EDR, and dated 06/10/2024 has revealed that there is 1 US BROWNFIELDS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>EVANSTON ANIMAL SHEL</b>	<b>2310 OAKTON AVENUE</b>	<b>SSW 1/4 - 1/2 (0.279 mi.)</b>	<b>H33</b>	<b>16</b>

#### ***Other Ascertainable Records***

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/03/2024 has revealed that there are 2 RCRA NonGen / NLR sites within approximately 0.25 miles of the target

## EXECUTIVE SUMMARY

property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>ETHYL MOLDED PRODUCT</b> EPA ID:: ILD000469189	<b>618 HARTREY</b>	<b>SW 1/8 - 1/4 (0.129 mi.)</b>	<b>A4</b>	<b>8</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>A SUBURBAN AUTO WREC</b> EPA ID:: ILD047019427	<b>640 PITNER</b>	<b>W 1/8 - 1/4 (0.185 mi.)</b>	<b>18</b>	<b>12</b>

PFAS ECHO: A review of the PFAS ECHO list, as provided by EDR, and dated 07/01/2024 has revealed that there is 1 PFAS ECHO site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ETHYL MOLDED PRODUCT		SW 0 - 1/8 (0.118 mi.)	A1	8

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 21 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VOGUE FABRICS	618 HARTREY AVENUE	SW 1/8 - 1/4 (0.129 mi.)	A5	9
ANIXTER	2201 WEST MAIN ST.	NNW 1/4 - 1/2 (0.270 mi.)	G31	15
<b>ADDISON STEEL INC</b>	<b>2225 MAIN ST</b>	<b>NNW 1/4 - 1/2 (0.283 mi.)</b>	<b>I35</b>	<b>16</b>
SHELL OIL PRODUCTS U	500 DODGE AVENUE	SSE 1/4 - 1/2 (0.283 mi.)	J37	17
SHELL OIL CO.	500 DODGE ST.	SSE 1/4 - 1/2 (0.283 mi.)	J39	17
MAIN-DODGE LLC	900 DODGE AVE.	NNE 1/4 - 1/2 (0.311 mi.)	K41	18
RUST OLIVUM CORP.	2301 OAKTON ST.	SW 1/4 - 1/2 (0.357 mi.)	L46	19
ILLINOIS BELL TELEPH	921 PITNER	NNW 1/4 - 1/2 (0.359 mi.)	N50	20
AMERITECH	921 PITNER	NNW 1/4 - 1/2 (0.359 mi.)	N51	21
PITNER PARTNERSHIP	930 PITNER	NNW 1/4 - 1/2 (0.376 mi.)	O54	22
RILEY-GEEHR INC.	2205 LEE ST.	NNW 1/4 - 1/2 (0.386 mi.)	P55	22
C.E. NIEHOFF & CO.	2021 LEE ST.	N 1/4 - 1/2 (0.390 mi.)	Q58	23
PACE	2424 WEST OAKTON ST.	SW 1/4 - 1/2 (0.392 mi.)	R59	23
BELMONT STEEL CORP.	2424 OAKTON	SW 1/4 - 1/2 (0.392 mi.)	R60	23

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHUNG, HANH	626 HARTREY AVENUE	WSW 1/8 - 1/4 (0.144 mi.)	B7	9
M&P INVESTMENTS	730 PITNER	WNW 1/8 - 1/4 (0.179 mi.)	D12	11
WAL-MART	730 PITNER AVE.	WNW 1/8 - 1/4 (0.179 mi.)	D13	11
KAP-SUM PROPERTIES L	2402 WEST MAIN STREE	NW 1/4 - 1/2 (0.358 mi.)	M49	20
U.S. ROBOTICS	8100 NORTH MCCORMICK	W 1/4 - 1/2 (0.469 mi.)	S66	25
BEST CUTTING DIE	8080 MCCORMICK	W 1/4 - 1/2 (0.474 mi.)	S67	25
DEVAN REALTY CO., RH	2200 GREENLEAF AVE.	N 1/4 - 1/2 (0.496 mi.)	T69	26

## EXECUTIVE SUMMARY

UST FINDER: A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 2 UST FINDER sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MAP INVESTMENTS INC	730 PITNER AVE	WNW 1/8 - 1/4 (0.179 mi.)	D16	11
SAM'S CLUB #6444	2450 MAIN ST.	WNW 1/8 - 1/4 (0.221 mi.)	E23	13

E MANIFEST: A review of the E MANIFEST list, as provided by EDR, and dated 07/24/2023 has revealed that there are 2 E MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>HOME DEPOT #1902</i>	<i>2201 OAKTON ST</i>	<i>SSW 1/8 - 1/4 (0.231 mi.)</i>	<i>24</i>	<i>13</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>SAM'S CLUB</i>	<i>2450 MAIN ST</i>	<i>WNW 1/8 - 1/4 (0.221 mi.)</i>	<i>E20</i>	<i>12</i>

MI MANIFEST: A review of the MI MANIFEST list, as provided by EDR, and dated 06/30/2018 has revealed that there are 2 MI MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	839 DODGE	NE 1/8 - 1/4 (0.250 mi.)	F29	15
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	2450 MAIN ST	WNW 1/8 - 1/4 (0.221 mi.)	E22	13

### EDR HIGH RISK HISTORICAL RECORDS

#### ***EDR Exclusive Records***

EDR MGP: A review of the EDR MGP list, as provided by EDR, has revealed that there are 2 EDR MGP sites within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
COMM ED TSS 85	MCCORMICK AND OAKTON	WSW 1/2 - 1 (0.543 mi.)	71	26
MWRD OF GREATER CHIC	3501 OAKTON STREET	SW 1/2 - 1 (0.629 mi.)	72	27


Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
------	--------	-----------	--------------	-----	-------------

NO SITES FOUND

# OVERVIEW MAP - 7841921.82S




- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites
- ▨ Indian Reservations BIA
- ⚡ Power transmission lines
- ⚡ Pipelines
- ▨ Special Flood Hazard Area (1%)
- ▨ 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-T Cleveland St From Dead End W To Brown Ave  
 ADDRESS: Cleveland Street and Dead End Wes  
 Evanston IL 60202  
 LAT/LONG: 42.030185 / 87.702307

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.82s  
 DATE: December 06, 2024 1:07 pm

# DETAIL MAP - 7841921.82S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚡ Manufactured Gas Plants
- ⬛ Sensitive Receptors
- 🚚 National Priority List Sites
- 🏢 Dept. Defense Sites

- 🏠 Indian Reservations BIA
  - 🔌 Power transmission lines
  - 🌊 Special Flood Hazard Area (1%)
  - 🌊 0.2% Annual Chance Flood Hazard
- 0 1/16 1/8 1/4 Miles

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-T Cleveland St From Dead End W To Brown Ave  
 ADDRESS: Cleveland Street and Dead End Wes  
 Evanston IL 60202  
 LAT/LONG: 42.030185 / 87.702307

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.82s  
 DATE: December 06, 2024 1:10 pm

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	1	1	NR	NR	2
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	1	0	NR	1
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	1	NR	NR	1
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	3	NR	NR	NR	3
RCRA-VSQG	0.250		0	3	NR	NR	NR	3
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal hazardous waste facilities</i></b>								
IL SSU	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
IL SWF/LF	0.500		0	0	0	NR	NR	0
IL CCDD	0.500		0	0	0	NR	NR	0
IL LF SPECIAL WASTE	0.500		0	0	0	NR	NR	0
IL NIPC	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
IL LUST	0.500		0	3	17	NR	NR	20
INDIAN LUST	0.500		0	0	0	NR	NR	0
IL LUST TRUST	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
IL UST	0.250		0	6	NR	NR	NR	6
IL AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
IL ENG CONTROLS	0.500		0	3	5	NR	NR	8
IL INST CONTROL	0.500		0	3	6	NR	NR	9
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
IL SRP	0.500		0	3	6	NR	NR	9
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
IL BROWNFIELDS	0.500		0	0	1	NR	NR	1
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	1	NR	NR	1
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
IL CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
IL TANKS	0.250		0	0	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
IL SPILLS	TP		NR	NR	NR	NR	NR	0
IL COMPLAINTS	TP		NR	NR	NR	NR	NR	0
IL SPILLS 90	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		0	2	NR	NR	NR	2
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0



MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
A1 SW < 1/8 0.118 mi. 623 ft.  Relative: Higher	ETHYL MOLDED PRODUCTS VCA FEDERAL EVANSTON, IL  <a href="#">Click here for full text details</a>	PFAS ECHO	1027357737 N/A
A2 SW 1/8-1/4 0.129 mi. 679 ft.  Relative: Higher	VOGUE FABRICS 618 HARTREY AVENUE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL LUST NFA/NFR Letter 12/24/2013 Incident Num 20131005 IL EPA Id 0310815353	IL LUST	S114005202 N/A
A3 SW 1/8-1/4 0.129 mi. 679 ft.  Relative: Higher	VOGUE FABRICS 618 HARTREY AVE. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL UST Status EXEMPT Facility Id 2045480 Tank Status Removed Tank Status Abandoned in place	IL UST	U004200799 N/A
A4 SW 1/8-1/4 0.129 mi. 679 ft.  Relative: Higher	ETHYL MOLDED PRODUCTS VCA FEDERAL 618 HARTREY EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  RCRA NonGen / NLR EPA Id ILD000469189  FINDS Registry ID: 110005809045 Registry ID: 110056037097  ECHO Registry ID 110005809045	RCRA NonGen / NLR FINDS ECHO	1000441534 ILD000469189

MAP FINDINGS

Map ID	Direction	Distance	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	-----------	------	-------------	---------------	---------------

<b>A5</b>	<b>VOGUE FABRICS</b>				<b>UST FINDER RELEASE</b>	<b>1028989234</b>	
<b>SW</b>	<b>618 HARTREY AVENUE</b>					<b>N/A</b>	
<b>1/8-1/4</b>	<b>EVANSTON, IL 0</b>						
<b>0.129 mi.</b>							
<b>679 ft.</b>							
<b>Relative:</b>	<a href="#">Click here for full text details</a>						
<b>Higher</b>							

<b>B6</b>	<b>CHUNG, HANH</b>				<b>IL LUST</b>	<b>S107743394</b>	
<b>WSW</b>	<b>626 HARTREY AVENUE</b>				<b>IL SPILLS</b>	<b>N/A</b>	
<b>1/8-1/4</b>	<b>EVANSTON, IL 60202</b>				<b>IL AIRS</b>		
<b>0.144 mi.</b>					<b>IL BOL</b>		
<b>761 ft.</b>							
<b>Relative:</b>	<a href="#">Click here for full text details</a>						
<b>Lower</b>	<b>IL LUST</b>						
	NFA/NFR Letter 12/15/2011						
	Incident Num 20110591						
	IL EPA Id 0310815327						

**IL SPILLS**  
Incident ID 20110591

**IL AIRS**  
Facility Id 1293

**IL BOL**  
Site Id 170000020233  
Inv Num 0310815327

<b>B7</b>	<b>CHUNG, HANH</b>				<b>UST FINDER RELEASE</b>	<b>1028989227</b>	
<b>WSW</b>	<b>626 HARTREY AVENUE</b>					<b>N/A</b>	
<b>1/8-1/4</b>	<b>EVANSTON, IL 0</b>						
<b>0.144 mi.</b>							
<b>761 ft.</b>							
<b>Relative:</b>	<a href="#">Click here for full text details</a>						
<b>Lower</b>							

<b>B8</b>	<b>WAREHOUSE</b>				<b>IL UST</b>	<b>U004179107</b>	
<b>WSW</b>	<b>626 HARTREY AVENUE</b>					<b>N/A</b>	
<b>1/8-1/4</b>	<b>EVANSTON, IL 60202</b>						
<b>0.144 mi.</b>							
<b>761 ft.</b>							
<b>Relative:</b>	<a href="#">Click here for full text details</a>						
<b>Lower</b>	<b>IL UST</b>						
	Status EXEMPT						
	Facility Id 2044899						
	Tank Status Removed						

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

9  
SW  
1/8-1/4  
0.150 mi.  
793 ft.

**616 HARTREY AVENUE-LOT F**  
**616 HARTREY AVENUE**  
**EVANSTON, IL 60202**

**IL ENG CONTROLS**  
**IL INST CONTROL**  
**IL SRP**  
**IL BOL**

**S104491263**  
**N/A**

Relative:  
Higher

[Click here for full text details](#)

**IL ENG CONTROLS**  
Illinois Epa Id 0310815223

**IL INST CONTROL**  
Illinois EPA Id 0310815223

**IL SRP**  
IL EPA Id 0310815223

**IL BOL**  
Site Id 170000451963  
Inv Num 0310815223

10  
West  
1/8-1/4  
0.159 mi.  
842 ft.

**LIFTOMATIC**  
**2224 CLEVELAND**  
**EVANSTON, IL 60202**

**RCRA-VSQG** **1004694034**  
**FINDS** **ILD984875054**  
**ECHO**

Relative:  
Lower

[Click here for full text details](#)

**RCRA-VSQG**  
EPA Id ILD984875054

**FINDS**  
Registry ID: 110005910121

**ECHO**  
Registry ID 110005910121

C11  
SW  
1/8-1/4  
0.176 mi.  
931 ft.

**ROOT INC.**  
**600 HARTNEY**  
**EVANSTON, IL 60202**

**IL UST** **U003668846**  
**N/A**

Relative:  
Higher

[Click here for full text details](#)

**IL UST**  
Status EXEMPT  
Facility Id 2039148  
Tank Status Abandoned in place

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
D12 WNW 1/8-1/4 0.179 mi. 944 ft.	M&P INVESTMENTS 730 PITNER EVANSTON, IL 0	UST FINDER RELEASE	1028989138 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
D13 WNW 1/8-1/4 0.179 mi. 944 ft.	WAL-MART 730 PITNER AVE. EVANSTON, IL 0	UST FINDER RELEASE	1028989139 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
D14 WNW 1/8-1/4 0.179 mi. 944 ft.	MAP INVESTMENTS INC 730 PITNER AVE EVANSTON, IL 60202	IL UST	U001143615 N/A
Relative: Lower	<p><a href="#">Click here for full text details</a></p> <p><b>IL UST</b> Status CLOSED Facility Id 2017609 Tank Status Removed</p>		
D15 WNW 1/8-1/4 0.179 mi. 944 ft.	M&P INVESTMENTS 730 PITNER EVANSTON, IL 60201	IL LUST	S103689062 N/A
Relative: Lower	<p><a href="#">Click here for full text details</a></p> <p><b>IL LUST</b> NFA/NFR Letter 9/4/2012 NFA/NFR Letter 8/18/1993 Incident Num 900622 Incident Num 931226 IL EPA Id 0310815081</p>		
D16 WNW 1/8-1/4 0.179 mi. 944 ft.	MAP INVESTMENTS INC 730 PITNER AVE EVANSTON, IL 60202	UST FINDER	1028311909 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
C17 SW 1/8-1/4 0.180 mi. 952 ft.	TA AUTO BODY 550 HARTREY AVE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	RCRA-VSQG	1007989598 ILR000133546
Relative: Higher	RCRA-VSQG EPA Id ILR000133546		
18 West 1/8-1/4 0.185 mi. 978 ft.	A SUBURBAN AUTO WRECKING CORP 640 PITNER EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1000424244 ILD047019427
Relative: Lower	RCRA NonGen / NLR EPA Id ILD047019427		
	<b>FINDS</b> Registry ID: 110005828989		
	<b>ECHO</b> Registry ID 110005828989		
19 ESE 1/8-1/4 0.217 mi. 1146 ft.	HEATH & MILLIGAN 1833 SEWARD ST CHICAGO, IL 60610  <a href="#">Click here for full text details</a>	SEMS-ARCHIVE	1003870439 ILD981536089
Relative: Higher	SEMS-ARCHIVE Site ID 0501080 EPA Id ILD981536089		
E20 WNW 1/8-1/4 0.221 mi. 1168 ft.	SAM'S CLUB 2450 MAIN ST EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	RCRA-SQG E MANIFEST	1004695815 ILR000029306
Relative: Lower	RCRA-SQG EPA Id ILR000029306		

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

E21  
WNW  
1/8-1/4  
0.221 mi.  
1168 ft.

**SAM'S CLUB #6444**  
2450 MAIN ST.  
EVANSTON, IL 60202

IL UST U004014257  
IL BOL N/A

[Click here for full text details](#)

Relative:  
Lower

**IL UST**  
Status ACTIVE  
Facility Id 2042981  
Tank Status Currently in use

**IL BOL**  
Site Id 170000020670  
Inv Num 0310815163

E22  
WNW  
1/8-1/4  
0.221 mi.  
1168 ft.

**2450 MAIN ST**  
EVANSTON, IL 60202

MI MANIFEST S130522759  
N/A

[Click here for full text details](#)

Relative:  
Lower

E23  
WNW  
1/8-1/4  
0.221 mi.  
1168 ft.

**SAM'S CLUB #6444**  
2450 MAIN ST.  
EVANSTON, IL 60202

UST FINDER 1028318796  
N/A

[Click here for full text details](#)

Relative:  
Lower

24  
SSW  
1/8-1/4  
0.231 mi.  
1219 ft.

**HOME DEPOT #1902**  
2201 OAKTON ST  
EVANSTON, IL 60202

RCRA-SQG 1004695459  
FINDS ILR000018119  
ECHO  
E MANIFEST

[Click here for full text details](#)

Relative:  
Higher

**RCRA-SQG**  
EPA Id ILR000018119

**FINDS**  
Registry ID: 110005942016

**ECHO**  
Registry ID 110005942016

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**F25**  
**NE**  
1/8-1/4  
0.241 mi.  
1270 ft.

**MAIN ASSOCIATES, LLC**  
**836-848 DODGE AVENUE**  
**EVANSTON, IL 60202**

**IL ENG CONTROLS**  
**IL INST CONTROL**  
**IL SRP**  
**IL BOL**

**S110122341**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**IL ENG CONTROLS**  
Illinois Epa Id 0310815317

**IL INST CONTROL**  
Illinois EPA Id 0310815317

**IL SRP**  
IL EPA Id 0310815317

**IL BOL**  
Site Id 170001834059  
Inv Num 0310815317

**26**  
**NW**  
1/8-1/4  
0.246 mi.  
1301 ft.

**WARD MFG**  
**2230 MAIN ST**  
**EVANSTON, IL 60202**

**RCRA-VSQG** **1004695229**  
**FINDS** **ILR000011510**  
**ECHO**

[Click here for full text details](#)

Relative:  
Lower

**RCRA-VSQG**  
EPA Id ILR000011510

**FINDS**  
Registry ID: 110005937610

**ECHO**  
Registry ID 110005937610

**F27**  
**NE**  
1/8-1/4  
0.247 mi.  
1302 ft.

**MAIN ASSOCIATES, LLC**  
**846 DODGE**  
**EVANSTON, IL 60201**

**IL UST** **U004135382**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**IL UST**  
Status EXEMPT  
Facility Id 2044333  
Tank Status Abandoned in place

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
F28 NE 1/8-1/4 0.250 mi. 1318 ft.	<b>CLEANER PLUS</b> 839 DODGE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	RCRA-SQG FINDS ECHO	1000186744 ILD981783426
Relative: Higher	<b>RCRA-SQG</b> EPA Id ILD981783426  <b>FINDS</b> Registry ID: 110005857082  <b>ECHO</b> Registry ID 110005857082		
F29 NE 1/8-1/4 0.250 mi. 1318 ft.	<b>839 DODGE</b> EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	MI MANIFEST	S130522519 N/A
Relative: Higher			
F30 NE 1/8-1/4 0.250 mi. 1318 ft.	<b>839 DODGE AVENUE, LLC</b> 839 DODGE AVENUE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL ENG CONTROLS IL INST CONTROL IL SRP	S106917350 N/A
Relative: Higher	<b>IL ENG CONTROLS</b> Illinois Epa Id 0310810008  <b>IL INST CONTROL</b> Illinois EPA Id 0310810008  <b>IL SRP</b> IL EPA Id 0310810008		
G31 NNW 1/4-1/2 0.270 mi. 1427 ft.	<b>ANIXTER</b> 2201 WEST MAIN ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989118 N/A
Relative: Higher			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
G32 NNW 1/4-1/2 0.270 mi. 1427 ft.	ANIXTER 2201 WEST MAIN ST. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST	S104522362 N/A
Relative: Higher	IL LUST NFA/NFR Letter 7/11/1996 Incident Num 952137 IL EPA Id 0310815003		
H33 SSW 1/4-1/2 0.279 mi. 1472 ft.	EVANSTON ANIMAL SHELTER 2310 OAKTON AVENUE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	US BROWNFIELDS FINDS ECHO	1023619550 N/A
Relative: Higher	FINDS Registry ID: 110060490259  ECHO Registry ID 110060490259		
H34 SSW 1/4-1/2 0.279 mi. 1472 ft.	EVANSTON ANIMAL HOSPITAL 2310 OAKTON STREET EVANSTON, IL  <a href="#">Click here for full text details</a>	IL BROWNFIELDS	S113257692 N/A
Relative: Higher	IL BROWNFIELDS IL EPA ID 0310815303		
I35 NNW 1/4-1/2 0.283 mi. 1492 ft.	ADDISON STEEL INC 2225 MAIN ST EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	UST FINDER UST FINDER RELEASE	1028309303 N/A
Relative: Higher			
I36 NNW 1/4-1/2 0.283 mi. 1492 ft.	ADDISON STEEL, INC. 2225 MAIN ST. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST	S105060126 N/A
Relative: Higher	IL LUST Incident Num 20011399 IL EPA Id 0310815240		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
J37 SSE 1/4-1/2 0.283 mi. 1495 ft.  Relative: Higher	SHELL OIL PRODUCTS US 500 DODGE AVENUE EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989176 N/A
J38 SSE 1/4-1/2 0.283 mi. 1495 ft.  Relative: Higher	SHELL OIL CO. 500 DODGE ST. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL LUST NFA/NFR Letter 12/23/2010 NFA/NFR Letter 6/4/1996 Incident Num 20051280 Incident Num 932874 IL EPA Id 0310815140  IL SPILLS Incident ID 20051280	IL LUST IL SPILLS	S108046386 N/A
J39 SSE 1/4-1/2 0.283 mi. 1495 ft.  Relative: Higher	SHELL OIL CO. 500 DODGE ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989175 N/A
40 NE 1/4-1/2 0.311 mi. 1642 ft.  Relative: Higher	1818-1820 MAIN STREET 1818-1820 MAIN STREET EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL ENG CONTROLS Illinois Epa Id 0310815396  IL INST CONTROL Illinois EPA Id 0310815396  IL SRP IL EPA Id 0310815396	IL ENG CONTROLS IL INST CONTROL IL SRP	S128605342 N/A

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

<b>K41</b> <b>NNE</b> 1/4-1/2 0.311 mi. 1643 ft.  Relative: Higher	<b>MAIN-DODGE LLC</b> <b>900 DODGE AVE.</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989193</b> <b>N/A</b>
---	---	---------------------------	---------------------------------

---

<b>K42</b> <b>NNE</b> 1/4-1/2 0.311 mi. 1643 ft.  Relative: Higher	<b>MICHAEL STUMPF</b> <b>900 DODGE STREET</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	<b>IL LUST</b> <b>IL ENG CONTROLS</b> <b>IL INST CONTROL</b> <b>IL SRP</b> <b>IL BOL</b>	<b>S104528236</b> <b>N/A</b>
---	---	--	---------------------------------

**IL LUST**  
Incident Num 971830  
IL EPA Id 0310815193

**IL ENG CONTROLS**  
Illinois Epa Id 0310815193

**IL INST CONTROL**  
Illinois EPA Id 0310815193

**IL SRP**  
IL EPA Id 0310815193

**IL BOL**  
Site Id 170000451776  
Inv Num 0310815193

---

<b>43</b> <b>NNW</b> 1/4-1/2 0.332 mi. 1752 ft.  Relative: Higher	<b>GREENWISE ORGANIC LAWNCARE, LLC</b> <b>2215 MAIN STREET</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	<b>IL ENG CONTROLS</b> <b>IL INST CONTROL</b> <b>IL SRP</b> <b>IL BOL</b>	<b>S116158980</b> <b>N/A</b>
--	--	--	---------------------------------

**IL ENG CONTROLS**  
Illinois Epa Id 0310815352

**IL INST CONTROL**  
Illinois EPA Id 0310815352

**IL SRP**  
IL EPA Id 0310815352

**IL BOL**  
Site Id 170001997604

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

**GREENWISE ORGANIC LAWCARE, LLC (Continued)**

**S116158980**

Inv Num 0310815352

---

**44  
NNW  
1/4-1/2  
0.341 mi.  
1798 ft.**

**JOHNSON TREE EXPERTS INC NELS  
912 PITNER AVE  
EVANSTON, IL 60202**

**IL LUST  
IL SPILLS  
IL BOL**

**S113257643  
N/A**

[Click here for full text details](#)

**Relative:  
Higher**

**IL LUST**

Incident Num 20210169  
IL EPA Id 0310815199

**IL SPILLS**

Incident ID 20210169

**IL BOL**

Site Id 170000451801  
Inv Num 0310815199

---

**L45  
SW  
1/4-1/2  
0.357 mi.  
1886 ft.**

**RUST OLEUM CORP EVANSTON FAC  
2301 OAKTON ST  
EVANSTON, IL 60204**

**SEMS-ARCHIVE  
CORRACTS  
RCRA-TSDF  
RCRA NonGen / NLR**

**1015733752  
ILD094748571**

[Click here for full text details](#)

**Relative:  
Higher**

**SEMS-ARCHIVE**

Site ID 0507322  
EPA Id ILD094748571

**CORRACTS**

EPA ID: ILD094748571

**RCRA-TSDF**

EPA Id ILD094748571

**RCRA NonGen / NLR**

EPA Id ILD094748571

---

**L46  
SW  
1/4-1/2  
0.357 mi.  
1886 ft.**

**RUST OLIUM CORP.  
2301 OAKTON ST.  
EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989111  
N/A**

[Click here for full text details](#)

**Relative:  
Higher**

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
L47 SW 1/4-1/2 0.357 mi. 1886 ft.	RUST-OLEUM CORP. 2301 OAKTON ST EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST ICIS FINDS ECHO IL AIRS	1000393322 N/A
Relative: Higher	IL LUST Incident Num 900045 IL EPA Id 0310810002  ICIS FRS ID: 110001811665  FINDS Registry ID: 110001811665  ECHO Registry ID 110001811665  IL AIRS Facility Id 11052		
M48 NW 1/4-1/2 0.358 mi. 1891 ft.	KAP-SUM PROPERTIES LLC 2402 WEST MAIN STREET EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST	S106058532 N/A
Relative: Lower	IL LUST NFA/NFR Letter 4/15/2005 Incident Num 20031703 IL EPA Id 0310815265		
M49 NW 1/4-1/2 0.358 mi. 1891 ft.	KAP-SUM PROPERTIES LLC 2402 WEST MAIN STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989213 N/A
Relative: Lower			
N50 NNW 1/4-1/2 0.359 mi. 1894 ft.	ILLINOIS BELL TELEPHONE 921 PITNER EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989133 N/A
Relative: Higher			

MAP FINDINGS

Map ID	Direction	Distance	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	-----------	------	-------------	---------------	---------------

N51	AMERITECH				UST FINDER RELEASE	1028989132	
NNW	921 PITNER						N/A
1/4-1/2	EVANSTON, IL 0						
0.359 mi.							
1894 ft.							
Relative:	<a href="#">Click here for full text details</a>						
Higher							

N52	IL BELL TELEPHONE CO				IL LUST	U001143593	
NNW	921 PITNER				IL UST	N/A	
1/4-1/2	EVANSTON, IL 60202				IL BOL		
0.359 mi.							
1894 ft.							
Relative:	<a href="#">Click here for full text details</a>						
Higher							
	<b>IL LUST</b>						
	NFA/NFR Letter 7/3/2002						
	NFA/NFR Letter 8/8/1990						
	Incident Num 971707						
	Incident Num 891621						
	IL EPA Id 0310815068						
	<b>IL UST</b>						
	Status CLOSED						
	Facility Id 2007849						
	Tank Status Removed						
	<b>IL BOL</b>						
	Site Id 170000294152						
	Inv Num 0310815068						

O53	PITNER PARTNERSHIP				IL LUST	1008015371	
NNW	930 PITNER				IL SPILLS	N/A	
1/4-1/2	EVANSTON, IL 60201				IL BOL		
0.376 mi.							
1987 ft.							
Relative:	<a href="#">Click here for full text details</a>						
Higher							
	<b>IL LUST</b>						
	NFA/NFR Letter 8/3/2005						
	Incident Num 20041742						
	IL EPA Id 0310815275						
	<b>IL SPILLS</b>						
	Incident ID 20041742						
	<b>IL BOL</b>						
	Site Id 170001586371						
	Inv Num 0310815275						

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

<b>O54</b> <b>NNW</b> 1/4-1/2 0.376 mi. 1987 ft.  Relative: Higher	<b>PITNER PARTNERSHIP</b> <b>930 PITNER</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989217</b> <b>N/A</b>
---	---	---------------------------	---------------------------------

---

<b>P55</b> <b>NNW</b> 1/4-1/2 0.386 mi. 2039 ft.  Relative: Higher	<b>RILEY-GEEHR INC.</b> <b>2205 LEE ST.</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989178</b> <b>N/A</b>
---	---	---------------------------	---------------------------------

---

<b>P56</b> <b>NNW</b> 1/4-1/2 0.386 mi. 2039 ft.  Relative: Higher	<b>RILEY-GEEHR INC.</b> <b>2205 LEE ST.</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	<b>IL LUST</b> <b>IL AIRS</b> <b>IL BOL</b>	<b>S107746097</b> <b>N/A</b>
---	---	---	---------------------------------

**IL LUST**  
 NFA/NFR Letter 3/14/1994  
 Incident Num 930152  
 IL EPA Id 0310815142

**IL AIRS**  
 Facility Id 1302

**IL BOL**  
 Site Id 170000394883  
 Inv Num 0310815142

---

<b>Q57</b> <b>North</b> 1/4-1/2 0.390 mi. 2057 ft.  Relative: Higher	<b>C.E. NIEHOFF &amp; CO.</b> <b>2021 LEE ST.</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	<b>IL LUST</b> <b>IL AIRS</b> <b>IL ASBESTOS</b> <b>IL BOL</b>	<b>S107740594</b> <b>N/A</b>
---	---	---	---------------------------------

**IL LUST**  
 NFA/NFR Letter 12/13/1994  
 Incident Num 911912  
 IL EPA Id 0310815114

**IL AIRS**  
 Facility Id 1309

**IL BOL**

MAP FINDINGS

Map ID									
Direction									
Distance									
Elevation									
	Site				Database(s)			EDR ID Number	EPA ID Number

**C.E. NIEHOFF & CO. (Continued)**

**S107740594**

Site Id 170000020395  
Inv Num 0310815114

**Q58**  
North  
1/4-1/2  
0.390 mi.  
2057 ft.

**C.E. NIEHOFF & CO.**  
**2021 LEE ST.**  
**EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989161**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**R59**  
SW  
1/4-1/2  
0.392 mi.  
2069 ft.

**PACE**  
**2424 WEST OAKTON ST.**  
**EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989114**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**R60**  
SW  
1/4-1/2  
0.392 mi.  
2069 ft.

**BELMONT STEEL CORP.**  
**2424 OAKTON**  
**EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989164**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**R61**  
SW  
1/4-1/2  
0.392 mi.  
2069 ft.

**BELMONT STEEL CORP.**  
**2424 OAKTON**  
**EVANSTON, IL 60202**

**IL LUST**  
**IL ENG CONTROLS**  
**IL INST CONTROL**  
**IL SRP**

**S103689045**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**  
NFA/NFR Letter 10/7/1994  
Incident Num 913250  
IL EPA Id 0310815121

**IL ENG CONTROLS**  
Illinois Epa Id 0310815121

**IL INST CONTROL**  
Illinois EPA Id 0310815121

**IL SRP**  
IL EPA Id 0310815121

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
R62 SW 1/4-1/2 0.392 mi. 2069 ft.	<b>PACE</b> <b>2424 WEST OAKTON ST.</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	IL LUST	S104526067 N/A
Relative: Higher	<b>IL LUST</b> NFA/NFR Letter 2/17/2009 Incident Num 911034 IL EPA Id 0310813007		
63 North 1/4-1/2 0.401 mi. 2119 ft.	<b>C.E. NIEHOFF &amp; CO..</b> <b>1000 GREY ST.</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S104521421 N/A
Relative: Higher	<b>IL LUST</b> Incident Num 971234 IL EPA Id 0310815189  <b>IL BOL</b> Site Id 170000330381 Inv Num 0310815189		
64 SW 1/4-1/2 0.421 mi. 2222 ft.	<b>MISSION PROPERTIES</b> <b>2400 OAKTON STREET</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	IL ENG CONTROLS IL INST CONTROL IL SRP	S116623137 N/A
Relative: Higher	<b>IL ENG CONTROLS</b> Illinois Epa Id 0310815357  <b>IL INST CONTROL</b> Illinois EPA Id 0310815357  <b>IL SRP</b> IL EPA Id 0310815357		
S65 West 1/4-1/2 0.469 mi. 2474 ft.	<b>U.S. ROBOTICS</b> <b>8100 NORTH MCCORMICK</b> <b>SKOKIE, IL 60076</b>  <a href="#">Click here for full text details</a>	IL LUST IL INST CONTROL IL SRP IL AIRS IL BOL	1008130259 N/A
Relative: Lower	<b>IL LUST</b> NFA/NFR Letter 7/28/1998 Incident Num 902116 IL EPA Id 0312885152		

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U.S. ROBOTICS (Continued)**

1008130259

**IL INST CONTROL**

Illinois EPA Id 0312885152

**IL SRP**

IL EPA Id 0312885152

**IL AIRS**

Facility Id 2112

**IL BOL**

Site Id 170000233469

Inv Num 0312885152

S66  
West  
1/4-1/2  
0.469 mi.  
2474 ft.

**U.S. ROBOTICS**  
**8100 NORTH MCCORMICK**  
**SKOKIE, IL 0**

**UST FINDER RELEASE** 1028991749  
N/A

[Click here for full text details](#)

Relative:  
Lower

S67  
West  
1/4-1/2  
0.474 mi.  
2505 ft.

**BEST CUTTING DIE**  
**8080 MCCORMICK**  
**SKOKIE, IL 0**

**UST FINDER RELEASE** 1028991686  
N/A

[Click here for full text details](#)

Relative:  
Lower

S68  
West  
1/4-1/2  
0.474 mi.  
2505 ft.

**BEST CUTTING DIE CO**  
**8080 MCCORMICK BLVD**  
**SKOKIE, IL 60067**

**IL LUST** U001144108  
**IL UST** N/A  
**IL BOL**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**

NFA/NFR Letter 9/14/1992

Incident Num 921115

IL EPA Id 0312880006

**IL UST**

Status CLOSED

Facility Id 2029621

Tank Status Removed

**IL BOL**

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

**BEST CUTTING DIE CO (Continued) U001144108**

Site Id 170000210082  
Inv Num 0312880006

T69 North 1/4-1/2 0.496 mi. 2621 ft.	<b>DEVAN REALTY CO., RHS MANAGEMENT</b> 2200 GREENLEAF AVE. EVANSTON, IL 0	<b>UST FINDER RELEASE</b>	<b>1028989151</b> N/A
--	--	---------------------------	--------------------------

[Click here for full text details](#)

Relative:  
Lower

T70 North 1/4-1/2 0.496 mi. 2621 ft.	<b>PNEU-FAST CO THE</b> 2200 GREENLEAF EVANSTON, IL 60202	<b>IL LUST</b> RCRA NonGen / NLR FINDS ECHO	<b>1000463139</b> <b>ILD984815993</b>
--	---	--	--

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**  
NFA/NFR Letter 6/17/1991  
Incident Num 910410  
IL EPA Id 0310815100

**RCRA NonGen / NLR**  
EPA Id ILD984815993

**FINDS**  
Registry ID: 110070282767  
Registry ID: 110005885006

**ECHO**  
Registry ID 110005885006

71 WSW 1/2-1 0.543 mi. 2865 ft.	<b>COMM ED TSS 85</b> <b>MCCORMICK AND OAKTON</b> SKOKIE, IL 60076	<b>EDR MGP</b>	<b>1008407449</b> N/A
---	--	----------------	--------------------------

[Click here for full text details](#)

Relative:  
Lower

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

72  
SW  
1/2-1  
0.629 mi.  
3319 ft.

MWRD OF GREATER CHICAGO  
3501 OAKTON STREET  
SKOKIE, IL 60076

EDR MGP 1008407450  
N/A

[Click here for full text details](#)

Relative:  
Lower

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
IL	AIRS	Air Inventory Listing	Illinois EPA	07/01/2024	07/02/2024	09/25/2024
IL	ASBESTOS	Asbestos Notification Tracker Information	Illinois EPA	06/21/2024	06/26/2024	09/16/2024
IL	AST	Above Ground Storage Tanks	State Fire Marshal	08/08/2024	08/13/2024	10/29/2024
IL	BOL	Bureau of Land Inventory Database	Illinois Environmental Protection Agency	10/16/2023	04/23/2024	07/16/2024
IL	BROWNFIELDS	Redevelopment Assessment Database	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	BROWNFIELDS	Municipal Brownfields Redevelopment Grant Program Project De	Illinois Environmental Protection Agency	02/11/2010	07/31/2014	09/08/2014
IL	CCDD	Clean Construction or Demolition Debris	Illinois EPA	03/28/2024	07/02/2024	09/24/2024
IL	CDL	Meth Drug Lab Site Listing	Department of Public Health	07/05/2024	07/08/2024	09/27/2024
IL	COAL ASH	Coal Ash Site Listing	Illinois EPA	10/01/2011	03/09/2012	04/10/2012
IL	DRYCLEANERS	Illinois Licensed Drycleaners	Drycleaner Environmental Response Trust Fund	07/02/2024	08/12/2024	10/29/2024
IL	ENG CONTROLS	Sites with Engineering Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	FIN ASSURANCE	Financial Assurance Information Listing	Illinois Environmental Protection Agency	08/28/2024	09/12/2024	11/25/2024
IL	HWAR	Hazard Waste Annual Report	Illinois EPA	12/31/2019	05/11/2021	08/02/2021
IL	IEMA SPILLS	Illinois Emergency Management Agency Spills	Illinois Emergency Management Agency	07/22/2024	07/23/2024	10/11/2024
IL	IL NIPC	Solid Waste Landfill Inventory	Northeastern Illinois Planning Commission	08/01/1988	04/07/2022	07/01/2022
IL	IMPDMENT	Surface Impoundment Inventory	Illinois Waste Management & Research Center	12/31/1980	03/08/2002	06/03/2002
IL	Inst Control	Institutional Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	LF SPECIAL WASTE	Special Waste Site List	Illinois EPA	01/01/1990	06/17/2009	07/15/2009
IL	LF WMRC	Waste Management & Research Center Landfill Database	Department of Natural Resources	12/31/2001	10/06/2006	11/06/2006
IL	LUST	Leaking Underground Storage Tank Sites	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	LUST TRUST	Underground Storage Tank Fund Payment Priority List	Illinois EPA	06/06/2016	07/27/2016	10/18/2016
IL	NPDES	A Listing of Active Permits	Illinois EPA	04/16/2014	04/18/2014	05/20/2014
IL	PFAS	PFAS Sampling Listing	Illinois Environmental Protection Agency	12/15/2023	12/27/2023	12/29/2023
IL	PIMW	Potentially Infectious Medical Waste	Illinois EPA	09/09/2024	09/11/2024	11/19/2024
IL	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Natural Resources		07/01/2013	12/30/2013
IL	RGA LF	Recovered Government Archive Solid Waste Facilities List	Illinois Environmental Protection Agency		07/01/2013	01/10/2014
IL	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	Illinois Environmental Protection Agency		07/01/2013	12/30/2013
IL	SPILLS	State spills	Illinois EPA	05/06/2024	07/02/2024	09/24/2024
IL	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	07/18/2012	01/03/2013	03/15/2013
IL	SRP	Site Remediation Program Database	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	SSU	State Sites Unit Listing	Illinois Environmental Protection Agency	01/31/2024	01/31/2024	02/13/2024
IL	SWF/LF	Available Disposal for Solid Waste in Illinois - Solid Waste	Illinois Environmental Protection Agency	12/31/2022	10/17/2023	01/08/2024
IL	TIER 2	Tier 2 Information Listing	Illinois Emergency Management Agency	12/31/2023	05/07/2024	08/01/2024
IL	UIC	Underground Injection Wells	Illinois EPA	02/15/2024	05/22/2024	08/19/2024
IL	UST	Underground Storage Tank Facility List	Illinois State Fire Marshal	07/15/2024	07/16/2024	09/27/2024
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	09/10/2024	09/11/2024	11/19/2024
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	10/13/2024	10/16/2024	10/23/2024
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2021	03/09/2023	03/20/2023
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2022	11/27/2023	02/22/2024
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/30/2024	07/08/2024	09/26/2024
US	CORRACTS	Corrective Action Report	EPA	06/03/2024	06/07/2024	06/20/2024
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DOT OPS	Incident and Accident Data	Department of Transportation, Office of Pipeli	01/02/2020	01/28/2020	04/17/2020
US	Delisted NPL	National Priority List Deletions	EPA	09/25/2024	10/01/2024	10/23/2024
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	07/24/2023	04/18/2024	06/06/2024
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	06/23/2024	06/28/2024	07/12/2024
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	06/11/2024	06/17/2024	09/04/2024
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	06/07/2024	06/25/2024	09/19/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	03/15/2024	03/19/2024	06/17/2024
US	FINDS	Facility Index System/Facility Registry System	EPA	08/13/2024	08/20/2024	08/28/2024
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	07/31/2024	08/12/2024	10/09/2024
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	08/13/2024	08/13/2024	10/09/2024
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	06/14/2024	06/17/2024	06/24/2024
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Serivces, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LUCIS	Land Use Control Information System	Department of the Navy	07/15/2024	07/17/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	MINES MRDS	Mineral Resources Data System	USGS	08/23/2022	11/22/2022	02/28/2023
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	10/01/2024	10/02/2024	10/09/2024
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	09/25/2024	10/01/2024	10/23/2024
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	05/23/2024	07/02/2024	09/26/2024
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	09/25/2024	10/01/2024	10/23/2024
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RMP	Risk Management Plans	Environmental Protection Agency	07/12/2024	07/17/2024	10/09/2024
US	ROD	Records Of Decision	EPA	10/24/2024	11/01/2024	11/19/2024
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	09/25/2024	10/01/2024	10/23/2024
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	09/25/2024	10/01/2024	10/23/2024
US	SSTS	Section 7 Tracking Systems	EPA	07/11/2024	07/11/2024	07/12/2024
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2022	11/13/2023	02/07/2024
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	05/08/2024	08/14/2024	08/28/2024
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	06/10/2024	06/11/2024	09/04/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	06/10/2024	06/17/2024	09/04/2024
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/06/2024	08/14/2024	08/15/2024
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protection Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protection	08/05/2024	08/06/2024	10/25/2024
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
IL	Daycare Centers	Sensitive Receptor: Homes & Centers Listing	Department of Children & Family Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
IL	State Wetlands	Wetland Inventory	Illinois State Geological Survey			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM

### TARGET PROPERTY ADDRESS

9826-T CLEVELAND ST FROM DEAD END W TO BROWN AVE  
CLEVELAND STREET AND DEAD END WES  
EVANSTON, IL 60202

### TARGET PROPERTY COORDINATES

Latitude (North):	42.030185 - 42° 1' 48.67"
Longitude (West):	87.702307 - 87° 42' 8.31"
Universal Tranverse Mercator:	Zone 16
UTM X (Meters):	441862.3
UTM Y (Meters):	4653152.5
Elevation:	598 ft. above sea level

### USGS TOPOGRAPHIC MAP

Target Property Map:	24185589 EVANSTON, IL
Version Date:	2021

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General West

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
17031C0265J	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
17031C0270J	FEMA FIRM Flood data

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EVANSTON	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### **Site-Specific Hydrogeological Data\*:**

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
1	1/4 - 1/2 Mile SSW	E
32	1/2 - 1 Mile NNE	SE
52	1/2 - 1 Mile North	NW
57	1/2 - 1 Mile NW	Not Reported
1G	1/2 - 1 Mile North	NW
2G	1/2 - 1 Mile NNE	SE
3G	1/2 - 1 Mile NW	Not Reported
4G	1/4 - 1/2 Mile SSW	E

For additional site information, refer to Physical Setting Source Map Findings.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### ROCK STRATIGRAPHIC UNIT

Era: Paleozoic  
System: Silurian  
Series: Middle Silurian (Niagoaran)  
Code: S2 *(decoded above as Era, System & Series)*

#### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBANLAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Bedrock Max: > 0 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	60 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

## OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
fine sandy loam  
loam  
fine sand

Surficial Soil Types: silt loam  
fine sandy loam  
loam  
fine sand

Shallow Soil Types: sandy loam

Deeper Soil Types: silt loam  
sand  
loamy sand  
loam

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
31	USGS40000299900	1/2 - 1 Mile West

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
16	IL3103143	1/2 - 1 Mile East

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
2	ILSG40000061433	1/4 - 1/2 Mile West
A3	ILSG40000061434	1/4 - 1/2 Mile West
4	ILSG40000045916	1/4 - 1/2 Mile SW
A5	ILSG40000055166	1/4 - 1/2 Mile West
6	ILSG40000055167	1/4 - 1/2 Mile West
B7	ILSG40000049559	1/4 - 1/2 Mile WNW
C8	ILSG40000055165	1/4 - 1/2 Mile WSW
D9	ILSG40000042122	1/4 - 1/2 Mile SW
D10	ILSG40000049563	1/4 - 1/2 Mile SW
B11	ILSG40000055168	1/4 - 1/2 Mile WNW
12	ILSG40000039735	1/4 - 1/2 Mile WSW
C13	ILPW8796	1/4 - 1/2 Mile WSW
14	ILSG40000055169	1/2 - 1 Mile WNW
E15	ILSG40000055164	1/2 - 1 Mile SW
17	ILSG40000055170	1/2 - 1 Mile NW
F18	ILPW8801	1/2 - 1 Mile SW
G19	ILSG40000040924	1/2 - 1 Mile NW
20	ILSG40000037913	1/2 - 1 Mile West
E21	ILSG40000037914	1/2 - 1 Mile WSW
F22	ILSG40000055163	1/2 - 1 Mile SW
G23	ILSG40000042126	1/2 - 1 Mile NW
H24	ILSG40000040930	1/2 - 1 Mile SW
25	ILSG40000055171	1/2 - 1 Mile NW
26	ILPW8797	1/2 - 1 Mile North
H27	ILSG40000055162	1/2 - 1 Mile SW
H28	ILSG40000042121	1/2 - 1 Mile SW
29	ILSG40000055172	1/2 - 1 Mile NW
30	ILSG40000055161	1/2 - 1 Mile SW
I33	ILSG40000057209	1/2 - 1 Mile SW
34	ILSG40000055173	1/2 - 1 Mile NNW
I35	ILSG40000057208	1/2 - 1 Mile SW
I36	ILSG40000039737	1/2 - 1 Mile SW
J37	ILSG40000042123	1/2 - 1 Mile NNW
K38	ILSG40000054344	1/2 - 1 Mile West
J39	ILSG40000062625	1/2 - 1 Mile NNW
J40	ILSG40000042124	1/2 - 1 Mile NNW

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## STATE DATABASE WELL INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
K41	ILSG40000054343	1/2 - 1 Mile West
J42	ILSG40000062619	1/2 - 1 Mile NNW
43	ILSG40000040095	1/2 - 1 Mile SSW
J44	ILSG40000062618	1/2 - 1 Mile NNW
J45	ILSG40000062624	1/2 - 1 Mile NNW
J46	ILSG40000062620	1/2 - 1 Mile NNW
J47	ILSG40000062623	1/2 - 1 Mile NNW
J48	ILSG40000062621	1/2 - 1 Mile NNW
L49	ILSG40000042120	1/2 - 1 Mile SSW
J50	ILSG40000062622	1/2 - 1 Mile NNW
51	ILPW8887	1/2 - 1 Mile ENE
L53	ILSG40000039738	1/2 - 1 Mile SSW
54	ILSG40000039734	1/2 - 1 Mile NNW
M55	ILSG40000055154	1/2 - 1 Mile SW
M56	ILSG40000055155	1/2 - 1 Mile SW
N58	ILSG40000056842	1/2 - 1 Mile SSW
O59	ILSG40000055156	1/2 - 1 Mile SW
N60	ILSG40000049557	1/2 - 1 Mile SSW
61	ILSG40000055158	1/2 - 1 Mile SW
P62	ILSG40000049566	1/2 - 1 Mile NNW
63	ILSG40000039992	1/2 - 1 Mile ENE
N64	ILSG40000042125	1/2 - 1 Mile SSW
P65	ILSG40000042136	1/2 - 1 Mile NNW
P66	ILSG40000055174	1/2 - 1 Mile NNW
Q67	ILSG40000059509	1/2 - 1 Mile North
O68	ILSG40000055157	1/2 - 1 Mile SW
69	ILSG40000040074	1/2 - 1 Mile NNE
Q70	ILSG40000059508	1/2 - 1 Mile North
O71	ILSG40000039739	1/2 - 1 Mile SW
72	ILSG40000036081	1/2 - 1 Mile SW

## OTHER STATE DATABASE INFORMATION

### STATE OIL/GAS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	ILOG30000031482	1/2 - 1 Mile West

# PHYSICAL SETTING SOURCE MAP - 7841921.82s



-  County Boundary
-  Major Roads
-  Contour Lines
-  Earthquake epicenter, Richter 5 or greater
-  Water Wells
-  Public Water Supply Wells
-  Cluster of Multiple Icons



-  Groundwater Flow Direction
-  Indeterminate Groundwater Flow at Location
-  Groundwater Flow Varies at Location
-  Closest Hydrogeological Data
-  Oil, gas or related wells



SITE NAME: 9826-T Cleveland St From Dead End W To Brown Ave  
 ADDRESS: Cleveland Street and Dead End Wes  
 Evanston IL 60202  
 LAT/LONG: 42.030185 / 87.702307

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.82s  
 DATE: December 06, 2024 1:11 pm

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 West 1/2 - 1 Mile	<a href="#">Click here for full text details</a>	OIL_GAS	ILOG30000031482
1 SSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	27247
2 West 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061433
A3 West 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061434
4 SW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000045916
A5 West 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055166
6 West 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055167
B7 WNW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049559
C8 WSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055165

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
D9 SW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042122
D10 SW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049563
B11 WNW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055168
12 WSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039735
C13 WSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8796
14 WNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055169
E15 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055164
16 East 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	FRDS PWS	IL3103143
17 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055170

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
F18 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8801
G19 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040924
20 West 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037913
E21 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037914
F22 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055163
G23 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042126
H24 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040930
25 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055171
26 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8797

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
H27 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055162
H28 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042121
29 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055172
30 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055161
31 West 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	FED USGS	USGS40000299900
32 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	62115
I33 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000057209
34 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055173
I35 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000057208

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
I36 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039737
J37 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042123
K38 West 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054344
J39 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062625
J40 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042124
K41 West 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054343
J42 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062619
43 SSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040095
J44 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062618

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
J45 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062624
J46 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062620
J47 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062623
J48 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062621
L49 SSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042120
J50 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062622
51 ENE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8887
52 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	25565
L53 SSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039738

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
54 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039734
M55 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055154
M56 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055155
57 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	56490
N58 SSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000056842
O59 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055156
N60 SSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049557
61 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055158
P62 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049566

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
63 ENE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039992
N64 SSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042125
P65 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042136
P66 NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055174
Q67 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059509
O68 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055157
69 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040074
Q70 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059508
O71 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039739

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
72 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000036081
1G North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	25565
2G NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62115
3G NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	56490
4G SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	27247

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: IL Radon

### Radon Test Results

Zipcode	Result
60202	2.3
60202	1.3
60202	0.6
60202	1.1
60202	1.7
60202	0.9
60202	0.6
60202	1.5
60202	0.7
60202	1.3
60202	1.7
60202	1
60202	0.7
60202	0.8
60202	1.1
60202	1.1
60202	0.9
60202	0.9
60202	0.2
60202	2.3
60202	1
60202	2.7

Federal EPA Radon Zone for COOK County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

---

### Federal Area Radon Information for COOK COUNTY, IL

Number of sites tested: 82

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.273 pCi/L	96%	4%	0%
Living Area - 2nd Floor	0.900 pCi/L	100%	0%	0%
Basement	1.740 pCi/L	93%	7%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Illinois State Geological Survey

Telephone: 217-333-4747

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## OTHER STATE DATABASE INFORMATION

### Oil and Gas Wells Listing

Source: Illinois State Geological Survey

Telephone: 217-333-5109

Oil and gas wells location points from the Illinois State Geological Survey database.

### Water Well Records

Source: Illinois Geological Survey

Telephone: 217-333-4747

### Illinois Private Well Database and PICS (Public, Industrial, Commercial Survey)

Source: Illinois State Water Survey

Telephone: 217-333-9043

### Water Well Location Information

Source: Illinois Environmental Protection Agency

Telephone: 217-782-0810

## RADON

### State Database: IL Radon

Source: Department of Nuclear Safety

Telephone: 217-785-9958

County Radon Results

### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix B**  
Sample Location Map

**2025 MFT Street Resurfacing Projects**

Cleveland Street from Dead End West to Brown Avenue

INTERRA Project No. 9826

Date: 12/19/2024

Pro.Paws Dcg Training

Cleveland-PC-01

Higher Level Maids

Captain Corporations

TRS Garage Door Installation

Vogue Fabrics Retail and Wholesale

Google Earth

300 ft



Dodge Ave

Seward St

Seward St

Cleveland St

Cleveland St

Brown Ave

Grey Ave

Grey Ave

Madison Pl

Madison Pl

Hart

**Appendix C**  
Analytical Test Reports

January 14, 2025

INTERRA, Inc.  
INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

RE: 9826 - Evanston Geotech and Environmental 2024  
AAL1403

Metiri Analytical Group Inc, - Geneva received sample(s) on 12/20/2024 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,



Daniel Galeher  
Project Manager



INTERRA, Inc. 600 Territorial Drive, Suite G Bolingbrook, IL 60440	Project: INTERRA - Soil Project Number: 9826 - Evanston Geotech and Environmental 2024 Project Manager: INTERRA, Inc.	Reported: 01/14/2025 15:01
--	---	----------------------------

**Notes and Definitions**

*700 01/14/2025 15:01*  
*Detasha/TUC*

<b>Item</b>	<b>Definition</b>
J	Analyte detected below quantitation limit (QL)
S	Spike Recovery outside accepted recovery limits
U	Analyte included in the analysis, but not detected

General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS: (Surrogate Standard): Quality control compound added to the sample by the lab.
- LA: Lab Accident - No valid data to report.
- VO: Insufficient Volume provided
- BR: Received broken
- IP: Invalid Sampling

Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater



Illinois Department of Public Health Accredited #17585

Illinois Environmental Protection Agency Accredited #100225

# Table of Contents

Qualifiers and Definitions	2
Sample Results	5
Chain of Custody	11

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/14/2025 15:01

### Samples in this Report

<b>Lab ID</b>	<b>Sample</b>	<b>Matrix</b>	<b>Date Sampled</b>	<b>Date Received</b>
AAL1403-01	Cleveland-PC-01	Solid	12/19/2024 16:15	12/20/2024

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/14/2025 15:01

## Sample Results

**Sample: Cleveland-PC-01**  
**AAL1403-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.146	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.079	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.084	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.062	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.591	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.603	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2,4-Dichlorophenol	ND	0.563	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2,4-Dimethylphenol	ND	0.907	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2,4-Dinitrophenol	ND	1.19	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.101	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.084	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2-Chloronaphthalene	ND	0.096	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2-Chlorophenol	ND	0.535	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2-Methylnaphthalene	ND	0.101	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2-Nitroaniline	ND	0.625	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
2-Nitrophenol	ND	0.636	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.558	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
3-Nitroaniline	ND	0.287	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.558	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.101	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.580	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
4-Chloroaniline	ND	0.445	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.073	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
4-Nitroaniline	ND	0.366	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
4-Nitrophenol	ND	0.513	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Acenaphthene	0.113 J	0.090	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Acenaphthylene	0.100 J	0.079	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Aniline	ND	0.383	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Anthracene	0.631	0.068	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Azobenzene	ND	0.056	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Benzidine	ND	0.394	4.69	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Benzo(a)anthracene	1.99	0.056	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Benzo(a)pyrene	1.94	0.073	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Benzo(b)fluoranthene	2.43	0.073	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Benzo(g,h,i)perylene	1.26	0.090	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Benzo(k)fluoranthene	0.999	0.062	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Benzoic acid	ND	0.642	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Benzyl alcohol	ND	0.693	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.107	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.163	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.135	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Bis(2-ethylhexyl)phthalate	ND	0.665	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Butyl benzyl phthalate	ND	0.659	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Carbazole	0.081 J	0.073	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Chrysene	1.89	0.073	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/14/2025 15:01

### Sample Results (Continued)

#### Sample: Cleveland-PC-01 (Continued) AAL1403-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC (Continued)</b>									
Dibenzo(a,h)anthracene	0.300 J	0.096	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Dibenzofuran	0.107 J	0.084	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Diethyl phthalate	ND	0.552	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Dimethyl phthalate	ND	0.614	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Di-n-butyl phthalate	ND	0.513	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Di-n-octyl phthalate	ND	0.738	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Fluoranthene	3.82	0.062	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Fluorene	0.165 J	0.084	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Hexachlorobenzene	ND	0.603	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Hexachlorobutadiene	ND	0.580	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.490	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Hexachloroethane	ND	0.546	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	1.17	0.010	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Isophorone	ND	0.009	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
m,p-Cresol	ND	0.133	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Naphthalene	ND	0.084	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
n-Decane	ND	0.614	1.25	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Nitrobenzene	ND	0.068	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
N-nitrosodimethylamine	ND	0.101	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.090	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.155	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
n-Octadecane	ND	0.625	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
O-Cresol	ND	0.130	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Pentachlorophenol	ND	0.986	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Phenanthrene	1.60	0.073	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Phenol	ND	0.569	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Pyrene	3.43	0.079	0.376	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
Pyridine	ND	0.389	1.88	mg/kg dry	12/19/24 16:15	01/09/25	5	8270C	BAL1384
<hr/>									
Surrogate: 2,4,6-Tribromophenol	58%		38-105			01/09/25	5	8270C	
Surrogate: 2-Fluorobiphenyl	68%		40-110			01/09/25	5	8270C	
Surrogate: 2-Fluorophenol	62%		41-105			01/09/25	5	8270C	
Surrogate: 4-Terphenyl-d14	88%		26-133			01/09/25	5	8270C	
Surrogate: Nitrobenzene-d5	62%		27-129			01/09/25	5	8270C	
Surrogate: Phenol-d5	66%		43-105			01/09/25	5	8270C	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>Semivolatile Organics - Prep EPA 3546</b>									
4,4'-DDD	0.127	0.00431	0.0151	mg/kg dry	12/19/24 16:15	01/07/25	10	8081	BAL1377
4,4'-DDE	0.0309	0.00454	0.0151	mg/kg dry	12/19/24 16:15	01/07/25	10	8081	BAL1377
4,4'-DDT	0.0595	0.0119	0.0151	mg/kg dry	12/19/24 16:15	01/07/25	10	8081	BAL1377
Aldrin	ND	0.000216	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
alpha-BHC	ND	0.000375	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
alpha-Chlordane	0.0142	0.000204	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
beta-BHC	ND	0.000363	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/14/2025 15:01

### Sample Results (Continued)

#### Sample: Cleveland-PC-01 (Continued) AAL1403-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546 (Continued)

Chlordane, Technical	0.191	0.0224	0.0378	mg/kg dry	12/19/24 16:15	01/07/25	1	8081	BAL1377
delta-BHC	ND	0.000216	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Dieldrin	ND	0.000465	0.00151	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Endosulfan I	ND	0.000182	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Endosulfan II	ND	0.000386	0.00151	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Endosulfan sulfate	ND	0.000397	0.00151	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Endrin	ND	0.000488	0.00151	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Endrin aldehyde	ND	0.000443	0.00151	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Endrin ketone	ND	0.000522	0.00151	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
gamma-BHC	ND	0.000238	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
gamma-Chlordane	0.0177	0.000272	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Heptachlor	ND	0.000352	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Heptachlor epoxide	ND	0.000182	0.000757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Methoxychlor	ND	0.00704	0.00757	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
Toxaphene	ND	0.0452	0.0946	mg/kg dry	12/19/24 16:15	12/31/24	1	8081	BAL1377
<i>Surrogate: Decachlorobiphenyl</i>		<i>74%</i>	<i>29-133</i>			<i>12/31/24</i>	<i>1</i>	<i>8081</i>	
<i>Surrogate: Tetrachloro-m-xylene</i>		<i>59%</i>	<i>36-118</i>			<i>12/31/24</i>	<i>1</i>	<i>8081</i>	
AROCLOR 1016	ND	0.004	0.019	mg/kg dry	12/19/24 16:15	01/01/25	1	8082	BAL1377
AROCLOR 1221	ND	0.004	0.019	mg/kg dry	12/19/24 16:15	01/01/25	1	8082	BAL1377
AROCLOR 1232	ND	0.003	0.019	mg/kg dry	12/19/24 16:15	01/01/25	1	8082	BAL1377
AROCLOR 1242	ND	0.003	0.019	mg/kg dry	12/19/24 16:15	01/01/25	1	8082	BAL1377
AROCLOR 1248	ND	0.004	0.019	mg/kg dry	12/19/24 16:15	01/01/25	1	8082	BAL1377
AROCLOR 1254	ND	0.004	0.019	mg/kg dry	12/19/24 16:15	01/01/25	1	8082	BAL1377
AROCLOR 1260	ND	0.007	0.019	mg/kg dry	12/19/24 16:15	01/01/25	1	8082	BAL1377
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		<i>81%</i>	<i>20-142</i>			<i>01/01/25</i>	<i>1</i>	<i>8082</i>	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		<i>54%</i>	<i>22-123</i>			<i>01/01/25</i>	<i>1</i>	<i>8082</i>	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - CVAA

Mercury	0.108	0.0481	0.105	mg/kg dry	12/19/24 16:15	01/06/25	1	7471B	BBA0136
---------	-------	--------	-------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Wet Chemistry

pH	9.04	0.100	0.100	pH Units	12/19/24 16:15	12/21/24	1	SW 9045D	BAL1178
Temperature	21.5	1.00	1.00	pH Units	12/19/24 16:15	12/21/24	1	SW 9045D	BAL1178
Percent Moisture	12	0.10	0.10	%	12/19/24 16:15	12/26/24	1	ASTM-D2216	BAL1234

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics - Prep EPA 5035

1,1,1-Trichloroethane	ND	0.000447	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
1,1,2,2-Tetrachloroethane	ND	0.000581	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/14/2025 15:01

**Sample Results**  
**(Continued)**

**Sample: Cleveland-PC-01 (Continued)**  
**AAL1403-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics - Prep EPA 5035 (Continued)**

1,1,2-Trichloroethane	ND	0.000559	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
1,1-Dichloroethane	ND	0.000503	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
1,1-Dichloroethene	ND	0.000536	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
1,2-Dichloroethane	ND	0.000369	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
1,2-Dichloropropane	ND	0.00183	0.00559	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
2-Butanone	0.00698 J	0.00265	0.0223	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
2-Hexanone	ND	0.000827	0.0279	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
4-Methyl-2-pentanone	ND	0.000838	0.0279	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Acetone	ND	0.00593	0.0279	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Benzene	ND	0.000346	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Bromoform	ND	0.00183	0.00559	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Bromomethane	ND	0.000514	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Carbon disulfide	ND	0.00168	0.00559	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Carbon tetrachloride	ND	0.000436	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Chlorobenzene	ND	0.000324	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Chloroethane	ND	0.00307	0.00559	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Chloroform	ND	0.000503	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Chloromethane	ND	0.00430	0.00559	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
cis-1,2-Dichloroethene	ND	0.000425	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
cis-1,3-dichloropropene	ND	0.000279	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Dibromochloromethane	ND	0.000480	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Ethylbenzene	ND	0.000436	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
m,p-Xylene	ND	0.000670	0.00223	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Methyl tert-butyl ether	ND	0.000391	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Methylene chloride	ND	0.00288	0.00559	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
o-Xylene	ND	0.000302	0.00223	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Styrene	ND	0.000324	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Tetrachloroethene	ND	0.000670	0.00223	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Toluene	ND	0.000525	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
trans-1,2-Dichloroethene	ND	0.000413	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
trans-1,3-dichloropropene	ND	0.000290	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Trichloroethene	ND	0.000402	0.00112	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459
Vinyl chloride	ND	0.00115	0.00559	mg/kg dry	12/19/24 16:15	12/30/24	1	8260B	BAL1459

Surrogate: 4-Bromofluorobenzene 101% 76-119 12/30/24 1 8260B  
Surrogate: Dibromofluoromethane 104% 66-137 12/30/24 1 8260B  
Surrogate: Toluene-d8 101% 80-120 12/30/24 1 8260B

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics**

Total 1,3-Dichloropropene	ND	0.000279	0.00112	mg/kg Dry	12/19/24 16:15	12/30/24	1	8260B	[CALC]
Total Xylenes	ND	0.000302	0.00223	mg/kg Dry	12/19/24 16:15	12/30/24	1	8260B	[CALC]

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document. No duplication of this report is allowed, except in its entirety.

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/14/2025 15:01

### Sample Results (Continued)

#### Sample: Cleveland-PC-01 (Continued) AAL1403-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>Metals - ICP</b>									
Arsenic	4.11 J	0.327	4.95	mg/kg Dry	12/19/24 16:15	12/23/24	1	6010B	BAL1200
Barium	25.8	0.525	2.48	mg/kg Dry	12/19/24 16:15	12/23/24	1	6010B	BAL1200
Cadmium	0.109 J	0.0297	0.248	mg/kg Dry	12/19/24 16:15	12/23/24	1	6010B	BAL1200
Chromium	4.55	0.0861	0.248	mg/kg Dry	12/19/24 16:15	12/23/24	1	6010B	BAL1200
Lead	41.5	0.208	1.24	mg/kg Dry	12/19/24 16:15	12/23/24	1	6010B	BAL1200
Selenium	ND	0.356	4.95	mg/kg Dry	12/19/24 16:15	12/23/24	1	6010B	BAL1200
Silver	ND	0.257	0.495	mg/kg Dry	12/19/24 16:15	12/23/24	1	6010B	BAL1200

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/14/2025 15:01

*8260 SRP Package*

---

8260 SRP



# SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave. Ste. 150 Geneva, IL 60134

Tel. 708.544.3260

login@suburbanlabs.com

www.suburbanlabs.com

# CHAIN OF CUSTODY RECORD

**Interra**  
 Comp: 600 Territorial Dr. Suite G  
 City: Bolingbrook State: IL Zip: 60440  
 Office: 630-754-8700 Fax: 630-754-8700  
 Email Address: aguntaka@interraservices.com  
 Project ID / Location: 9826 - Evanston Geotech & Environmental - 2024  
 Project Manager (Report to): aguntaka@interraservices.com  
 reshmac@interraservices.com  
 Sample Collector(s): Paul Sponaugle

**TURNAROUND TIME REQUESTED**  
 Normal  RUSH\*  
 \* Must be pre-approved and surcharges apply. Checking this box indicates your approval of surcharges.  
 Date and Time Report Needed:  
 Specify Regulatory Program:  None/info Only  
 LUST  SRP  SDWA  
 503 Sludge  NPDES  MWRDGC  
 Disposal  CCDD  OTHER - Specify Below

**ANALYSIS & METHOD REQUESTED**  
 Enter an "X" in box below for request

VOCs	SVOCs	RCRA Metals (8)	PCBs	Pesticides	pH

Page 1 of 1  
 PO #  
 Report Type  Normal  Special\*  
 \* Additional charges apply for QC reports and raw data. Specify in comments section  
 Shipping Method  
**LAB USE ONLY**  
 Work Order #  
 Temperature of Received Samples 31 °C  
 Received within 24 hours of collection?  No  Yes  
 Lab Comment LAB #

SAMPLE IDENTIFICATION (Use 1 line per container type)	COLLECTION		MATRIX	GRAB/COMP.	CONTAINERS		PRESERVATIVE	VOCs	SVOCs	RCRA Metals (8)	PCBs	Pesticides	pH
	DATE	TIME			Qty	SIZE & TYPE							
1 Cleveland-PC-01	12-17-24	1615	Soil	Grab	5			X	X	X	X	X	X
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													

*Purs*

**MATRIX:** Drinking Water (DW), Soil (S), Waste Water (WW), Surface Water (SW), Ground Water (GW), Solid Waste (WA), Sludge (U), Wipe (P) **CONTAINER:** 2oz, 4oz, 8oz, 40ml Vial, 500ml, Liter (L), Tube, Glass (G), Plastic (P) **PRESERVATIVE:** H<sub>2</sub>SO<sub>4</sub>, HCl, HNO<sub>3</sub>, Methanol (MeOH), NaOH, Sodium Bisulfate (NaB), NaThio

**COMMENTS & SPECIAL INSTRUCTIONS:**  
 Regulatory Programs:  
 CCDD Mac  
 TACO Residential  
 TACO Industrial/Commercial

AAL1403



INTERRA, Inc.

1. Relinquished By: RC	Date: 12/20/24	2. Relinquished By: [Signature]	Date: 12/20/24	3. Relinquished By:	Date:	4. Relinquished By:	Date:
Received By: [Signature]	Time: 9:57	Received By: [Signature]	Time: 1:00	Received By:	Time:	Received By:	Time:

1015



**STATE OF ILLINOIS**  
**ENVIRONMENTAL PROTECTION AGENCY**  
**NELAP - RECOGNIZED**  
**ENVIRONMENTAL LABORATORY ACCREDITATION**

is hereby granted to

**Suburban Laboratories**  
**1950 South Batavia Ave., Suite 150**  
**Geneva, IL 60134**

**NELAP ACCREDITED**

Accreditation Number #100225



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose  
Supervisor  
Environmental Laboratory Accreditation Program

Certificate No: 1002252024-26

Expiration Date: 10/31/2025

Issued On: 10/30/2024



600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra Project No: 9826

2/13/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

### **Environmental Report**

2025 Water Main Improvement Projects  
Colfax Street from Poplar Avenue to Ashland Avenue  
City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this report on environmental sampling and analytical testing performed at the above referenced project in Evanston, Illinois. We understand that the purpose of the investigation is to aid in soil management during construction.

#### **Scope of Work**

The scope of work included review of readily available historical documents to identify past land use and selection of parameters for analytical testing; collection of one (1) soil samples for analytical testing; and determination of soil management options based on analytical test results.

#### **Historical Document Review**

A review of the Federal, State and Local databases was performed to identify past land use and recognized environmental conditions on or near the property. Potentially Impacted Properties (PIP) identified in the vicinity of the site included Leaking Underground Storage Tanks (LUST), Site Remediation Program (SRP), Institutional Control, and spills. Historical reports reviewed are included in Appendix A.

### **Field Work**

Boreholes for collecting environmental samples were located in the field by INTERRA. The drilling sub-contractor, Geocon Professional Services (GEOCON) obtained underground utility clearances prior to drilling. Drilling was performed on 12/20/2024. Soil sampling was performed at 2.5-foot intervals up to the planned exploration depth of 10 feet. Soil sampling was performed using decontaminated split-spoon sampler. All soil samples were field screened using a Minirae 2020 Plus (photoionization detector) to aid in sample selection for analytical testing. Field screening did not indicate the presence of VOC contamination. Sample Location Map is presented in Appendix B of this report.

Soil grab samples for environmental analysis were chosen between the 0.0 to 5.0 feet interval. INTERRA collected and preserved the environmental soil sample in accordance with applicable SW 846 methods and transported them to the NELAC accredited Suburban Laboratories for analytical testing.

### **Analytical Testing**

The soil samples were analyzed for the contaminants of concern identified based on Historical Document review. Based on this, the sample was tested for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), total RCRA Metals, Pesticides, PCBs and pH. The sample analytical test reports are presented in Appendix C of this report.

### **Conclusions and Recommendations**

The analytical results were compared to 35 ILL. Adm. Code 1100, "Maximum Allowable Concentrations (MAC) of chemical constituents in Uncontaminated Soil used as fill in a Clean Construction & Demolition Debris (CCDD) or "Uncontaminated Soil Fill Operation" and Illinois Tiered Approach to Corrective Action Objectives (TACO) Residential Soil Remediation Objectives in accordance with Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022).

Sample Colfax-PC-01 did not encounter any contaminants of concern above the CCDD and TACO regulatory limits specified in Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022). The pH of the soil is within the range of 6.25-9.0 as required by CCDD/USFO facilities.

Based on the results, the soil can be classified as clean material and managed as follows according to Article 202.03 of IDOT Standard Specifications. LPC 663 form for this area is presented in Appendix D of this report.

- The soil can be disposed of at any CCDD facility or a USFO.
- The soil can be utilized within the right-of-way as embankment or fill, when suitable.

We appreciate the opportunity to be of service to you. Should you need additional information or clarifications, please call us at (630) 754-8700.

Yours truly,


**Interra, Inc.**



Supraja Reddy, Ph.D., PE  
Geotechnical Engineer



Ashok Guntaka, EI  
Project Manager



Sanjeev Bandi, Ph.D., PE  
Principal Engineer

**APPENDIX A**  
Historical Reports

**9826-R Colfax ST From Poplar Ave To Ashland Ave**

Colfax ST and Poplar Ave

Evanston, IL 60201

Inquiry Number: 7841921.72s

December 06, 2024

## EDR Summary Radius Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	71
Government Records Searched/Data Currency Tracking .....	GR-1
 <b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-9
Physical Setting Source Map Findings .....	A-10
Physical Setting Source Records Searched .....	PSGR-1

*Thank you for your business.*  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

COLFAX ST AND POPLAR AVE  
EVANSTON, IL 60201

#### COORDINATES

Latitude (North): 42.0607850 - 42° 3' 38.82"  
Longitude (West): 87.6945000 - 87° 41' 40.20"  
Universal Transverse Mercator: Zone 16  
UTM X (Meters): 442536.2  
UTM Y (Meters): 4656545.0  
Elevation: 602 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: TP  
Source: U.S. Geological Survey

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20190802  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
COLFAX ST AND POPLAR AVE  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">A1</a>	ST ATHANASUIS PARISH	1615 LINCOLN ST	UST	Higher	580, 0.110, North
<a href="#">A2</a>	ST. ATHANASIUUS CHURC	1615 LINCOLN ST.	LUST, BOL	Higher	580, 0.110, North
<a href="#">B3</a>	BP PRODUCTS # 5325	2216 GREENBAY RD.	UST FINDER RELEASE	Higher	1014, 0.192, SSE
<a href="#">B4</a>	JACKS MUFFLER MAN	2216 GREENBAY RD	UST	Higher	1014, 0.192, SSE
<a href="#">B5</a>	BP PRODUCTS # 5325,	2216 GREEN BAY RD.	LUST, BOL	Higher	1014, 0.192, SSE
<a href="#">B6</a>	JACKS MUFFLER MAN	2216 GREENBAY RD	UST FINDER	Higher	1014, 0.192, SSE
<a href="#">B7</a>	BP PRODUCTS # 5325,	2216 GREENBAY RD.	LUST, SPILLS	Higher	1014, 0.192, SSE
<a href="#">C8</a>	1620 CENTRAL STREET	1620 CENTRAL STREET	UST	Higher	1142, 0.216, North
<a href="#">C9</a>	1620 CENTRAL LLC	1620 CENTRAL STREET	UST FINDER RELEASE	Higher	1142, 0.216, North
<a href="#">C10</a>	1620 CENTRAL LLC	1620 CENTRAL ST	LUST, SPILLS, ASBESTOS, BOL	Higher	1142, 0.216, North
<a href="#">D11</a>	RENAISSANCE REALTY	2144 ASHLAND	LUST, UST, BOL	Higher	1232, 0.233, South
<a href="#">D12</a>	VACANT UNDER CONSTRU	2144 ASHLAND	RCRA NonGen / NLR, FINDS, ECHO	Higher	1232, 0.233, South
<a href="#">D13</a>	LEINWEBER, JOHN	2144 ASHLAND	UST FINDER RELEASE	Higher	1232, 0.233, South
<a href="#">14</a>	UN-NAMED APARTMENT B	2526 JACKSON	UST	Higher	1237, 0.234, NNE
<a href="#">15</a>	HAPP CHARLES C	2510 GREEN BAY ROAD	INST CONTROL, SRP	Higher	1259, 0.238, NW
<a href="#">D16</a>	ROBINSON BUS SVC INC	2142 ASHLAND	RCRA-VSQQ, FINDS, ECHO	Higher	1275, 0.241, South
<a href="#">D17</a>	ROBINSON BUS SERVICE	2142 ASHLAND	UST FINDER RELEASE	Higher	1275, 0.241, South
<a href="#">D18</a>	ROBINSON BUS SERVICE	1601 PAYNE STREET	LUST, BOL	Higher	1320, 0.250, South
<a href="#">D19</a>	1601 PAYNE BUILDING	1601 PAYNE ST	UST	Higher	1320, 0.250, South
<a href="#">20</a>	NORTHWESTERN UNIVERS	1501 CENTRAL ST	LUST, SPILLS, AIRS, ASBESTOS, BOL	Higher	1393, 0.264, NNE
<a href="#">E21</a>	BANK ONE EVANSTON TR	1713 CENTRAL ST.	LUST, BOL	Higher	1438, 0.272, NNW
<a href="#">E22</a>	BANK ONE EVANSTON TR	1713 CENTRAL ST.	UST FINDER RELEASE	Higher	1438, 0.272, NNW
<a href="#">F23</a>	EVANSTON WEST CONGRE	2128 ASHLAND AVE.	UST FINDER RELEASE	Higher	1457, 0.276, South
<a href="#">F24</a>	EVANSTON WEST CONGRE	2128 ASHLAND AVE.	LUST, BOL	Higher	1457, 0.276, South
<a href="#">G25</a>	GREENWALD, DORIS	2125 DEWEY AVE.	UST FINDER RELEASE	Lower	1530, 0.290, South
<a href="#">G26</a>	GREENWALD, DORIS	2125 DEWEY AVE.	LUST	Lower	1530, 0.290, South
<a href="#">H27</a>	ZUCKER, MIKE	1805-1813 CENTRAL ST	LUST, BOL	Higher	1598, 0.303, NNW
<a href="#">H28</a>	ZUCKER, MIKE	1805-1813 CENTRAL ST	UST FINDER RELEASE	Higher	1598, 0.303, NNW
<a href="#">29</a>	NINE SEAS INVESTMENT	2119-2125 ASHLAND AV	LUST	Higher	1624, 0.308, South
<a href="#">30</a>	BRINNSP, LLC	2113 DEWEY AVENUE	ENG CONTROLS, INST CONTROL, SRP	Lower	1685, 0.319, South
<a href="#">I31</a>	MADAY BROTHERS AUTO	1825 CENTRAL ST.	UST FINDER RELEASE	Higher	1699, 0.322, NW
<a href="#">I32</a>	MADAY BROTHERS AUTO	1825 CENTRAL ST.	LUST, BOL	Higher	1699, 0.322, NW
<a href="#">33</a>	SISSLA CONDO ASSOCIA	1210-1222 CENTRAL ST	SRP, BOL	Lower	2000, 0.379, NE
<a href="#">J34</a>	EVANSTON, CITY OF	2022 CENTRAL STREET	UST FINDER RELEASE	Higher	2372, 0.449, WNW
<a href="#">J35</a>	EVANSTON, CITY OF	2022 CENTRAL STREET	LUST	Higher	2372, 0.449, WNW
<a href="#">K36</a>	EVANSTON, CITY OF	1105 CENTRAL ST.	LUST, BOL	Lower	2423, 0.459, ENE
<a href="#">K37</a>	EVANSTON, CITY OF	1105 CENTRAL ST.	UST FINDER RELEASE	Lower	2423, 0.459, ENE
<a href="#">J38</a>	SPARKLE CLEANERS	2104 CENTRAL ST	INST CONTROL, SRP, BOL	Higher	2464, 0.467, WNW
<a href="#">L39</a>	EVANSTON, CITY OF	1655 FOSTER	UST FINDER RELEASE	Lower	2464, 0.467, South

MAPPED SITES SUMMARY

Target Property Address:  
COLFAX ST AND POPLAR AVE  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">L40</a>	FLEETWOOD JOURDAIN C	1655 FOSTER ST	LUST, UST, BOL	Lower	2464, 0.467, South
<a href="#">41</a>	NORTH EVANSTON AUTO	2650-2658 GREEN BAY	ENG CONTROLS, INST CONTROL, SRP	Higher	2502, 0.474, NW
<a href="#">M42</a>	PETER JANS COMMUNITY	1040 CENTRAL STREET	LUST, UST, BOL	Higher	2592, 0.491, ENE
<a href="#">M43</a>	PETER JANS COMMUNITY	1040 CENTRAL STREET	UST FINDER, UST FINDER RELEASE	Higher	2592, 0.491, ENE
<a href="#">N44</a>	OVER THE RAINBOW ASS	2026 BROWN ST.	LUST, BOL	Lower	2605, 0.493, SW
<a href="#">N45</a>	RAINBOW UNIT 2	2030 BROWN ST.	LUST, BOL	Lower	2605, 0.493, SW
<a href="#">N46</a>	RAINBOW UNIT 2	2030 BROWN ST.	UST FINDER RELEASE	Lower	2605, 0.493, SW
<a href="#">N47</a>	OVER THE RAINBOW ASS	2026 BROWN ST.	UST FINDER RELEASE	Lower	2605, 0.493, SW
<a href="#">48</a>	NORTHWESTERN UNIVERS		FUDS	Higher	4459, 0.845, South
<a href="#">49</a>	NORTH WESTERN GAS WO	918 UNIVERSITY PLACE	EDR MGP	Higher	4595, 0.870, SE
<a href="#">50</a>	NORTHWESTERN GAS, LI	912 CLARK STREET	EDR MGP	Higher	4967, 0.941, SE

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of Federal RCRA generators***

RCRA-VSQG: A review of the RCRA-VSQG list, as provided by EDR, and dated 06/03/2024 has revealed that there is 1 RCRA-VSQG site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>ROBINSON BUS SVC INC</i></b> EPA ID:: ILD984854034	<b><i>2142 ASHLAND</i></b>	<b><i>S 1/8 - 1/4 (0.241 mi.)</i></b>	<b><i>D16</i></b>	<b><i>12</i></b>

### ***Lists of state and tribal leaking storage tanks***

LUST: A review of the LUST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 19 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>ST. ATHANASIUS CHURC</i></b> Incident Num: 981736 IL EPA Id: 0310815210	<b><i>1615 LINCOLN ST.</i></b>	<b><i>N 0 - 1/8 (0.110 mi.)</i></b>	<b><i>A2</i></b>	<b><i>8</i></b>
<b><i>BP PRODUCTS # 5325,</i></b> Incident Num: 952450 IL EPA Id: 0310815181	<b><i>2216 GREEN BAY RD.</i></b>	<b><i>SSE 1/8 - 1/4 (0.192 mi.)</i></b>	<b><i>B5</i></b>	<b><i>9</i></b>
<b><i>BP PRODUCTS # 5325,</i></b> Incident Num: 20012058 IL EPA Id: 0310815181	<b><i>2216 GREENBAY RD.</i></b>	<b><i>SSE 1/8 - 1/4 (0.192 mi.)</i></b>	<b><i>B7</i></b>	<b><i>9</i></b>
<b><i>1620 CENTRAL LLC</i></b>	<b><i>1620 CENTRAL ST</i></b>	<b><i>N 1/8 - 1/4 (0.216 mi.)</i></b>	<b><i>C10</i></b>	<b><i>10</i></b>

## EXECUTIVE SUMMARY

<p>NFA/NFR Letter: 6/15/2004            Incident Num: 20040018            IL EPA Id: 0310815266</p>				
<b>RENAISSANCE REALTY</b>	<b>2144 ASHLAND</b>	<b>S 1/8 - 1/4 (0.233 mi.)</b>	<b>D11</b>	<b>10</b>
<p>NFA/NFR Letter: 4/9/1999            Incident Num: 972281            IL EPA Id: 0310815196</p>				
<b>ROBINSON BUS SERVICE</b>	<b>1601 PAYNE STREET</b>	<b>S 1/8 - 1/4 (0.250 mi.)</b>	<b>D18</b>	<b>12</b>
<p>NFA/NFR Letter: 4/28/1993            Incident Num: 920533            IL EPA Id: 0310813008</p>				
<b>NORTHWESTERN UNIVERS</b>	<b>1501 CENTRAL ST</b>	<b>NNE 1/4 - 1/2 (0.264 mi.)</b>	<b>20</b>	<b>13</b>
<p>Incident Num: 20240314            IL EPA Id: 0310815197</p>				
<b>BANK ONE EVANSTON TR</b>	<b>1713 CENTRAL ST.</b>	<b>NNW 1/4 - 1/2 (0.272 mi.)</b>	<b>E21</b>	<b>13</b>
<p>NFA/NFR Letter: 9/11/1992            Incident Num: 921665            IL EPA Id: 0310815129</p>				
<b>EVANSTON WEST CONGRE</b>	<b>2128 ASHLAND AVE.</b>	<b>S 1/4 - 1/2 (0.276 mi.)</b>	<b>F24</b>	<b>14</b>
<p>NFA/NFR Letter: 8/30/2012            Incident Num: 901566            IL EPA Id: 0310815083</p>				
<b>ZUCKER, MIKE</b>	<b>1805-1813 CENTRAL ST</b>	<b>NNW 1/4 - 1/2 (0.303 mi.)</b>	<b>H27</b>	<b>14</b>
<p>Incident Num: 20030964            IL EPA Id: 0310815259</p>				
<b>NINE SEAS INVESTMENT</b>	<b>2119-2125 ASHLAND AV</b>	<b>S 1/4 - 1/2 (0.308 mi.)</b>	<b>29</b>	<b>15</b>
<p>Incident Num: 20181212            IL EPA Id: 0310815385</p>				
<b>MADAY BROTHERS AUTO</b>	<b>1825 CENTRAL ST.</b>	<b>NW 1/4 - 1/2 (0.322 mi.)</b>	<b>I32</b>	<b>16</b>
<p>NFA/NFR Letter: 11/14/1996            Incident Num: 933201            IL EPA Id: 0310815160</p>				
<b>EVANSTON, CITY OF</b>	<b>2022 CENTRAL STREET</b>	<b>WNW 1/4 - 1/2 (0.449 mi.)</b>	<b>J35</b>	<b>16</b>
<p>NFA/NFR Letter: 9/22/2015            Incident Num: 20150366            IL EPA Id: 0310815365</p>				
<b>PETER JANS COMMUNITY</b>	<b>1040 CENTRAL STREET</b>	<b>ENE 1/4 - 1/2 (0.491 mi.)</b>	<b>M42</b>	<b>18</b>
<p>NFA/NFR Letter: 1/18/2024            Incident Num: 992544            IL EPA Id: 0310815227</p>				
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>GREENWALD, DORIS</b>	<b>2125 DEWEY AVE.</b>	<b>S 1/4 - 1/2 (0.290 mi.)</b>	<b>G26</b>	<b>14</b>
<p>Incident Num: 932595            IL EPA Id: 0310815154</p>				
<b>EVANSTON, CITY OF</b>	<b>1105 CENTRAL ST.</b>	<b>ENE 1/4 - 1/2 (0.459 mi.)</b>	<b>K36</b>	<b>17</b>
<p>Incident Num: 20031431            Incident Num: 910527            IL EPA Id: 0310815095</p>				
<b>FLEETWOOD JOURDAIN C</b>	<b>1655 FOSTER ST</b>	<b>S 1/4 - 1/2 (0.467 mi.)</b>	<b>L40</b>	<b>18</b>

## EXECUTIVE SUMMARY

NFA/NFR Letter: 1/15/2009  
 Incident Num: 910482  
 IL EPA Id: 0310815096

<b>OVER THE RAINBOW ASS</b>	<b>2026 BROWN ST.</b>	<b>SW 1/4 - 1/2 (0.493 mi.)</b>	<b>N44</b>	<b>19</b>
NFA/NFR Letter: 9/9/1992 Incident Num: 921617 IL EPA Id: 0310815132				

<b>RAINBOW UNIT 2</b>	<b>2030 BROWN ST.</b>	<b>SW 1/4 - 1/2 (0.493 mi.)</b>	<b>N45</b>	<b>19</b>
NFA/NFR Letter: 10/27/1992 Incident Num: 920863 IL EPA Id: 0310815126				

### ***Lists of state and tribal registered storage tanks***

UST: A review of the UST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 6 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ST ATHANASUIS PARISH Tank Status: Pre 1974 Status: EXEMPT Facility Id: 2037217	1615 LINCOLN ST	N 0 - 1/8 (0.110 mi.)	A1	8
JACKS MUFFLER MAN Tank Status: Removed Status: CLOSED Facility Id: 2034292	2216 GREENBAY RD	SSE 1/8 - 1/4 (0.192 mi.)	B4	8
1620 CENTRAL STREET Tank Status: Removed Status: EXEMPT Facility Id: 2041943	1620 CENTRAL STREET	N 1/8 - 1/4 (0.216 mi.)	C8	9
<b>RENAISSANCE REALTY</b> Tank Status: Removed Status: EXEMPT Facility Id: 2036006	<b>2144 ASHLAND</b>	<b>S 1/8 - 1/4 (0.233 mi.)</b>	<b>D11</b>	<b>10</b>
UN-NAMED APARTMENT B Tank Status: Removed Status: EXEMPT Facility Id: 2043086	2526 JACKSON	NNE 1/8 - 1/4 (0.234 mi.)	14	11
1601 PAYNE BUILDING Tank Status: Removed Tank Status: Abandoned in place Status: CLOSED Facility Id: 2029696	1601 PAYNE ST	S 1/8 - 1/4 (0.250 mi.)	D19	12

## EXECUTIVE SUMMARY

### ***State and tribal institutional control / engineering control registries***

ENG CONTROLS: A review of the ENG CONTROLS list, as provided by EDR, and dated 06/24/2024 has revealed that there are 2 ENG CONTROLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>NORTH EVANSTON AUTO</b> Illinois Epa Id: 0310813006	<b>2650-2658 GREEN BAY</b>	<b>NW 1/4 - 1/2 (0.474 mi.)</b>	<b>41</b>	<b>18</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>BRINNSP, LLC</b> Illinois Epa Id: 0310815349	<b>2113 DEWEY AVENUE</b>	<b>S 1/4 - 1/2 (0.319 mi.)</b>	<b>30</b>	<b>15</b>

INST CONTROL: A review of the INST CONTROL list, as provided by EDR, and dated 06/24/2024 has revealed that there are 4 INST CONTROL sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>HAPP CHARLES C</b> Illinois EPA Id: 0310815362	<b>2510 GREEN BAY ROAD</b>	<b>NW 1/8 - 1/4 (0.238 mi.)</b>	<b>15</b>	<b>11</b>
<b>SPARKLE CLEANERS</b> Illinois EPA Id: 0310815034	<b>2104 CENTRAL ST</b>	<b>WNW 1/4 - 1/2 (0.467 mi.)</b>	<b>J38</b>	<b>17</b>
<b>NORTH EVANSTON AUTO</b> Illinois EPA Id: 0310813006	<b>2650-2658 GREEN BAY</b>	<b>NW 1/4 - 1/2 (0.474 mi.)</b>	<b>41</b>	<b>18</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>BRINNSP, LLC</b> Illinois EPA Id: 0310815349	<b>2113 DEWEY AVENUE</b>	<b>S 1/4 - 1/2 (0.319 mi.)</b>	<b>30</b>	<b>15</b>

### ***Lists of state and tribal voluntary cleanup sites***

SRP: A review of the SRP list, as provided by EDR, and dated 06/24/2024 has revealed that there are 5 SRP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>HAPP CHARLES C</b> IL EPA Id: 0310815362	<b>2510 GREEN BAY ROAD</b>	<b>NW 1/8 - 1/4 (0.238 mi.)</b>	<b>15</b>	<b>11</b>
<b>SPARKLE CLEANERS</b> IL EPA Id: 0310815034	<b>2104 CENTRAL ST</b>	<b>WNW 1/4 - 1/2 (0.467 mi.)</b>	<b>J38</b>	<b>17</b>
<b>NORTH EVANSTON AUTO</b> IL EPA Id: 0310813006	<b>2650-2658 GREEN BAY</b>	<b>NW 1/4 - 1/2 (0.474 mi.)</b>	<b>41</b>	<b>18</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>BRINNSP, LLC</b>	<b>2113 DEWEY AVENUE</b>	<b>S 1/4 - 1/2 (0.319 mi.)</b>	<b>30</b>	<b>15</b>

## EXECUTIVE SUMMARY

IL EPA Id: 0310815349

**SISSLA CONDO ASSOCIA**

IL EPA Id: 0310815335

**1210-1222 CENTRAL ST**

**NE 1/4 - 1/2 (0.379 mi.)**

**33**

**16**

### ADDITIONAL ENVIRONMENTAL RECORDS

#### **Other Ascertainable Records**

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/03/2024 has revealed that there is 1 RCRA NonGen / NLR site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>VACANT UNDER CONSTRU</b> EPA ID:: ILR000044677	<b>2144 ASHLAND</b>	<b>S 1/8 - 1/4 (0.233 mi.)</b>	<b>D12</b>	<b>11</b>

FUDS: A review of the FUDS list, as provided by EDR, and dated 07/31/2024 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTHWESTERN UNIVERS		S 1/2 - 1 (0.845 mi.)	48	20

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 15 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BP PRODUCTS # 5325	2216 GREENBAY RD.	SSE 1/8 - 1/4 (0.192 mi.)	B3	8
1620 CENTRAL LLC	1620 CENTRAL STREET	N 1/8 - 1/4 (0.216 mi.)	C9	10
LEINWEBER, JOHN	2144 ASHLAND	S 1/8 - 1/4 (0.233 mi.)	D13	11
ROBINSON BUS SERVICE	2142 ASHLAND	S 1/8 - 1/4 (0.241 mi.)	D17	12
BANK ONE EVANSTON TR	1713 CENTRAL ST.	NNW 1/4 - 1/2 (0.272 mi.)	E22	13
EVANSTON WEST CONGRE	2128 ASHLAND AVE.	S 1/4 - 1/2 (0.276 mi.)	F23	14
ZUCKER, MIKE	1805-1813 CENTRAL ST	NNW 1/4 - 1/2 (0.303 mi.)	H28	15
MADAY BROTHERS AUTO	1825 CENTRAL ST.	NW 1/4 - 1/2 (0.322 mi.)	I31	15
EVANSTON, CITY OF	2022 CENTRAL STREET	WNW 1/4 - 1/2 (0.449 mi.)	J34	16
<b>PETER JANS COMMUNITY</b>	<b>1040 CENTRAL STREET</b>	<b>ENE 1/4 - 1/2 (0.491 mi.)</b>	<b>M43</b>	<b>19</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GREENWALD, DORIS	2125 DEWEY AVE.	S 1/4 - 1/2 (0.290 mi.)	G25	14
EVANSTON, CITY OF	1105 CENTRAL ST.	ENE 1/4 - 1/2 (0.459 mi.)	K37	17
EVANSTON, CITY OF	1655 FOSTER	S 1/4 - 1/2 (0.467 mi.)	L39	17
RAINBOW UNIT 2	2030 BROWN ST.	SW 1/4 - 1/2 (0.493 mi.)	N46	20
OVER THE RAINBOW ASS	2026 BROWN ST.	SW 1/4 - 1/2 (0.493 mi.)	N47	20

## EXECUTIVE SUMMARY

UST FINDER: A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there is 1 UST FINDER site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
JACKS MUFFLER MAN	2216 GREENBAY RD	SSE 1/8 - 1/4 (0.192 mi.)	B6	9

### EDR HIGH RISK HISTORICAL RECORDS

#### ***EDR Exclusive Records***

EDR MGP: A review of the EDR MGP list, as provided by EDR, has revealed that there are 2 EDR MGP sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTH WESTERN GAS WO	918 UNIVERSITY PLACE	SE 1/2 - 1 (0.870 mi.)	49	20
NORTHWESTERN GAS, LI	912 CLARK STREET	SE 1/2 - 1 (0.941 mi.)	50	20


Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
------	--------	-----------	--------------	-----	-------------

NO SITES FOUND

# OVERVIEW MAP - 7841921.72S




- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites
- ▨ Indian Reservations BIA
- ⚡ Power transmission lines
- ▨ Special Flood Hazard Area (1%)
- ▨ 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-R Colfax ST From Poplar Ave To Ashland Ave  
 ADDRESS: Colfax ST and Poplar Ave  
 Evanston IL 60201  
 LAT/LONG: 42.060785 / 87.6945

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.72S  
 DATE: December 06, 2024 1:04 pm

# DETAIL MAP - 7841921.72S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚡ Manufactured Gas Plants
- ⚠ Sensitive Receptors
- 🚧 National Priority List Sites
- 🏠 Dept. Defense Sites

- 🏞️ Indian Reservations BIA
- 🌊 Special Flood Hazard Area (1%)
- 🌊 0.2% Annual Chance Flood Hazard
- 🌿 National Wetland Inventory
- 🌿 State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-R Colfax ST From Poplar Ave To Ashland Ave  
 ADDRESS: Colfax ST and Poplar Ave  
 Evanston IL 60201  
 LAT/LONG: 42.060785 / 87.6945

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.72s  
 DATE: December 06, 2024 1:05 pm

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-VSQG	0.250		0	1	NR	NR	NR	1
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal hazardous waste facilities</i></b>								
SSU	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
SWF/LF	0.500		0	0	0	NR	NR	0
CCDD	0.500		0	0	0	NR	NR	0
LF SPECIAL WASTE	0.500		0	0	0	NR	NR	0
IL NIPC	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
LUST	0.500		1	5	13	NR	NR	19
INDIAN LUST	0.500		0	0	0	NR	NR	0
LUST TRUST	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		1	5	NR	NR	NR	6
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
ENG CONTROLS	0.500		0	0	2	NR	NR	2
INST CONTROL	0.500		0	1	3	NR	NR	4
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
SRP	0.500		0	1	4	NR	NR	5
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
TANKS	0.250		0	0	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
SPILLS	TP		NR	NR	NR	NR	NR	0
COMPLAINTS	TP		NR	NR	NR	NR	NR	0
SPILLS 90	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		0	1	NR	NR	NR	1
FUDS	1.000		0	0	0	1	NR	1
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0



MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance		Database(s)	
Elevation	Site		

---

<b>A1</b> North < 1/8 0.110 mi. 580 ft.	<b>ST ATHANASUIS PARISH</b> 1615 LINCOLN ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>UST</b>	<b>U003668230</b> N/A
---	--	------------	--------------------------

Relative:  
Higher

**UST**  
 Status EXEMPT  
 Facility Id 2037217  
 Tank Status Pre 1974

---

<b>A2</b> North < 1/8 0.110 mi. 580 ft.	<b>ST. ATHANASIUS CHURCH</b> 1615 LINCOLN ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>LUST</b> <b>BOL</b>	<b>S103689075</b> N/A
---	--	---------------------------	--------------------------

Relative:  
Higher

**LUST**  
 Incident Num 981736  
 IL EPA Id 0310815210

**BOL**  
 Site Id 170000451892  
 Inv Num 0310815210

---

<b>B3</b> SSE 1/8-1/4 0.192 mi. 1014 ft.	<b>BP PRODUCTS # 5325</b> 2216 GREENBAY RD. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989190</b> N/A
--	--	---------------------------	--------------------------

Relative:  
Higher

---

<b>B4</b> SSE 1/8-1/4 0.192 mi. 1014 ft.	<b>JACKS MUFFLER MAN</b> 2216 GREENBAY RD EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>UST</b>	<b>U003042207</b> N/A
--	--	------------	--------------------------

Relative:  
Higher

**UST**  
 Status CLOSED  
 Facility Id 2034292  
 Tank Status Removed

MAP FINDINGS

Map ID Direction Distance Elevation		Database(s)	EDR ID Number EPA ID Number
--	--	-------------	--------------------------------

**B5**  
**SSE**  
1/8-1/4  
0.192 mi.  
1014 ft.

**BP PRODUCTS # 5325, FORMER**  
**2216 GREEN BAY RD.**  
**EVANSTON, IL 60201**

**LUST** **S101823667**  
**BOL** **N/A**

[Click here for full text details](#)

Relative:  
Higher

**LUST**  
Incident Num 952450  
IL EPA Id 0310815181

**BOL**  
Site Id 170000451712  
Inv Num 0310815181

---

**B6**  
**SSE**  
1/8-1/4  
0.192 mi.  
1014 ft.

**JACKS MUFFLER MAN**  
**2216 GREENBAY RD**  
**EVANSTON, IL 60201**

**UST FINDER** **1028317297**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**B7**  
**SSE**  
1/8-1/4  
0.192 mi.  
1014 ft.

**BP PRODUCTS # 5325, FORMER**  
**2216 GREENBAY RD.**  
**EVANSTON, IL 60201**

**LUST** **S111895151**  
**SPILLS** **N/A**

[Click here for full text details](#)

Relative:  
Higher

**LUST**  
Incident Num 20012058  
IL EPA Id 0310815181

**SPILLS**  
Incident ID 19952450

---

**C8**  
**North**  
1/8-1/4  
0.216 mi.  
1142 ft.

**1620 CENTRAL STREET**  
**1620 CENTRAL STREET**  
**EVANSTON, IL 60204**

**UST** **U003929779**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**UST**  
Status EXEMPT  
Facility Id 2041943  
Tank Status Removed

MAP FINDINGS

Map ID Direction Distance Elevation		Database(s)	EDR ID Number EPA ID Number
--	--	-------------	--------------------------------

<b>C9</b> North 1/8-1/4 0.216 mi. 1142 ft.  Relative: Higher	<b>1620 CENTRAL LLC</b> 1620 CENTRAL STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989214</b> N/A
---	--	---------------------------	--------------------------

<b>C10</b> North 1/8-1/4 0.216 mi. 1142 ft.  Relative: Higher	<b>1620 CENTRAL LLC</b> 1620 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>LUST</b> <b>SPILLS</b> <b>ASBESTOS</b> <b>BOL</b>	<b>S106132067</b> N/A
--	--	---	--------------------------

**LUST**  
 NFA/NFR Letter 6/15/2004  
 Incident Num 20040018  
 IL EPA Id 0310815266

**SPILLS**  
 Incident ID 20040018

**BOL**  
 Site Id 170001434179  
 Inv Num 0310815266

<b>D11</b> South 1/8-1/4 0.233 mi. 1232 ft.  Relative: Higher	<b>RENAISSANCE REALTY</b> 2144 ASHLAND EVANSTON, IL 60204  <a href="#">Click here for full text details</a>	<b>LUST</b> <b>UST</b> <b>BOL</b>	<b>U003298431</b> N/A
--	---	---	--------------------------

**LUST**  
 NFA/NFR Letter 4/9/1999  
 Incident Num 972281  
 IL EPA Id 0310815196

**UST**  
 Status EXEMPT  
 Facility Id 2036006  
 Tank Status Removed

**BOL**  
 Site Id 170000337008  
 Inv Num 0310815196

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
D12 South 1/8-1/4 0.233 mi. 1232 ft.	VACANT UNDER CONSTRUCTION 2144 ASHLAND EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1001213707 ILR000044677
Relative: Higher	RCRA NonGen / NLR EPA Id ILR000044677		
	FINDS Registry ID: 110005959739		
	ECHO Registry ID 110005959739		
D13 South 1/8-1/4 0.233 mi. 1232 ft.	LEINEWEBER, JOHN 2144 ASHLAND EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989194 N/A
Relative: Higher			
14 NNE 1/8-1/4 0.234 mi. 1237 ft.	UN-NAMED APARTMENT BUILDING 2526 JACKSON EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST	U004022873 N/A
Relative: Higher	UST Status EXEMPT Facility Id 2043086 Tank Status Removed		
15 NW 1/8-1/4 0.238 mi. 1259 ft.	HAPP CHARLES C 2510 GREEN BAY ROAD EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	INST CONTROL SRP	S125400417 N/A
Relative: Higher	INST CONTROL Illinois EPA Id 0310815362		
	SRP IL EPA Id 0310815362		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
D16 South 1/8-1/4 0.241 mi. 1275 ft.	ROBINSON BUS SVC INC 2142 ASHLAND EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA-VSQG FINDS ECHO	1004693947 ILD984854034
Relative: Higher	RCRA-VSQG EPA Id ILD984854034  FINDS Registry ID: 110005907698  ECHO Registry ID 110005907698		
D17 South 1/8-1/4 0.241 mi. 1275 ft.	ROBINSON BUS SERVICE 2142 ASHLAND EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989115 N/A
Relative: Higher			
D18 South 1/8-1/4 0.250 mi. 1320 ft.	ROBINSON BUS SERVICE, INC. 1601 PAYNE STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	LUST BOL	S123575183 N/A
Relative: Higher	LUST NFA/NFR Letter 4/28/1993 Incident Num 920533 IL EPA Id 0310813008  BOL Site Id 170000290717 Inv Num 0310813008		
D19 South 1/8-1/4 0.250 mi. 1320 ft.	1601 PAYNE BUILDING 1601 PAYNE ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST	U000792652 N/A
Relative: Higher	UST Status CLOSED Facility Id 2029696 Tank Status Removed Tank Status Abandoned in place		

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

<b>20</b> <b>NNE</b> <b>1/4-1/2</b> <b>0.264 mi.</b> <b>1393 ft.</b>	<b>NORTHWESTERN UNIVERSITY</b> <b>1501 CENTRAL ST</b> <b>EVANSTON, IL 60208</b>  <a href="#">Click here for full text details</a>	<b>LUST</b> <b>SPILLS</b> <b>AIRS</b> <b>ASBESTOS</b> <b>BOL</b>	<b>S107744757</b> <b>N/A</b>
--	---	--	---------------------------------

Relative:  
Higher

**LUST**  
 Incident Num 20240314  
 IL EPA Id 0310815197

**SPILLS**  
 Incident ID 20240314

**AIRS**  
 Facility Id 12431

**BOL**  
 Site Id 170000020484  
 Inv Num 0310815197

---

<b>E21</b> <b>NNW</b> <b>1/4-1/2</b> <b>0.272 mi.</b> <b>1438 ft.</b>	<b>BANK ONE EVANSTON TRUST #R2977</b> <b>1713 CENTRAL ST.</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	<b>LUST</b> <b>BOL</b>	<b>S103689039</b> <b>N/A</b>
---	---	---------------------------	---------------------------------

Relative:  
Higher

**LUST**  
 NFA/NFR Letter 9/11/1992  
 Incident Num 921665  
 IL EPA Id 0310815129

**BOL**  
 Site Id 170000451446  
 Inv Num 0310815129

---

<b>E22</b> <b>NNW</b> <b>1/4-1/2</b> <b>0.272 mi.</b> <b>1438 ft.</b>	<b>BANK ONE EVANSTON TRUST #R2977</b> <b>1713 CENTRAL ST.</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989167</b> <b>N/A</b>
---	---	---------------------------	---------------------------------

Relative:  
Higher

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
F23 South 1/4-1/2 0.276 mi. 1457 ft.  Relative: Higher	EVANSTON WEST CONGREGATION OF JEHOVAH WITNESSES 2128 ASHLAND AVE. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989140 N/A
F24 South 1/4-1/2 0.276 mi. 1457 ft.  Relative: Higher	EVANSTON WEST CONGREGATION OF JEHOVAH WITNESSES 2128 ASHLAND AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  LUST NFA/NFR Letter 8/30/2012 Incident Num 901566 IL EPA Id 0310815083  BOL Site Id 170000451213 Inv Num 0310815083	LUST BOL	S105815411 N/A
G25 South 1/4-1/2 0.290 mi. 1530 ft.  Relative: Lower	GREENWALD, DORIS 2125 DEWEY AVE. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989182 N/A
G26 South 1/4-1/2 0.290 mi. 1530 ft.  Relative: Lower	GREENWALD, DORIS 2125 DEWEY AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  LUST Incident Num 932595 IL EPA Id 0310815154	LUST	S100757887 N/A
H27 NNW 1/4-1/2 0.303 mi. 1598 ft.  Relative: Higher	ZUCKER, MIKE 1805-1813 CENTRAL ST EVANSTON, IL 60241  <a href="#">Click here for full text details</a>  LUST Incident Num 20030964 IL EPA Id 0310815259	LUST BOL	S105958640 N/A

MAP FINDINGS

Map ID	Direction	Distance	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	-----------	------	-------------	---------------	---------------

ZUCKER, MIKE (Continued)

S105958640

**BOL**

Site Id 170001316788  
Inv Num 0310815259

H28  
NNW  
1/4-1/2  
0.303 mi.  
1598 ft.

ZUCKER, MIKE  
1805-1813 CENTRAL ST.  
EVANSTON, IL 0

UST FINDER RELEASE

1028989211  
N/A

[Click here for full text details](#)

Relative:  
Higher

29  
South  
1/4-1/2  
0.308 mi.  
1624 ft.

NINE SEAS INVESTMENT, LLC  
2119-2125 ASHLAND AVENUE  
EVANSTON, IL 60201

LUST

S123207862  
N/A

[Click here for full text details](#)

Relative:  
Higher

**LUST**

Incident Num 20181212  
IL EPA Id 0310815385

30  
South  
1/4-1/2  
0.319 mi.  
1685 ft.

BRINNSP, LLC  
2113 DEWEY AVENUE  
EVANSTON, IL 60201

ENG CONTROLS  
INST CONTROL  
SRP

S113248883  
N/A

[Click here for full text details](#)

Relative:  
Lower

**ENG CONTROLS**

Illinois Epa Id 0310815349

**INST CONTROL**

Illinois EPA Id 0310815349

**SRP**

IL EPA Id 0310815349

I31  
NW  
1/4-1/2  
0.322 mi.  
1699 ft.

MADAY BROTHERS AUTO SERVICE  
1825 CENTRAL ST.  
EVANSTON, IL 0

UST FINDER RELEASE

1028989184  
N/A

[Click here for full text details](#)

Relative:  
Higher

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
I32 NW 1/4-1/2 0.322 mi. 1699 ft.	<b>MADAY BROTHERS AUTO SERVICE</b> 1825 CENTRAL ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	LUST BOL	S103232588 N/A
Relative: Higher	LUST NFA/NFR Letter 11/14/1996 Incident Num 933201 IL EPA Id 0310815160  BOL Site Id 170000451605 Inv Num 0310815160		
33 NE 1/4-1/2 0.379 mi. 2000 ft.	<b>SISSLA CONDO ASSOCIATION</b> 1210-1222 CENTRAL STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	SRP BOL	S111286617 N/A
Relative: Lower	SRP IL EPA Id 0310815335  BOL Site Id 170001900860 Inv Num 0310815335		
J34 WNW 1/4-1/2 0.449 mi. 2372 ft.	<b>EVANSTON, CITY OF</b> 2022 CENTRAL STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989235 N/A
Relative: Higher			
J35 WNW 1/4-1/2 0.449 mi. 2372 ft.	<b>EVANSTON, CITY OF</b> 2022 CENTRAL STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	LUST	S117979687 N/A
Relative: Higher	LUST NFA/NFR Letter 9/22/2015 Incident Num 20150366 IL EPA Id 0310815365		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
K36 ENE 1/4-1/2 0.459 mi. 2423 ft.	EVANSTON, CITY OF 1105 CENTRAL ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	LUST BOL	S103689051 N/A
Relative: Lower	LUST Incident Num 20031431 Incident Num 910527 IL EPA Id 0310815095  BOL Site Id 170000451259 Inv Num 0310815095		
K37 ENE 1/4-1/2 0.459 mi. 2423 ft.	EVANSTON, CITY OF 1105 CENTRAL ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989147 N/A
Relative: Lower			
J38 WNW 1/4-1/2 0.467 mi. 2464 ft.	SPARKLE CLEANERS 2104 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	INST CONTROL SRP BOL	S113257577 N/A
Relative: Higher	INST CONTROL Illinois EPA Id 0310815034  SRP IL EPA Id 0310815034  BOL Site Id 170000238696 Inv Num 0310815034		
L39 South 1/4-1/2 0.467 mi. 2464 ft.	EVANSTON, CITY OF 1655 FOSTER EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989148 N/A
Relative: Lower			

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

<b>L40</b> South 1/4-1/2 0.467 mi. 2464 ft.	<b>FLEETWOOD JOURDAIN COM CTR</b> 1655 FOSTER ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>LUST</b> <b>UST</b> <b>BOL</b>	<b>U000792639</b> <b>N/A</b>
---	---	---	---------------------------------

Relative:  
Lower

**LUST**  
 NFA/NFR Letter 1/15/2009  
 Incident Num 910482  
 IL EPA Id 0310815096

**UST**  
 Status CLOSED  
 Facility Id 2026360  
 Tank Status Removed

**BOL**  
 Site Id 170000451268  
 Inv Num 0310815096

<b>41</b> NW 1/4-1/2 0.474 mi. 2502 ft.	<b>NORTH EVANSTON AUTO SERVICE</b> 2650-2658 GREEN BAY ROAD EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>ENG CONTROLS</b> <b>INST CONTROL</b> <b>SRP</b>	<b>S113712217</b> <b>N/A</b>
---	--	--	---------------------------------

Relative:  
Higher

**ENG CONTROLS**  
 Illinois Epa Id 0310813006

**INST CONTROL**  
 Illinois EPA Id 0310813006

**SRP**  
 IL EPA Id 0310813006

<b>M42</b> ENE 1/4-1/2 0.491 mi. 2592 ft.	<b>PETER JANS COMMUNITY GOLF COURSE MAINT. GAR.</b> 1040 CENTRAL STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>LUST</b> <b>UST</b> <b>BOL</b>	<b>U003668412</b> <b>N/A</b>
---	--	---	---------------------------------

Relative:  
Higher

**LUST**  
 NFA/NFR Letter 1/18/2024  
 Incident Num 992544  
 IL EPA Id 0310815227

**UST**  
 Status CLOSED  
 Facility Id 2038306  
 Tank Status Removed

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**PETER JANS COMMUNITY GOLF COURSE MAINT. GAR. (Continued)**

**U003668412**

**BOL**

Site Id 170000451990  
Inv Num 0310815227

**M43**  
**ENE**  
**1/4-1/2**  
**0.491 mi.**  
**2592 ft.**

**PETER JANS COMMUNITY GOLF COURSE MAINT. GAR.**  
**1040 CENTRAL STREET**  
**EVANSTON, IL 60201**

**UST FINDER 1028318009**  
**UST FINDER RELEASE N/A**

[Click here for full text details](#)

Relative:  
Higher

**N44**  
**SW**  
**1/4-1/2**  
**0.493 mi.**  
**2605 ft.**

**OVER THE RAINBOW ASSOC.**  
**2026 BROWN ST.**  
**EVANSTON, IL 60201**

**LUST S104524849**  
**BOL N/A**

[Click here for full text details](#)

Relative:  
Lower

**LUST**

NFA/NFR Letter 9/9/1992  
Incident Num 921617  
IL EPA Id 0310815132

**BOL**

Site Id 170000451473  
Inv Num 0310815132

**N45**  
**SW**  
**1/4-1/2**  
**0.493 mi.**  
**2605 ft.**

**RAINBOW UNIT 2**  
**2030 BROWN ST.**  
**EVANSTON, IL 60201**

**LUST S104525069**  
**BOL N/A**

[Click here for full text details](#)

Relative:  
Lower

**LUST**

NFA/NFR Letter 10/27/1992  
Incident Num 920863  
IL EPA Id 0310815126

**BOL**

Site Id 170000451437  
Inv Num 0310815126

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
N46 SW 1/4-1/2 0.493 mi. 2605 ft.	RAINBOW UNIT 2 2030 BROWN ST. EVANSTON, IL 0	UST FINDER RELEASE	1028989166 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
N47 SW 1/4-1/2 0.493 mi. 2605 ft.	OVER THE RAINBOW ASSOC. 2026 BROWN ST. EVANSTON, IL 0	UST FINDER RELEASE	1028989169 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
48 South 1/2-1 0.845 mi. 4459 ft.	NORTHWESTERN UNIVERSITY CWM SITE EVANSTON, IL	FUDS	1024900182 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
49 SE 1/2-1 0.870 mi. 4595 ft.	NORTH WESTERN GAS WORKS 918 UNIVERSITY PLACE EVANSTON, IL 60201	EDR MGP	1008407372 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
50 SE 1/2-1 0.941 mi. 4967 ft.	NORTHWESTERN GAS, LIGHT AND COKE 912 CLARK STREET EVANSTON, IL 60201	EDR MGP	1008407373 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
IL	AIRS	Air Inventory Listing	Illinois EPA	07/01/2024	07/02/2024	09/25/2024
IL	ASBESTOS	Asbestos Notification Tracker Information	Illinois EPA	06/21/2024	06/26/2024	09/16/2024
IL	AST	Above Ground Storage Tanks	State Fire Marshal	08/08/2024	08/13/2024	10/29/2024
IL	BOL	Bureau of Land Inventory Database	Illinois Environmental Protection Agency	10/16/2023	04/23/2024	07/16/2024
IL	BROWNFIELDS	Redevelopment Assessment Database	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	BROWNFIELDS	Municipal Brownfields Redevelopment Grant Program Project De	Illinois Environmental Protection Agency	02/11/2010	07/31/2014	09/08/2014
IL	CCDD	Clean Construction or Demolition Debris	Illinois EPA	03/28/2024	07/02/2024	09/24/2024
IL	CDL	Meth Drug Lab Site Listing	Department of Public Health	07/05/2024	07/08/2024	09/27/2024
IL	COAL ASH	Coal Ash Site Listing	Illinois EPA	10/01/2011	03/09/2012	04/10/2012
IL	DRYCLEANERS	Illinois Licensed Drycleaners	Drycleaner Environmental Response Trust Fund	07/02/2024	08/12/2024	10/29/2024
IL	ENG CONTROLS	Sites with Engineering Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	FIN ASSURANCE	Financial Assurance Information Listing	Illinois Environmental Protection Agency	08/28/2024	09/12/2024	11/25/2024
IL	HWAR	Hazard Waste Annual Report	Illinois EPA	12/31/2019	05/11/2021	08/02/2021
IL	IEMA SPILLS	Illinois Emergency Management Agency Spills	Illinois Emergency Management Agency	07/22/2024	07/23/2024	10/11/2024
IL	IL NIPC	Solid Waste Landfill Inventory	Northeastern Illinois Planning Commission	08/01/1988	04/07/2022	07/01/2022
IL	IMPDMENT	Surface Impoundment Inventory	Illinois Waste Management & Research Center	12/31/1980	03/08/2002	06/03/2002
IL	Inst Control	Institutional Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	LF SPECIAL WASTE	Special Waste Site List	Illinois EPA	01/01/1990	06/17/2009	07/15/2009
IL	LF WMRC	Waste Management & Research Center Landfill Database	Department of Natural Resources	12/31/2001	10/06/2006	11/06/2006
IL	LUST	Leaking Underground Storage Tank Sites	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	LUST TRUST	Underground Storage Tank Fund Payment Priority List	Illinois EPA	06/06/2016	07/27/2016	10/18/2016
IL	NPDES	A Listing of Active Permits	Illinois EPA	04/16/2014	04/18/2014	05/20/2014
IL	PFAS	PFAS Sampling Listing	Illinois Environmental Protection Agency	12/15/2023	12/27/2023	12/29/2023
IL	PIMW	Potentially Infectious Medical Waste	Illinois EPA	09/09/2024	09/11/2024	11/19/2024
IL	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Natural Resources		07/01/2013	12/30/2013
IL	RGA LF	Recovered Government Archive Solid Waste Facilities List	Illinois Environmental Protection Agency		07/01/2013	01/10/2014
IL	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	Illinois Environmental Protection Agency		07/01/2013	12/30/2013
IL	SPILLS	State spills	Illinois EPA	05/06/2024	07/02/2024	09/24/2024
IL	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	07/18/2012	01/03/2013	03/15/2013
IL	SRP	Site Remediation Program Database	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	SSU	State Sites Unit Listing	Illinois Environmental Protection Agency	01/31/2024	01/31/2024	02/13/2024
IL	SWF/LF	Available Disposal for Solid Waste in Illinois - Solid Waste	Illinois Environmental Protection Agency	12/31/2022	10/17/2023	01/08/2024
IL	TIER 2	Tier 2 Information Listing	Illinois Emergency Management Agency	12/31/2023	05/07/2024	08/01/2024
IL	UIC	Underground Injection Wells	Illinois EPA	02/15/2024	05/22/2024	08/19/2024
IL	UST	Underground Storage Tank Facility List	Illinois State Fire Marshal	07/15/2024	07/16/2024	09/27/2024
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	09/10/2024	09/11/2024	11/19/2024
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	10/13/2024	10/16/2024	10/23/2024
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2021	03/09/2023	03/20/2023
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2022	11/27/2023	02/22/2024
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/30/2024	07/08/2024	09/26/2024
US	CORRACTS	Corrective Action Report	EPA	06/03/2024	06/07/2024	06/20/2024
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DOT OPS	Incident and Accident Data	Department of Transportation, Office of Pipeli	01/02/2020	01/28/2020	04/17/2020
US	Delisted NPL	National Priority List Deletions	EPA	09/25/2024	10/01/2024	10/23/2024
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	07/24/2023	04/18/2024	06/06/2024
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	06/23/2024	06/28/2024	07/12/2024
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	06/11/2024	06/17/2024	09/04/2024
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	06/07/2024	06/25/2024	09/19/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	03/15/2024	03/19/2024	06/17/2024
US	FINDS	Facility Index System/Facility Registry System	EPA	08/13/2024	08/20/2024	08/28/2024
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	07/31/2024	08/12/2024	10/09/2024
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	08/13/2024	08/13/2024	10/09/2024
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	06/14/2024	06/17/2024	06/24/2024
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Services, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LUCIS	Land Use Control Information System	Department of the Navy	07/15/2024	07/17/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	MINES MRDS	Mineral Resources Data System	USGS	08/23/2022	11/22/2022	02/28/2023
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	10/01/2024	10/02/2024	10/09/2024
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	09/25/2024	10/01/2024	10/23/2024
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	05/23/2024	07/02/2024	09/26/2024
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	09/25/2024	10/01/2024	10/23/2024
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RMP	Risk Management Plans	Environmental Protection Agency	07/12/2024	07/17/2024	10/09/2024
US	ROD	Records Of Decision	EPA	10/24/2024	11/01/2024	11/19/2024
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	09/25/2024	10/01/2024	10/23/2024
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	09/25/2024	10/01/2024	10/23/2024
US	SSTS	Section 7 Tracking Systems	EPA	07/11/2024	07/11/2024	07/12/2024
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2022	11/13/2023	02/07/2024
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	05/08/2024	08/14/2024	08/28/2024
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	06/10/2024	06/11/2024	09/04/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	06/10/2024	06/17/2024	09/04/2024
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/06/2024	08/14/2024	08/15/2024
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protection Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protection	08/05/2024	08/06/2024	10/25/2024
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
IL	Daycare Centers	Sensitive Receptor: Homes & Centers Listing	Department of Children & Family Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
IL	State Wetlands	Wetland Inventory	Illinois State Geological Survey			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

9826-R COLFAX ST FROM POPLAR AVE TO ASHLAND AVE  
COLFAX ST AND POPLAR AVE  
EVANSTON, IL 60201

### **TARGET PROPERTY COORDINATES**

Latitude (North):	42.060785 - 42° 3' 38.83"
Longitude (West):	87.6945 - 87° 41' 40.20"
Universal Tranverse Mercator:	Zone 16
UTM X (Meters):	442536.2
UTM Y (Meters):	4656545.0
Elevation:	602 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	24185589 EVANSTON, IL
Version Date:	2021

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ENE

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
17031C0265J	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
17031C0255J	FEMA FIRM Flood data
17031C0260J	FEMA FIRM Flood data
17031C0270J	FEMA FIRM Flood data

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EVANSTON	YES - refer to the Overview Map and Detail Map

## **HYDROGEOLOGIC INFORMATION**

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### ***Site-Specific Hydrogeological Data\*:***

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
48	1/2 - 1 Mile SSE	Not Reported
75	1/2 - 1 Mile SE	E
1G	1/2 - 1 Mile SSE	Not Reported
2G	1/2 - 1 Mile SE	E

For additional site information, refer to Physical Setting Source Map Findings.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### ROCK STRATIGRAPHIC UNIT

Era: Paleozoic  
System: Silurian  
Series: Middle Silurian (Niagoaran)  
Code: S2 *(decoded above as Era, System & Series)*

#### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBANLAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Bedrock Max: > 0 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	60 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

## OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
fine sandy loam  
loam  
fine sand

Surficial Soil Types: silt loam  
fine sandy loam  
loam  
fine sand

Shallow Soil Types: sandy loam

Deeper Soil Types: silt loam  
sand  
loamy sand  
loam

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	ILSG4000064442	0 - 1/8 Mile South
A2	ILSG4000042130	0 - 1/8 Mile SSW
A3	ILSG4000064441	1/8 - 1/4 Mile South
4	ILSG4000039732	1/8 - 1/4 Mile SSW
B5	ILSG4000060441	1/8 - 1/4 Mile WNW
B6	ILSG4000060444	1/8 - 1/4 Mile WNW
B7	ILSG4000060443	1/8 - 1/4 Mile West
B8	ILSG4000060442	1/8 - 1/4 Mile WNW
C9	ILSG4000055188	1/8 - 1/4 Mile SW
D10	ILSG4000042131	1/4 - 1/2 Mile East
E11	ILSG4000049565	1/4 - 1/2 Mile SSW
F12	ILSG4000050177	1/4 - 1/2 Mile SW
D13	ILSG4000050180	1/4 - 1/2 Mile ENE
C14	ILSG4000050178	1/4 - 1/2 Mile SW
F15	ILSG4000050176	1/4 - 1/2 Mile SW
F16	ILSG4000050179	1/4 - 1/2 Mile SW
G17	ILSG4000050181	1/4 - 1/2 Mile ENE
D18	ILSG4000049576	1/4 - 1/2 Mile East
E19	ILSG4000061712	1/4 - 1/2 Mile SSW
H20	ILSG4000059233	1/4 - 1/2 Mile North
21	ILSG4000055187	1/4 - 1/2 Mile SW
G22	ILSG4000050182	1/4 - 1/2 Mile ENE
G23	ILSG4000050183	1/4 - 1/2 Mile ENE
I24	ILSG4000059232	1/4 - 1/2 Mile NNE
H25	ILSG4000059239	1/4 - 1/2 Mile NNE
H26	ILSG4000059236	1/4 - 1/2 Mile North
I27	ILSG4000059238	1/4 - 1/2 Mile NNE
28	ILSG4000055186	1/4 - 1/2 Mile SW
J29	ILSG4000059237	1/4 - 1/2 Mile NNE
K30	ILSG4000050185	1/4 - 1/2 Mile NE
K31	ILSG4000050187	1/4 - 1/2 Mile ENE
K32	ILSG4000050186	1/4 - 1/2 Mile ENE
J33	ILSG4000059235	1/4 - 1/2 Mile North
K34	ILSG4000042132	1/4 - 1/2 Mile ENE
K35	ILSG4000050184	1/4 - 1/2 Mile ENE
K36	ILSG4000040932	1/4 - 1/2 Mile ENE

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
37	ILSG40000059234	1/4 - 1/2 Mile NNE
38	ILSG40000055185	1/2 - 1 Mile SW
L39	ILSG40000054364	1/2 - 1 Mile SW
40	ILSG40000060467	1/2 - 1 Mile NE
L41	ILSG40000054361	1/2 - 1 Mile SW
L42	ILSG40000054363	1/2 - 1 Mile SW
L43	ILSG40000054365	1/2 - 1 Mile SW
L44	ILSG40000054362	1/2 - 1 Mile SW
M45	ILSG40000054357	1/2 - 1 Mile SSE
M46	ILSG40000054356	1/2 - 1 Mile SE
47	ILSG40000055184	1/2 - 1 Mile SW
M49	ILSG40000054353	1/2 - 1 Mile SSE
M50	ILSG40000054354	1/2 - 1 Mile SSE
M51	ILSG40000054355	1/2 - 1 Mile SSE
M52	ILSG40000054351	1/2 - 1 Mile SE
M53	ILSG40000054352	1/2 - 1 Mile SSE
N54	ILSG40000049582	1/2 - 1 Mile NE
O55	ILSG40000060478	1/2 - 1 Mile SSE
O56	ILSG40000060479	1/2 - 1 Mile SSE
P57	ILSG40000064583	1/2 - 1 Mile NE
O58	ILSG40000060480	1/2 - 1 Mile SSE
P59	ILSG40000064582	1/2 - 1 Mile NE
N60	ILSG40000042133	1/2 - 1 Mile NE
61	ILSG40000055183	1/2 - 1 Mile SW
P62	ILSG40000064585	1/2 - 1 Mile NE
P63	ILSG40000064584	1/2 - 1 Mile NE
P64	ILSG40000040933	1/2 - 1 Mile NE
65	ILSG40000039733	1/2 - 1 Mile SW
66	ILSG40000061713	1/2 - 1 Mile ESE
Q67	ILSG40000054366	1/2 - 1 Mile SE
Q68	ILSG40000064454	1/2 - 1 Mile SE
Q69	ILSG40000054368	1/2 - 1 Mile SE
Q70	ILSG40000054367	1/2 - 1 Mile SE
Q71	ILSG40000054369	1/2 - 1 Mile SE
R72	ILSG40000059332	1/2 - 1 Mile South
R73	ILSG40000059334	1/2 - 1 Mile South
R74	ILSG40000059333	1/2 - 1 Mile South
Q76	ILSG40000064448	1/2 - 1 Mile SE
S77	ILSG40000060142	1/2 - 1 Mile NE
T78	ILSG40000064455	1/2 - 1 Mile SE
79	ILSG40000061714	1/2 - 1 Mile SE
80	ILSG40000055182	1/2 - 1 Mile SW
T81	ILSG40000064453	1/2 - 1 Mile SE
S82	ILSG40000060143	1/2 - 1 Mile NE
S83	ILSG40000060140	1/2 - 1 Mile NE
T84	ILSG40000064449	1/2 - 1 Mile SE
T85	ILSG40000064452	1/2 - 1 Mile SE
U86	ILSG40000060635	1/2 - 1 Mile East
U87	ILSG40000060634	1/2 - 1 Mile East
S88	ILSG40000060141	1/2 - 1 Mile NE
V89	ILSG40000060638	1/2 - 1 Mile East
T90	ILSG40000064451	1/2 - 1 Mile SE

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
W91	ILSG40000042128	1/2 - 1 Mile SW
92	ILSG40000042134	1/2 - 1 Mile NNE
T93	ILSG40000064450	1/2 - 1 Mile SE
94	ILSG40000059502	1/2 - 1 Mile SSW
95	ILSG40000060639	1/2 - 1 Mile ESE
W96	ILSG40000040929	1/2 - 1 Mile SW
97	ILSG40000064447	1/2 - 1 Mile SE
V98	ILSG40000060637	1/2 - 1 Mile ESE
V99	ILSG40000060655	1/2 - 1 Mile East
W100	ILSG40000049558	1/2 - 1 Mile SW
X101	ILSG40000055181	1/2 - 1 Mile SW
Y102	ILSG40000060648	1/2 - 1 Mile East
X103	ILSG40000061432	1/2 - 1 Mile SW
V104	ILSG40000060636	1/2 - 1 Mile East
105	ILSG40000059382	1/2 - 1 Mile SE
Y106	ILSG40000060649	1/2 - 1 Mile ESE
X107	ILSG40000042129	1/2 - 1 Mile SW

# PHYSICAL SETTING SOURCE MAP - 7841921.72s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: 9826-R Colfax ST From Poplar Ave To Ashland Ave  
 ADDRESS: Colfax ST and Poplar Ave  
 Evanston IL 60201  
 LAT/LONG: 42.060785 / 87.6945

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.72s  
 DATE: December 06, 2024 1:05 pm

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID	Direction	Distance	Elevation	Database	EDR ID Number
A1	South	0 - 1/8 Mile	Lower	IL WELLS	ILSG40000064442
<a href="#">Click here for full text details</a>					
A2	SSW	0 - 1/8 Mile	Lower	IL WELLS	ILSG40000042130
<a href="#">Click here for full text details</a>					
A3	South	1/8 - 1/4 Mile	Higher	IL WELLS	ILSG40000064441
<a href="#">Click here for full text details</a>					
4	SSW	1/8 - 1/4 Mile	Lower	IL WELLS	ILSG40000039732
<a href="#">Click here for full text details</a>					
B5	WNW	1/8 - 1/4 Mile	Higher	IL WELLS	ILSG40000060441
<a href="#">Click here for full text details</a>					
B6	WNW	1/8 - 1/4 Mile	Higher	IL WELLS	ILSG40000060444
<a href="#">Click here for full text details</a>					
B7	West	1/8 - 1/4 Mile	Higher	IL WELLS	ILSG40000060443
<a href="#">Click here for full text details</a>					
B8	WNW	1/8 - 1/4 Mile	Higher	IL WELLS	ILSG40000060442
<a href="#">Click here for full text details</a>					

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
C9 SW 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055188
D10 East 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042131
E11 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049565
F12 SW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050177
D13 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050180
C14 SW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050178
F15 SW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050176
F16 SW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050179
G17 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050181

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
D18 East 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049576
E19 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061712
H20 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059233
21 SW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055187
G22 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050182
G23 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050183
I24 NNE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059232
H25 NNE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059239
H26 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059236

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
I27 NNE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059238
28 SW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055186
J29 NNE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059237
K30 NE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050185
K31 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050187
K32 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050186
J33 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059235
K34 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042132
K35 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050184

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
K36 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040932
37 NNE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059234
38 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055185
L39 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054364
40 NE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060467
L41 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054361
L42 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054363
L43 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054365
L44 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054362

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
M45 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054357
M46 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054356
47 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055184
48 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	62391
M49 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054353
M50 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054354
M51 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054355
M52 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054351
M53 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054352

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
N54 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049582
O55 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060478
O56 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060479
P57 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064583
O58 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060480
P59 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064582
N60 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042133
61 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055183
P62 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064585

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
P63 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064584
P64 NE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040933
65 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039733
66 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061713
Q67 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054366
Q68 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064454
Q69 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054368
Q70 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054367
Q71 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054369

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
R72 South 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059332
R73 South 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059334
R74 South 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059333
75 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	27259
Q76 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064448
S77 NE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060142
T78 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064455
79 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061714
80 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055182

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
T81 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064453
S82 NE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060143
S83 NE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060140
T84 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064449
T85 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064452
U86 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060635
U87 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060634
S88 NE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060141
V89 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060638

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
T90 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064451
W91 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042128
92 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042134
T93 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064450
94 SSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059502
95 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060639
W96 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040929
97 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064447
V98 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060637

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
V99 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060655
W100 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049558
X101 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055181
Y102 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060648
X103 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061432
V104 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060636
105 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059382
Y106 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060649
X107 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042129

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database

EDR ID Number

1G  
SSE  
1/2 - 1 Mile  
Lower

[Click here for full text details](#)

AQUIFLOW

62391

2G  
SE  
1/2 - 1 Mile  
Lower

[Click here for full text details](#)

AQUIFLOW

27259

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: IL Radon

### Radon Test Results

Zipcode	Result
60201	0.7
60201	1.6
60201	0.7
60201	0.9
60201	
60201	0.7
60201	1.1
60201	0.3
60201	0.6
60201	1.6
60201	0.8
60201	1
60201	0.3
60201	1.8

Federal EPA Radon Zone for COOK County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

---

Federal Area Radon Information for Zip Code: 60201

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	-0.500 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Illinois State Geological Survey

Telephone: 217-333-4747

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## OTHER STATE DATABASE INFORMATION

### Oil and Gas Wells Listing

Source: Illinois State Geological Survey

Telephone: 217-333-5109

Oil and gas wells location points from the Illinois State Geological Survey database.

### Water Well Records

Source: Illinois Geological Survey

Telephone: 217-333-4747

### Illinois Private Well Database and PICS (Public, Industrial, Commercial Survey)

Source: Illinois State Water Survey

Telephone: 217-333-9043

### Water Well Location Information

Source: Illinois Environmental Protection Agency

Telephone: 217-782-0810

## RADON

### State Database: IL Radon

Source: Department of Nuclear Safety

Telephone: 217-785-9958

County Radon Results

### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix B**  
Sample Location Map

2025 MFT Street Resurfacing Projects  
Colfax Street from Poplar Avenue to Ashland Avenue  
INTERRA Project No. 9826  
Date: 12/20/2024



Colfax-PC-01



## **Appendix C**

### Analytical Test Reports

January 13, 2025

INTERRA, Inc.  
INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

RE: 9826 - Evanston Geotech and Environmental 2024  
AAL1476

Metiri Analytical Group Inc, - Geneva received sample(s) on 12/23/2024 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,



Daniel Galeher  
Project Manager



INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:25

## Notes and Definitions

Item	Definition
------	------------

J	Analyte detected below quantitation limit (QL)
S	Spike Recovery outside accepted recovery limits
U	Analyte included in the analysis, but not detected
V	Field paramter to be analyzed within 15 minutes of sampling, performed in the lab past holding time.

### General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

### Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS: (Surrogate Standard): Quality control compound added to the sample by the lab.
- LA: Lab Accident - No valid data to report.
- VO: Insufficient Volume provided
- BR: Received broken
- IP: Invalid Sampling

### Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater



Illinois Department of Public Health Accredited #17585

Illinois Environmental Protection Agency Accredited #100225

# Table of Contents

Qualifiers and Definitions	2
Sample Results	5
Chain of Custody	11

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:25

### Samples in this Report

<b>Lab ID</b>	<b>Sample</b>	<b>Matrix</b>	<b>Date Sampled</b>	<b>Date Received</b>
AAL1476-01	Colfax-PC-01	Solid	12/20/2024 14:00	12/23/2024

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:25

## Sample Results

**Sample: Colfax-PC-01**  
**AAL1476-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.156	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.084	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.090	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.066	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.629	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.641	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2,4-Dichlorophenol	ND	0.599	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2,4-Dimethylphenol	ND	0.965	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2,4-Dinitrophenol	ND	1.26	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.108	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.090	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2-Chloronaphthalene	ND	0.102	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2-Chlorophenol	ND	0.569	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2-Methylnaphthalene	ND	0.108	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2-Nitroaniline	ND	0.665	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
2-Nitrophenol	ND	0.677	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.593	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
3-Nitroaniline	ND	0.306	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.593	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.108	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.617	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
4-Chloroaniline	ND	0.473	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.078	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
4-Nitroaniline	ND	0.389	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
4-Nitrophenol	ND	0.545	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Acenaphthene	ND	0.096	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Acenaphthylene	ND	0.084	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Aniline	ND	0.407	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Anthracene	ND	0.072	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Azobenzene	ND	0.060	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Benzidine	ND	0.419	4.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Benzo(a)anthracene	ND	0.060	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Benzo(a)pyrene	ND	0.078	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Benzo(b)fluoranthene	ND	0.078	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Benzo(g,h,i)perylene	ND	0.096	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Benzo(k)fluoranthene	ND	0.066	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Benzoic acid	ND	0.683	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Benzyl alcohol	ND	0.737	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.114	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.174	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.144	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Bis(2-ethylhexyl)phthalate	ND	0.707	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Butyl benzyl phthalate	ND	0.701	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Carbazole	ND	0.078	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Chrysene	ND	0.078	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:25

### Sample Results (Continued)

**Sample: Colfax-PC-01 (Continued)**  
**AAL1476-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### SVOC (Continued)

Dibenzo(a,h)anthracene	ND	0.102	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Dibenzofuran	ND	0.090	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Diethyl phthalate	ND	0.587	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Dimethyl phthalate	ND	0.653	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Di-n-butyl phthalate	ND	0.545	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Di-n-octyl phthalate	ND	0.785	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Fluoranthene	ND	0.066	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Fluorene	ND	0.090	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Hexachlorobenzene	ND	0.641	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Hexachlorobutadiene	ND	0.617	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.521	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Hexachloroethane	ND	0.581	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	ND	0.010	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Isophorone	ND	0.010	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
m,p-Cresol	ND	0.142	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Naphthalene	ND	0.090	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
n-Decane	ND	0.653	1.33	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Nitrobenzene	ND	0.072	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
N-nitrosodimethylamine	ND	0.108	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.096	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.165	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
n-Octadecane	ND	0.665	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
O-Cresol	ND	0.138	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Pentachlorophenol	ND	1.05	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Phenanthrene	ND	0.078	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Phenol	ND	0.605	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Pyrene	ND	0.084	0.400	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384
Pyridine	ND	0.413	1.99	mg/kg dry	12/20/24 14:00	01/09/25	5	8270C	BAL1384

Surrogate: 2,4,6-Tribromophenol	53%	38-105	01/09/25	5	8270C
Surrogate: 2-Fluorobiphenyl	72%	40-110	01/09/25	5	8270C
Surrogate: 2-Fluorophenol	54%	41-105	01/09/25	5	8270C
Surrogate: 4-Terphenyl-d14	78%	26-133	01/09/25	5	8270C
Surrogate: Nitrobenzene-d5	78%	27-129	01/09/25	5	8270C
Surrogate: Phenol-d5	70%	43-105	01/09/25	5	8270C

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546

4,4'-DDD	0.00120 J	0.000454	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
4,4'-DDE	0.00110 J	0.000478	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
4,4'-DDT	0.00143 J	0.00125	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Aldrin	ND	0.000227	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
alpha-BHC	ND	0.000394	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
alpha-Chlordane	ND	0.000215	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
beta-BHC	ND	0.000382	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:25

### Sample Results (Continued)

#### Sample: Colfax-PC-01 (Continued) AAL1476-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546 (Continued)

Chlordane, Technical	ND	0.0235	0.0398	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
delta-BHC	ND	0.000227	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Dieldrin	ND	0.000490	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Endosulfan I	ND	0.000191	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Endosulfan II	ND	0.000406	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Endosulfan sulfate	ND	0.000418	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Endrin	ND	0.000514	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Endrin aldehyde	ND	0.000466	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Endrin ketone	ND	0.000549	0.00159	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
gamma-BHC	ND	0.000251	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
gamma-Chlordane	ND	0.000287	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Heptachlor	ND	0.000370	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Heptachlor epoxide	ND	0.000191	0.000797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Methoxychlor	ND	0.00740	0.00797	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
Toxaphene	ND	0.0475	0.0995	mg/kg dry	12/20/24 14:00	01/10/25	1	8081	BBA0004
<i>Surrogate: Decachlorobiphenyl</i>		<i>58%</i>	<i>29-133</i>			<i>01/10/25</i>	<i>1</i>	<i>8081</i>	
<i>Surrogate: Tetrachloro-m-xylene</i>		<i>53%</i>	<i>36-118</i>			<i>01/10/25</i>	<i>1</i>	<i>8081</i>	
AROCLOR 1016	ND	0.004	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
AROCLOR 1221	ND	0.004	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
AROCLOR 1232	ND	0.004	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
AROCLOR 1242	ND	0.004	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
AROCLOR 1248	ND	0.004	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
AROCLOR 1254	ND	0.005	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
AROCLOR 1260	ND	0.008	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
AROCLOR 1262	ND	0.004	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
AROCLOR 1268	ND	0.003	0.020	mg/kg dry	12/20/24 14:00	01/10/25	1	8082	BBA0004
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		<i>71%</i>	<i>20-142</i>			<i>01/10/25</i>	<i>1</i>	<i>8082</i>	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		<i>68%</i>	<i>22-123</i>			<i>01/10/25</i>	<i>1</i>	<i>8082</i>	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - CVAA

Mercury	ND	0.0414	0.0904	mg/kg dry	12/20/24 14:00	01/06/25	1	7471B	BBA0136
---------	----	--------	--------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Wet Chemistry

pH	8.90 V	0.100	0.100	pH Units	12/20/24 14:00	12/27/24	1	SW 9045D	BAL1381
Temperature	21.8 V	1.00	1.00	pH Units	12/20/24 14:00	12/27/24	1	SW 9045D	BAL1381
Percent Moisture	17	0.10	0.10	%	12/20/24 14:00	12/26/24	1	ASTM-D2216	BAL1235

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics - Prep EPA 5035

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:25

**Sample Results**  
**(Continued)**

**Sample: Colfax-PC-01 (Continued)**  
**AAL1476-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics - Prep EPA 5035 (Continued)**

1,1,1-Trichloroethane	ND	0.000374	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
1,1,2,2-Tetrachloroethane	ND	0.000486	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
1,1,2-Trichloroethane	ND	0.000467	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
1,1-Dichloroethane	ND	0.000420	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
1,1-Dichloroethene	ND	0.000448	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
1,2-Dichloroethane	ND	0.000308	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
1,2-Dichloropropane	ND	0.00153	0.00467	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
2-Butanone	ND	0.00221	0.0187	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
2-Hexanone	ND	0.000691	0.0234	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
4-Methyl-2-pentanone	ND	0.000701	0.0234	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Acetone	ND	0.00496	0.0234	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Benzene	ND	0.000290	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Bromoform	ND	0.00153	0.00467	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Bromomethane	ND	0.000430	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Carbon disulfide	ND	0.00140	0.00467	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Carbon tetrachloride	ND	0.000364	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Chlorobenzene	ND	0.000271	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Chloroethane	ND	0.00257	0.00467	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Chloroform	ND	0.000420	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Chloromethane	ND	0.00360	0.00467	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
cis-1,2-Dichloroethene	ND	0.000355	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
cis-1,3-dichloropropene	ND	0.000234	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Dibromochloromethane	ND	0.000402	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Ethylbenzene	ND	0.000364	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
m,p-Xylene	ND	0.000561	0.00187	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Methyl tert-butyl ether	ND	0.000327	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Methylene chloride	ND	0.00241	0.00467	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
o-Xylene	ND	0.000252	0.00187	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Styrene	ND	0.000271	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Tetrachloroethene	ND	0.000561	0.00187	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Toluene	ND	0.000439	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
trans-1,2-Dichloroethene	ND	0.000346	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
trans-1,3-dichloropropene	ND	0.000243	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Trichloroethene	ND	0.000336	0.000934	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
Vinyl chloride	ND	0.000962	0.00467	mg/kg dry	12/20/24 14:00	12/30/24	1	8260B	BAL1459
<hr/>									
Surrogate: 4-Bromofluorobenzene		102%	76-119			12/30/24	1	8260B	
Surrogate: Dibromofluoromethane		98%	66-137			12/30/24	1	8260B	
Surrogate: Toluene-d8		101%	80-120			12/30/24	1	8260B	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics**

Total 1,3-Dichloropropene	ND	0.000234	0.000934	mg/kg Dry dry	12/20/24 14:00	12/30/24	1	8260B	[CALC]
---------------------------	----	----------	----------	------------------	----------------	----------	---	-------	--------

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.  
No duplication of this report is allowed, except in its entirety.

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:25

### Sample Results (Continued)

#### Sample: Colfax-PC-01 (Continued) AAL1476-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics (Continued)

Total Xylenes	ND	0.000252	0.00187	mg/kg Dry dry	12/20/24 14:00	12/30/24	1	8260B	[CALC]
---------------	----	----------	---------	---------------	----------------	----------	---	-------	--------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - ICP

Arsenic	1.62 J	0.327	4.95	mg/kg Dry	12/20/24 14:00	01/02/25	1	6010B	BAL1398
Barium	41.7	0.525	2.48	mg/kg Dry	12/20/24 14:00	01/02/25	1	6010B	BAL1398
Cadmium	0.0357 J	0.0297	0.248	mg/kg Dry	12/20/24 14:00	01/02/25	1	6010B	BAL1398
Chromium	14.5	0.0861	0.248	mg/kg Dry	12/20/24 14:00	01/02/25	1	6010B	BAL1398
Lead	8.09	0.208	1.24	mg/kg Dry	12/20/24 14:00	01/02/25	1	6010B	BAL1398
Selenium	ND	0.356	4.95	mg/kg Dry	12/20/24 14:00	01/02/25	1	6010B	BAL1398
Silver	ND	0.257	0.495	mg/kg Dry	12/20/24 14:00	01/02/25	1	6010B	BAL1398

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:25

*8260 SRP Package*

---

8260 SRP



# SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave. Ste. 150 Geneva, IL 60134

Tel. 708.544.3260

login@suburbanlabs.com

www.suburbanlabs.com

# CHAIN OF CUSTODY RECORD

**Interra**  
 Company: **600 Territorial Dr. Suite G**  
 City: **Bolingbrook** State: **IL** Zip: **60440**  
 Office: **630-754-8700** Fax: **630-754-8700**  
 Email Address: **aguntaka@interraservices.com**  
 Project ID / Location: **9826 - Evanston Geotech & Environmental - 2024**  
 Project Manager (Report to): **aguntaka@interraservices.com**  
**reshmac@interraservices.com**  
 Sample Collector(s): **Paul Sponaugle**

**TURNAROUND TIME REQUESTED**  
 Normal  RUSH\*  
 \* Must be pre-approved and surcharges apply. Checking this box indicates your approval of surcharges.  
 Date and Time Report Needed: \_\_\_\_\_  
 Specify Regulatory Program:  None/info Only  
 LUST  SRP  SDWA  
 503 Sludge  NPDES  MWRDGC  
 Disposal  CCDD  OTHER - Specify Below

**ANALYSIS & METHOD REQUESTED**  
 Enter an "X" in box below for request

VOCs	SVOCs	RCRA Metals (8)	PCBs	Pesticides	pH

Page **1** of **1**  
 PO # \_\_\_\_\_  
 Report Type  Normal  Special\*  
 \* Additional charges apply for QC reports and raw data. Specify in comments section  
 Shipping Method \_\_\_\_\_  
**LAB USE ONLY**  
 Work Order # \_\_\_\_\_  
 Temperature of Received Samples **3.1** °C  
 Received within 24 hours of collection?  No  Yes  
 Lab Comment \_\_\_\_\_ LAB # \_\_\_\_\_

SAMPLE IDENTIFICATION (Use 1 line per container type)	COLLECTION		MATRIX	GRAB/COMP.	CONTAINERS		PRESERVATIVE	VOCs	SVOCs	RCRA Metals (8)	PCBs	Pesticides	pH
	DATE	TIME			Qty	SIZE & TYPE							
1 Colfax-PC-01	12-22-24	1400	Soil	Grab	5			X	X	X	X	X	X
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													

*Pass*

**MATRIX:** Drinking Water (DW), Soil (S), Waste Water (WW), Surface Water (SW), Ground Water (GW), Solid Waste (WA), Sludge (L), Wipe (P) **CONTAINER:** 2oz, 4oz, 8oz, 40ml Vial, 500ml, Liter (L), Tube, Glass (G), Plastic (P) **PRESERVATIVE:** H<sub>2</sub>SO<sub>4</sub>, HCl, HNO<sub>3</sub>, Methanol (MeOH), NaOH, Sodium Bisulfate (NaBS), NaThio

**COMMENTS & SPECIAL INSTRUCTIONS:**  
 Regulatory Programs:  
 CCDD Mac  
 TACO Residential  
 TACO Industrial/Commercial

**AAL1476**



INTERRA, Inc.

1. Relinquished By: <i>[Signature]</i>	Date: <b>10-23-24</b>	2. Relinquished By: <i>[Signature]</i>	Date: <b>12/23/24</b>	3. Relinquished By: _____	Date: _____	4. Relinquished By: _____	Date: _____
Received By: <i>[Signature]</i>	Time: <b>1030</b>	Received By: <i>[Signature]</i>	Time: <b>1100</b>	Received By: _____	Time: _____	Received By: _____	Time: _____
<input type="checkbox"/> Ice		<input type="checkbox"/> Ice		<input type="checkbox"/> Ice		<input type="checkbox"/> Ice	

THIS FORM MUST BE FILLED OUT COMPLETELY BY THE SAMPLE COLLECTOR OR SUBMITTER AND ORIGINAL FORM MUST ACCOMPANY SAMPLES AT ALL TIMES.

*Vol 10*



**STATE OF ILLINOIS**  
**ENVIRONMENTAL PROTECTION AGENCY**  
**NELAP - RECOGNIZED**  
**ENVIRONMENTAL LABORATORY ACCREDITATION**

is hereby granted to

**Suburban Laboratories**  
**1950 South Batavia Ave., Suite 150**  
**Geneva, IL 60134**

**NELAP ACCREDITED**

Accreditation Number #100225



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose  
 Supervisor  
 Environmental Laboratory Accreditation Program

Certificate No: 1002252024-26

Expiration Date: 10/31/2025

Issued On: 10/30/2024

**Appendix D**  
LPC 663 Form



# Illinois Environmental Protection Agency

1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

## Uncontaminated Soil Certification by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

Revised in accordance with 35 Ill. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 Ill. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

### I. Source Location Information

(Describe the location of the source of the uncontaminated soil)

Project Name: Colfax Street from Poplar Avenue to Ashland Avenue Office Phone Number, if available: \_\_\_\_\_

Physical Site Location (address, including number and street):

Colfax Street from Poplar Avenue to Ashland Avenue

City: Evanston State: IL Zip Code: 60201

County: Cook Township: Evanston

Lat/Long of approximate center of site in decimal degrees (DD.ddddd) to five decimal places (e.g., 40.67890, -90.12345):

Latitude: 42.06079 Longitude: - 87.6945

(Decimal Degrees) (-Decimal Degrees)

Identify how the lat/long data were determined:

GPS  Map Interpolation  Photo Interpolation  Survey  Other

IEPA Site Number(s), if assigned: BOL: \_\_\_\_\_ BOW: \_\_\_\_\_ BOA: \_\_\_\_\_

Approximate Start Date (mm/dd/yyyy): Mar 1, 2025 Approximate End Date (mm/dd/yyyy): Dec 31, 2025

Estimated Volume of debris (cu. Yd.): \_\_\_\_\_

### II. Owner/Operator Information for Source Site

Site Owner

Site Operator

Name: \_\_\_\_\_ City of Evanston

Name: \_\_\_\_\_

Street Address: \_\_\_\_\_ 2100 Ridge Avenue

Street Address: \_\_\_\_\_

PO Box: \_\_\_\_\_

PO Box: \_\_\_\_\_

City: Evanston State: IL

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip Code: 60201 Phone: 847-448-8210

Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_

Contact: \_\_\_\_\_ Bridget Nash

Contact: \_\_\_\_\_

Email, if available: \_\_\_\_\_ bnash@cityofevanston.org

Email, if available: \_\_\_\_\_

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms Management Center.

Uncontaminated Soil Certification

**III. Basis for Certification and Attachments**

For each item listed below, reference the attachments to this form that provide the required information.

- a. A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located 35 Ill. Adm. Code 1100.610(a):

Soil sampling points were selected based on the expected limits of proposed excavation and evenly spaced; Site historical documents including readily available Federal & State databases were reviewed to identify sampling points and adequacy.

- b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 Ill. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 Ill. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

Historical records, analytical test results, chain of custody documentation and laboratory accreditation are attached. Soil should be disposed at a CCDD facility within a MSA County.

**IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist**

I, Sanjeev Bandi (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 Ill. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.


***Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))***

Company Name: Interra, Inc.  
Street Address: 600 Territorial Drive, Suite G  
City: Bolingbrook State: IL Zip Code: 60440  
Phone: 630-754-8700

Sanjeev Bandi  
Printed Name:

  
Licensed Professional Engineer or  
Licensed Professional Geologist Signature:

Feb 13, 2025  
Date:





600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra Project No: 9826

2/13/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

### **Environmental Report**

2025 MFT Improvement Projects

Davis Street from McDaniel Avenue to Fowler Avenue

City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this report on environmental sampling and analytical testing performed at the above referenced project in Evanston, Illinois. We understand that the purpose of the investigation is to aid in soil management during construction.

#### **Scope of Work**

The scope of work included review of readily available historical documents to identify past land use and selection of parameters for analytical testing; collection of one (1) soil samples for analytical testing; and determination of soil management options based on analytical test results.

#### **Historical Document Review**

A review of the Federal, State and Local databases was performed to identify past land use and recognized environmental conditions on or near the property. Potentially Impacted Properties (PIP) identified in the vicinity of the site included Leaking Underground Storage Tanks (LUST), Site Remediation Program (SRP), Institutional Control, and spills. Historical reports reviewed are included in Appendix A.

### **Field Work**

Boreholes for collecting environmental samples were located in the field by INTERRA. The drilling sub-contractor, Geocon Professional Services (GEOCON) obtained underground utility clearances prior to drilling. Drilling was performed on 12/19/2024. Soil sampling was performed at 2.5-foot intervals up to the planned exploration depth of 10 feet. Soil sampling was performed using decontaminated split-spoon sampler. All soil samples were field screened using a Minirae 2020 Plus (photoionization detector) to aid in sample selection for analytical testing. Field screening did not indicate the presence of VOC contamination. Sample Location Map is presented in Appendix B of this report.

Soil grab samples for environmental analysis were chosen between the 0.0 to 5.0 feet interval. INTERRA collected and preserved the environmental soil sample in accordance with applicable SW 846 methods and transported them to the NELAC accredited Suburban Laboratories for analytical testing.

### **Analytical Testing**

The soil samples were analyzed for the contaminants of concern identified based on Historical Document review. Based on this, the sample was tested for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), total RCRA Metals, Pesticides, PCBs and pH. The sample analytical test reports are presented in Appendix C of this report.

### **Conclusions and Recommendations**

The analytical results were compared to 35 ILL. Adm. Code 1100, "Maximum Allowable Concentrations (MAC) of chemical constituents in Uncontaminated Soil used as fill in a Clean Construction & Demolition Debris (CCDD) or "Uncontaminated Soil Fill Operation" and Illinois Tiered Approach to Corrective Action Objectives (TACO) Residential Soil Remediation Objectives in accordance with Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022).

Sample Davis-SGB-01 did not encounter any contaminants of concern above the CCDD and TACO regulatory limits specified in Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022). The pH of the soil is within the range of 6.25-9.0 as required by CCDD/USFO facilities.

Based on the results, the soil can be classified as clean material and managed as follows according to Article 202.03 of IDOT Standard Specifications. LPC 663 form for this area is presented in Appendix D of this report.

- The soil can be disposed of at any CCDD facility or a USFO.
- The soil can be utilized within the right-of-way as embankment or fill, when suitable.

We appreciate the opportunity to be of service to you. Should you need additional information or clarifications, please call us at (630) 754-8700.

Yours truly,


**Interra, Inc.**



Supraja Reddy, Ph.D., PE  
Geotechnical Engineer



Ashok Guntaka, EI  
Project Manager



Sanjeev Bandi, Ph.D., PE  
Principal Engineer

**APPENDIX A**  
Historical Reports

**9826-N Davis Street From Mcdaniel Ave To Fowler A**

Davis Street and Mcdaniel Ave

Evanston, IL 60201

Inquiry Number: 7841921.52s

December 06, 2024

## EDR Summary Radius Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

SECTION	PAGE
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	60
Government Records Searched/Data Currency Tracking .....	GR-1
<b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-8
Physical Setting Source Map Findings .....	A-9
Physical Setting Source Records Searched .....	PSGR-1

*Thank you for your business.*  
 Please contact EDR at 1-800-352-0050  
 with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

DAVIS STREET AND MCDANIEL AVE  
EVANSTON, IL 60201

#### COORDINATES

Latitude (North): 42.0464250 - 42° 2' 47.13"  
Longitude (West): 87.7075710 - 87° 42' 27.25"  
Universal Transverse Mercator: Zone 16  
UTM X (Meters): 441441.5  
UTM Y (Meters): 4654959.5  
Elevation: 596 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: TP  
Source: U.S. Geological Survey

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20190802  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
DAVIS STREET AND MCDANIEL AVE  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
1	VERIZON WIRELESS MCC	2313 CHURCH STREET	AST	Higher	791, 0.150, NNE
2	CHURCH ST BRIDGE	CHURCH ST AND N SHOR	RCRA NonGen / NLR	Lower	846, 0.160, NW
3	AMOCO OIL CO. #8723	9410 MCCORMICK	LUST, BOL	Higher	1182, 0.224, NW
A4	PELOUZE SCALE	2120 GREENWOOD AVE.	UST FINDER RELEASE	Higher	1853, 0.351, SE
A5	PELOUZE SCALE CO	2120 GREENWOOD AVE	LUST, SPILLS, FINDS, ECHO, AIRS	Higher	1853, 0.351, SE
A6	PELOUZE SCALE CO.	2120 GREENWOOD AVE.	UST FINDER RELEASE	Higher	1853, 0.351, SE
B7	BELL FUELS	2401 WEST DEMPSTER	LUST	Higher	1962, 0.372, South
B8	BELL FUELS	2401 WEST DEMPSTER	UST FINDER RELEASE	Higher	1962, 0.372, South
B9	CYRAJ OIL CORPORATIO	2401 WEST DEMPSTER A	UST FINDER RELEASE	Higher	1962, 0.372, South
B10	CLARK REFINING & MAR	2401 DEMPSTER AVE.	LUST, AIRS, BOL	Higher	1962, 0.372, South
B11	CLARK REFINING & MAR	2401 DEMPSTER AVE.	UST FINDER RELEASE	Higher	1962, 0.372, South
C12	GROSMAN, ROBERT	2100 GREENWOOD AVE	LUST, INST CONTROL, SRP, BOL	Higher	1977, 0.374, SE
C13	GROSMAN, ROBERT	2100 GREENWOOD AVE.	UST FINDER RELEASE	Higher	1977, 0.374, SE
D14	EVANSTON CAR WASH	2416 DEMPSTER	LUST, UST, BOL	Lower	2002, 0.379, South
D15	EVANSTON CAR WASH	2416 DEMPSTER	UST FINDER, UST FINDER RELEASE	Lower	2002, 0.379, South
E16	ST. FRANCIS HOSPITAL	1310 HARTREY	UST FINDER RELEASE	Higher	2027, 0.384, SSE
E17	ST. FRANCIS HOSPITAL	1310 HARTREY	LUST	Higher	2027, 0.384, SSE
B18	EVANSTON AUTO CARE C	2400 - 2410 W DEMPST	INST CONTROL, SRP	Higher	2029, 0.384, South
D19	AVC AUTO CARE	2422 DEMPSTER ST	LUST, SPILLS, BOL	Lower	2103, 0.398, South
20	AQUA JET SELF-SERVIC	2201 DEMPSTER STREET	ENG CONTROLS, INST CONTROL, SRP, BOL	Higher	2127, 0.403, SSE
21	GENDELL, SCOTT	2620 EMPSTEP	LUST	Lower	2143, 0.406, SSW
22	EVANSTON BANK TRUST	3300 WEST DEMPSTER	LUST	Higher	2152, 0.408, SSW
23	AMOCO OIL CO. #8723	9410 MCCORMICK	UST FINDER RELEASE	Higher	2171, 0.411, NNW
F24	CONTINENTAL CONSTRUC	1919 GREENWOOD	UST FINDER, UST FINDER RELEASE	Higher	2342, 0.444, ESE
F25	CONTINENTAL CONSTRUC	1919 GREENWOOD ST.	UST FINDER RELEASE	Higher	2342, 0.444, ESE
F26	CONTINENTAL CONSTRUC	1919 GREENWOOD ST.	LUST	Higher	2342, 0.444, ESE
27	NORGE CLEANERS	3349-3351 WEST DEMP	ENG CONTROLS, INST CONTROL, SRP	Higher	2349, 0.445, SSW
G28	AMOCO OIL CO. #6470	3301 DEMPSTER	LUST	Higher	2364, 0.448, SSW
G29	AMOCO #6470	3301 WEST DEMPSTER	UST FINDER RELEASE	Higher	2364, 0.448, SSW
G30	DEMPSTER #194	3301 DEMPSTER ST.	LUST, UST	Higher	2364, 0.448, SSW
G31	AMOCO OIL CO. #6470	3301 DEMPSTER	UST FINDER RELEASE	Higher	2364, 0.448, SSW
H32	JACILIN INVESTMENTS,	3342 WEST DEMPSTER S	UST FINDER RELEASE	Higher	2389, 0.452, SW
H33	CLARK OIL 454	3342 W DEMPSTER ST	LUST, SPILLS, BOL	Higher	2389, 0.452, SW
H34	JACILIN INVESTMENTS,	3342 WEST DEMPSTER S	LUST, LUST TRUST	Higher	2389, 0.452, SW
35	CAMCO INC.	3337 GOLF RD.	LUST, BOL	Higher	2410, 0.456, NNW
I36	PRL INDUSTRIES LLC	2025 DEMPSTER STREET	LUST, AIRS	Higher	2412, 0.457, SE
I37	PRL INDUSTRIES LLC	2025 DEMPSTER STREET	UST FINDER RELEASE	Higher	2412, 0.457, SE
38	NORTHWESTERN UNIVERS		FUDS	Higher	4095, 0.776, ENE

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of state and tribal leaking storage tanks***

LUST: A review of the LUST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 17 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>AMOCO OIL CO. #8723</i></b> NFA/NFR Letter: 11/29/2001 Incident Num: 911924 IL EPA Id: 0312885205	<b><i>9410 MCCORMICK</i></b>	<b><i>NW 1/8 - 1/4 (0.224 mi.)</i></b>	<b><i>3</i></b>	<b><i>8</i></b>
<b><i>PELOUZE SCALE CO</i></b> NFA/NFR Letter: 7/28/1994 NFA/NFR Letter: 10/3/1994 Incident Num: 891056 Incident Num: 900960 IL EPA Id: 0310815011	<b><i>2120 GREENWOOD AVE</i></b>	<b><i>SE 1/4 - 1/2 (0.351 mi.)</i></b>	<b><i>A5</i></b>	<b><i>8</i></b>
BELL FUELS NFA/NFR Letter: 1/29/2021 NFA/NFR Letter: 10/7/2005 Incident Num: 20061405 Incident Num: 900454 Incident Num: 910501 IL EPA Id: 0310815104	2401 WEST DEMPSTER	S 1/4 - 1/2 (0.372 mi.)	B7	9
<b><i>CLARK REFINING &amp; MAR</i></b> NFA/NFR Letter: 10/7/2005 Incident Num: 990144 IL EPA Id: 0310815104	<b><i>2401 DEMPSTER AVE.</i></b>	<b><i>S 1/4 - 1/2 (0.372 mi.)</i></b>	<b><i>B10</i></b>	<b><i>10</i></b>
<b><i>GROSMAN, ROBERT</i></b> NFA/NFR Letter: 9/23/2003	<b><i>2100 GREENWOOD AVE</i></b>	<b><i>SE 1/4 - 1/2 (0.374 mi.)</i></b>	<b><i>C12</i></b>	<b><i>10</i></b>

## EXECUTIVE SUMMARY

Incident Num: 20021443 IL EPA Id: 0310815171				
ST. FRANCIS HOSPITAL NFA/NFR Letter: 7/22/2003 Incident Num: 923698 IL EPA Id: 0310815143	1310 HARTREY	SSE 1/4 - 1/2 (0.384 mi.)	E17	12
EVANSTON BANK TRUST Incident Num: 950162 IL EPA Id: 0312885283	3300 WEST DEMPSTER	SSW 1/4 - 1/2 (0.408 mi.)	22	13
CONTINENTAL CONSTRUC NFA/NFR Letter: 9/10/2003 Incident Num: 20002301 Incident Num: 20010447 IL EPA Id: 0310815235	1919 GREENWOOD ST.	ESE 1/4 - 1/2 (0.444 mi.)	F26	14
AMOCO OIL CO. #6470 NFA/NFR Letter: 6/20/2001 Incident Num: 902259 IL EPA Id: 0312885155	3301 DEMPSTER	SSW 1/4 - 1/2 (0.448 mi.)	G28	15
<b>DEMPSTER #194</b> NFA/NFR Letter: 6/20/2001 Incident Num: 891797 IL EPA Id: 0312885155	<b>3301 DEMPSTER ST.</b>	<b>SSW 1/4 - 1/2 (0.448 mi.)</b>	<b>G30</b>	<b>15</b>
<b>CLARK OIL 454</b> Incident Num: 20221064 IL EPA Id: 0312885197	<b>3342 W DEMPSTER ST</b>	<b>SW 1/4 - 1/2 (0.452 mi.)</b>	<b>H33</b>	<b>16</b>
<b>JACILIN INVESTMENTS,</b> NFA/NFR Letter: 2/25/2015 Incident Num: 913308 Incident Num: 892340 IL EPA Id: 0312885197	<b>3342 WEST DEMPSTER S</b>	<b>SW 1/4 - 1/2 (0.452 mi.)</b>	<b>H34</b>	<b>16</b>
<b>CAMCO INC.</b> Incident Num: 942861 IL EPA Id: 0312885276	<b>3337 GOLF RD.</b>	<b>NNW 1/4 - 1/2 (0.456 mi.)</b>	<b>35</b>	<b>16</b>
<b>PRL INDUSTRIES LLC</b> NFA/NFR Letter: 5/4/2009 Incident Num: 20081763 IL EPA Id: 0310815311	<b>2025 DEMPSTER STREET</b>	<b>SE 1/4 - 1/2 (0.457 mi.)</b>	<b>I36</b>	<b>17</b>
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>EVANSTON CAR WASH</b> NFA/NFR Letter: 11/19/1991 Incident Num: 911383 IL EPA Id: 0310815109	<b>2416 DEMPSTER</b>	<b>S 1/4 - 1/2 (0.379 mi.)</b>	<b>D14</b>	<b>11</b>
<b>AVC AUTO CARE</b> Incident Num: 20041477 IL EPA Id: 0310815271	<b>2422 DEMPSTER ST</b>	<b>S 1/4 - 1/2 (0.398 mi.)</b>	<b>D19</b>	<b>12</b>
GENDELL, SCOTT NFA/NFR Letter: 1/22/2008 Incident Num: 881121 IL EPA Id: 0312885200	2620 EMPSTEP	SSW 1/4 - 1/2 (0.406 mi.)	21	13

## EXECUTIVE SUMMARY

LUST TRUST: A review of the LUST TRUST list, as provided by EDR, and dated 06/06/2016 has revealed that there is 1 LUST TRUST site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>JACILIN INVESTMENTS,</b> Incident Number: 913308-66396	<b>3342 WEST DEMPSTER S</b>	<b>SW 1/4 - 1/2 (0.452 mi.)</b>	<b>H34</b>	<b>16</b>

### ***Lists of state and tribal registered storage tanks***

AST: A review of the AST list, as provided by EDR, and dated 08/08/2024 has revealed that there is 1 AST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VERIZON WIRELESS MCC Occupancy Number: 1676324019262-CN-059	2313 CHURCH STREET	NNE 1/8 - 1/4 (0.150 mi.)	1	8

### ***State and tribal institutional control / engineering control registries***

ENG CONTROLS: A review of the ENG CONTROLS list, as provided by EDR, and dated 06/24/2024 has revealed that there are 2 ENG CONTROLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>AQUA JET SELF-SERVIC</b> Illinois Epa Id: 0310815338	<b>2201 DEMPSTER STREET</b>	<b>SSE 1/4 - 1/2 (0.403 mi.)</b>	<b>20</b>	<b>13</b>
<b>NORGE CLEANERS</b> Illinois Epa Id: 0312885102	<b>3349-3351 WEST DEMPS</b>	<b>SSW 1/4 - 1/2 (0.445 mi.)</b>	<b>27</b>	<b>14</b>

INST CONTROL: A review of the INST CONTROL list, as provided by EDR, and dated 06/24/2024 has revealed that there are 4 INST CONTROL sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>GROSMAN, ROBERT</b> Illinois EPA Id: 0310815171	<b>2100 GREENWOOD AVE</b>	<b>SE 1/4 - 1/2 (0.374 mi.)</b>	<b>C12</b>	<b>10</b>
<b>EVANSTON AUTO CARE C</b> Illinois EPA Id: 0310815263	<b>2400 - 2410 W DEMPST</b>	<b>S 1/4 - 1/2 (0.384 mi.)</b>	<b>B18</b>	<b>12</b>
<b>AQUA JET SELF-SERVIC</b> Illinois EPA Id: 0310815338	<b>2201 DEMPSTER STREET</b>	<b>SSE 1/4 - 1/2 (0.403 mi.)</b>	<b>20</b>	<b>13</b>
<b>NORGE CLEANERS</b> Illinois EPA Id: 0312885102	<b>3349-3351 WEST DEMPS</b>	<b>SSW 1/4 - 1/2 (0.445 mi.)</b>	<b>27</b>	<b>14</b>

## EXECUTIVE SUMMARY

### ***Lists of state and tribal voluntary cleanup sites***

SRP: A review of the SRP list, as provided by EDR, and dated 06/24/2024 has revealed that there are 4 SRP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>GROSMAN, ROBERT</b> IL EPA Id: 0310815171	<b>2100 GREENWOOD AVE</b>	<b>SE 1/4 - 1/2 (0.374 mi.)</b>	<b>C12</b>	<b>10</b>
<b>EVANSTON AUTO CARE C</b> IL EPA Id: 0310815263	<b>2400 - 2410 W DEMPST</b>	<b>S 1/4 - 1/2 (0.384 mi.)</b>	<b>B18</b>	<b>12</b>
<b>AQUA JET SELF-SERVIC</b> IL EPA Id: 0310815338	<b>2201 DEMPSTER STREET</b>	<b>SSE 1/4 - 1/2 (0.403 mi.)</b>	<b>20</b>	<b>13</b>
<b>NORGE CLEANERS</b> IL EPA Id: 0312885102	<b>3349-3351 WEST DEMPS</b>	<b>SSW 1/4 - 1/2 (0.445 mi.)</b>	<b>27</b>	<b>14</b>

### **ADDITIONAL ENVIRONMENTAL RECORDS**

#### ***Other Ascertainable Records***

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/03/2024 has revealed that there is 1 RCRA NonGen / NLR site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHURCH ST BRIDGE EPA ID:: ILD984908517	CHURCH ST AND N SHOR	NW 1/8 - 1/4 (0.160 mi.)	2	8

FUDS: A review of the FUDS list, as provided by EDR, and dated 07/31/2024 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTHWESTERN UNIVERS		ENE 1/2 - 1 (0.776 mi.)	38	17

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 15 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PELOUZE SCALE	2120 GREENWOOD AVE.	SE 1/4 - 1/2 (0.351 mi.)	A4	8
PELOUZE SCALE CO.	2120 GREENWOOD AVE.	SE 1/4 - 1/2 (0.351 mi.)	A6	9
BELL FUELS	2401 WEST DEMPSTER	S 1/4 - 1/2 (0.372 mi.)	B8	9
CYRAJ OIL CORPORATIO	2401 WEST DEMPSTER A	S 1/4 - 1/2 (0.372 mi.)	B9	10
CLARK REFINING & MAR	2401 DEMPSTER AVE.	S 1/4 - 1/2 (0.372 mi.)	B11	10

## EXECUTIVE SUMMARY


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GROSMAN, ROBERT	2100 GREENWOOD AVE.	SE 1/4 - 1/2 (0.374 mi.)	C13	11
ST. FRANCIS HOSPITAL	1310 HARTREY	SSE 1/4 - 1/2 (0.384 mi.)	E16	12
AMOCO OIL CO. #8723	9410 MCCORMICK	NNW 1/4 - 1/2 (0.411 mi.)	23	13
<b>CONTINENTAL CONSTRUC</b>	<b>1919 GREENWOOD</b>	<b>ESE 1/4 - 1/2 (0.444 mi.)</b>	<b>F24</b>	<b>14</b>
CONTINENTAL CONSTRUC	1919 GREENWOOD ST.	ESE 1/4 - 1/2 (0.444 mi.)	F25	14
AMOCO #6470	3301 WEST DEMPSTER	SSW 1/4 - 1/2 (0.448 mi.)	G29	15
AMOCO OIL CO. #6470	3301 DEMPSTER	SSW 1/4 - 1/2 (0.448 mi.)	G31	15
JACILIN INVESTMENTS,	3342 WEST DEMPSTER S	SW 1/4 - 1/2 (0.452 mi.)	H32	16
PRL INDUSTRIES LLC	2025 DEMPSTER STREET	SE 1/4 - 1/2 (0.457 mi.)	I37	17
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>EVANSTON CAR WASH</b>	<b>2416 DEMPSTER</b>	<b>S 1/4 - 1/2 (0.379 mi.)</b>	<b>D15</b>	<b>11</b>

Count: 1 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
SKOKIE	S108966703	METROPOLITAN BANK GROUP	5250 WEST DEMPSTER	60076	LUST

# OVERVIEW MAP - 7841921.52S




- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- ▨ Special Flood Hazard Area (1%)
- ▨ 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-N Davis Street From Mcdaniel Ave To Fowler A  
 ADDRESS: Davis Street and Mcdaniel Ave  
 Evanston IL 60201  
 LAT/LONG: 42.046425 / 87.707571

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.52s  
 DATE: December 06, 2024 1:05 pm

# DETAIL MAP - 7841921.52S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚡ Manufactured Gas Plants
- ⚠ Sensitive Receptors
- 🚧 National Priority List Sites
- 🏠 Dept. Defense Sites

- Indian Reservations BIA
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-N Davis Street From Mcdaniel Ave To Fowler A  
 ADDRESS: Davis Street and Mcdaniel Ave  
 Evanston IL 60201  
 LAT/LONG: 42.046425 / 87.707571

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.52s  
 DATE: December 06, 2024 1:05 pm

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-VSQG	0.250		0	0	NR	NR	NR	0
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal hazardous waste facilities</i></b>								
SSU	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
SWF/LF	0.500		0	0	0	NR	NR	0
CCDD	0.500		0	0	0	NR	NR	0
LF SPECIAL WASTE	0.500		0	0	0	NR	NR	0
IL NIPC	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
LUST	0.500		0	1	16	NR	NR	17
INDIAN LUST	0.500		0	0	0	NR	NR	0
LUST TRUST	0.500		0	0	1	NR	NR	1
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		0	0	NR	NR	NR	0
AST	0.250		0	1	NR	NR	NR	1
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
ENG CONTROLS	0.500		0	0	2	NR	NR	2
INST CONTROL	0.500		0	0	4	NR	NR	4
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
SRP	0.500		0	0	4	NR	NR	4
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
TANKS	0.250		0	0	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
SPILLS	TP		NR	NR	NR	NR	NR	0
COMPLAINTS	TP		NR	NR	NR	NR	NR	0
SPILLS 90	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		0	1	NR	NR	NR	1
FUDS	1.000		0	0	0	1	NR	1
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0



MAP FINDINGS

Map ID	Direction	Distance	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
1	NNE	1/8-1/4	0.150 mi. 791 ft.	VERIZON WIRELESS MCCORMICK & DEMPSTER-TANK#1-200 2313 CHURCH STREET EVANSTON, IL 60201	AST	A100535088	N/A
<a href="#">Click here for full text details</a> Relative: Higher AST Occupancy Number 1676324019262-CN-059							
2	NW	1/8-1/4	0.160 mi. 846 ft.	CHURCH ST BRIDGE CHURCH ST AND N SHORE CHANNEL SKOKIE, IL 60077	RCRA NonGen / NLR	1000824478	ILD984908517
<a href="#">Click here for full text details</a> Relative: Lower RCRA NonGen / NLR EPA Id ILD984908517							
3	NW	1/8-1/4	0.224 mi. 1182 ft.	AMOCO OIL CO. #8723 9410 MCCORMICK SKOKIE, IL 60077	LUST BOL	S104002811	N/A
<a href="#">Click here for full text details</a> Relative: Higher LUST NFA/NFR Letter 11/29/2001 Incident Num 911924 IL EPA Id 0312885205  BOL Site Id 170000379524 Inv Num 0312885205							
A4	SE	1/4-1/2	0.351 mi. 1853 ft.	PELOUZE SCALE 2120 GREENWOOD AVE. EVANSTON, IL 0	UST FINDER RELEASE	1028989120	N/A
<a href="#">Click here for full text details</a> Relative: Higher							
A5	SE	1/4-1/2	0.351 mi. 1853 ft.	PELOUZE SCALE CO 2120 GREENWOOD AVE EVANSTON, IL 60201	LUST SPILLS FINDS ECHO AIRS	1004471325	N/A
<a href="#">Click here for full text details</a> Relative: Higher LUST NFA/NFR Letter 7/28/1994 NFA/NFR Letter 10/3/1994							

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PELOUZE SCALE CO (Continued)**

1004471325

Incident Num 891056  
Incident Num 900960  
IL EPA Id 0310815011

**SPILLS**

Incident ID NL891056

**FINDS**

Registry ID: 110001677739

**ECHO**

Registry ID 110001677739

**AIRS**

Facility Id 1306

A6  
SE  
1/4-1/2  
0.351 mi.  
1853 ft.

**PELOUZE SCALE CO.**  
2120 GREENWOOD AVE.  
EVANSTON, IL 0

UST FINDER RELEASE

1028989119  
N/A

[Click here for full text details](#)

Relative:  
Higher

B7  
South  
1/4-1/2  
0.372 mi.  
1962 ft.

**BELL FUELS**  
2401 WEST DEMPSTER  
EVANSTON, IL 60201

LUST

U000792626  
N/A

[Click here for full text details](#)

Relative:  
Higher

**LUST**

NFA/NFR Letter 1/29/2021  
NFA/NFR Letter 10/7/2005  
Incident Num 20061405  
Incident Num 900454  
Incident Num 910501  
IL EPA Id 0310815104

B8  
South  
1/4-1/2  
0.372 mi.  
1962 ft.

**BELL FUELS**  
2401 WEST DEMPSTER  
EVANSTON, IL 0

UST FINDER RELEASE

1028989155  
N/A

[Click here for full text details](#)

Relative:  
Higher

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**B9**  
South  
1/4-1/2  
0.372 mi.  
1962 ft.

**CYRAJ OIL CORPORATION**  
2401 WEST DEMPSTER AVENUE  
EVANSTON, IL 0

UST FINDER RELEASE

1028989157  
N/A

[Click here for full text details](#)

Relative:  
Higher

**B10**  
South  
1/4-1/2  
0.372 mi.  
1962 ft.

**CLARK REFINING & MARKETING**  
2401 DEMPSTER AVE.  
EVANSTON, IL 60201

LUST  
AIRS  
BOL

S107740898  
N/A

[Click here for full text details](#)

Relative:  
Higher

**LUST**  
NFA/NFR Letter 10/7/2005  
Incident Num 990144  
IL EPA Id 0310815104

**AIRS**  
Facility Id 17520

**BOL**  
Site Id 170000020625  
Inv Num 0310815104

**B11**  
South  
1/4-1/2  
0.372 mi.  
1962 ft.

**CLARK REFINING & MARKETING**  
2401 DEMPSTER AVE.  
EVANSTON, IL 0

UST FINDER RELEASE

1028989156  
N/A

[Click here for full text details](#)

Relative:  
Higher

**C12**  
SE  
1/4-1/2  
0.374 mi.  
1977 ft.

**GROSMAN, ROBERT**  
2100 GREENWOOD AVE  
EVANSTON, IL 60201

LUST  
INST CONTROL  
SRP  
BOL

S105620807  
N/A

[Click here for full text details](#)

Relative:  
Higher

**LUST**  
NFA/NFR Letter 9/23/2003  
Incident Num 20021443  
IL EPA Id 0310815171

**INST CONTROL**  
Illinois EPA Id 0310815171

**SRP**

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

**GROSMAN, ROBERT (Continued)**

**S105620807**

IL EPA Id 0310815171

**BOL**

Site Id 170000314041  
Inv Num 0310815171

**C13**  
**SE**  
1/4-1/2  
0.374 mi.  
1977 ft.

**GROSMAN, ROBERT**  
**2100 GREENWOOD AVE.**  
**EVANSTON, IL 0**

**UST FINDER RELEASE**    **1028989186**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**D14**  
**South**  
1/4-1/2  
0.379 mi.  
2002 ft.

**EVANSTON CAR WASH**  
**2416 DEMPSTER**  
**EVANSTON, IL 60202**

**LUST**    **U001143580**  
**UST**    **N/A**  
**BOL**

[Click here for full text details](#)

Relative:  
Lower

**LUST**

NFA/NFR Letter 11/19/1991  
Incident Num 911383  
IL EPA Id 0310815109

**UST**

Status CLOSED  
Facility Id 2005986  
Tank Status Removed

**BOL**

Site Id 170000451348  
Inv Num 0310815109

**D15**  
**South**  
1/4-1/2  
0.379 mi.  
2002 ft.

**EVANSTON CAR WASH**  
**2416 DEMPSTER**  
**EVANSTON, IL 60202**

**UST FINDER**    **1028307952**  
**UST FINDER RELEASE**    **N/A**

[Click here for full text details](#)

Relative:  
Lower

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

**E16**      **ST. FRANCIS HOSPITAL**      **UST FINDER RELEASE**      **1028989179**  
**SSE**      **1310 HARTREY**           **N/A**  
**1/4-1/2**      **EVANSTON, IL 0**  
**0.384 mi.**  
**2027 ft.**

[Click here for full text details](#)

Relative:  
Higher

---

**E17**      **ST. FRANCIS HOSPITAL**      **LUST**      **S103689076**  
**SSE**      **1310 HARTREY**           **N/A**  
**1/4-1/2**      **EVANSTON, IL 60201**  
**0.384 mi.**  
**2027 ft.**

[Click here for full text details](#)

Relative:  
Higher

**LUST**  
NFA/NFR Letter 7/22/2003  
Incident Num 923698  
IL EPA Id 0310815143

---

**B18**      **EVANSTON AUTO CARE CENTER**      **INST CONTROL**      **S120826145**  
**South**      **2400 - 2410 W DEMPSTER STREET**      **SRP**      **N/A**  
**1/4-1/2**      **EVANSTON, IL 60202**  
**0.384 mi.**  
**2029 ft.**

[Click here for full text details](#)

Relative:  
Higher

**INST CONTROL**  
Illinois EPA Id 0310815263

**SRP**  
IL EPA Id 0310815263

---

**D19**      **AVC AUTO CARE**      **LUST**      **S108045894**  
**South**      **2422 DEMPSTER ST**      **SPILLS**      **N/A**  
**1/4-1/2**      **EVANSTON, IL 60202**      **BOL**  
**0.398 mi.**  
**2103 ft.**

[Click here for full text details](#)

Relative:  
Lower

**LUST**  
Incident Num 20041477  
IL EPA Id 0310815271

**SPILLS**  
Incident ID 20041477

**BOL**  
Site Id 170001581928  
Inv Num 0310815271

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
20 SSE 1/4-1/2 0.403 mi. 2127 ft.	AQUA JET SELF-SERVICE CAR WASH 2201 DEMPSTER STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  ENG CONTROLS Illinois Epa Id 0310815338  INST CONTROL Illinois EPA Id 0310815338  SRP IL EPA Id 0310815338  BOL Site Id 170001908345 Inv Num 0310815338	ENG CONTROLS INST CONTROL SRP BOL	S111419130 N/A
Relative: Higher			
21 SSW 1/4-1/2 0.406 mi. 2143 ft.	GENDELL, SCOTT 2620 EMPSTEP SKOKIE, IL 60077  <a href="#">Click here for full text details</a>		LUST S103293012 N/A
Relative: Lower	LUST NFA/NFR Letter 1/22/2008 Incident Num 881121 IL EPA Id 0312885200		
22 SSW 1/4-1/2 0.408 mi. 2152 ft.	EVANSTON BANK TRUST CO. #7619 3300 WEST DEMPSTER SKOKIE, IL 60076  <a href="#">Click here for full text details</a>		LUST S104522728 N/A
Relative: Higher	LUST Incident Num 950162 IL EPA Id 0312885283		
23 NNW 1/4-1/2 0.411 mi. 2171 ft.	AMOCO OIL CO. #8723 9410 MCCORMICK SKOKIE, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028991777 N/A
Relative: Higher			

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

<b>F24</b> ESE 1/4-1/2 0.444 mi. 2342 ft.  Relative: Higher	<b>CONTINENTAL CONSTRUCTION CO., INC.</b> 1919 GREENWOOD EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>UST FINDER</b> <b>UST FINDER RELEASE</b>	<b>1028312750</b> N/A
--	---	--	--------------------------

---

<b>F25</b> ESE 1/4-1/2 0.444 mi. 2342 ft.  Relative: Higher	<b>CONTINENTAL CONSTRUCTION</b> 1919 GREENWOOD ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989205</b> N/A
--	---	---------------------------	--------------------------

---

<b>F26</b> ESE 1/4-1/2 0.444 mi. 2342 ft.  Relative: Higher	<b>CONTINENTAL CONSTRUCTION</b> 1919 GREENWOOD ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>LUST</b>	<b>S104872148</b> N/A
--	---	-------------	--------------------------

**LUST**  
 NFA/NFR Letter 9/10/2003  
 Incident Num 20002301  
 Incident Num 20010447  
 IL EPA Id 0310815235

---

<b>27</b> SSW 1/4-1/2 0.445 mi. 2349 ft.  Relative: Higher	<b>NORGE CLEANERS</b> 3349-3351 WEST DEMPSTER STREET SKOKIE, IL 60076  <a href="#">Click here for full text details</a>	<b>ENG CONTROLS</b> <b>INST CONTROL</b> <b>SRP</b>	<b>S107739219</b> N/A
---	---	--	--------------------------

**ENG CONTROLS**  
 Illinois Epa Id 0312885102

**INST CONTROL**  
 Illinois EPA Id 0312885102

**SRP**  
 IL EPA Id 0312885102

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

<b>G28</b> <b>SSW</b> 1/4-1/2 0.448 mi. 2364 ft.	<b>AMOCO OIL CO. #6470</b> <b>3301 DEMPSTER</b> <b>SKOKIE, IL 60076</b>  <a href="#">Click here for full text details</a>	<b>LUST</b>	<b>S103690215</b> <b>N/A</b>
--	---	-------------	---------------------------------

Relative: Higher

**LUST**  
 NFA/NFR Letter 6/20/2001  
 Incident Num 902259  
 IL EPA Id 0312885155

---

<b>G29</b> <b>SSW</b> 1/4-1/2 0.448 mi. 2364 ft.	<b>AMOCO #6470</b> <b>3301 WEST DEMPSTER</b> <b>SKOKIE, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028991751</b> <b>N/A</b>
--	--	---------------------------	---------------------------------

Relative: Higher

---

<b>G30</b> <b>SSW</b> 1/4-1/2 0.448 mi. 2364 ft.	<b>DEMPSTER #194</b> <b>3301 DEMPSTER ST.</b> <b>SKOKIE, IL 60076</b>  <a href="#">Click here for full text details</a>	<b>LUST</b> <b>UST</b>	<b>U003971826</b> <b>N/A</b>
--	---	---------------------------	---------------------------------

Relative: Higher

**LUST**  
 NFA/NFR Letter 6/20/2001  
 Incident Num 891797  
 IL EPA Id 0312885155

**UST**  
 Status ACTIVE  
 Facility Id 2023159  
 Tank Status Removed  
 Tank Status Currently in use

---

<b>G31</b> <b>SSW</b> 1/4-1/2 0.448 mi. 2364 ft.	<b>AMOCO OIL CO. #6470</b> <b>3301 DEMPSTER</b> <b>SKOKIE, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028991752</b> <b>N/A</b>
--	---	---------------------------	---------------------------------

Relative: Higher

MAP FINDINGS

Map ID									
Direction									
Distance									
Elevation									
	Site				Database(s)			EDR ID Number	EPA ID Number

H32 JACILIN INVESTMENTS, INC. UST FINDER RELEASE 1028991771  
 SW 3342 WEST DEMPSTER STREET N/A  
 1/4-1/2 SKOKIE, IL 0  
 0.452 mi.  
 2389 ft.  
[Click here for full text details](#)  
 Relative:  
 Higher

H33 CLARK OIL 454 LUST S112364231  
 SW 3342 W DEMPSTER ST SPILLS N/A  
 1/4-1/2 SKOKIE, IL 60077 BOL  
 0.452 mi.  
 2389 ft.  
[Click here for full text details](#)  
 Relative:  
 Higher  
 LUST  
 Incident Num 20221064  
 IL EPA Id 0312885197  
 SPILLS  
 Incident ID NL892340  
 BOL  
 Site Id 170000195072  
 Inv Num 0312885197

H34 JACILIN INVESTMENTS, INC. LUST S104527463  
 SW 3342 WEST DEMPSTER STREET LUST TRUST N/A  
 1/4-1/2 SKOKIE, IL 60077  
 0.452 mi.  
 2389 ft.  
[Click here for full text details](#)  
 Relative:  
 Higher  
 LUST  
 NFA/NFR Letter 2/25/2015  
 Incident Num 913308  
 Incident Num 892340  
 IL EPA Id 0312885197  
 LUST TRUST  
 Incident Number 913308-66396

35 CAMCO INC. LUST S103293009  
 NNW 3337 GOLF RD. BOL N/A  
 1/4-1/2 SKOKIE, IL 60076  
 0.456 mi.  
 2410 ft.  
[Click here for full text details](#)  
 Relative:  
 Higher  
 LUST  
 Incident Num 942861  
 IL EPA Id 0312885276  
 BOL

MAP FINDINGS

Map ID									
Direction									
Distance									
Elevation									
	Site				Database(s)			EDR ID Number	EPA ID Number

**CAMCO INC. (Continued)**

**S103293009**

Site Id 170000349077  
Inv Num 0312885276

**I36**  
**SE**  
1/4-1/2  
0.457 mi.  
2412 ft.

**PRL INDUSTRIES LLC**  
**2025 DEMPSTER STREET**  
**EVANSTON, IL 60201**

**LUST** **S107745121**  
**AIRS** **N/A**

[Click here for full text details](#)

Relative:  
Higher

**LUST**  
NFA/NFR Letter 5/4/2009  
Incident Num 20081763  
IL EPA Id 0310815311

**AIRS**

Facility Id 1294

**I37**  
**SE**  
1/4-1/2  
0.457 mi.  
2412 ft.

**PRL INDUSTRIES LLC**  
**2025 DEMPSTER STREET**  
**EVANSTON, IL 0**

**UST FINDER RELEASE** **1028989224**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**38**  
**ENE**  
1/2-1  
0.776 mi.  
4095 ft.

**NORTHWESTERN UNIVERSITY CWM SITE**  
**EVANSTON, IL**

**FUDS** **1024900182**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
IL	AIRS	Air Inventory Listing	Illinois EPA	07/01/2024	07/02/2024	09/25/2024
IL	ASBESTOS	Asbestos Notification Tracker Information	Illinois EPA	06/21/2024	06/26/2024	09/16/2024
IL	AST	Above Ground Storage Tanks	State Fire Marshal	08/08/2024	08/13/2024	10/29/2024
IL	BOL	Bureau of Land Inventory Database	Illinois Environmental Protection Agency	10/16/2023	04/23/2024	07/16/2024
IL	BROWNFIELDS	Redevelopment Assessment Database	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	BROWNFIELDS	Municipal Brownfields Redevelopment Grant Program Project De	Illinois Environmental Protection Agency	02/11/2010	07/31/2014	09/08/2014
IL	CCDD	Clean Construction or Demolition Debris	Illinois EPA	03/28/2024	07/02/2024	09/24/2024
IL	CDL	Meth Drug Lab Site Listing	Department of Public Health	07/05/2024	07/08/2024	09/27/2024
IL	COAL ASH	Coal Ash Site Listing	Illinois EPA	10/01/2011	03/09/2012	04/10/2012
IL	DRYCLEANERS	Illinois Licensed Drycleaners	Drycleaner Environmental Response Trust Fund	07/02/2024	08/12/2024	10/29/2024
IL	ENG CONTROLS	Sites with Engineering Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	FIN ASSURANCE	Financial Assurance Information Listing	Illinois Environmental Protection Agency	08/28/2024	09/12/2024	11/25/2024
IL	HWAR	Hazard Waste Annual Report	Illinois EPA	12/31/2019	05/11/2021	08/02/2021
IL	IEMA SPILLS	Illinois Emergency Management Agency Spills	Illinois Emergency Management Agency	07/22/2024	07/23/2024	10/11/2024
IL	IL NIPC	Solid Waste Landfill Inventory	Northeastern Illinois Planning Commission	08/01/1988	04/07/2022	07/01/2022
IL	IMPDMENT	Surface Impoundment Inventory	Illinois Waste Management & Research Center	12/31/1980	03/08/2002	06/03/2002
IL	Inst Control	Institutional Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	LF SPECIAL WASTE	Special Waste Site List	Illinois EPA	01/01/1990	06/17/2009	07/15/2009
IL	LF WMRC	Waste Management & Research Center Landfill Database	Department of Natural Resources	12/31/2001	10/06/2006	11/06/2006
IL	LUST	Leaking Underground Storage Tank Sites	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	LUST TRUST	Underground Storage Tank Fund Payment Priority List	Illinois EPA	06/06/2016	07/27/2016	10/18/2016
IL	NPDES	A Listing of Active Permits	Illinois EPA	04/16/2014	04/18/2014	05/20/2014
IL	PFAS	PFAS Sampling Listing	Illinois Environmental Protection Agency	12/15/2023	12/27/2023	12/29/2023
IL	PIMW	Potentially Infectious Medical Waste	Illinois EPA	09/09/2024	09/11/2024	11/19/2024
IL	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Natural Resources		07/01/2013	12/30/2013
IL	RGA LF	Recovered Government Archive Solid Waste Facilities List	Illinois Environmental Protection Agency		07/01/2013	01/10/2014
IL	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	Illinois Environmental Protection Agency		07/01/2013	12/30/2013
IL	SPILLS	State spills	Illinois EPA	05/06/2024	07/02/2024	09/24/2024
IL	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	07/18/2012	01/03/2013	03/15/2013
IL	SRP	Site Remediation Program Database	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	SSU	State Sites Unit Listing	Illinois Environmental Protection Agency	01/31/2024	01/31/2024	02/13/2024
IL	SWF/LF	Available Disposal for Solid Waste in Illinois - Solid Waste	Illinois Environmental Protection Agency	12/31/2022	10/17/2023	01/08/2024
IL	TIER 2	Tier 2 Information Listing	Illinois Emergency Management Agency	12/31/2023	05/07/2024	08/01/2024
IL	UIC	Underground Injection Wells	Illinois EPA	02/15/2024	05/22/2024	08/19/2024
IL	UST	Underground Storage Tank Facility List	Illinois State Fire Marshal	07/15/2024	07/16/2024	09/27/2024
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	09/10/2024	09/11/2024	11/19/2024
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	10/13/2024	10/16/2024	10/23/2024
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2021	03/09/2023	03/20/2023
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2022	11/27/2023	02/22/2024
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/30/2024	07/08/2024	09/26/2024
US	CORRACTS	Corrective Action Report	EPA	06/03/2024	06/07/2024	06/20/2024
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DOT OPS	Incident and Accident Data	Department of Transportation, Office of Pipeli	01/02/2020	01/28/2020	04/17/2020
US	Delisted NPL	National Priority List Deletions	EPA	09/25/2024	10/01/2024	10/23/2024
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	07/24/2023	04/18/2024	06/06/2024
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	06/23/2024	06/28/2024	07/12/2024
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	06/11/2024	06/17/2024	09/04/2024
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	06/07/2024	06/25/2024	09/19/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	03/15/2024	03/19/2024	06/17/2024
US	FINDS	Facility Index System/Facility Registry System	EPA	08/13/2024	08/20/2024	08/28/2024
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	07/31/2024	08/12/2024	10/09/2024
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	08/13/2024	08/13/2024	10/09/2024
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	06/14/2024	06/17/2024	06/24/2024
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Serivces, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LUCIS	Land Use Control Information System	Department of the Navy	07/15/2024	07/17/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	MINES MRDS	Mineral Resources Data System	USGS	08/23/2022	11/22/2022	02/28/2023
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	10/01/2024	10/02/2024	10/09/2024
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	09/25/2024	10/01/2024	10/23/2024
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	05/23/2024	07/02/2024	09/26/2024
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	09/25/2024	10/01/2024	10/23/2024
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RMP	Risk Management Plans	Environmental Protection Agency	07/12/2024	07/17/2024	10/09/2024
US	ROD	Records Of Decision	EPA	10/24/2024	11/01/2024	11/19/2024
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	09/25/2024	10/01/2024	10/23/2024
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	09/25/2024	10/01/2024	10/23/2024
US	SSTS	Section 7 Tracking Systems	EPA	07/11/2024	07/11/2024	07/12/2024
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2022	11/13/2023	02/07/2024
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	05/08/2024	08/14/2024	08/28/2024
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	06/10/2024	06/11/2024	09/04/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	06/10/2024	06/17/2024	09/04/2024
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/06/2024	08/14/2024	08/15/2024
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protection Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protection	08/05/2024	08/06/2024	10/25/2024
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
IL	Daycare Centers	Sensitive Receptor: Homes & Centers Listing	Department of Children & Family Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
IL	State Wetlands	Wetland Inventory	Illinois State Geological Survey			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM

### TARGET PROPERTY ADDRESS

9826-N DAVIS STREET FROM MCDANIEL AVE TO FOWLER A  
DAVIS STREET AND MCDANIEL AVE  
EVANSTON, IL 60201

### TARGET PROPERTY COORDINATES

Latitude (North):	42.046425 - 42° 2' 47.13"
Longitude (West):	87.707571 - 87° 42' 27.26"
Universal Tranverse Mercator:	Zone 16
UTM X (Meters):	441441.5
UTM Y (Meters):	4654959.5
Elevation:	596 ft. above sea level

### USGS TOPOGRAPHIC MAP

Target Property Map:	24185589 EVANSTON, IL
Version Date:	2021

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SSW

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
17031C0265J	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
Not Reported	

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EVANSTON	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### **Site-Specific Hydrogeological Data\*:**

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
E15	1/4 - 1/2 Mile NNW	Not Reported
16	1/4 - 1/2 Mile SE	NW
40	1/4 - 1/2 Mile SSW	Not Reported
50	1/2 - 1 Mile SE	SE
1G	1/4 - 1/2 Mile NNW	Not Reported
2G	1/4 - 1/2 Mile SE	NW
3G	1/2 - 1 Mile SE	SE
4G	1/4 - 1/2 Mile SSW	Not Reported

For additional site information, refer to Physical Setting Source Map Findings.

\* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### ROCK STRATIGRAPHIC UNIT

Era: Paleozoic  
System: Silurian  
Series: Middle Silurian (Niagoaran)  
Code: S2 *(decoded above as Era, System & Series)*

#### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBANLAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Bedrock Max: > 0 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	60 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

## OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
fine sandy loam  
loam  
fine sand

Surficial Soil Types: silt loam  
fine sandy loam  
loam  
fine sand

Shallow Soil Types: sandy loam

Deeper Soil Types: silt loam  
sand  
loamy sand  
loam

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
74	IL0001115	1/2 - 1 Mile ESE

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
1	ILSG40000055177	1/8 - 1/4 Mile West
2	ILSG40000055176	1/8 - 1/4 Mile WSW
3	ILSG40000055178	1/8 - 1/4 Mile NW
A4	ILSG40000042127	1/8 - 1/4 Mile SSW
A5	ILSG40000055175	1/8 - 1/4 Mile SW
6	ILSG40000055179	1/4 - 1/2 Mile NW
B7	ILSG40000042136	1/4 - 1/2 Mile SSW
B8	ILSG40000049566	1/4 - 1/2 Mile SSW
B9	ILSG40000055174	1/4 - 1/2 Mile SSW
C10	ILSG40000059506	1/4 - 1/2 Mile East
D11	ILSG40000049558	1/4 - 1/2 Mile North
E12	ILSG40000055180	1/4 - 1/2 Mile NNW
C13	ILSG40000059507	1/4 - 1/2 Mile East
D14	ILSG40000040929	1/4 - 1/2 Mile North
C17	ILSG40000059504	1/4 - 1/2 Mile East
D18	ILSG40000042129	1/4 - 1/2 Mile NNW
C19	ILSG40000059503	1/4 - 1/2 Mile East
20	ILSG40000059505	1/4 - 1/2 Mile East
D21	ILSG40000061432	1/4 - 1/2 Mile NNW
22	ILPW8734	1/4 - 1/2 Mile NW
F23	ILSG40000062624	1/4 - 1/2 Mile SSW
24	ILSG40000059502	1/4 - 1/2 Mile ENE
D25	ILSG40000042128	1/4 - 1/2 Mile North
F26	ILSG40000062620	1/4 - 1/2 Mile SSW
F27	ILSG40000062621	1/4 - 1/2 Mile SSW
F28	ILSG40000039734	1/4 - 1/2 Mile SSW
F29	ILSG40000062622	1/4 - 1/2 Mile SSW
F30	ILSG40000062619	1/4 - 1/2 Mile SSW
F31	ILSG40000062625	1/4 - 1/2 Mile SSW
32	ILSG40000055181	1/4 - 1/2 Mile NNW
F33	ILSG40000062618	1/4 - 1/2 Mile SSW
F34	ILSG40000062623	1/4 - 1/2 Mile SSW
F35	ILSG40000042123	1/4 - 1/2 Mile South
F36	ILSG40000042124	1/4 - 1/2 Mile SSW
G37	ILSG40000059509	1/4 - 1/2 Mile ESE
G38	ILSG40000059508	1/4 - 1/2 Mile ESE

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
39	ILSG40000055182	1/4 - 1/2 Mile North
41	ILSG40000055173	1/4 - 1/2 Mile SSW
42	ILSG40000040074	1/2 - 1 Mile ESE
43	ILSG40000039733	1/2 - 1 Mile North
H44	ILSG40000059333	1/2 - 1 Mile ENE
45	ILPW8797	1/2 - 1 Mile SSE
H46	ILSG40000059334	1/2 - 1 Mile ENE
H47	ILSG40000059332	1/2 - 1 Mile ENE
48	ILSG40000055183	1/2 - 1 Mile North
49	ILSG40000055172	1/2 - 1 Mile SSW
I51	ILSG40000042126	1/2 - 1 Mile South
I52	ILSG40000040924	1/2 - 1 Mile South
53	ILSG40000055184	1/2 - 1 Mile NNE
J54	ILSG40000054362	1/2 - 1 Mile NNE
J55	ILSG40000054365	1/2 - 1 Mile NNE
J56	ILSG40000054363	1/2 - 1 Mile NNE
57	ILSG40000055171	1/2 - 1 Mile SSW
J58	ILSG40000054361	1/2 - 1 Mile NNE
J59	ILSG40000054364	1/2 - 1 Mile NNE
60	ILSG40000055185	1/2 - 1 Mile NNE
61	ILSG40000055170	1/2 - 1 Mile SSW
62	ILSG40000055186	1/2 - 1 Mile NNE
K63	ILSG40000055169	1/2 - 1 Mile South
L64	ILSG40000055187	1/2 - 1 Mile NNE
L65	ILSG40000050176	1/2 - 1 Mile NE
L66	ILSG40000050179	1/2 - 1 Mile NNE
67	ILSG40000050177	1/2 - 1 Mile NE
L68	ILSG40000050178	1/2 - 1 Mile NNE
M69	ILSG40000061712	1/2 - 1 Mile NE
K70	ILSG40000055168	1/2 - 1 Mile South
71	ILSG40000049559	1/2 - 1 Mile South
M72	ILSG40000049565	1/2 - 1 Mile NE
73	ILSG40000055188	1/2 - 1 Mile NNE

# PHYSICAL SETTING SOURCE MAP - 7841921.52s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: 9826-N Davis Street From Mcdaniel Ave To Fowler A  
 ADDRESS: Davis Street and Mcdaniel Ave  
 Evanston IL 60201  
 LAT/LONG: 42.046425 / 87.707571

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.52s  
 DATE: December 06, 2024 1:06 pm

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database

EDR ID Number

1 West 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055177
2 WSW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055176
3 NW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055178
A4 SSW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042127
A5 SW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055175
6 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055179
B7 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042136
B8 SSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049566

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
B9 SSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055174
C10 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059506
D11 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049558
E12 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055180
C13 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059507
D14 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040929
E15 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	62182
16 SE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	25565
C17 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059504

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
D18 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042129
C19 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059503
20 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059505
D21 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061432
22 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8734
F23 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062624
24 ENE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059502
D25 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042128
F26 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062620

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
F27 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062621
F28 SSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039734
F29 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062622
F30 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062619
F31 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062625
32 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055181
F33 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062618
F34 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062623
F35 South 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042123

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
F36 SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042124
G37 ESE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059509
G38 ESE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059508
39 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055182
40 SSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	56490
41 SSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055173
42 ESE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040074
43 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039733
H44 ENE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059333

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
45 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8797
H46 ENE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059334
H47 ENE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059332
48 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055183
49 SSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055172
50 SE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	62115
151 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042126
152 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040924
53 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055184

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
J54 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054362
J55 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054365
J56 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054363
57 SSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055171
J58 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054361
J59 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054364
60 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055185
61 SSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055170
62 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055186

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
K63 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055169
L64 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055187
L65 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050176
L66 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050179
67 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050177
L68 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000050178
M69 NE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061712
K70 South 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055168
71 South 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049559

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
M72 NE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049565
73 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055188
74 ESE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	FRDS PWS	IL0001115
1G NNW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62182
2G SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	25565
3G SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62115
4G SSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	56490

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: IL Radon

### Radon Test Results

Zipcode	Result
60201	0.7
60201	1.6
60201	0.7
60201	0.9
60201	
60201	0.7
60201	1.1
60201	0.3
60201	0.6
60201	1.6
60201	0.8
60201	1
60201	0.3
60201	1.8

Federal EPA Radon Zone for COOK County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level  $\geq$  2 pCi/L and  $\leq$  4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

---

Federal Area Radon Information for Zip Code: 60201

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	-0.500 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Illinois State Geological Survey

Telephone: 217-333-4747

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## OTHER STATE DATABASE INFORMATION

### Oil and Gas Wells Listing

Source: Illinois State Geological Survey

Telephone: 217-333-5109

Oil and gas wells location points from the Illinois State Geological Survey database.

### Water Well Records

Source: Illinois Geological Survey

Telephone: 217-333-4747

### Illinois Private Well Database and PICS (Public, Industrial, Commercial Survey)

Source: Illinois State Water Survey

Telephone: 217-333-9043

### Water Well Location Information

Source: Illinois Environmental Protection Agency

Telephone: 217-782-0810

## RADON

### State Database: IL Radon

Source: Department of Nuclear Safety

Telephone: 217-785-9958

County Radon Results

### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix B**  
Sample Location Map

2025 MFT Street Resurfacing Projects  
Davis Street from McDaniel Avenue to Fowler Avenue  
INTERRA Project No. 9826  
Date: 12/19/2024

Davis-PC-01

Davis St

McDaniel Ave

Fowler Ave

Pitner Ave

Bill's Mobile Sharpening Service

Leo's Firewood

Davis St

Pitner Ave

Rimland Services

Linda A. Sylvester, MPT

Joseph E. Hill Early Childhood Center

Fowler Ave

Pitner Ave



300 ft

## **Appendix C**

### Analytical Test Reports

January 13, 2025

INTERRA, Inc.  
INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

RE: 9826 - Evanston Geotech and Environmental 2024  
AAL1400

Metiri Analytical Group Inc, - Geneva received sample(s) on 12/20/2024 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,



Daniel Galeher  
Project Manager



INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

## Notes and Definitions

Item	Definition
------	------------

J	Analyte detected below quantitation limit (QL)
S	Spike Recovery outside accepted recovery limits
U	Analyte included in the analysis, but not detected

### General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

### Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS: (Surrogate Standard): Quality control compound added to the sample by the lab.
- LA: Lab Accident - No valid data to report.
- VO: Insufficient Volume provided
- BR: Received broken
- IP: Invalid Sampling

### Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater



Illinois Department of Public Health Accredited #17585

Illinois Environmental Protection Agency Accredited #100225

# Table of Contents

Qualifiers and Definitions	2
Sample Results	5
Chain of Custody	11

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Samples in this Report

<b>Lab ID</b>	<b>Sample</b>	<b>Matrix</b>	<b>Date Sampled</b>	<b>Date Received</b>
AAL1400-01	Davis-PC-01	Solid	12/19/2024 15:45	12/20/2024
AAL1400-01	Davis-PC-01	Solid	12/19/2024 15:45	12/20/2024

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

## Sample Results

**Sample: Davis-PC-01**  
**AAL1400-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.032	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.017	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.018	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.013	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.129	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.131	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2,4-Dichlorophenol	ND	0.123	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2,4-Dimethylphenol	ND	0.197	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2,4-Dinitrophenol	ND	0.259	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.022	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.018	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2-Chloronaphthalene	ND	0.021	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2-Chlorophenol	ND	0.116	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2-Methylnaphthalene	ND	0.022	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2-Nitroaniline	ND	0.136	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
2-Nitrophenol	ND	0.139	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.121	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
3-Nitroaniline	ND	0.063	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.121	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.022	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.126	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
4-Chloroaniline	ND	0.097	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.016	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
4-Nitroaniline	ND	0.080	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
4-Nitrophenol	ND	0.112	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Acenaphthene	ND	0.020	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Acenaphthylene	ND	0.017	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Aniline	ND	0.083	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Anthracene	ND	0.015	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Azobenzene	ND	0.012	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Benzidine	ND	0.086	1.02	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Benzo(a)anthracene	ND	0.012	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Benzo(a)pyrene	0.017 J	0.016	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Benzo(b)fluoranthene	ND	0.016	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Benzo(g,h,i)perylene	ND	0.020	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Benzo(k)fluoranthene	ND	0.013	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Benzoic acid	ND	0.140	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Benzyl alcohol	ND	0.151	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.023	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.036	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.029	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Bis(2-ethylhexyl)phthalate	ND	0.145	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Butyl benzyl phthalate	ND	0.143	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Carbazole	ND	0.016	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Chrysene	0.017 J	0.016	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Sample Results (Continued)

**Sample: Davis-PC-01 (Continued)**  
**AAL1400-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### SVOC (Continued)

Dibenzo(a,h)anthracene	ND	0.021	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Dibenzofuran	ND	0.018	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Diethyl phthalate	ND	0.120	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Dimethyl phthalate	ND	0.134	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Di-n-butyl phthalate	ND	0.112	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Di-n-octyl phthalate	ND	0.161	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Fluoranthene	0.030 J	0.013	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Fluorene	ND	0.018	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Hexachlorobenzene	ND	0.131	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Hexachlorobutadiene	ND	0.126	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.107	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Hexachloroethane	ND	0.119	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	0.011 J	0.002	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Isophorone	ND	0.002	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
m,p-Cresol	ND	0.029	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Naphthalene	ND	0.018	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
n-Decane	ND	0.134	0.272	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Nitrobenzene	ND	0.015	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
N-nitrosodimethylamine	ND	0.022	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.020	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.034	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
n-Octadecane	ND	0.136	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
O-Cresol	ND	0.028	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Pentachlorophenol	ND	0.215	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Phenanthrene	0.016 J	0.016	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Phenol	ND	0.124	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Pyrene	0.027 J	0.017	0.082	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384
Pyridine	ND	0.085	0.408	mg/kg dry	12/19/24 15:45	01/09/25	1	8270C	BAL1384

Surrogate: 2,4,6-Tribromophenol	67%	38-105	01/09/25	1	8270C
Surrogate: 2-Fluorobiphenyl	70%	40-110	01/09/25	1	8270C
Surrogate: 2-Fluorophenol	69%	41-105	01/09/25	1	8270C
Surrogate: 4-Terphenyl-d14	74%	26-133	01/09/25	1	8270C
Surrogate: Nitrobenzene-d5	64%	27-129	01/09/25	1	8270C
Surrogate: Phenol-d5	71%	43-105	01/09/25	1	8270C

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546

4,4'-DDD	ND	0.000468	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
4,4'-DDE	ND	0.000492	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
4,4'-DDT	ND	0.00129	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Aldrin	ND	0.000234	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
alpha-BHC	ND	0.000406	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
alpha-Chlordane	ND	0.000221	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
beta-BHC	ND	0.000394	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Sample Results (Continued)

#### Sample: Davis-PC-01 (Continued) AAL1400-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546 (Continued)

Chlordane, Technical	ND	0.0242	0.0410	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
delta-BHC	ND	0.000234	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Dieldrin	ND	0.000504	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Endosulfan I	ND	0.000197	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Endosulfan II	ND	0.000418	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Endosulfan sulfate	ND	0.000431	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Endrin	ND	0.000529	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Endrin aldehyde	ND	0.000480	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Endrin ketone	ND	0.000566	0.00164	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
gamma-BHC	ND	0.000258	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
gamma-Chlordane	ND	0.000295	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Heptachlor	ND	0.000381	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Heptachlor epoxide	ND	0.000197	0.000821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Methoxychlor	ND	0.00763	0.00821	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
Toxaphene	ND	0.0490	0.102	mg/kg dry	12/19/24 15:45	12/31/24	1	8081	BAL1377
<i>Surrogate: Decachlorobiphenyl</i>		81%	29-133			12/31/24	1	8081	
<i>Surrogate: Tetrachloro-m-xylene</i>		78%	36-118			12/31/24	1	8081	
AROCLOR 1016	ND	0.004	0.021	mg/kg dry	12/19/24 15:45	12/31/24	1	8082	BAL1377
AROCLOR 1221	ND	0.005	0.021	mg/kg dry	12/19/24 15:45	12/31/24	1	8082	BAL1377
AROCLOR 1232	ND	0.004	0.021	mg/kg dry	12/19/24 15:45	12/31/24	1	8082	BAL1377
AROCLOR 1242	ND	0.004	0.021	mg/kg dry	12/19/24 15:45	12/31/24	1	8082	BAL1377
AROCLOR 1248	ND	0.004	0.021	mg/kg dry	12/19/24 15:45	12/31/24	1	8082	BAL1377
AROCLOR 1254	ND	0.005	0.021	mg/kg dry	12/19/24 15:45	12/31/24	1	8082	BAL1377
AROCLOR 1260	ND	0.008	0.021	mg/kg dry	12/19/24 15:45	12/31/24	1	8082	BAL1377
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		60%	20-142			12/31/24	1	8082	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		62%	22-123			12/31/24	1	8082	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - CVAA

Mercury	ND	0.0486	0.106	mg/kg dry	12/19/24 15:45	01/06/25	1	7471B	BBA0136
---------	----	--------	-------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Wet Chemistry

pH	8.03	0.100	0.100	pH Units	12/19/24 15:45	12/21/24	1	SW 9045D	BAL1178
Temperature	21.5	1.00	1.00	pH Units	12/19/24 15:45	12/21/24	1	SW 9045D	BAL1178
Percent Moisture	19	0.10	0.10	%	12/19/24 15:45	12/26/24	1	ASTM-D2216	BAL1234

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics - Prep EPA 5035

1,1,1-Trichloroethane	ND	0.000381	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
1,1,2,2-Tetrachloroethane	ND	0.000495	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Sample Results (Continued)

**Sample: Davis-PC-01 (Continued)**  
**AAL1400-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>Volatile Organics - Prep EPA 5035 (Continued)</b>									
1,1,2-Trichloroethane	ND	0.000476	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
1,1-Dichloroethane	ND	0.000429	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
1,1-Dichloroethene	ND	0.000457	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
1,2-Dichloroethane	ND	0.000314	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
1,2-Dichloropropane	ND	0.00156	0.00476	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
2-Butanone	0.0102 J	0.00226	0.0191	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
2-Hexanone	ND	0.000705	0.0238	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
4-Methyl-2-pentanone	ND	0.000714	0.0238	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Acetone	0.0403	0.00506	0.0238	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Benzene	ND	0.000295	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Bromoform	ND	0.00156	0.00476	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Bromomethane	ND	0.000438	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Carbon disulfide	ND	0.00143	0.00476	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Carbon tetrachloride	ND	0.000372	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Chlorobenzene	ND	0.000276	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Chloroethane	ND	0.00262	0.00476	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Chloroform	ND	0.000429	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Chloromethane	ND	0.00367	0.00476	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
cis-1,2-Dichloroethene	ND	0.000362	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
cis-1,3-dichloropropene	ND	0.000238	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Dibromochloromethane	ND	0.000410	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Ethylbenzene	ND	0.000372	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
m,p-Xylene	ND	0.000572	0.00191	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Methyl tert-butyl ether	ND	0.000333	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Methylene chloride	ND	0.00246	0.00476	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
o-Xylene	ND	0.000257	0.00191	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Styrene	ND	0.000276	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Tetrachloroethene	ND	0.000572	0.00191	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Toluene	ND	0.000448	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
trans-1,2-Dichloroethene	ND	0.000352	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
trans-1,3-dichloropropene	ND	0.000248	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Trichloroethene	ND	0.000343	0.000953	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
Vinyl chloride	ND	0.000981	0.00476	mg/kg dry	12/19/24 15:45	12/31/24	1	8260B	BBA0054
<hr/>									
Surrogate: 4-Bromofluorobenzene		104%	76-119			12/31/24	1	8260B	
Surrogate: Dibromofluoromethane		97%	66-137			12/31/24	1	8260B	
Surrogate: Toluene-d8		102%	80-120			12/31/24	1	8260B	

### Volatile Organics

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
Total 1,3-Dichloropropene	ND	0.000238	0.000953	mg/kg Dry	12/19/24 15:45	12/31/24	1	8260B	[CALC]
Total Xylenes	ND	0.000257	0.00191	mg/kg Dry	12/19/24 15:45	12/31/24	1	8260B	[CALC]

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Sample Results (Continued)

**Sample: Davis-PC-01 (Continued)**  
**AAL1400-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - ICP

Arsenic	2.69 J	0.327	4.95	mg/kg Dry	12/19/24 15:45	12/23/24	1	6010B	BAL1200
Barium	59.6	0.525	2.48	mg/kg Dry	12/19/24 15:45	12/23/24	1	6010B	BAL1200
Cadmium	ND	0.0297	0.248	mg/kg Dry	12/19/24 15:45	12/23/24	1	6010B	BAL1200
Chromium	17.4	0.0861	0.248	mg/kg Dry	12/19/24 15:45	12/23/24	1	6010B	BAL1200
Lead	10.8	0.208	1.24	mg/kg Dry	12/19/24 15:45	12/23/24	1	6010B	BAL1200
Selenium	ND	0.356	4.95	mg/kg Dry	12/19/24 15:45	12/23/24	1	6010B	BAL1200
Silver	ND	0.257	0.495	mg/kg Dry	12/19/24 15:45	12/23/24	1	6010B	BAL1200

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

*8260 SRP Package*

---

8260 SRP





**STATE OF ILLINOIS**  
**ENVIRONMENTAL PROTECTION AGENCY**  
**NELAP - RECOGNIZED**  
**ENVIRONMENTAL LABORATORY ACCREDITATION**

is hereby granted to

**Suburban Laboratories**  
**1950 South Batavia Ave., Suite 150**  
**Geneva, IL 60134**

**NELAP ACCREDITED**

Accreditation Number #100225



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose  
 Supervisor  
 Environmental Laboratory Accreditation Program

Certificate No: 1002252024-26

Expiration Date: 10/31/2025

Issued On: 10/30/2024

**Appendix D**  
LPC 663 Form



# Illinois Environmental Protection Agency

1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

## Uncontaminated Soil Certification by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

Revised in accordance with 35 Ill. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 Ill. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

### I. Source Location Information

(Describe the location of the source of the uncontaminated soil)

Project Name: Davis Street from McDaniel Avenue to Fowler Avenue Office Phone Number, if available: \_\_\_\_\_

Physical Site Location (address, including number and street):

Davis Street from McDaniel Avenue to Fowler Avenue

City: Evanston State: IL Zip Code: 60201

County: Cook Township: Evanston

Lat/Long of approximate center of site in decimal degrees (DD.ddddd) to five decimal places (e.g., 40.67890, -90.12345):

Latitude: 42.04642 Longitude: - 87.70757

(Decimal Degrees) (-Decimal Degrees)

Identify how the lat/long data were determined:

GPS  Map Interpolation  Photo Interpolation  Survey  Other

IEPA Site Number(s), if assigned: BOL: \_\_\_\_\_ BOW: \_\_\_\_\_ BOA: \_\_\_\_\_

Approximate Start Date (mm/dd/yyyy): Mar 1, 2025 Approximate End Date (mm/dd/yyyy): Dec 31, 2025

Estimated Volume of debris (cu. Yd.): \_\_\_\_\_

### II. Owner/Operator Information for Source Site

Site Owner

Name: \_\_\_\_\_ City of Evanston

Street Address: \_\_\_\_\_ 2100 Ridge Avenue

PO Box: \_\_\_\_\_

City: Evanston State: IL

Zip Code: 60201 Phone: 847-448-8210

Contact: \_\_\_\_\_ Bridget Nash

Email, if available: \_\_\_\_\_ bnash@cityofevanston.org

Site Operator

Name: \_\_\_\_\_

Street Address: \_\_\_\_\_

PO Box: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_

Contact: \_\_\_\_\_

Email, if available: \_\_\_\_\_

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms Management Center.

Uncontaminated Soil Certification

**III. Basis for Certification and Attachments**

For each item listed below, reference the attachments to this form that provide the required information.

- a. A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located 35 Ill. Adm. Code 1100.610(a):

Soil sampling points were selected based on the expected limits of proposed excavation and evenly spaced; Site historical documents including readily available Federal & State databases were reviewed to identify sampling points and adequacy.

- b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 Ill. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 Ill. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

Historical records, analytical test results, chain of custody documentation and laboratory accreditation are attached. Soil should be disposed at a CCDD facility within a MSA County.


**IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist**

I, Sanjeev Bandi (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 Ill. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.

***Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))***

Company Name: Interra, Inc.  
Street Address: 600 Territorial Drive, Suite G  
City: Bolingbrook State: IL Zip Code: 60440  
Phone: 630-754-8700

Sanjeev Bandi  
Printed Name:

  
\_\_\_\_\_  
Licensed Professional Engineer or  
Licensed Professional Geologist Signature:

Feb 13, 2025

Date:





600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra Project No: 9826

2/13/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

**Environmental Report**  
2025 MFT Improvement Projects  
Elmwood Avenue from Grove Street to Davis Street  
City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this report on environmental sampling and analytical testing performed at the above referenced project in Evanston, Illinois. We understand that the purpose of the investigation is to aid in soil management during construction.

**Scope of Work**

The scope of work included review of readily available historical documents to identify past land use and selection of parameters for analytical testing; collection of one (1) soil sample for analytical testing; and determination of soil management options based on analytical test results.

**Historical Document Review**

A review of the Federal, State and Local databases was performed to identify past land use and recognized environmental conditions on or near the property. Potentially Impacted Properties (PIP) identified in the vicinity of the site included Leaking Underground Storage Tanks (LUST), Site Remediation Program (SRP), Institutional Control, and spills. Historical reports reviewed are included in Appendix A.

### **Field Work**

Boreholes for collecting environmental samples were located in the field by INTERRA. The drilling sub-contractor, Geocon Professional Services (GEOCON) obtained underground utility clearances prior to drilling. Drilling was performed on 12/19/2024. Soil sampling was performed at 2.5-foot intervals up to the planned exploration depth of 10 feet. Soil sampling was performed using decontaminated split-spoon sampler. All soil samples were field screened using a Minirae 2020 Plus (photoionization detector) to aid in sample selection for analytical testing. Field screening did not indicate the presence of VOC contamination. Sample Location Map is presented in Appendix B of this report.

Soil grab samples for environmental analysis were chosen between the 0.0 to 5.0 feet interval. INTERRA collected and preserved the environmental soil sample in accordance with applicable SW 846 methods and transported them to the NELAC accredited Suburban Laboratories for analytical testing.

### **Analytical Testing**

The soil samples were analyzed for the contaminants of concern identified based on Historical Document review. Based on this, the sample was tested for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), total RCRA Metals, Pesticides, PCBs and pH. The sample analytical test reports are presented in Appendix C of this report.

### **Conclusions and Recommendations**

The analytical results were compared to 35 ILL. Adm. Code 1100, "Maximum Allowable Concentrations (MAC) of chemical constituents in Uncontaminated Soil used as fill in a Clean Construction & Demolition Debris (CCDD) or "Uncontaminated Soil Fill Operation" and Illinois Tiered Approach to Corrective Action Objectives (TACO) Residential Soil Remediation Objectives in accordance with Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022).

Sample Elmwood-GD-PC-01 did not encounter any contaminants of concern above the CCDD and TACO regulatory limits specified in Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022). However, pH exceeded CCDD regulatory limit is shown are in the table below.

**Table 1: Exceedance Table**

Sample Number	Exceeding Constituent	Results (mg/kg)*	CCDD MAC Values			TACO Tier 1 Residential SROs		SCGW SRO Class 1 (mg/kg)	Construction Worker SRO	
			Most Stringent	Chicago	MSA	Ingestion (mg/kg)	Inhalation (mg/kg)		Ingestion (mg/kg)	Inhalation (mg/kg)
Elmwood-GD-PC-01	pH*	9.36	6.25-9.0							

**Notes:**

 Regulatory limit exceeded

\* pH is unitless

Based on the exceedance shown in Table 1, the soil can be managed as follows according to 669.05(b)(1) of IDOT Standard Specifications. LPC 663 is not provided since the material did not meet the CCDD requirements for pH.

- The soil cannot be disposed of at any CCDD facility or a USFO.
- The soil can be utilized within the right-of-way as embankment or fill, when suitable.

We appreciate the opportunity to be of service to you. Should you need additional information or clarifications, please call us at (630) 754-8700.

Yours truly,


**Interra, Inc.**



Supraja Reddy, Ph.D., PE  
 Geotechnical Engineer



Ashok Guntaka, EI  
 Project Manager



Sanjeev Bandi, Ph.D., PE  
 Principal Engineer

**APPENDIX A**  
Historical Reports

**9826-P Elmwood Avenue From Grove Street To Davis**

Elmwood Avenue and Grove Street

Evanston, IL 60201

Inquiry Number: 7841921.62s

December 06, 2024

## EDR Summary Radius Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

SECTION	PAGE
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	284
Government Records Searched/Data Currency Tracking .....	GR-1
<b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-9
Physical Setting Source Map Findings .....	A-10
Physical Setting Source Records Searched .....	PSGR-1

*Thank you for your business.*  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

ELMWOOD AVENUE AND GROVE STREET  
EVANSTON, IL 60201

#### COORDINATES

Latitude (North): 42.0463200 - 42° 2' 46.75"  
Longitude (West): 87.6839930 - 87° 41' 2.37"  
Universal Transverse Mercator: Zone 16  
UTM X (Meters): 443392.7  
UTM Y (Meters): 4654932.0  
Elevation: 602 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: TP  
Source: U.S. Geological Survey

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20190802  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
ELMWOOD AVENUE AND GROVE STREET  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">A1</a>	CENTRUM EVANSTON	1571 MAPLE AVENUE	IL UST	Higher	178, 0.034, WNW
<a href="#">2</a>	SUNBRITE CARPET AND	1559 MAPLE	EDR Hist Cleaner	Lower	252, 0.048, SW
<a href="#">B3</a>	WINTRUST FINANCIAL	901 GROVE ST	RCRA NonGen / NLR, E MANIFEST	Higher	264, 0.050, SSW
<a href="#">4</a>	CONTINENTAL DRY CLEA	830 1/2 DAVIS ST	EDR Hist Cleaner	Higher	270, 0.051, NNE
<a href="#">B5</a>	FRANZEN NORMAN INC	919 GROVE ST	EDR Hist Cleaner	Lower	276, 0.052, SSW
<a href="#">A6</a>	SCHWARTZHOFF CLEANER	1566 MAPLE AVE	EDR Hist Cleaner	Higher	288, 0.055, West
<a href="#">C7</a>	SHERMAN PLAZA VENTUR	820 DAVIS STREET, SU	UST FINDER RELEASE	Higher	331, 0.063, ENE
<a href="#">C8</a>	SHERMAN PLAZA VENTUR	820 DAVIS ST	IL LUST, IL BOL	Higher	331, 0.063, ENE
<a href="#">D9</a>	GROVE/ELMWOOD AMOCO	900 GROVE ST	UST FINDER	Higher	344, 0.065, South
<a href="#">D10</a>	GROVE & ELMWOOD UNIO	900 GROVE ST	EDR Hist Auto	Higher	344, 0.065, South
<a href="#">D11</a>	GROVE ELMWOOD SERVIC	900 GROVE ST.	IL LUST	Higher	344, 0.065, South
<a href="#">D12</a>	GROVE ELMWOOD SVC	900 GROVE ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	344, 0.065, South
<a href="#">D13</a>	GROVE/ELMWOOD AMOCO	900 GROVE ST	IL UST	Higher	344, 0.065, South
<a href="#">D14</a>	GROVE ELMWOOD SERVIC	900 GROVE ST.	UST FINDER RELEASE	Higher	344, 0.065, South
<a href="#">15</a>	ONE ROTARY CENTER CU	1560 SHERMAN AVE SUI	RCRA NonGen / NLR, FINDS, ECHO	Higher	367, 0.070, ESE
<a href="#">D16</a>	ELMWOOD CONDO ASSOCI	1508 ELMWOOD	IL UST	Higher	446, 0.084, South
<a href="#">D17</a>	WILSON, TERRY ASSOC	1508 ELMWOOD AVE	IL LUST, IL BOL	Higher	446, 0.084, South
<a href="#">E18</a>	EVANSTON CLEANERS	1463 ELMWOOD	IL INST CONTROL, IL SRP, IL BOL	Higher	506, 0.096, SSE
<a href="#">E19</a>	EVANSTON CLEANERS	1463 ELMWOOD AVE	EDR Hist Cleaner	Higher	506, 0.096, SSE
<a href="#">E20</a>	EVANSTON CLEANERS	1463 ELMWOOD	RCRA NonGen / NLR, FINDS, ECHO	Higher	506, 0.096, SSE
<a href="#">F21</a>	CITIBANK	801 DAVIS	RCRA NonGen / NLR, FINDS, ECHO	Higher	511, 0.097, ENE
<a href="#">F22</a>	BRANCH 39 EVANSTON	801 DAVIS ST	IL UST	Higher	511, 0.097, ENE
<a href="#">F23</a>	DEMOLITION SITE	801-823 DAVIS STREET	IL UST	Higher	511, 0.097, ENE
<a href="#">G24</a>	BANK ONE CHICAGO N.	800 DAVIS STREET	UST FINDER	Higher	597, 0.113, ENE
<a href="#">G25</a>	BANK ONE CHICAGO N.	800 DAVIS STREET	IL UST	Higher	597, 0.113, ENE
<a href="#">E26</a>	MARTYS AUTO SERVICE	1461 ELMWOOD	EDR Hist Auto	Higher	599, 0.113, SSE
<a href="#">27</a>	EVANSTON POLICE DEPT	1454 ELMWOOD AVE	RCRA-VSQQ, E MANIFEST	Higher	614, 0.116, South
<a href="#">H28</a>	VENTURA REALTY LIMIT	1459-1463 ELMWOOD AV	IL LUST	Higher	647, 0.123, SSE
<a href="#">H29</a>	VENTURA REALTY, LTD.	1459-1463 ELMWOOD	IL UST	Higher	647, 0.123, SSE
<a href="#">H30</a>	VENTURA REALTY, LTD.	1459-1463 ELMWOOD	UST FINDER	Higher	647, 0.123, SSE
<a href="#">H31</a>	VENTURA REALTY LIMIT	1459-1463 ELMWOOD AV	UST FINDER RELEASE	Higher	647, 0.123, SSE
<a href="#">I32</a>	COMMERCIAL BUILDING	1026 DAVIS ST	IL UST	Higher	670, 0.127, WNW
<a href="#">J33</a>	EVANSTON, CITY OF	1616 SHERMAN AVENUE	UST FINDER RELEASE	Lower	671, 0.127, ENE
<a href="#">J34</a>	TARGET STORE 3283	1616 SHERMAN AVE	RCRA-SQG, FINDS, E MANIFEST	Lower	671, 0.127, ENE
<a href="#">J35</a>	CONSTRUCTION SITE	1616 SHERMAN AVENUE	IL UST	Lower	671, 0.127, ENE
<a href="#">J36</a>	EVANSTON, CITY OF	1616 SHERMAN AVE	IL LUST, IL BOL	Lower	671, 0.127, ENE
<a href="#">J37</a>	CONSTRUCTION SITE	1620 SHERMAN	IL UST	Lower	682, 0.129, NE
<a href="#">H38</a>	MWRDGC PS	1455 ELMWOOD AVE	RCRA NonGen / NLR	Higher	734, 0.139, SSE
<a href="#">K39</a>	DART CUSTOM CLEANERS	1565 SHERMAN	RCRA NonGen / NLR, FINDS, ECHO	Lower	748, 0.142, ESE

MAPPED SITES SUMMARY

Target Property Address:  
ELMWOOD AVENUE AND GROVE STREET  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">J40</a>	1601 SHERMAN	1601 SHERMAN	IL UST	Lower	751, 0.142, ENE
<a href="#">L41</a>	1575 OAK BLDG	1575 OAK AVE	IL UST	Higher	760, 0.144, West
<a href="#">L42</a>	LASSEN MATTHEWS AND	1575 OAK	RCRA NonGen / NLR, FINDS, ECHO	Higher	760, 0.144, West
<a href="#">L43</a>	LASSEN, ADELLA	1575 OAK AVE.	IL LUST, IL BOL	Higher	760, 0.144, West
<a href="#">L44</a>	1575 OAK BLDG	1575 OAK AVE	UST FINDER	Higher	760, 0.144, West
<a href="#">I45</a>	FRANKSVILLE RESTAURA	1033 DAVIS ST	IL UST	Higher	764, 0.145, WNW
<a href="#">I46</a>	RADAIOS TRUST #10503	1033 DAVIS ST.	IL LUST, IL BOL	Higher	764, 0.145, WNW
<a href="#">M47</a>	DAVIS STREET LAND CO	630 DAVIS ST	RCRA-VSQG, FINDS, ECHO	Higher	767, 0.145, East
<a href="#">N48</a>	HERTZ CORP.	910 CHURCH ST.	UST FINDER RELEASE	Higher	779, 0.148, North
<a href="#">N49</a>	HERTZ RENT A CAR	910 CHURCH ST	IL UST	Higher	779, 0.148, North
<a href="#">N50</a>	HERTZ RENT A CAR	910 CHURCH ST	UST FINDER	Higher	779, 0.148, North
<a href="#">N51</a>	HERTZ CORP.	910 CHURCH ST.	IL LUST, IL SPILLS, IL BOL	Higher	779, 0.148, North
<a href="#">O52</a>	PARKING LOT	1460 SHERMAN AVE.	IL LUST, IL UST, IL SPILLS, IL BOL	Higher	783, 0.148, SE
<a href="#">O53</a>	SHERMAN, LLC	1460 SHERMAN AVENUE	UST FINDER RELEASE	Higher	783, 0.148, SE
<a href="#">K54</a>	MDM GROVE LLC	617 GROVE STREET	IL UST	Lower	799, 0.151, ESE
<a href="#">55</a>	USPS EVANSTON	1101 DAVIS ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	836, 0.158, WNW
<a href="#">P56</a>	VACANT COMMERCIAL BU	1611-1615 OAK AVE.	IL UST	Higher	842, 0.159, WNW
<a href="#">O57</a>	ALBION @ EVANSTON, L	1450-1460 SHERMAN AV	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	844, 0.160, SE
<a href="#">58</a>	WR PROPERTY MGT CO L	1560 OAK AVE	RCRA-SQG	Higher	852, 0.161, West
<a href="#">P59</a>	FRIEDMAN, ALLEN ESTA	1615 OAK AVENUE	UST FINDER RELEASE	Higher	856, 0.162, NW
<a href="#">P60</a>	FRIEDMAN, ALLEN ESTA	1615 OAK AVENUE	IL LUST, IL SPILLS	Higher	856, 0.162, NW
<a href="#">M61</a>	RETAIL STORES	618-20 DAVIS STREET	IL UST	Higher	860, 0.163, East
<a href="#">62</a>	BUCK JOHN CO THE	1603 ORRINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	872, 0.165, ENE
<a href="#">Q63</a>	ST. MARY'S PARISH	1012 LAKE STREET	IL LUST	Lower	885, 0.168, SSW
<a href="#">Q64</a>	ST. MARY'S CHURCH	1012 LAKE STREET	IL UST	Lower	885, 0.168, SSW
<a href="#">65</a>	807 CHURCH ST.	807 CHURCH ST.	IL UST	Higher	928, 0.176, NNE
<a href="#">R66</a>	NORMANDEALE PROPERTIE	1701 SHERMAN AVE.	IL LUST	Higher	996, 0.189, NE
<a href="#">R67</a>	GREAT WEST LIFE ASSU	1701 SHERMAN AVE	IL UST	Higher	996, 0.189, NE
<a href="#">R68</a>	NORMANDEALE PROPERTIE	1701 SHERMAN AVE.	UST FINDER RELEASE	Higher	996, 0.189, NE
<a href="#">S69</a>	1500 CHICAGO AVENUE	1500 CHICAGO AVENUE	UST FINDER RELEASE	Higher	1046, 0.198, ESE
<a href="#">S70</a>	1500 CHICAGO AVENUE	1500 CHICAGO AVENUE	IL UST	Higher	1046, 0.198, ESE
<a href="#">S71</a>	1500 CHICAGO AVE LLC	1500 CHICAGO AVE	IL LUST, IL SPILLS, IL BOL	Higher	1046, 0.198, ESE
<a href="#">T72</a>	CHURCH ST. PLAZA LLC	1701 MAPLE AVE.	IL LUST, IL BOL	Higher	1070, 0.203, North
<a href="#">T73</a>	COST PLUS WORLD MARK	1725 MAPLE AVE.	RCRA-VSQG, FINDS, ECHO, E MANIFEST	Higher	1070, 0.203, North
<a href="#">T74</a>	CONSTRUCTION SITE	1701 MAPLE	IL UST	Higher	1070, 0.203, North
<a href="#">T75</a>	CHURCH STREET PLAZA	1701-1749 MAPLE AVEN	IL SRP	Higher	1070, 0.203, North
<a href="#">U76</a>	LOCK UP	1723 BENSON AVE	UST FINDER	Higher	1123, 0.213, NNE
<a href="#">U77</a>	LOCK UP	1723 BENSON AVE	IL UST	Higher	1123, 0.213, NNE
<a href="#">U78</a>	EVANSTON ATHLECTIC C	1723 BENSEN	IL UST	Higher	1123, 0.213, NNE

MAPPED SITES SUMMARY

Target Property Address:  
ELMWOOD AVENUE AND GROVE STREET  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">79</a>	WILMETE REAL ESTATE	636 CHURCH ST	RCRA NonGen / NLR	Lower	1132, 0.214, ENE
<a href="#">V80</a>	WASHINGTON NATIONAL	1612-1630 CHICAGO AV	IL UST	Higher	1162, 0.220, East
<a href="#">V81</a>	WASHINGTON NATIONAL	1612-1630 CHICAGO AV	UST FINDER	Higher	1162, 0.220, East
<a href="#">82</a>	HEIL HEIL SMART & GO	1515 CHICAGO AVE	IL UST	Higher	1183, 0.224, ESE
<a href="#">W83</a>	CVS	1711 SHERMAN AVENUE	RCRA-VSQG, E MANIFEST	Higher	1197, 0.227, NE
<a href="#">W84</a>		1711 SHERMAN AVE	MI MANIFEST	Higher	1197, 0.227, NE
<a href="#">V85</a>	WASHINGTON NATIONAL	1630 CHICAGO AVE	IL SRP, IL SPILLS, RCRA NonGen / NLR, FINDS, ECHO,...	Higher	1197, 0.227, East
<a href="#">X86</a>	OMNI-ORRINGTON HOTEL	1710 ORRINGTON AVENU	IL UST	Higher	1260, 0.239, NE
<a href="#">X87</a>	CONNECTICUT GENERAL	1710 ORRINGTON AVENU	IL LUST, IL ENG CONTROLS, IL INST CONTROL, IL SRP,...	Higher	1260, 0.239, NE
<a href="#">X88</a>	OMNI-ORRINGTON HOTEL	1710 ORRINGTON AVENU	UST FINDER	Higher	1260, 0.239, NE
<a href="#">X89</a>	OMNI ORRINGTON HOTEL	1710 ORRINGTON AVE	RCRA-VSQG	Higher	1260, 0.239, NE
<a href="#">X90</a>	TIMES SQUARE CAPITOL	1710 ORRINGTON AVE.	UST FINDER RELEASE	Higher	1260, 0.239, NE
<a href="#">Y91</a>	NORTHWESTERN GAS LIG	912 CLARK ST	IL SRP, IL BOL	Higher	1296, 0.245, North
<a href="#">Y92</a>	NORTHWESTERN GAS, LI	912 CLARK STREET	EDR MGP	Higher	1296, 0.245, North
<a href="#">93</a>	SCHWARTZHOFF CLEANER	1623 CHICAGO AVE	IL INST CONTROL, IL SRP, IL BOL	Higher	1362, 0.258, ENE
<a href="#">Z94</a>	ST. PAUL'S LUTHERAN	1004 GREENWOOD ST.	UST FINDER RELEASE	Lower	1420, 0.269, SSW
<a href="#">Z95</a>	ST. PAUL'S LUTHERAN	1004 GREENWOOD ST.	IL LUST	Lower	1420, 0.269, SSW
<a href="#">96</a>	NORTHWESTERN UNIVERS	1725 ORRINGTON	IL LUST, IL SPILLS	Higher	1453, 0.275, NE
<a href="#">97</a>	PRENTISS PROPERTIES	1816 SHERMAN AVE	IL SRP, IL BOL	Higher	1541, 0.292, NNE
<a href="#">98</a>	EVANSTON LABS	710 CLARK STREET	IL AST, IL INST CONTROL, IL SRP	Higher	1617, 0.306, NE
<a href="#">99</a>	SAVINGS OF AMERICA B	1336 CHICAGO AVENUE	IL SRP	Higher	1668, 0.316, SSE
<a href="#">AA100</a>	CHURCH ST.	1719 CHICAGO AVE.	IL LUST, IL SPILLS, IL BOL	Lower	1733, 0.328, ENE
<a href="#">AA101</a>	CHURCH ST.	1719 CHICAGO AVE.	UST FINDER RELEASE	Lower	1733, 0.328, ENE
<a href="#">AB102</a>	MATHER HOME	1615 HINMAN AVE	IL LUST, IL SPILLS, IL BOL	Higher	1750, 0.331, East
<a href="#">AB103</a>	MATHER LIFEWAYS	1615 HINMAN	UST FINDER RELEASE	Higher	1750, 0.331, East
<a href="#">104</a>	NORTH WESTERN GAS WO	918 UNIVERSITY PLACE	EDR MGP	Higher	1803, 0.341, North
<a href="#">AC105</a>	AMOCO OIL CO. #5309	RIDGE & CLARK	UST FINDER RELEASE	Higher	1805, 0.342, NW
<a href="#">AC106</a>	AMOCO OIL CO. #5309	RIDGE & CLARK	IL LUST	Higher	1805, 0.342, NW
<a href="#">AC107</a>	BP SERVICE STATION #	1803 RIDGE AVE	IL LUST, IL SPILLS, IL AIRS, IL BOL	Higher	1825, 0.346, NW
<a href="#">AC108</a>	BP PRODUCTS NORTH AM	1803 RIDGE AVENUE	UST FINDER RELEASE	Higher	1825, 0.346, NW
<a href="#">109</a>	KEN'S CLEANERS	827 DEMPSTER	IL INST CONTROL, IL SRP, IL AIRS, IL BOL, IL...	Higher	1857, 0.352, South
<a href="#">AD110</a>	1815 RIDGE AVENUE, L	1815-1823 RIDGE AVEN	IL LUST	Higher	1865, 0.353, NNW
<a href="#">AD111</a>	1815 RIDGE AVENUE, L	1815-1823 RIDGE AVEN	IL LUST	Higher	1865, 0.353, NNW
<a href="#">AD112</a>	NATIONAL SCHOOL TOWE	1815 RIDGE AVENUE	IL ENG CONTROLS, IL INST CONTROL, IL SRP, IL...	Higher	1865, 0.353, NNW
<a href="#">AE113</a>	EVANSTON, CITY OF	1102 EMERSON ST.	UST FINDER RELEASE	Higher	2106, 0.399, NNW
<a href="#">AE114</a>	EVANSTON, CITY OF	1102 EMERSON ST.	IL LUST	Higher	2106, 0.399, NNW
<a href="#">AF115</a>	SHELL OIL CO.	824 EMERSON ST.	IL LUST	Higher	2140, 0.405, NNE
<a href="#">AF116</a>	SHELL OIL CO.	824 EMERSON ST.	UST FINDER RELEASE	Higher	2140, 0.405, NNE
<a href="#">AF117</a>	FOCUS EVANSTON	811 EMERSON STREET	UST FINDER RELEASE	Higher	2191, 0.415, NNE

MAPPED SITES SUMMARY

Target Property Address:  
ELMWOOD AVENUE AND GROVE STREET  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">AF118</a>	FOCUS CONSTRUCTION,	811 EMERSON STREET	IL LUST	Higher	2191, 0.415, NNE
<a href="#">AF119</a>	811 EMERSON	811 EMERSON STREET	IL INST CONTROL, IL SRP	Higher	2191, 0.415, NNE
<a href="#">AF120</a>	FOCUS EVANSTON	811 EMERSON STREET	IL LUST	Higher	2191, 0.415, NNE
<a href="#">AF121</a>	FOCUS CONSTRUCTION,	811 EMERSON STREET	UST FINDER RELEASE	Higher	2191, 0.415, NNE
<a href="#">AG122</a>	PERFECTO CLEANERS	821 EMERSON ST.	UST FINDER RELEASE	Lower	2240, 0.424, North
<a href="#">AG123</a>	LAKE CITY CLEANERS L	821 EMERSON ST	IL LUST, IL AIRS	Lower	2240, 0.424, North
<a href="#">AH124</a>	HOUSING AUTHORITY OF	1900 SHERMAN AVENUE	UST FINDER RELEASE	Lower	2342, 0.444, NNE
<a href="#">AH125</a>	JANE R. PERLMAN APAR	1900 SHERMAN RD	IL LUST, IL UST, IL AST, IL SPILLS	Lower	2342, 0.444, NNE
<a href="#">AI126</a>	LEVY VENTURE MANAGEM	1212 NORTH CHICAGO A	IL LUST	Higher	2365, 0.448, SSE
<a href="#">AI127</a>	LEVY VENTURE MANAGEM	1212 NORTH CHICAGO A	UST FINDER RELEASE	Higher	2365, 0.448, SSE
<a href="#">AJ128</a>	EVANSTON, CITY OF	425 DEMPSTER	UST FINDER RELEASE	Lower	2407, 0.456, SE
<a href="#">AJ129</a>	EVANSTON, CITY OF	425 DEMPSTER	IL LUST, IL BOL	Lower	2407, 0.456, SE
<a href="#">130</a>	BETH EMET SYNAGOGUE	1224 DEMPSTER STREET	IL LUST, IL SPILLS	Higher	2482, 0.470, SW
<a href="#">131</a>	NORTHWESTERN UNIVERS		FUDS	Higher	2528, 0.479, WNW

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of Federal RCRA generators***

RCRA-SQG: A review of the RCRA-SQG list, as provided by EDR, and dated 06/03/2024 has revealed that there are 2 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WR PROPERTY MGT CO L EPA ID:: ILR000164376	1560 OAK AVE	W 1/8 - 1/4 (0.161 mi.)	58	21
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>TARGET STORE 3283</i></b> EPA ID:: ILR000197061	<b><i>1616 SHERMAN AVE</i></b>	<b><i>ENE 1/8 - 1/4 (0.127 mi.)</i></b>	<b><i>J34</i></b>	<b><i>15</i></b>

RCRA-VSQQ: A review of the RCRA-VSQQ list, as provided by EDR, and dated 06/03/2024 has revealed that there are 5 RCRA-VSQQ sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>EVANSTON POLICE DEPT</i></b> EPA ID:: ILR000160663	<b><i>1454 ELMWOOD AVE</i></b>	<b><i>S 0 - 1/8 (0.116 mi.)</i></b>	<b><i>27</i></b>	<b><i>14</i></b>
<b><i>DAVIS STREET LAND CO</i></b> EPA ID:: ILR000063776	<b><i>630 DAVIS ST</i></b>	<b><i>E 1/8 - 1/4 (0.145 mi.)</i></b>	<b><i>M47</i></b>	<b><i>18</i></b>
<b><i>COST PLUS WORLD MARK</i></b> EPA ID:: ILR000188904	<b><i>1725 MAPLE AVE.</i></b>	<b><i>N 1/8 - 1/4 (0.203 mi.)</i></b>	<b><i>T73</i></b>	<b><i>25</i></b>
<b><i>CVS</i></b> EPA ID:: ILR000171264	<b><i>1711 SHERMAN AVENUE</i></b>	<b><i>NE 1/8 - 1/4 (0.227 mi.)</i></b>	<b><i>W83</i></b>	<b><i>27</i></b>
OMNI ORRINGTON HOTEL	1710 ORRINGTON AVE	NE 1/8 - 1/4 (0.239 mi.)	X89	29

## EXECUTIVE SUMMARY

EPA ID:: ILR000128553

### ***Lists of state and tribal leaking storage tanks***

IL LUST: A review of the IL LUST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 32 IL LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>SHERMAN PLAZA VENTUR</b> NFA/NFR Letter: 11/30/2006 Incident Num: 20021436 Incident Num: 20021437 IL EPA Id: 0310815145	<b>820 DAVIS ST</b>	<b>ENE 0 - 1/8 (0.063 mi.)</b>	<b>C8</b>	<b>9</b>
GROVE ELMWOOD SERVIC NFA/NFR Letter: 2/28/1997 Incident Num: 961175 IL EPA Id: 0310815186	900 GROVE ST.	S 0 - 1/8 (0.065 mi.)	D11	10
<b>WILSON, TERRY ASSOC</b> Incident Num: 20001579 IL EPA Id: 0310815232	<b>1508 ELMWOOD AVE</b>	<b>S 0 - 1/8 (0.084 mi.)</b>	<b>D17</b>	<b>11</b>
VENTURA REALTY LIMIT NFA/NFR Letter: 9/17/2013 Incident Num: 20120368 IL EPA Id: 0310815341	1459-1463 ELMWOOD AV	SSE 0 - 1/8 (0.123 mi.)	H28	14
<b>LASSEN, ADELLA</b> Incident Num: 931847 IL EPA Id: 0310815149	<b>1575 OAK AVE.</b>	<b>W 1/8 - 1/4 (0.144 mi.)</b>	<b>L43</b>	<b>17</b>
<b>RADAIOS TRUST #10503</b> Incident Num: 972433 IL EPA Id: 0310815201	<b>1033 DAVIS ST.</b>	<b>WNW 1/8 - 1/4 (0.145 mi.)</b>	<b>I46</b>	<b>18</b>
<b>HERTZ CORP.</b> NFA/NFR Letter: 1/10/2000 Incident Num: 891972 IL EPA Id: 0310815113	<b>910 CHURCH ST.</b>	<b>N 1/8 - 1/4 (0.148 mi.)</b>	<b>N51</b>	<b>19</b>
<b>PARKING LOT</b> NFA/NFR Letter: 1/24/2013 Incident Num: 20110399 IL EPA Id: 0310815326	<b>1460 SHERMAN AVE.</b>	<b>SE 1/8 - 1/4 (0.148 mi.)</b>	<b>O52</b>	<b>20</b>
<b>FRIEDMAN, ALLEN ESTA</b> NFA/NFR Letter: 12/24/2012 Incident Num: 20120970 IL EPA Id: 0310815347	<b>1615 OAK AVENUE</b>	<b>NW 1/8 - 1/4 (0.162 mi.)</b>	<b>P60</b>	<b>22</b>
NORMANDEALE PROPERTIE NFA/NFR Letter: 6/1/1993 Incident Num: 922837 IL EPA Id: 0310815137	1701 SHERMAN AVE.	NE 1/8 - 1/4 (0.189 mi.)	R66	23
<b>1500 CHICAGO AVE LLC</b>	<b>1500 CHICAGO AVE</b>	<b>ESE 1/8 - 1/4 (0.198 mi.)</b>	<b>S71</b>	<b>24</b>

## EXECUTIVE SUMMARY

NFA/NFR Letter: 2/5/2013 Incident Num: 20110204 IL EPA Id: 0310815323				
<b>CHURCH ST. PLAZA LLC</b> Incident Num: 991961 IL EPA Id: 0310815224	<b>1701 MAPLE AVE.</b>	<b>N 1/8 - 1/4 (0.203 mi.)</b>	<b>T72</b>	<b>25</b>
<b>CONNECTICUT GENERAL</b> NFA/NFR Letter: 1/24/2003 Incident Num: 20010464 Incident Num: 20010890 IL EPA Id: 0310815162	<b>1710 ORRINGTON AVENU</b>	<b>NE 1/8 - 1/4 (0.239 mi.)</b>	<b>X87</b>	<b>28</b>
<b>NORTHWESTERN UNIVERS</b> Incident Num: 20050441 IL EPA Id: 0310815230	<b>1725 ORRINGTON</b>	<b>NE 1/4 - 1/2 (0.275 mi.)</b>	<b>96</b>	<b>31</b>
<b>MATHER HOME</b> NFA/NFR Letter: 12/7/2007 Incident Num: 20071319 IL EPA Id: 0310815300	<b>1615 HINMAN AVE</b>	<b>E 1/4 - 1/2 (0.331 mi.)</b>	<b>AB102</b>	<b>32</b>
AMOCO OIL CO. #5309 NFA/NFR Letter: 7/30/2013 Incident Num: 900401 IL EPA Id: 0310815084	RIDGE & CLARK	NW 1/4 - 1/2 (0.342 mi.)	AC106	33
<b>BP SERVICE STATION #</b> NFA/NFR Letter: 7/30/2013 Incident Num: 20040256 IL EPA Id: 0310815084	<b>1803 RIDGE AVE</b>	<b>NW 1/4 - 1/2 (0.346 mi.)</b>	<b>AC107</b>	<b>34</b>
1815 RIDGE AVENUE, L Incident Num: 20200535 IL EPA Id: 0310815178	1815-1823 RIDGE AVEN	NNW 1/4 - 1/2 (0.353 mi.)	AD110	35
1815 RIDGE AVENUE, L Incident Num: 20200433 IL EPA Id: 0310815178	1815-1823 RIDGE AVEN	NNW 1/4 - 1/2 (0.353 mi.)	AD111	35
EVANSTON, CITY OF NFA/NFR Letter: 2/9/2004 Incident Num: 901599 IL EPA Id: 0310815078	1102 EMERSON ST.	NNW 1/4 - 1/2 (0.399 mi.)	AE114	36
SHELL OIL CO. NFA/NFR Letter: 9/3/1998 Incident Num: 901987 Incident Num: 900344 Incident Num: 932789 IL EPA Id: 0310815067	824 EMERSON ST.	NNE 1/4 - 1/2 (0.405 mi.)	AF115	36
FOCUS CONSTRUCTION, Incident Num: 20180256 IL EPA Id: 0310815220	811 EMERSON STREET	NNE 1/4 - 1/2 (0.415 mi.)	AF118	36
FOCUS EVANSTON Incident Num: 20180165 IL EPA Id: 0310815220	811 EMERSON STREET	NNE 1/4 - 1/2 (0.415 mi.)	AF120	37
LEVY VENTURE MANAGEM NFA/NFR Letter: 5/26/1994	1212 NORTH CHICAGO A	SSE 1/4 - 1/2 (0.448 mi.)	AI126	38

## EXECUTIVE SUMMARY

Incident Num: 922798  
IL EPA Id: 0310815138

<b>BETH EMET SYNAGOGUE</b> NFA/NFR Letter: 4/3/2020 Incident Num: 20190846 IL EPA Id: 0310815388	<b>1224 DEMPSTER STREET</b>	<b>SW 1/4 - 1/2 (0.470 mi.)</b>	<b>130</b>	<b>39</b>
---	-----------------------------	---------------------------------	------------	-----------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>EVANSTON, CITY OF</b> NFA/NFR Letter: 3/28/2005 Incident Num: 20041583 IL EPA Id: 0310815276	<b>1616 SHERMAN AVE</b>	<b>ENE 1/8 - 1/4 (0.127 mi.)</b>	<b>J36</b>	<b>15</b>
ST. MARY'S PARISH NFA/NFR Letter: 6/9/2020 Incident Num: 20191219 IL EPA Id: 0310815391	1012 LAKE STREET	SSW 1/8 - 1/4 (0.168 mi.)	Q63	23
ST. PAUL'S LUTHERAN NFA/NFR Letter: 8/25/1998 Incident Num: 980672 IL EPA Id: 0310815206	1004 GREENWOOD ST.	SSW 1/4 - 1/2 (0.269 mi.)	Z95	31
<b>CHURCH ST.</b> NFA/NFR Letter: 9/6/1990 Incident Num: 891682 IL EPA Id: 0310815069	<b>1719 CHICAGO AVE.</b>	<b>ENE 1/4 - 1/2 (0.328 mi.)</b>	<b>AA100</b>	<b>32</b>
<b>LAKE CITY CLEANERS L</b> NFA/NFR Letter: 5/2/2002 Incident Num: 991252 Incident Num: 991270 IL EPA Id: 0310815220	<b>821 EMERSON ST</b>	<b>N 1/4 - 1/2 (0.424 mi.)</b>	<b>AG123</b>	<b>37</b>
<b>JANE R. PERLMAN APAR</b> NFA/NFR Letter: 10/19/2012 Incident Num: 20120905 IL EPA Id: 0310815345	<b>1900 SHERMAN RD</b>	<b>NNE 1/4 - 1/2 (0.444 mi.)</b>	<b>AH125</b>	<b>38</b>
<b>EVANSTON, CITY OF</b> NFA/NFR Letter: 1/15/2009 Incident Num: 910528 IL EPA Id: 0310815098	<b>425 DEMPSTER</b>	<b>SE 1/4 - 1/2 (0.456 mi.)</b>	<b>AJ129</b>	<b>39</b>

### ***Lists of state and tribal registered storage tanks***

IL UST: A review of the IL UST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 28 IL UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CENTRUM EVANSTON Tank Status: Removed Tank Status: Pre 1974	1571 MAPLE AVENUE	WNW 0 - 1/8 (0.034 mi.)	A1	8

## EXECUTIVE SUMMARY

Status: EXEMPT				
Facility Id: 2044277				
GROVE/ELMWOOD AMOCO	900 GROVE ST	S 0 - 1/8 (0.065 mi.)	D13	10
Tank Status: Removed				
Status: CLOSED				
Facility Id: 2027876				
ELMWOOD CONDO ASSOCI	1508 ELMWOOD	S 0 - 1/8 (0.084 mi.)	D16	11
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2039711				
BRANCH 39 EVANSTON	801 DAVIS ST	ENE 0 - 1/8 (0.097 mi.)	F22	13
Tank Status: Abandoned in place				
Status: CLOSED				
Facility Id: 2030990				
DEMOLITION SITE	801-823 DAVIS STREET	ENE 0 - 1/8 (0.097 mi.)	F23	13
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2041228				
BANK ONE CHICAGO N.	800 DAVIS STREET	ENE 0 - 1/8 (0.113 mi.)	G25	13
Tank Status: Removed				
Status: CLOSED				
Facility Id: 2035426				
VENTURA REALTY, LTD.	1459-1463 ELMWOOD	SSE 0 - 1/8 (0.123 mi.)	H29	14
Tank Status: Removed				
Status: CLOSED				
Facility Id: 2045109				
COMMERCIAL BUILDING	1026 DAVIS ST	WNW 1/8 - 1/4 (0.127 mi.)	I32	15
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2045643				
1575 OAK BLDG	1575 OAK AVE	W 1/8 - 1/4 (0.144 mi.)	L41	17
Tank Status: Removed				
Status: CLOSED				
Facility Id: 2030798				
FRANKSVILLE RESTAURA	1033 DAVIS ST	WNW 1/8 - 1/4 (0.145 mi.)	I45	18
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2036094				
HERTZ RENT A CAR	910 CHURCH ST	N 1/8 - 1/4 (0.148 mi.)	N49	19
Tank Status: Removed				
Tank Status: Pre 1974				
Status: CLOSED				
Facility Id: 2010978				
<b>PARKING LOT</b>	<b>1460 SHERMAN AVE.</b>	<b>SE 1/8 - 1/4 (0.148 mi.)</b>	<b>O52</b>	<b>20</b>
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2044888				
VACANT COMMERCIAL BU	1611-1615 OAK AVE.	WNW 1/8 - 1/4 (0.159 mi.)	P56	21
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2045205				
RETAIL STORES	618-20 DAVIS STREET	E 1/8 - 1/4 (0.163 mi.)	M61	22

## EXECUTIVE SUMMARY

Tank Status: Removed Status: EXEMPT Facility Id: 2041823				
807 CHURCH ST. Tank Status: Abandoned in place Status: EXEMPT Facility Id: 2045199	807 CHURCH ST.	NNE 1/8 - 1/4 (0.176 mi.)	65	23
GREAT WEST LIFE ASSU Tank Status: Removed Status: CLOSED Facility Id: 2029031	1701 SHERMAN AVE	NE 1/8 - 1/4 (0.189 mi.)	R67	24
1500 CHICAGO AVENUE Tank Status: Abandoned in place Status: CLOSED Facility Id: 2044897	1500 CHICAGO AVENUE	ESE 1/8 - 1/4 (0.198 mi.)	S70	24
CONSTRUCTION SITE Tank Status: Removed Status: EXEMPT Facility Id: 2039092	1701 MAPLE	N 1/8 - 1/4 (0.203 mi.)	T74	25
LOCK UP Tank Status: Removed Status: CLOSED Facility Id: 2030167	1723 BENSON AVE	NNE 1/8 - 1/4 (0.213 mi.)	U77	26
EVANSTON ATHLECTIC C Tank Status: Removed Status: EXEMPT Facility Id: 2034112	1723 BENSEN	NNE 1/8 - 1/4 (0.213 mi.)	U78	26
WASHINGTON NATIONAL Tank Status: Removed Status: CLOSED Facility Id: 2029867	1612-1630 CHICAGO AV	E 1/8 - 1/4 (0.220 mi.)	V80	27
HEIL HEIL SMART & GO Tank Status: Removed Status: EXEMPT Facility Id: 2034765	1515 CHICAGO AVE	ESE 1/8 - 1/4 (0.224 mi.)	82	27
OMNI-ORRINGTON HOTEL Tank Status: Removed Tank Status: Abandoned in place Status: CLOSED Facility Id: 2040434	1710 ORRINGTON AVENU	NE 1/8 - 1/4 (0.239 mi.)	X86	28
<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction / Distance</u></b>	<b><u>Map ID</u></b>	<b><u>Page</u></b>
CONSTRUCTION SITE Tank Status: Removed Status: EXEMPT Facility Id: 2042536	1616 SHERMAN AVENUE	ENE 1/8 - 1/4 (0.127 mi.)	J35	15
CONSTRUCTION SITE Tank Status: Removed Status: EXEMPT Facility Id: 2042659	1620 SHERMAN	NE 1/8 - 1/4 (0.129 mi.)	J37	16
1601 SHERMAN	1601 SHERMAN	ENE 1/8 - 1/4 (0.142 mi.)	J40	17

## EXECUTIVE SUMMARY

Tank Status: Abandoned in place  
 Status: EXEMPT  
 Facility Id: 2047155

<p>MDM GROVE LLC          Tank Status: Abandoned in place          Status: EXEMPT          Facility Id: 2044000</p>	<p>617 GROVE STREET</p>	<p>ESE 1/8 - 1/4 (0.151 mi.)</p>	<p>K54</p>	<p>20</p>
<p>ST. MARY'S CHURCH          Tank Status: Removed          Status: CLOSED          Facility Id: 2046946</p>	<p>1012 LAKE STREET</p>	<p>SSW 1/8 - 1/4 (0.168 mi.)</p>	<p>Q64</p>	<p>23</p>

### **State and tribal institutional control / engineering control registries**

IL ENG CONTROLS: A review of the IL ENG CONTROLS list, as provided by EDR, and dated 06/24/2024 has revealed that there are 3 IL ENG CONTROLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>ALBION @ EVANSTON, L</b> Illinois Epa Id: 0310815380	<b>1450-1460 SHERMAN AV</b>	<b>SE 1/8 - 1/4 (0.160 mi.)</b>	<b>O57</b>	<b>21</b>
<b>CONNECTICUT GENERAL</b> Illinois Epa Id: 0310815162	<b>1710 ORRINGTON AVENU</b>	<b>NE 1/8 - 1/4 (0.239 mi.)</b>	<b>X87</b>	<b>28</b>
<b>NATIONAL SCHOOL TOWE</b> Illinois Epa Id: 0310815178	<b>1815 RIDGE AVENUE</b>	<b>NNW 1/4 - 1/2 (0.353 mi.)</b>	<b>AD112</b>	<b>35</b>

IL INST CONTROL: A review of the IL INST CONTROL list, as provided by EDR, and dated 06/24/2024 has revealed that there are 8 IL INST CONTROL sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>EVANSTON CLEANERS</b> Illinois EPA Id: 0310815144	<b>1463 ELMWOOD</b>	<b>SSE 0 - 1/8 (0.096 mi.)</b>	<b>E18</b>	<b>11</b>
<b>ALBION @ EVANSTON, L</b> Illinois EPA Id: 0310815380	<b>1450-1460 SHERMAN AV</b>	<b>SE 1/8 - 1/4 (0.160 mi.)</b>	<b>O57</b>	<b>21</b>
<b>CONNECTICUT GENERAL</b> Illinois EPA Id: 0310815162	<b>1710 ORRINGTON AVENU</b>	<b>NE 1/8 - 1/4 (0.239 mi.)</b>	<b>X87</b>	<b>28</b>
<b>SCHWARTZHOFF CLEANER</b> Illinois EPA Id: 0310815364	<b>1623 CHICAGO AVE</b>	<b>ENE 1/4 - 1/2 (0.258 mi.)</b>	<b>93</b>	<b>30</b>
<b>EVANSTON LABS</b> Illinois EPA Id: 0310815405	<b>710 CLARK STREET</b>	<b>NE 1/4 - 1/2 (0.306 mi.)</b>	<b>98</b>	<b>31</b>
<b>KEN'S CLEANERS</b> Illinois EPA Id: 0310815036	<b>827 DEMPSTER</b>	<b>S 1/4 - 1/2 (0.352 mi.)</b>	<b>109</b>	<b>34</b>
<b>NATIONAL SCHOOL TOWE</b>	<b>1815 RIDGE AVENUE</b>	<b>NNW 1/4 - 1/2 (0.353 mi.)</b>	<b>AD112</b>	<b>35</b>

## EXECUTIVE SUMMARY

Illinois EPA Id: 0310815178

**811 EMERSON**

**811 EMERSON STREET**

**NNE 1/4 - 1/2 (0.415 mi.) AF119**

**37**

Illinois EPA Id: 0310815220

### ***Lists of state and tribal voluntary cleanup sites***

IL SRP: A review of the IL SRP list, as provided by EDR, and dated 06/24/2024 has revealed that there are 13 IL SRP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>EVANSTON CLEANERS</b> IL EPA Id: 0310815144	<b>1463 ELMWOOD</b>	<b>SSE 0 - 1/8 (0.096 mi.)</b>	<b>E18</b>	<b>11</b>
<b>ALBION @ EVANSTON, L</b> IL EPA Id: 0310815380	<b>1450-1460 SHERMAN AV</b>	<b>SE 1/8 - 1/4 (0.160 mi.)</b>	<b>O57</b>	<b>21</b>
CHURCH STREET PLAZA IL EPA Id: 0310815224	1701-1749 MAPLE AVEN	N 1/8 - 1/4 (0.203 mi.)	T75	26
<b>WASHINGTON NATIONAL</b> IL EPA Id: 0310815050	<b>1630 CHICAGO AVE</b>	<b>E 1/8 - 1/4 (0.227 mi.)</b>	<b>V85</b>	<b>28</b>
<b>CONNECTICUT GENERAL</b> IL EPA Id: 0310815162	<b>1710 ORRINGTON AVENU</b>	<b>NE 1/8 - 1/4 (0.239 mi.)</b>	<b>X87</b>	<b>28</b>
<b>NORTHWESTERN GAS LIG</b> IL EPA Id: 0310815190	<b>912 CLARK ST</b>	<b>N 1/8 - 1/4 (0.245 mi.)</b>	<b>Y91</b>	<b>30</b>
<b>SCHWARTZHOFF CLEANER</b> IL EPA Id: 0310815364	<b>1623 CHICAGO AVE</b>	<b>ENE 1/4 - 1/2 (0.258 mi.)</b>	<b>93</b>	<b>30</b>
<b>PRENTISS PROPERTIES</b> IL EPA Id: 0310815254	<b>1816 SHERMAN AVE</b>	<b>NNE 1/4 - 1/2 (0.292 mi.)</b>	<b>97</b>	<b>31</b>
<b>EVANSTON LABS</b> IL EPA Id: 0310815405	<b>710 CLARK STREET</b>	<b>NE 1/4 - 1/2 (0.306 mi.)</b>	<b>98</b>	<b>31</b>
SAVINGS OF AMERICA B IL EPA Id: 0310810021	1336 CHICAGO AVENUE	SSE 1/4 - 1/2 (0.316 mi.)	99	32
<b>KEN'S CLEANERS</b> IL EPA Id: 0310815036	<b>827 DEMPSTER</b>	<b>S 1/4 - 1/2 (0.352 mi.)</b>	<b>109</b>	<b>34</b>
<b>NATIONAL SCHOOL TOWE</b> IL EPA Id: 0310815178	<b>1815 RIDGE AVENUE</b>	<b>NNW 1/4 - 1/2 (0.353 mi.)</b>	<b>AD112</b>	<b>35</b>
<b>811 EMERSON</b> IL EPA Id: 0310815220	<b>811 EMERSON STREET</b>	<b>NNE 1/4 - 1/2 (0.415 mi.)</b>	<b>AF119</b>	<b>37</b>

### **ADDITIONAL ENVIRONMENTAL RECORDS**

#### ***Other Ascertainable Records***

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/03/2024

## EXECUTIVE SUMMARY

has revealed that there are 12 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>WINTRUST FINANCIAL</b> EPA ID:: ILR000199133	<b>901 GROVE ST</b>	<b>SSW 0 - 1/8 (0.050 mi.)</b>	<b>B3</b>	<b>8</b>
<b>GROVE ELMWOOD SVC</b> EPA ID:: ILR000021931	<b>900 GROVE ST</b>	<b>S 0 - 1/8 (0.065 mi.)</b>	<b>D12</b>	<b>10</b>
<b>ONE ROTARY CENTER CU</b> EPA ID:: ILR000078709	<b>1560 SHERMAN AVE SUI</b>	<b>ESE 0 - 1/8 (0.070 mi.)</b>	<b>15</b>	<b>11</b>
<b>EVANSTON CLEANERS</b> EPA ID:: ILD984909580	<b>1463 ELMWOOD</b>	<b>SSE 0 - 1/8 (0.096 mi.)</b>	<b>E20</b>	<b>12</b>
<b>CITIBANK</b> EPA ID:: ILD984914887	<b>801 DAVIS</b>	<b>ENE 0 - 1/8 (0.097 mi.)</b>	<b>F21</b>	<b>12</b>
<b>MWRDGC PS</b> EPA ID:: ILR000128686	<b>1455 ELMWOOD AVE</b>	<b>SSE 1/8 - 1/4 (0.139 mi.)</b>	<b>H38</b>	<b>16</b>
<b>LASSEN MATTHEWS AND</b> EPA ID:: ILD984916825	<b>1575 OAK</b>	<b>W 1/8 - 1/4 (0.144 mi.)</b>	<b>L42</b>	<b>17</b>
<b>USPS EVANSTON</b> EPA ID:: ILR000074112	<b>1101 DAVIS ST</b>	<b>WNW 1/8 - 1/4 (0.158 mi.)</b>	<b>55</b>	<b>20</b>
<b>WASHINGTON NATIONAL</b> EPA ID:: ILD984921619	<b>1630 CHICAGO AVE</b>	<b>E 1/8 - 1/4 (0.227 mi.)</b>	<b>V85</b>	<b>28</b>
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>DART CUSTOM CLEANERS</b> EPA ID:: ILD023569619	<b>1565 SHERMAN</b>	<b>ESE 1/8 - 1/4 (0.142 mi.)</b>	<b>K39</b>	<b>16</b>
<b>BUCK JOHN CO THE</b> EPA ID:: ILR000060632	<b>1603 ORRINGTON AVE</b>	<b>ENE 1/8 - 1/4 (0.165 mi.)</b>	<b>62</b>	<b>22</b>
<b>WILMETE REAL ESTATE</b> EPA ID:: ILR000145771	<b>636 CHURCH ST</b>	<b>ENE 1/8 - 1/4 (0.214 mi.)</b>	<b>79</b>	<b>26</b>

FUDS: A review of the FUDS list, as provided by EDR, and dated 07/31/2024 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>NORTHWESTERN UNIVERS</b>		<b>WNW 1/4 - 1/2 (0.479 mi.)</b>	<b>131</b>	<b>40</b>

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 23 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>SHERMAN PLAZA VENTUR</b>	<b>820 DAVIS STREET, SU</b>	<b>ENE 0 - 1/8 (0.063 mi.)</b>	<b>C7</b>	<b>9</b>
<b>GROVE ELMWOOD SERVIC</b>	<b>900 GROVE ST.</b>	<b>S 0 - 1/8 (0.065 mi.)</b>	<b>D14</b>	<b>10</b>
<b>VENTURA REALTY LIMIT</b>	<b>1459-1463 ELMWOOD AV</b>	<b>SSE 0 - 1/8 (0.123 mi.)</b>	<b>H31</b>	<b>14</b>
<b>HERTZ CORP.</b>	<b>910 CHURCH ST.</b>	<b>N 1/8 - 1/4 (0.148 mi.)</b>	<b>N48</b>	<b>19</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SHERMAN, LLC	1460 SHERMAN AVENUE	SE 1/8 - 1/4 (0.148 mi.)	O53	20
FRIEDMAN, ALLEN ESTA	1615 OAK AVENUE	NW 1/8 - 1/4 (0.162 mi.)	P59	22
NORMANDALE PROPRTIE	1701 SHERMAN AVE.	NE 1/8 - 1/4 (0.189 mi.)	R68	24
1500 CHICAGO AVENUE	1500 CHICAGO AVENUE	ESE 1/8 - 1/4 (0.198 mi.)	S69	24
TIMES SQUARE CAPITOL	1710 ORRINGTON AVE.	NE 1/8 - 1/4 (0.239 mi.)	X90	29
MATHER LIFEWAYS	1615 HINMAN	E 1/4 - 1/2 (0.331 mi.)	AB103	33
AMOCO OIL CO. #5309	RIDGE & CLARK	NW 1/4 - 1/2 (0.342 mi.)	AC105	33
BP PRODUCTS NORTH AM	1803 RIDGE AVENUE	NW 1/4 - 1/2 (0.346 mi.)	AC108	34
EVANSTON, CITY OF	1102 EMERSON ST.	NNW 1/4 - 1/2 (0.399 mi.)	AE113	35
SHELL OIL CO.	824 EMERSON ST.	NNE 1/4 - 1/2 (0.405 mi.)	AF116	36
FOCUS EVANSTON	811 EMERSON STREET	NNE 1/4 - 1/2 (0.415 mi.)	AF117	36
FOCUS CONSTRUCTION,	811 EMERSON STREET	NNE 1/4 - 1/2 (0.415 mi.)	AF121	37
LEVY VENTURE MANAGEM	1212 NORTH CHICAGO A	SSE 1/4 - 1/2 (0.448 mi.)	AI127	39

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EVANSTON, CITY OF	1616 SHERMAN AVENUE	ENE 1/8 - 1/4 (0.127 mi.)	J33	15
ST. PAUL'S LUTHERAN	1004 GREENWOOD ST.	SSW 1/4 - 1/2 (0.269 mi.)	Z94	30
CHURCH ST.	1719 CHICAGO AVE.	ENE 1/4 - 1/2 (0.328 mi.)	AA101	32
PERFECTO CLEANERS	821 EMERSON ST.	N 1/4 - 1/2 (0.424 mi.)	AG122	37
HOUSING AUTHORITY OF	1900 SHERMAN AVENUE	NNE 1/4 - 1/2 (0.444 mi.)	AH124	38
EVANSTON, CITY OF	425 DEMPSTER	SE 1/4 - 1/2 (0.456 mi.)	AJ128	39

UST FINDER: A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 8 UST FINDER sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GROVE/ELMWOOD AMOCO	900 GROVE ST	S 0 - 1/8 (0.065 mi.)	D9	9
BANK ONE CHICAGO N.	800 DAVIS STREET	ENE 0 - 1/8 (0.113 mi.)	G24	13
VENTURA REALTY, LTD.	1459-1463 ELMWOOD	SSE 0 - 1/8 (0.123 mi.)	H30	14
1575 OAK BLDG	1575 OAK AVE	W 1/8 - 1/4 (0.144 mi.)	L44	18
HERTZ RENT A CAR	910 CHURCH ST	N 1/8 - 1/4 (0.148 mi.)	N50	19
LOCK UP	1723 BENSON AVE	NNE 1/8 - 1/4 (0.213 mi.)	U76	26
WASHINGTON NATIONAL	1612-1630 CHICAGO AV	E 1/8 - 1/4 (0.220 mi.)	V81	27
OMNI-ORRINGTON HOTEL	1710 ORRINGTON AVENU	NE 1/8 - 1/4 (0.239 mi.)	X88	29

E MANIFEST: A review of the E MANIFEST list, as provided by EDR, and dated 07/24/2023 has revealed that there are 5 E MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>WINTRUST FINANCIAL</i>	<i>901 GROVE ST</i>	<i>SSW 0 - 1/8 (0.050 mi.)</i>	<i>B3</i>	<i>8</i>
<i>EVANSTON POLICE DEPT</i>	<i>1454 ELMWOOD AVE</i>	<i>S 0 - 1/8 (0.116 mi.)</i>	<i>27</i>	<i>14</i>
<i>COST PLUS WORLD MARK</i>	<i>1725 MAPLE AVE.</i>	<i>N 1/8 - 1/4 (0.203 mi.)</i>	<i>T73</i>	<i>25</i>
<i>CVS</i>	<i>1711 SHERMAN AVENUE</i>	<i>NE 1/8 - 1/4 (0.227 mi.)</i>	<i>W83</i>	<i>27</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>TARGET STORE 3283</i>	<i>1616 SHERMAN AVE</i>	<i>ENE 1/8 - 1/4 (0.127 mi.)</i>	<i>J34</i>	<i>15</i>

## EXECUTIVE SUMMARY

MI MANIFEST: A review of the MI MANIFEST list, as provided by EDR, and dated 06/30/2018 has revealed that there is 1 MI MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1711 SHERMAN AVE	NE 1/8 - 1/4 (0.227 mi.)	W84	27

### EDR HIGH RISK HISTORICAL RECORDS

#### ***EDR Exclusive Records***

EDR MGP: A review of the EDR MGP list, as provided by EDR, has revealed that there are 2 EDR MGP sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTHWESTERN GAS, LI	912 CLARK STREET	N 1/8 - 1/4 (0.245 mi.)	Y92	30
NORTH WESTERN GAS WO	918 UNIVERSITY PLACE	N 1/4 - 1/2 (0.341 mi.)	104	33

EDR Hist Auto: A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 2 EDR Hist Auto sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GROVE & ELMWOOD UNIO	900 GROVE ST	S 0 - 1/8 (0.065 mi.)	D10	9
MARTYS AUTO SERVICE	1461 ELMWOOD	SSE 0 - 1/8 (0.113 mi.)	E26	13

EDR Hist Cleaner: A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 5 EDR Hist Cleaner sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CONTINENTAL DRY CLEA	830 1/2 DAVIS ST	NNE 0 - 1/8 (0.051 mi.)	4	8
SCHWARTZHOFF CLEANER	1566 MAPLE AVE	W 0 - 1/8 (0.055 mi.)	A6	9
EVANSTON CLEANERS	1463 ELMWOOD AVE	SSE 0 - 1/8 (0.096 mi.)	E19	12

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SUNBRITE CARPET AND	1559 MAPLE	SW 0 - 1/8 (0.048 mi.)	2	8
FRANZEN NORMAN INC	919 GROVE ST	SSW 0 - 1/8 (0.052 mi.)	B5	8


Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
------	--------	-----------	--------------	-----	-------------

NO SITES FOUND

# OVERVIEW MAP - 7841921.62S



★ Target Property

▲ Sites at elevations higher than or equal to the target property

◆ Sites at elevations lower than the target property

▲ Manufactured Gas Plants

■ National Priority List Sites

■ Dept. Defense Sites

■ Indian Reservations BIA


■ Power transmission lines

■ Special Flood Hazard Area (1%)

■ 0.2% Annual Chance Flood Hazard

■ National Wetland Inventory

■ State Wetlands




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-P Elmwood Avenue From Grove Street To Davis  
 ADDRESS: Elmwood Avenue and Grove Street  
 Evanston IL 60201  
 LAT/LONG: 42.04632 / 87.683993

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.62s  
 DATE: December 06, 2024 1:06 pm

# DETAIL MAP - 7841921.62S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- Sensitive Receptors
- ▨ National Priority List Sites
- ▨ Dept. Defense Sites

- ▨ Indian Reservations BIA
  - ▨ Special Flood Hazard Area (1%)
  - ▨ 0.2% Annual Chance Flood Hazard
- 0 1/16 1/8 1/4 Miles

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-P Elmwood Avenue From Grove Street To Davis  
 ADDRESS: Elmwood Avenue and Grove Street  
 Evanston IL 60201  
 LAT/LONG: 42.04632 / 87.683993

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.62s  
 DATE: December 06, 2024 1:09 pm

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	2	NR	NR	NR	2
RCRA-VSQG	0.250		1	4	NR	NR	NR	5
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal hazardous waste facilities</i></b>								
IL SSU	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
IL SWF/LF	0.500		0	0	0	NR	NR	0
IL CCDD	0.500		0	0	0	NR	NR	0
IL LF SPECIAL WASTE	0.500		0	0	0	NR	NR	0
IL NIPC	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
IL LUST	0.500		4	11	17	NR	NR	32
INDIAN LUST	0.500		0	0	0	NR	NR	0
IL LUST TRUST	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
IL UST	0.250		7	21	NR	NR	NR	28
IL AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
IL ENG CONTROLS	0.500		0	2	1	NR	NR	3
IL INST CONTROL	0.500		1	2	5	NR	NR	8
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
IL SRP	0.500		1	5	7	NR	NR	13
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
IL BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
IL CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
IL TANKS	0.250		0	0	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
IL SPILLS	TP		NR	NR	NR	NR	NR	0
IL COMPLAINTS	TP		NR	NR	NR	NR	NR	0
IL SPILLS 90	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		5	7	NR	NR	NR	12
FUDS	1.000		0	0	1	0	NR	1
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0



MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
A1 WNW < 1/8 0.034 mi. 178 ft.	<b>CENTRUM EVANSTON</b> 1571 MAPLE AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004128370 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2044277 Tank Status Removed Tank Status Pre 1974		
2 SW < 1/8 0.048 mi. 252 ft.	<b>SUNBRITE CARPET AND FURNITURE CLNRS</b> 1559 MAPLE EVANSTON, IL  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1009189139 N/A
Relative: Lower			
B3 SSW < 1/8 0.050 mi. 264 ft.	<b>WINTRUST FINANCIAL</b> 901 GROVE ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR E MANIFEST	1024879725 ILR000199133
Relative: Higher	RCRA NonGen / NLR EPA Id ILR000199133		
4 NNE < 1/8 0.051 mi. 270 ft.	<b>CONTINENTAL DRY CLEANERS</b> 830 1/2 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1019962103 N/A
Relative: Higher			
B5 SSW < 1/8 0.052 mi. 276 ft.	<b>FRANZEN NORMAN INC</b> 919 GROVE ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1019991413 N/A
Relative: Lower			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
A6 West < 1/8 0.055 mi. 288 ft.	SCHWARTZHOFF CLEANERS INC 1566 MAPLE AVE EVANSTON, IL 60201	EDR Hist Cleaner	1020082312 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
C7 ENE < 1/8 0.063 mi. 331 ft.	SHERMAN PLAZA VENTURE LLC 820 DAVIS STREET, SUITE 151 EVANSTON, IL 0	UST FINDER RELEASE	1028989180 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
C8 ENE < 1/8 0.063 mi. 331 ft.	SHERMAN PLAZA VENTURE LLC 820 DAVIS ST EVANSTON, IL 60201	IL LUST IL BOL	S105620805 N/A
Relative: Higher	<p><b>IL LUST</b> NFA/NFR Letter 11/30/2006 Incident Num 20021436 Incident Num 20021437 IL EPA Id 0310815145</p> <p><b>IL BOL</b> Site Id 170000304757 Inv Num 0310815145</p>		
D9 South < 1/8 0.065 mi. 344 ft.	GROVE/ELMWOOD AMOCO SVC CTR 900 GROVE ST EVANSTON, IL 60201	UST FINDER	1028315905 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
D10 South < 1/8 0.065 mi. 344 ft.	GROVE & ELMWOOD UNION 76 900 GROVE ST EVANSTON, IL 60201	EDR Hist Auto	1020162603 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
D11 South < 1/8 0.065 mi. 344 ft.	GROVE ELMWOOD SERVICE 900 GROVE ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S102455618 N/A
Relative: Higher	IL LUST NFA/NFR Letter 2/28/1997 Incident Num 961175 IL EPA Id 0310815186		
D12 South < 1/8 0.065 mi. 344 ft.	GROVE ELMWOOD SVC 900 GROVE ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1001112166 ILR000021931
Relative: Higher	RCRA NonGen / NLR EPA Id ILR000021931  FINDS Registry ID: 110005944452  ECHO Registry ID 110005944452		
D13 South < 1/8 0.065 mi. 344 ft.	GROVE/ELMWOOD AMOCO SVC CTR 900 GROVE ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U001143577 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2027876 Tank Status Removed		
D14 South < 1/8 0.065 mi. 344 ft.	GROVE ELMWOOD SERVICE 900 GROVE ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989191 N/A
Relative: Higher			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
15 ESE < 1/8 0.070 mi. 367 ft.	<b>ONE ROTARY CENTER CUSHMAN 8</b> <b>1560 SHERMAN AVE SUITE 312</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>  <b>Relative:</b> <b>Higher</b>  <b>RCRA NonGen / NLR</b> EPA Id ILR000078709  <b>FINDS</b> Registry ID: 110003058262  <b>ECHO</b> Registry ID 110003058262	<b>RCRA NonGen / NLR</b> <b>FINDS</b> <b>ECHO</b>	<b>1004697566</b> <b>ILR000078709</b>
D16 South < 1/8 0.084 mi. 446 ft.	<b>ELMWOOD CONDO ASSOCIATION (1508)</b> <b>1508 ELMWOOD</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>  <b>Relative:</b> <b>Higher</b>	<b>IL UST</b> Status EXEMPT Facility Id 2039711 Tank Status Removed	<b>U003731140</b> <b>N/A</b>
D17 South < 1/8 0.084 mi. 446 ft.	<b>WILSON, TERRY ASSOC</b> <b>1508 ELMWOOD AVE</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>  <b>Relative:</b> <b>Higher</b>	<b>IL LUST</b> Incident Num 20001579 IL EPA Id 0310815232  <b>IL BOL</b> Site Id 170000452043 Inv Num 0310815232	<b>S104564540</b> <b>N/A</b>
E18 SSE < 1/8 0.096 mi. 506 ft.	<b>EVANSTON CLEANERS</b> <b>1463 ELMWOOD</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>  <b>Relative:</b> <b>Higher</b>	<b>IL INST CONTROL</b> <b>IL SRP</b> <b>IL BOL</b>	<b>S107261755</b> <b>N/A</b>
	<b>IL INST CONTROL</b> Illinois EPA Id 0310815144  <b>IL SRP</b>		

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EVANSTON CLEANERS (Continued)**

**S107261755**

IL EPA Id 0310815144

**IL BOL**

Site Id 170000301901  
Inv Num 0310815144

**E19  
SSE  
< 1/8  
0.096 mi.  
506 ft.**

**EVANSTON CLEANERS  
1463 ELMWOOD AVE  
EVANSTON, IL 60201**

**EDR Hist Cleaner 1019983593  
N/A**

[Click here for full text details](#)

**Relative:  
Higher**

**E20  
SSE  
< 1/8  
0.096 mi.  
506 ft.**

**EVANSTON CLEANERS  
1463 ELMWOOD  
EVANSTON, IL 60201**

**RCRA NonGen / NLR 1000824582  
FINDS ILD984909580  
ECHO**

[Click here for full text details](#)

**Relative:  
Higher**

**RCRA NonGen / NLR  
EPA Id ILD984909580**

**FINDS**

Registry ID: 110005919925

**ECHO**

Registry ID 110005919925

**F21  
ENE  
< 1/8  
0.097 mi.  
511 ft.**

**CITIBANK  
801 DAVIS  
EVANSTON, IL 60204**

**RCRA NonGen / NLR 1000825085  
FINDS ILD984914887  
ECHO**

[Click here for full text details](#)

**Relative:  
Higher**

**RCRA NonGen / NLR  
EPA Id ILD984914887**

**FINDS**

Registry ID: 110005923073

**ECHO**

Registry ID 110005923073

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
F22 ENE < 1/8 0.097 mi. 511 ft.	<b>BRANCH 39 EVANSTON</b> 801 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U000866289 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2030990 Tank Status Abandoned in place		
F23 ENE < 1/8 0.097 mi. 511 ft.	<b>DEMOLITION SITE</b> 801-823 DAVIS STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003865059 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2041228 Tank Status Removed		
G24 ENE < 1/8 0.113 mi. 597 ft.	<b>BANK ONE CHICAGO N. A.</b> 800 DAVIS STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028317542 N/A
Relative: Higher			
G25 ENE < 1/8 0.113 mi. 597 ft.	<b>BANK ONE CHICAGO N. A.</b> 800 DAVIS STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003152413 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2035426 Tank Status Removed		
E26 SSE < 1/8 0.113 mi. 599 ft.	<b>MARTYS AUTO SERVICE</b> 1461 ELMWOOD EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR Hist Auto	1020641631 N/A
Relative: Higher			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
27 South < 1/8 0.116 mi. 614 ft.	EVANSTON POLICE DEPT 1454 ELMWOOD AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA-VSQG E MANIFEST	1012210772 ILR000160663
Relative: Higher	RCRA-VSQG EPA Id ILR000160663		
H28 SSE < 1/8 0.123 mi. 647 ft.	VENTURA REALTY LIMITED 1459-1463 ELMWOOD AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S112056861 N/A
Relative: Higher	IL LUST NFA/NFR Letter 9/17/2013 Incident Num 20120368 IL EPA Id 0310815341		
H29 SSE < 1/8 0.123 mi. 647 ft.	VENTURA REALTY, LTD. 1459-1463 ELMWOOD EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004189966 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2045109 Tank Status Removed		
H30 SSE < 1/8 0.123 mi. 647 ft.	VENTURA REALTY, LTD. 1459-1463 ELMWOOD EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028319041 N/A
Relative: Higher			
H31 SSE < 1/8 0.123 mi. 647 ft.	VENTURA REALTY LIMITED 1459-1463 ELMWOOD AVENUE EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989230 N/A
Relative: Higher			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
I32 WNW 1/8-1/4 0.127 mi. 670 ft.	COMMERCIAL BUILDING 1026 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004223352 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2045643 Tank Status Removed		
J33 ENE 1/8-1/4 0.127 mi. 671 ft.	EVANSTON, CITY OF 1616 SHERMAN AVENUE EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989218 N/A
Relative: Lower			
J34 ENE 1/8-1/4 0.127 mi. 671 ft.	TARGET STORE 3283 1616 SHERMAN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA-SQG FINDS E MANIFEST	1024090227 ILR000197061
Relative: Lower	RCRA-SQG EPA Id ILR000197061  FINDS Registry ID: 110070206508		
J35 ENE 1/8-1/4 0.127 mi. 671 ft.	CONSTRUCTION SITE 1616 SHERMAN AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003984896 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2042536 Tank Status Removed		
J36 ENE 1/8-1/4 0.127 mi. 671 ft.	EVANSTON, CITY OF 1616 SHERMAN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S106781291 N/A
Relative: Lower	IL LUST NFA/NFR Letter 3/28/2005		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

**EVANSTON, CITY OF (Continued)**

**S106781291**

Incident Num 20041583  
IL EPA Id 0310815276

**IL BOL**

Site Id 170001583613  
Inv Num 0310815272

**J37  
NE  
1/8-1/4  
0.129 mi.  
682 ft.**

**CONSTRUCTION SITE  
1620 SHERMAN  
EVANSTON, IL 60201**

**IL UST U003987985  
N/A**

[Click here for full text details](#)

Relative:  
Lower

**IL UST**

Status EXEMPT  
Facility Id 2042659  
Tank Status Removed

**H38  
SSE  
1/8-1/4  
0.139 mi.  
734 ft.**

**MWRDGC PS  
1455 ELMWOOD AVE  
EVANSTON, IL 60201**

**RCRA NonGen / NLR 1007370585  
ILR000128686**

[Click here for full text details](#)

Relative:  
Higher

**RCRA NonGen / NLR  
EPA Id ILR000128686**

**K39  
ESE  
1/8-1/4  
0.142 mi.  
748 ft.**

**DART CUSTOM CLEANERS  
1565 SHERMAN  
EVANSTON, IL 60201**

**RCRA NonGen / NLR 1000391730  
FINDS ILD023569619  
ECHO**

[Click here for full text details](#)

Relative:  
Lower

**RCRA NonGen / NLR  
EPA Id ILD023569619**

**FINDS**

Registry ID: 110005821209

**ECHO**

Registry ID 110005821209

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
J40 ENE 1/8-1/4 0.142 mi. 751 ft.	1601 SHERMAN 1601 SHERMAN EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004333373 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2047155 Tank Status Abandoned in place		
L41 West 1/8-1/4 0.144 mi. 760 ft.	1575 OAK BLDG 1575 OAK AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U000792654 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2030798 Tank Status Removed		
L42 West 1/8-1/4 0.144 mi. 760 ft.	LASSEN MATTHEWS AND ADELA M 1575 OAK EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1000861790 ILD984916825
Relative: Higher	RCRA NonGen / NLR EPA Id ILD984916825  FINDS Registry ID: 110005924447  ECHO Registry ID 110005924447		
L43 West 1/8-1/4 0.144 mi. 760 ft.	LASSEN, ADELLA 1575 OAK AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S100567207 N/A
Relative: Higher	IL LUST Incident Num 931847 IL EPA Id 0310815149  IL BOL Site Id 170000306014 Inv Num 0310815149		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
L44 West 1/8-1/4 0.144 mi. 760 ft.  Relative: Higher	1575 OAK BLDG 1575 OAK AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028316468 N/A
I45 WNW 1/8-1/4 0.145 mi. 764 ft.  Relative: Higher	FRANKSVILLE RESTAURANT 1033 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL UST Status EXEMPT Facility Id 2036094 Tank Status Removed	IL UST	U003298561 N/A
I46 WNW 1/8-1/4 0.145 mi. 764 ft.  Relative: Higher	RADAIOS TRUST #105032-0-1 1033 DAVIS ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL LUST Incident Num 972433 IL EPA Id 0310815201  IL BOL Site Id 170000451810 Inv Num 0310815201	IL LUST IL BOL	S104528399 N/A
M47 East 1/8-1/4 0.145 mi. 767 ft.  Relative: Higher	DAVIS STREET LAND CO LLC 630 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  RCRA-VSQQ EPA Id ILR000063776  FINDS Registry ID: 110003050652  ECHO Registry ID 110003050652	RCRA-VSQQ FINDS ECHO	1004697081 ILR000063776

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance		Database(s)	
Elevation	Site		

---

<b>N48</b> North 1/8-1/4 0.148 mi. 779 ft.  Relative: Higher	<b>HERTZ CORP.</b> 910 CHURCH ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989160</b> N/A
---	--	---------------------------	--------------------------

---

<b>N49</b> North 1/8-1/4 0.148 mi. 779 ft.  Relative: Higher	<b>HERTZ RENT A CAR</b> 910 CHURCH ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>IL UST</b>	<b>U000175075</b> N/A
---	--	---------------	--------------------------

**IL UST**  
 Status CLOSED  
 Facility Id 2010978  
 Tank Status Removed  
 Tank Status Pre 1974

---

<b>N50</b> North 1/8-1/4 0.148 mi. 779 ft.  Relative: Higher	<b>HERTZ RENT A CAR</b> 910 CHURCH ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	<b>UST FINDER</b>	<b>1028309750</b> N/A
---	--	-------------------	--------------------------

---

<b>N51</b> North 1/8-1/4 0.148 mi. 779 ft.  Relative: Higher	<b>HERTZ CORP.</b> 910 CHURCH ST. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	<b>IL LUST</b> <b>IL SPILLS</b> <b>IL BOL</b>	<b>S103689058</b> N/A
---	--	---	--------------------------

**IL LUST**  
 NFA/NFR Letter 1/10/2000  
 Incident Num 891972  
 IL EPA Id 0310815113

**IL SPILLS**  
 Incident ID NL891972

**IL BOL**  
 Site Id 170000451375  
 Inv Num 0310815113

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
O52 SE 1/8-1/4 0.148 mi. 783 ft.	<b>PARKING LOT</b> 1460 SHERMAN AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL UST IL SPILLS IL BOL	U004179098 N/A
Relative: Higher	<b>IL LUST</b> NFA/NFR Letter 1/24/2013 Incident Num 20110399 IL EPA Id 0310815326  <b>IL UST</b> Status EXEMPT Facility Id 2044888 Tank Status Removed  <b>IL SPILLS</b> Incident ID 20110399  <b>IL BOL</b> Site Id 170001883816 Inv Num 0310815326		
O53 SE 1/8-1/4 0.148 mi. 783 ft.	<b>SHERMAN, LLC</b> 1460 SHERMAN AVENUE EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989226 N/A
Relative: Higher			
K54 ESE 1/8-1/4 0.151 mi. 799 ft.	<b>MDM GROVE LLC</b> 617 GROVE STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004118785 N/A
Relative: Lower	<b>IL UST</b> Status EXEMPT Facility Id 2044000 Tank Status Abandoned in place		
55 WNW 1/8-1/4 0.158 mi. 836 ft.	<b>USPS EVANSTON</b> 1101 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1004697298 ILR000074112
Relative: Higher	<b>RCRA NonGen / NLR</b> EPA Id ILR000074112		

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**USPS EVANSTON (Continued)**

**1004697298**

**FINDS**

Registry ID: 110003054952

**ECHO**

Registry ID 110003054952

**P56**  
**WNW**  
**1/8-1/4**  
**0.159 mi.**  
**842 ft.**

**VACANT COMMERCIAL BUILDING**  
**1611-1615 OAK AVE.**  
**EVANSTON, IL 60201**

**IL UST** **U004192699**  
**N/A**

[Click here for full text details](#)

**Relative:**  
**Higher**

**IL UST**

Status EXEMPT  
Facility Id 2045205  
Tank Status Removed

**O57**  
**SE**  
**1/8-1/4**  
**0.160 mi.**  
**844 ft.**

**ALBION @ EVANSTON, LLC**  
**1450-1460 SHERMAN AVENUE**  
**EVANSTON, IL 60201**

**IL ENG CONTROLS** **S122869894**  
**IL INST CONTROL** **N/A**  
**IL SRP**

[Click here for full text details](#)

**Relative:**  
**Higher**

**IL ENG CONTROLS**

Illinois Epa Id 0310815380

**IL INST CONTROL**

Illinois EPA Id 0310815380

**IL SRP**

IL EPA Id 0310815380

**58**  
**West**  
**1/8-1/4**  
**0.161 mi.**  
**852 ft.**

**WR PROPERTY MGT CO LLC**  
**1560 OAK AVE**  
**EVANSTON, IL 60201**

**RCRA-SQG** **1014390138**  
**ILR000164376**

[Click here for full text details](#)

**Relative:**  
**Higher**

**RCRA-SQG**

EPA Id ILR000164376

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
P59 NW 1/8-1/4 0.162 mi. 856 ft. Relative: Higher	FRIEDMAN, ALLEN ESTATE OF 1615 OAK AVENUE EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989232 N/A
P60 NW 1/8-1/4 0.162 mi. 856 ft. Relative: Higher	FRIEDMAN, ALLEN ESTATE OF 1615 OAK AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL LUST NFA/NFR Letter 12/24/2012 Incident Num 20120970 IL EPA Id 0310815347  IL SPILLS Incident ID 20120970	IL LUST IL SPILLS	S112205218 N/A
M61 East 1/8-1/4 0.163 mi. 860 ft. Relative: Higher	RETAIL STORES 618-20 DAVIS STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL UST Status EXEMPT Facility Id 2041823 Tank Status Removed	IL UST	U003914191 N/A
62 ENE 1/8-1/4 0.165 mi. 872 ft. Relative: Lower	BUCK JOHN CO THE 1603 ORRINGTON AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  RCRA NonGen / NLR EPA Id ILR000060632  FINDS Registry ID: 110003048354  ECHO Registry ID 110003048354	RCRA NonGen / NLR FINDS ECHO	1001404625 ILR000060632

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
Q63 SSW 1/8-1/4 0.168 mi. 885 ft.	ST. MARY'S PARISH 1012 LAKE STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S125715362 N/A
Relative: Lower	IL LUST NFA/NFR Letter 6/9/2020 Incident Num 20191219 IL EPA Id 0310815391		
Q64 SSW 1/8-1/4 0.168 mi. 885 ft.	ST. MARY'S CHURCH 1012 LAKE STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004314969 N/A
Relative: Lower	IL UST Status CLOSED Facility Id 2046946 Tank Status Removed		
65 NNE 1/8-1/4 0.176 mi. 928 ft.	807 CHURCH ST. 807 CHURCH ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004192695 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2045199 Tank Status Abandoned in place		
R66 NE 1/8-1/4 0.189 mi. 996 ft.	NORMANDEALE PROPERTIES 1701 SHERMAN AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S100530994 N/A
Relative: Higher	IL LUST NFA/NFR Letter 6/1/1993 Incident Num 922837 IL EPA Id 0310815137		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
R67 NE 1/8-1/4 0.189 mi. 996 ft.	GREAT WEST LIFE ASSURANCE CO 1701 SHERMAN AVE EVANSTON, IL 60201	IL UST	U001143589 N/A
Relative: Higher	<a href="#">Click here for full text details</a> <b>IL UST</b> Status CLOSED Facility Id 2029031 Tank Status Removed		
R68 NE 1/8-1/4 0.189 mi. 996 ft.	NORMANDEALE PROPERTIES 1701 SHERMAN AVE. EVANSTON, IL 0	UST FINDER RELEASE	1028989173 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
S69 ESE 1/8-1/4 0.198 mi. 1046 ft.	1500 CHICAGO AVENUE LLC 1500 CHICAGO AVENUE EVANSTON, IL 0	UST FINDER RELEASE	1028989225 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
S70 ESE 1/8-1/4 0.198 mi. 1046 ft.	1500 CHICAGO AVENUE EVANSTON, LLC 1500 CHICAGO AVENUE EVANSTON, IL 60201	IL UST	U004179106 N/A
Relative: Higher	<a href="#">Click here for full text details</a> <b>IL UST</b> Status CLOSED Facility Id 2044897 Tank Status Abandoned in place		
S71 ESE 1/8-1/4 0.198 mi. 1046 ft.	1500 CHICAGO AVE LLC 1500 CHICAGO AVE EVANSTON, IL 60201	IL LUST IL SPILLS IL BOL	S110824972 N/A
Relative: Higher	<a href="#">Click here for full text details</a> <b>IL LUST</b> NFA/NFR Letter 2/5/2013 Incident Num 20110204 IL EPA Id 0310815323		
	<b>IL SPILLS</b>		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
	<p><b>1500 CHICAGO AVE LLC (Continued)</b>            Incident ID 20110204</p> <p><b>IL BOL</b>            Site Id 170001878305            Inv Num 0310815323</p>		S110824972
<p><b>T72</b>            North            1/8-1/4            0.203 mi.            1070 ft.</p> <p>Relative:            Higher</p>	<p><b>CHURCH ST. PLAZA LLC</b>            1701 MAPLE AVE.            EVANSTON, IL 60201</p> <p><a href="#">Click here for full text details</a></p> <p><b>IL LUST</b>            Incident Num 991961            IL EPA Id 0310815224</p> <p><b>IL BOL</b>            Site Id 170000451972            Inv Num 0310815224</p>	<p><b>IL LUST</b>            IL BOL</p>	<p>S104002510            N/A</p>
<p><b>T73</b>            North            1/8-1/4            0.203 mi.            1070 ft.</p> <p>Relative:            Higher</p>	<p><b>COST PLUS WORLD MARKET</b>            1725 MAPLE AVE.            EVANSTON, IL 60201</p> <p><a href="#">Click here for full text details</a></p> <p><b>RCRA-VSQG</b>            EPA Id ILR000188904</p> <p><b>FINDS</b>            Registry ID: 110064438979</p> <p><b>ECHO</b>            Registry ID 110064438979</p>	<p><b>RCRA-VSQG</b>            FINDS            ECHO            E MANIFEST</p>	<p>1017786521            ILR000188904</p>
<p><b>T74</b>            North            1/8-1/4            0.203 mi.            1070 ft.</p> <p>Relative:            Higher</p>	<p><b>CONSTRUCTION SITE</b>            1701 MAPLE            EVANSTON, IL 60201</p> <p><a href="#">Click here for full text details</a></p> <p><b>IL UST</b>            Status EXEMPT            Facility Id 2039092            Tank Status Removed</p>	<p><b>IL UST</b></p>	<p>U003668816            N/A</p>

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
T75 North 1/8-1/4 0.203 mi. 1070 ft.  Relative: Higher	CHURCH STREET PLAZA 1701-1749 MAPLE AVENUE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL SRP IL EPA Id 0310815224	IL SRP	S104491264 N/A
U76 NNE 1/8-1/4 0.213 mi. 1123 ft.  Relative: Higher	LOCK UP 1723 BENSON AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028316343 N/A
U77 NNE 1/8-1/4 0.213 mi. 1123 ft.  Relative: Higher	LOCK UP 1723 BENSON AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL UST Status CLOSED Facility Id 2030167 Tank Status Removed	IL UST	U000792677 N/A
U78 NNE 1/8-1/4 0.213 mi. 1123 ft.  Relative: Higher	EVANSTON ATHLECTIC CLUB 1723 BENSEN EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL UST Status EXEMPT Facility Id 2034112 Tank Status Removed	IL UST	U002222659 N/A
79 ENE 1/8-1/4 0.214 mi. 1132 ft.  Relative: Lower	WILMETE REAL ESTATE 636 CHURCH ST EVANSON, IL 60201  <a href="#">Click here for full text details</a>  RCRA NonGen / NLR EPA Id ILR000145771	RCRA NonGen / NLR	1010317445 ILR000145771

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
V80 East 1/8-1/4 0.220 mi. 1162 ft.	WASHINGTON NATIONAL INS CO 1612-1630 CHICAGO AVE EVANSTON, IL 60201 <a href="#">Click here for full text details</a>	IL UST	U001143617 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2029867 Tank Status Removed		
V81 East 1/8-1/4 0.220 mi. 1162 ft.	WASHINGTON NATIONAL INS CO 1612-1630 CHICAGO AVE EVANSTON, IL 60201 <a href="#">Click here for full text details</a>	UST FINDER	1028316284 N/A
Relative: Higher			
82 ESE 1/8-1/4 0.224 mi. 1183 ft.	HEIL HEIL SMART & GOLEE INC 1515 CHICAGO AVE EVANSTON, IL 60204 <a href="#">Click here for full text details</a>	IL UST	U003042206 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2034765 Tank Status Removed		
W83 NE 1/8-1/4 0.227 mi. 1197 ft.	CVS 1711 SHERMAN AVENUE EVANSTON, IL 60201 <a href="#">Click here for full text details</a>	RCRA-VSQG E MANIFEST	1014952753 ILR000171264
Relative: Higher	RCRA-VSQG EPA Id ILR000171264		
W84 NE 1/8-1/4 0.227 mi. 1197 ft.	1711 SHERMAN AVE EVANSTON, IL 60201 <a href="#">Click here for full text details</a>	MI MANIFEST	S130523341 N/A
Relative: Higher			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
V85 East 1/8-1/4 0.227 mi. 1197 ft.  Relative: Higher	<p><b>WASHINGTON NATIONAL INSURANCE</b> 1630 CHICAGO AVE EVANSTON, IL 60201</p> <p><a href="#">Click here for full text details</a></p> <p><b>IL SRP</b> IL EPA Id 0310815050</p> <p><b>IL SPILLS</b> Incident ID NL881030</p> <p><b>RCRA NonGen / NLR</b> EPA Id ILD984921619</p> <p><b>FINDS</b> Registry ID: 110005927649</p> <p><b>ECHO</b> Registry ID 110005927649</p> <p><b>IL BOL</b> Site Id 170000308986 Inv Num 0310815050</p>	<p><b>IL SRP</b> <b>IL SPILLS</b> <b>RCRA NonGen / NLR</b> <b>FINDS</b> <b>ECHO</b> <b>IL BOL</b></p>	<p>1000862261 ILD984921619</p>
X86 NE 1/8-1/4 0.239 mi. 1260 ft.  Relative: Higher	<p><b>OMNI-ORRINGTON HOTEL PARKING GARAGE</b> 1710 ORRINGTON AVENUE EVANSTON, IL 60201</p> <p><a href="#">Click here for full text details</a></p> <p><b>IL UST</b> Status CLOSED Facility Id 2040434 Tank Status Removed Tank Status Abandoned in place</p>	<b>IL UST</b>	<b>U003769777</b> N/A
X87 NE 1/8-1/4 0.239 mi. 1260 ft.  Relative: Higher	<p><b>CONNECTICUT GENERAL LIFE INSURANCE CO.</b> 1710 ORRINGTON AVENUE EVANSTON, IL 60201</p> <p><a href="#">Click here for full text details</a></p> <p><b>IL LUST</b> NFA/NFR Letter 1/24/2003 Incident Num 20010464 Incident Num 20010890 IL EPA Id 0310815162</p>	<p><b>IL LUST</b> <b>IL ENG CONTROLS</b> <b>IL INST CONTROL</b> <b>IL SRP</b> <b>IL ASBESTOS</b> <b>IL BOL</b></p>	<p>S104967942 N/A</p>

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

CONNECTICUT GENERAL LIFE INSURANCE CO. (Continued)

S104967942

**IL ENG CONTROLS**

Illinois Epa Id 0310815162

**IL INST CONTROL**

Illinois EPA Id 0310815162

**IL SRP**

IL EPA Id 0310815162

**IL BOL**

Site Id 170000451623

Inv Num 0310815162

X88  
NE  
1/8-1/4  
0.239 mi.  
1260 ft.

OMNI-ORRINGTON HOTEL PARKING GARAGE  
1710 ORRINGTON AVENUE  
EVANSTON, IL 60201

UST FINDER 1028318419  
N/A

[Click here for full text details](#)

Relative:  
Higher

X89  
NE  
1/8-1/4  
0.239 mi.  
1260 ft.

OMNI ORRINGTON HOTEL  
1710 ORRINGTON AVE  
EVANSTON, IL 60201

RCRA-VSQG 1007370573  
ILR000128553

[Click here for full text details](#)

Relative:  
Higher

RCRA-VSQG  
EPA Id ILR000128553

X90  
NE  
1/8-1/4  
0.239 mi.  
1260 ft.

TIMES SQUARE CAPITOL MANAGEMENT  
1710 ORRINGTON AVE.  
EVANSTON, IL 0

UST FINDER RELEASE 1028989185  
N/A

[Click here for full text details](#)

Relative:  
Higher

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
Y91 North 1/8-1/4 0.245 mi. 1296 ft.	<b>NORTHWESTERN GAS LIGHT &amp; COKE</b> 912 CLARK ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL SRP IL BOL	S104491259 N/A
Relative: Higher	<b>IL SRP</b> IL EPA Id 0310815190  <b>IL BOL</b> Site Id 170000451758 Inv Num 0310815190		
Y92 North 1/8-1/4 0.245 mi. 1296 ft.	<b>NORTHWESTERN GAS, LIGHT AND COKE</b> 912 CLARK STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR MGP	1008407373 N/A
Relative: Higher			
93 ENE 1/4-1/2 0.258 mi. 1362 ft.	<b>SCHWARTZHOFF CLEANER, FORMER</b> 1623 CHICAGO AVE EVANSTON, IL 60601  <a href="#">Click here for full text details</a>	IL INST CONTROL IL SRP IL BOL	S117534105 N/A
Relative: Higher	<b>IL INST CONTROL</b> Illinois EPA Id 0310815364  <b>IL SRP</b> IL EPA Id 0310815364  <b>IL BOL</b> Site Id 170002077311 Inv Num 0310815364		
Z94 SSW 1/4-1/2 0.269 mi. 1420 ft.	<b>ST. PAUL'S LUTHERAN CHURCH</b> 1004 GREENWOOD ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989197 N/A
Relative: Lower			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
Z95 SSW 1/4-1/2 0.269 mi. 1420 ft.	ST. PAUL'S LUTHERAN CHURCH 1004 GREENWOOD ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S103689077 N/A
Relative: Lower	IL LUST NFA/NFR Letter 8/25/1998 Incident Num 980672 IL EPA Id 0310815206		
96 NE 1/4-1/2 0.275 mi. 1453 ft.	NORTHWESTERN UNIVERSITY 1725 ORRINGTON EVANSTON, IL 60208  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS	S106878854 N/A
Relative: Higher	IL LUST Incident Num 20050441 IL EPA Id 0310815230  IL SPILLS Incident ID 20050441		
97 NNE 1/4-1/2 0.292 mi. 1541 ft.	PRENTISS PROPERTIES 1816 SHERMAN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL SRP IL BOL	S105600597 N/A
Relative: Higher	IL SRP IL BOL IL EPA Id 0310815254  Site Id 170000452230 Inv Num 0310815254		
98 NE 1/4-1/2 0.306 mi. 1617 ft.	EVANSTON LABS 710 CLARK STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL INST CONTROL IL SRP	IL AST S129397963 N/A
Relative: Higher	IL AST Occupancy Number 1705947951493-CN-059  IL INST CONTROL Illinois EPA Id 0310815405  IL SRP		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**EVANSTON LABS (Continued)**

**S129397963**

IL EPA Id 0310815405

99  
 SSE  
 1/4-1/2  
 0.316 mi.  
 1668 ft.

**SAVINGS OF AMERICA BANK**  
**1336 CHICAGO AVENUE**  
**EVANSTON, IL 60201**

**IL SRP S101744634**  
**N/A**

[Click here for full text details](#)

Relative:  
 Higher

**IL SRP**  
 IL EPA Id 0310810021

AA100  
 ENE  
 1/4-1/2  
 0.328 mi.  
 1733 ft.

**CHURCH ST.**  
**1719 CHICAGO AVE.**  
**EVANSTON, IL 60201**

**IL LUST S100054047**  
**IL SPILLS N/A**  
**IL BOL**

[Click here for full text details](#)

Relative:  
 Lower

**IL LUST**  
 NFA/NFR Letter 9/6/1990  
 Incident Num 891682  
 IL EPA Id 0310815069

**IL SPILLS**  
 Incident ID NL891682

**IL BOL**  
 Site Id 170000451142  
 Inv Num 0310815069

AA101  
 ENE  
 1/4-1/2  
 0.328 mi.  
 1733 ft.

**CHURCH ST.**  
**1719 CHICAGO AVE.**  
**EVANSTON, IL 0**

**UST FINDER RELEASE 1028989134**  
**N/A**

[Click here for full text details](#)

Relative:  
 Lower

AB102  
 East  
 1/4-1/2  
 0.331 mi.  
 1750 ft.

**MATHER HOME**  
**1615 HINMAN AVE**  
**EVANSTON, IL 60201**

**IL LUST S108891442**  
**IL SPILLS N/A**  
**IL BOL**

[Click here for full text details](#)

Relative:  
 Higher

**IL LUST**  
 NFA/NFR Letter 12/7/2007  
 Incident Num 20071319  
 IL EPA Id 0310815300

**IL SPILLS**

MAP FINDINGS

Map ID	Direction	Distance	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	-----------	------	-------------	---------------	---------------

**MATHER HOME (Continued)**

S108891442

Incident ID 20071319

**IL BOL**

Site Id 170001686968

Inv Num 0310815300

AB103  
East  
1/4-1/2  
0.331 mi.  
1750 ft.

**MATHER LIFEWAYS**  
1615 HINMAN  
EVANSTON, IL 0

UST FINDER RELEASE

1028989222  
N/A

[Click here for full text details](#)

Relative:  
Higher

104  
North  
1/4-1/2  
0.341 mi.  
1803 ft.

**NORTH WESTERN GAS WORKS**  
918 UNIVERSITY PLACE  
EVANSTON, IL 60201

EDR MGP

1008407372  
N/A

[Click here for full text details](#)

Relative:  
Higher

AC105  
NW  
1/4-1/2  
0.342 mi.  
1805 ft.

**AMOCO OIL CO. #5309**  
RIDGE & CLARK  
EVANSTON, IL 0

UST FINDER RELEASE

1028989141  
N/A

[Click here for full text details](#)

Relative:  
Higher

AC106  
NW  
1/4-1/2  
0.342 mi.  
1805 ft.

**AMOCO OIL CO. #5309**  
RIDGE & CLARK  
EVANSTON, IL 60201

IL LUST

S103689036  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**

NFA/NFR Letter 7/30/2013

Incident Num 900401

IL EPA Id 0310815084

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

<b>AC107</b> <b>NW</b> <b>1/4-1/2</b> <b>0.346 mi.</b> <b>1825 ft.</b>	<b>BP SERVICE STATION #5309</b> <b>1803 RIDGE AVE</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	<b>IL LUST</b> <b>IL SPILLS</b> <b>IL AIRS</b> <b>IL BOL</b>	<b>S107740317</b> <b>N/A</b>
--	---	---	---------------------------------

Relative:  
Higher

**IL LUST**  
 NFA/NFR Letter 7/30/2013  
 Incident Num 20040256  
 IL EPA Id 0310815084

**IL SPILLS**  
 Incident ID 20040256

**IL AIRS**  
 Facility Id 28332

**IL BOL**  
 Site Id 170000020652  
 Inv Num 0310815084

<b>AC108</b> <b>NW</b> <b>1/4-1/2</b> <b>0.346 mi.</b> <b>1825 ft.</b>	<b>BP PRODUCTS NORTH AMERICA, INC.</b> <b>1803 RIDGE AVENUE</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989142</b> <b>N/A</b>
--	---	---------------------------	---------------------------------

Relative:  
Higher

<b>109</b> <b>South</b> <b>1/4-1/2</b> <b>0.352 mi.</b> <b>1857 ft.</b>	<b>KEN'S CLEANERS</b> <b>827 DEMPSTER</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	<b>IL INST CONTROL</b> <b>IL SRP</b> <b>IL AIRS</b> <b>IL BOL</b> <b>IL DRYCLEANERS</b>	<b>1008114467</b> <b>N/A</b>
---	---	---	---------------------------------

Relative:  
Higher

**IL INST CONTROL**  
 Illinois EPA Id 0310815036

**IL SRP**  
 IL EPA Id 0310815036

**IL AIRS**  
 Facility Id 29878

**IL BOL**  
 Site Id 170000229465  
 Inv Num 0310815036

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
AD110 NNW 1/4-1/2 0.353 mi. 1865 ft.	1815 RIDGE AVENUE, LLC 1815-1823 RIDGE AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S126327015 N/A
Relative: Higher	IL LUST Incident Num 20200535 IL EPA Id 0310815178		
AD111 NNW 1/4-1/2 0.353 mi. 1865 ft.	1815 RIDGE AVENUE, LLC 1815-1823 RIDGE AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S126327000 N/A
Relative: Higher	IL LUST Incident Num 20200433 IL EPA Id 0310815178		
AD112 NNW 1/4-1/2 0.353 mi. 1865 ft.	NATIONAL SCHOOL TOWEL SERVICE 1815 RIDGE AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL ENG CONTROLS IL INST CONTROL IL SRP IL SPILLS IL ASBESTOS IL BOL	S113257635 N/A
Relative: Higher	IL ENG CONTROLS Illinois Epa Id 0310815178  IL INST CONTROL Illinois EPA Id 0310815178  IL SRP IL EPA Id 0310815178  IL BOL Site Id 170000451687 Inv Num 0310815178		
AE113 NNW 1/4-1/2 0.399 mi. 2106 ft.	EVANSTON, CITY OF 1102 EMERSON ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989137 N/A
Relative: Higher			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
AE114 NNW 1/4-1/2 0.399 mi. 2106 ft.	EVANSTON, CITY OF 1102 EMERSON ST. EVANSTON, IL 60204  <a href="#">Click here for full text details</a>	IL LUST	S103689050 N/A
Relative: Higher	IL LUST NFA/NFR Letter 2/9/2004 Incident Num 901599 IL EPA Id 0310815078		
AF115 NNE 1/4-1/2 0.405 mi. 2140 ft.	SHELL OIL CO. 824 EMERSON ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S103689072 N/A
Relative: Higher	IL LUST NFA/NFR Letter 9/3/1998 Incident Num 901987 Incident Num 900344 Incident Num 932789 IL EPA Id 0310815067		
AF116 NNE 1/4-1/2 0.405 mi. 2140 ft.	SHELL OIL CO. 824 EMERSON ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989131 N/A
Relative: Higher			
AF117 NNE 1/4-1/2 0.415 mi. 2191 ft.	FOCUS EVANSTON 811 EMERSON STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989202 N/A
Relative: Higher			
AF118 NNE 1/4-1/2 0.415 mi. 2191 ft.	FOCUS CONSTRUCTION, INC. 811 EMERSON STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S121824887 N/A
Relative: Higher	IL LUST Incident Num 20180256 IL EPA Id 0310815220		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
AF119 NNE 1/4-1/2 0.415 mi. 2191 ft.	811 EMERSON 811 EMERSON STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL INST CONTROL IL SRP	S121824326 N/A
Relative: Higher	IL INST CONTROL Illinois EPA Id 0310815220  IL SRP IL EPA Id 0310815220		
AF120 NNE 1/4-1/2 0.415 mi. 2191 ft.	FOCUS EVANSTON 811 EMERSON STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S121824884 N/A
Relative: Higher	IL LUST Incident Num 20180165 IL EPA Id 0310815220		
AF121 NNE 1/4-1/2 0.415 mi. 2191 ft.	FOCUS CONSTRUCTION, INC. 811 EMERSON STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989201 N/A
Relative: Higher			
AG122 North 1/4-1/2 0.424 mi. 2240 ft.	PERFECTO CLEANERS 821 EMERSON ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989203 N/A
Relative: Lower			
AG123 North 1/4-1/2 0.424 mi. 2240 ft.	LAKE CITY CLEANERS LLC 821 EMERSON ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL AIRS	S107745067 N/A
Relative: Lower	IL LUST NFA/NFR Letter 5/2/2002 Incident Num 991252 Incident Num 991270 IL EPA Id 0310815220  IL AIRS		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LAKE CITY CLEANERS LLC (Continued)**

**S107745067**

Facility Id 1290

**AH124**  
**NNE**  
 1/4-1/2  
 0.444 mi.  
 2342 ft.

**HOUSING AUTHORITY OF COOK COUNTY**  
**1900 SHERMAN AVENUE**  
**EVANSTON, IL 0**

**UST FINDER RELEASE** **1028989231**  
**N/A**

[Click here for full text details](#)

Relative:  
 Lower

**AH125**  
**NNE**  
 1/4-1/2  
 0.444 mi.  
 2342 ft.

**JANE R. PERLMAN APARTMENTS**  
**1900 SHERMAN RD**  
**EVANSTON, IL 60201**

**IL LUST** **U003971846**  
**IL UST** **N/A**  
**IL AST**  
**IL SPILLS**

[Click here for full text details](#)

Relative:  
 Lower

**IL LUST**  
 NFA/NFR Letter 10/19/2012  
 Incident Num 20120905  
 IL EPA Id 0310815345

**IL UST**  
 Status CLOSED  
 Facility Id 2026217  
 Tank Status Removed

**IL AST**  
 Occupancy Number 001-CN-059

**IL SPILLS**  
 Incident ID 20120905

**AI126**  
**SSE**  
 1/4-1/2  
 0.448 mi.  
 2365 ft.

**LEVY VENTURE MANAGEMENT**  
**1212 NORTH CHICAGO AVE.**  
**EVANSTON, IL 60202**

**IL LUST** **S104524498**  
**N/A**

[Click here for full text details](#)

Relative:  
 Higher

**IL LUST**  
 NFA/NFR Letter 5/26/1994  
 Incident Num 922798  
 IL EPA Id 0310815138

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AI127**      **LEVY VENTURE MANAGEMENT**      **UST FINDER RELEASE**      **1028989174**  
**SSE**      **1212 NORTH CHICAGO AVE.**           **N/A**  
**1/4-1/2**      **EVANSTON, IL 0**  
**0.448 mi.**  
**2365 ft.**  
**Relative:**      [Click here for full text details](#)  
**Higher**

**AJ128**      **EVANSTON, CITY OF**      **UST FINDER RELEASE**      **1028989150**  
**SE**      **425 DEMPSTER**           **N/A**  
**1/4-1/2**      **EVANSTON, IL 0**  
**0.456 mi.**  
**2407 ft.**  
**Relative:**      [Click here for full text details](#)  
**Lower**

**AJ129**      **EVANSTON, CITY OF**      **IL LUST**      **S103689054**  
**SE**      **425 DEMPSTER**      **IL BOL**      **N/A**  
**1/4-1/2**      **EVANSTON, IL 60201**  
**0.456 mi.**  
**2407 ft.**  
**Relative:**      [Click here for full text details](#)  
**Lower**  
**IL LUST**  
 NFA/NFR Letter 1/15/2009  
 Incident Num 910528  
 IL EPA Id 0310815098  
**IL BOL**  
 Site Id 170000451286  
 Inv Num 0310815098

**130**      **BETH EMET SYNAGOGUE**      **IL LUST**      **S125409254**  
**SW**      **1224 DEMPSTER STREET**      **IL SPILLS**      **N/A**  
**1/4-1/2**      **EVANSTON, IL 60202**  
**0.470 mi.**  
**2482 ft.**  
**Relative:**      [Click here for full text details](#)  
**Higher**  
**IL LUST**  
 NFA/NFR Letter 4/3/2020  
 Incident Num 20190846  
 IL EPA Id 0310815388  
**IL SPILLS**  
 Incident ID 20190846

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

131  
WNW  
1/4-1/2  
0.479 mi.  
2528 ft.  
Relative:  
Higher

NORTHWESTERN UNIVERSITY CWM SITE  
EVANSTON, IL

[Click here for full text details](#)

FUDS 1024900182  
N/A

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
IL	AIRS	Air Inventory Listing	Illinois EPA	07/01/2024	07/02/2024	09/25/2024
IL	ASBESTOS	Asbestos Notification Tracker Information	Illinois EPA	06/21/2024	06/26/2024	09/16/2024
IL	AST	Above Ground Storage Tanks	State Fire Marshal	08/08/2024	08/13/2024	10/29/2024
IL	BOL	Bureau of Land Inventory Database	Illinois Environmental Protection Agency	10/16/2023	04/23/2024	07/16/2024
IL	BROWNFIELDS	Redevelopment Assessment Database	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	BROWNFIELDS	Municipal Brownfields Redevelopment Grant Program Project De	Illinois Environmental Protection Agency	02/11/2010	07/31/2014	09/08/2014
IL	CCDD	Clean Construction or Demolition Debris	Illinois EPA	03/28/2024	07/02/2024	09/24/2024
IL	CDL	Meth Drug Lab Site Listing	Department of Public Health	07/05/2024	07/08/2024	09/27/2024
IL	COAL ASH	Coal Ash Site Listing	Illinois EPA	10/01/2011	03/09/2012	04/10/2012
IL	DRYCLEANERS	Illinois Licensed Drycleaners	Drycleaner Environmental Response Trust Fund	07/02/2024	08/12/2024	10/29/2024
IL	ENG CONTROLS	Sites with Engineering Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	FIN ASSURANCE	Financial Assurance Information Listing	Illinois Environmental Protection Agency	08/28/2024	09/12/2024	11/25/2024
IL	HWAR	Hazard Waste Annual Report	Illinois EPA	12/31/2019	05/11/2021	08/02/2021
IL	IEMA SPILLS	Illinois Emergency Management Agency Spills	Illinois Emergency Management Agency	07/22/2024	07/23/2024	10/11/2024
IL	IL NIPC	Solid Waste Landfill Inventory	Northeastern Illinois Planning Commission	08/01/1988	04/07/2022	07/01/2022
IL	IMPDMENT	Surface Impoundment Inventory	Illinois Waste Management & Research Center	12/31/1980	03/08/2002	06/03/2002
IL	Inst Control	Institutional Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	LF SPECIAL WASTE	Special Waste Site List	Illinois EPA	01/01/1990	06/17/2009	07/15/2009
IL	LF WMRC	Waste Management & Research Center Landfill Database	Department of Natural Resources	12/31/2001	10/06/2006	11/06/2006
IL	LUST	Leaking Underground Storage Tank Sites	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	LUST TRUST	Underground Storage Tank Fund Payment Priority List	Illinois EPA	06/06/2016	07/27/2016	10/18/2016
IL	NPDES	A Listing of Active Permits	Illinois EPA	04/16/2014	04/18/2014	05/20/2014
IL	PFAS	PFAS Sampling Listing	Illinois Environmental Protection Agency	12/15/2023	12/27/2023	12/29/2023
IL	PIMW	Potentially Infectious Medical Waste	Illinois EPA	09/09/2024	09/11/2024	11/19/2024
IL	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Natural Resources		07/01/2013	12/30/2013
IL	RGA LF	Recovered Government Archive Solid Waste Facilities List	Illinois Environmental Protection Agency		07/01/2013	01/10/2014
IL	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	Illinois Environmental Protection Agency		07/01/2013	12/30/2013
IL	SPILLS	State spills	Illinois EPA	05/06/2024	07/02/2024	09/24/2024
IL	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	07/18/2012	01/03/2013	03/15/2013
IL	SRP	Site Remediation Program Database	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	SSU	State Sites Unit Listing	Illinois Environmental Protection Agency	01/31/2024	01/31/2024	02/13/2024
IL	SWF/LF	Available Disposal for Solid Waste in Illinois - Solid Waste	Illinois Environmental Protection Agency	12/31/2022	10/17/2023	01/08/2024
IL	TIER 2	Tier 2 Information Listing	Illinois Emergency Management Agency	12/31/2023	05/07/2024	08/01/2024
IL	UIC	Underground Injection Wells	Illinois EPA	02/15/2024	05/22/2024	08/19/2024
IL	UST	Underground Storage Tank Facility List	Illinois State Fire Marshal	07/15/2024	07/16/2024	09/27/2024
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	09/10/2024	09/11/2024	11/19/2024
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	10/13/2024	10/16/2024	10/23/2024
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2021	03/09/2023	03/20/2023
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2022	11/27/2023	02/22/2024
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/30/2024	07/08/2024	09/26/2024
US	CORRACTS	Corrective Action Report	EPA	06/03/2024	06/07/2024	06/20/2024
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DOT OPS	Incident and Accident Data	Department of Transportation, Office of Pipeli	01/02/2020	01/28/2020	04/17/2020
US	Delisted NPL	National Priority List Deletions	EPA	09/25/2024	10/01/2024	10/23/2024
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	07/24/2023	04/18/2024	06/06/2024
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	06/23/2024	06/28/2024	07/12/2024
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	06/11/2024	06/17/2024	09/04/2024
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	06/07/2024	06/25/2024	09/19/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	03/15/2024	03/19/2024	06/17/2024
US	FINDS	Facility Index System/Facility Registry System	EPA	08/13/2024	08/20/2024	08/28/2024
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	07/31/2024	08/12/2024	10/09/2024
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	08/13/2024	08/13/2024	10/09/2024
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	06/14/2024	06/17/2024	06/24/2024
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Services, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LUCIS	Land Use Control Information System	Department of the Navy	07/15/2024	07/17/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	MINES MRDS	Mineral Resources Data System	USGS	08/23/2022	11/22/2022	02/28/2023
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	10/01/2024	10/02/2024	10/09/2024
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	09/25/2024	10/01/2024	10/23/2024
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	05/23/2024	07/02/2024	09/26/2024
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	09/25/2024	10/01/2024	10/23/2024
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RMP	Risk Management Plans	Environmental Protection Agency	07/12/2024	07/17/2024	10/09/2024
US	ROD	Records Of Decision	EPA	10/24/2024	11/01/2024	11/19/2024
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	09/25/2024	10/01/2024	10/23/2024
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	09/25/2024	10/01/2024	10/23/2024
US	SSTS	Section 7 Tracking Systems	EPA	07/11/2024	07/11/2024	07/12/2024
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2022	11/13/2023	02/07/2024
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	05/08/2024	08/14/2024	08/28/2024
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	06/10/2024	06/11/2024	09/04/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	06/10/2024	06/17/2024	09/04/2024
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/06/2024	08/14/2024	08/15/2024
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protection Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protection	08/05/2024	08/06/2024	10/25/2024
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
IL	Daycare Centers	Sensitive Receptor: Homes & Centers Listing	Department of Children & Family Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
IL	State Wetlands	Wetland Inventory	Illinois State Geological Survey			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

9826-P ELMWOOD AVENUE FROM GROVE STREET TO DAVIS  
ELMWOOD AVENUE AND GROVE STREET  
EVANSTON, IL 60201

### **TARGET PROPERTY COORDINATES**

Latitude (North):	42.04632 - 42° 2' 46.75"
Longitude (West):	87.683993 - 87° 41' 2.37"
Universal Tranverse Mercator:	Zone 16
UTM X (Meters):	443392.7
UTM Y (Meters):	4654932.0
Elevation:	602 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	24185589 EVANSTON, IL
Version Date:	2021

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SE

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
17031C0270J	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
17031C0265J	FEMA FIRM Flood data

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EVANSTON	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### **Site-Specific Hydrogeological Data\*:**

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
64	1/4 - 1/2 Mile North	E
76	1/2 - 1 Mile NNW	Not Reported
95	1/2 - 1 Mile WSW	SE
1G	1/2 - 1 Mile NNW	Not Reported
2G	1/4 - 1/2 Mile North	E
3G	1/2 - 1 Mile WSW	SE

For additional site information, refer to Physical Setting Source Map Findings.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### ROCK STRATIGRAPHIC UNIT

Era: Paleozoic  
System: Silurian  
Series: Middle Silurian (Niagoaran)  
Code: S2 *(decoded above as Era, System & Series)*

#### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBANLAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Bedrock Max: > 0 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	60 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

## OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
fine sandy loam  
loam  
fine sand

Surficial Soil Types: silt loam  
fine sandy loam  
loam  
fine sand

Shallow Soil Types: sandy loam

Deeper Soil Types: silt loam  
sand  
loamy sand  
loam

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
_____	_____	_____

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
69	IL0001115	1/4 - 1/2 Mile SW

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	ILSG40000059708	0 - 1/8 Mile SW
A2	ILSG40000059707	0 - 1/8 Mile SW
A3	ILSG40000059706	0 - 1/8 Mile SW
A4	ILSG40000059703	0 - 1/8 Mile WSW
A5	ILSG40000059704	0 - 1/8 Mile SSW
B6	ILSG40000054496	1/8 - 1/4 Mile West
A7	ILSG40000054495	1/8 - 1/4 Mile WSW
B8	ILSG40000054497	1/8 - 1/4 Mile West
A9	ILSG40000059705	1/8 - 1/4 Mile SW
C10	ILSG40000059429	1/8 - 1/4 Mile East
C11	ILSG40000059700	1/8 - 1/4 Mile ESE
C12	ILSG40000059701	1/8 - 1/4 Mile ESE
C13	ILSG40000037920	1/8 - 1/4 Mile ESE
C14	ILSG40000059431	1/8 - 1/4 Mile East
C15	ILSG40000059430	1/8 - 1/4 Mile East
C16	ILSG40000059702	1/8 - 1/4 Mile ESE
C17	ILSG40000059299	1/8 - 1/4 Mile East
D18	ILSG40000060672	1/8 - 1/4 Mile NNE
C19	ILSG40000059300	1/8 - 1/4 Mile East
E20	ILSG40000064447	1/8 - 1/4 Mile North
F21	ILSG40000059328	1/8 - 1/4 Mile ENE
G22	ILSG40000059301	1/8 - 1/4 Mile East
F23	ILSG40000059326	1/8 - 1/4 Mile ENE
H24	ILSG40000059324	1/8 - 1/4 Mile ESE
G25	ILSG40000059305	1/8 - 1/4 Mile East
G26	ILSG40000059306	1/8 - 1/4 Mile East
H27	ILSG40000059325	1/8 - 1/4 Mile ESE
F28	ILSG40000054375	1/8 - 1/4 Mile ENE
H29	ILSG40000059323	1/8 - 1/4 Mile ESE
F30	ILSG40000059327	1/8 - 1/4 Mile ENE
G31	ILSG40000059304	1/8 - 1/4 Mile East
D32	ILSG40000037918	1/8 - 1/4 Mile NE
F33	ILSG40000059329	1/4 - 1/2 Mile ENE
H34	ILSG40000059302	1/4 - 1/2 Mile East
F35	ILSG40000059330	1/4 - 1/2 Mile ENE
G36	ILSG40000059303	1/4 - 1/2 Mile East

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
E37	ILSG4000064450	1/4 - 1/2 Mile North
E38	ILSG4000064451	1/4 - 1/2 Mile North
F39	ILSG4000059331	1/4 - 1/2 Mile ENE
G40	ILSG4000037919	1/4 - 1/2 Mile East
H41	ILSG4000059766	1/4 - 1/2 Mile East
E42	ILSG4000064452	1/4 - 1/2 Mile North
I43	ILSG4000064455	1/4 - 1/2 Mile North
J44	ILSG4000059767	1/4 - 1/2 Mile East
J45	ILSG4000059768	1/4 - 1/2 Mile ESE
I46	ILSG4000064449	1/4 - 1/2 Mile North
K47	ILSG4000059382	1/4 - 1/2 Mile NNE
I48	ILSG4000064453	1/4 - 1/2 Mile North
L49	ILSG4000059769	1/4 - 1/2 Mile ESE
K50	ILSG4000059383	1/4 - 1/2 Mile NNE
J51	ILSG4000059770	1/4 - 1/2 Mile ESE
K52	ILSG4000059384	1/4 - 1/2 Mile NE
M53	ILSG4000064448	1/4 - 1/2 Mile North
N54	ILSG4000059763	1/4 - 1/2 Mile East
L55	ILSG4000059771	1/4 - 1/2 Mile ESE
L56	ILPW8886	1/4 - 1/2 Mile ESE
M57	ILSG4000064454	1/4 - 1/2 Mile North
N58	ILSG4000059764	1/4 - 1/2 Mile East
M59	ILSG4000054367	1/4 - 1/2 Mile North
M60	ILSG4000054369	1/4 - 1/2 Mile North
M61	ILSG4000054368	1/4 - 1/2 Mile North
M62	ILSG4000054366	1/4 - 1/2 Mile North
N63	ILSG4000059765	1/4 - 1/2 Mile East
65	ILSG4000040079	1/4 - 1/2 Mile ESE
O66	ILSG4000060480	1/4 - 1/2 Mile NNW
O67	ILSG4000060479	1/4 - 1/2 Mile NNW
O68	ILSG4000060478	1/4 - 1/2 Mile NNW
70	ILSG4000061714	1/4 - 1/2 Mile NNE
O71	ILSG4000054352	1/2 - 1 Mile NNW
P72	ILSG4000054351	1/2 - 1 Mile NNW
P73	ILSG4000054354	1/2 - 1 Mile NNW
P74	ILSG4000054353	1/2 - 1 Mile NNW
P75	ILSG4000054355	1/2 - 1 Mile NNW
P77	ILSG4000054356	1/2 - 1 Mile NNW
P78	ILSG4000054357	1/2 - 1 Mile NNW
Q79	ILSG4000059293	1/2 - 1 Mile NE
80	ILSG4000061713	1/2 - 1 Mile NNE
Q81	ILSG4000059294	1/2 - 1 Mile NE
R82	ILSG4000059292	1/2 - 1 Mile SSE
R83	ILSG4000059291	1/2 - 1 Mile SSE
84	ILSG4000039992	1/2 - 1 Mile South
S85	ILSG4000059332	1/2 - 1 Mile WNW
S86	ILSG4000059334	1/2 - 1 Mile WNW
S87	ILSG4000059333	1/2 - 1 Mile WNW
88	ILSG4000040074	1/2 - 1 Mile WSW
T89	ILSG4000059508	1/2 - 1 Mile West
90	ILSG4000060639	1/2 - 1 Mile NNE
91	ILPW8887	1/2 - 1 Mile South

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
92	ILSG40000045918	1/2 - 1 Mile SE
T93	ILSG40000059509	1/2 - 1 Mile WSW
U94	ILSG40000060653	1/2 - 1 Mile NNE
U96	ILSG40000060654	1/2 - 1 Mile NNE
U97	ILSG40000060652	1/2 - 1 Mile NNE
V98	ILSG40000059505	1/2 - 1 Mile West
V99	ILSG40000059504	1/2 - 1 Mile West
W100	ILSG40000059503	1/2 - 1 Mile West
101	ILSG40000059502	1/2 - 1 Mile West
U102	ILSG40000060651	1/2 - 1 Mile NNE
W103	ILSG40000059507	1/2 - 1 Mile West
U104	ILSG40000060650	1/2 - 1 Mile NNE
X105	ILSG40000060133	1/2 - 1 Mile SSE
Y106	ILSG40000060649	1/2 - 1 Mile NNE
X107	ILSG40000060131	1/2 - 1 Mile SSE
X108	ILSG40000060132	1/2 - 1 Mile SSE
X109	ILSG40000060130	1/2 - 1 Mile SSE
Y110	ILSG40000060637	1/2 - 1 Mile NNE
W111	ILSG40000059506	1/2 - 1 Mile West
Y112	ILSG40000060648	1/2 - 1 Mile NNE
Z113	ILSG40000061712	1/2 - 1 Mile NW
AA114	ILSG40000060638	1/2 - 1 Mile NNE
Y115	ILSG40000060633	1/2 - 1 Mile NNE
Y116	ILSG40000060632	1/2 - 1 Mile NNE
Y117	ILSG40000060630	1/2 - 1 Mile NNE
Y118	ILSG40000060631	1/2 - 1 Mile NNE
AA119	ILSG40000060636	1/2 - 1 Mile NNE
Z120	ILSG40000049565	1/2 - 1 Mile NW
AA121	ILSG40000060655	1/2 - 1 Mile NNE

## OTHER STATE DATABASE INFORMATION

### STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	ILOG30000031483	1/8 - 1/4 Mile NE

# PHYSICAL SETTING SOURCE MAP - 7841921.62s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



<p>SITE NAME: 9826-P Elmwood Avenue From Grove Street To Davis                  ADDRESS: Elmwood Avenue and Grove Street                  Evanston IL 60201                  LAT/LONG: 42.04632 / 87.683993</p>	<p>CLIENT: Interra, Inc.                  CONTACT: Ashok Guntaka                  INQUIRY #: 7841921.62s                  DATE: December 06, 2024 1:10 pm</p>
---	---

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 NE 1/8 - 1/4 Mile	<a href="#">Click here for full text details</a>	OIL_GAS	ILOG30000031483
A1 SW 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059708
A2 SW 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059707
A3 SW 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059706
A4 WSW 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059703
A5 SSW 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059704
B6 West 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054496
A7 WSW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054495
B8 West 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054497

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
A9 SW 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059705
C10 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059429
C11 ESE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059700
C12 ESE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059701
C13 ESE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037920
C14 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059431
C15 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059430
C16 ESE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059702
C17 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059299

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
D18 NNE 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060672
C19 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059300
E20 North 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064447
F21 ENE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059328
G22 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059301
F23 ENE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059326
H24 ESE 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059324
G25 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059305
G26 East 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059306

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
H27 ESE 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059325
F28 ENE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054375
H29 ESE 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059323
F30 ENE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059327
G31 East 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059304
D32 NE 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037918
F33 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059329
H34 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059302
F35 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059330

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
G36 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059303
E37 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064450
E38 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064451
F39 ENE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059331
G40 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037919
H41 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059766
E42 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064452
I43 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064455
J44 East 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059767

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
J45 ESE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059768
I46 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064449
K47 NNE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059382
I48 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064453
L49 ESE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059769
K50 NNE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059383
J51 ESE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059770
K52 NE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059384
M53 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064448

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
N54 East 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059763
L55 ESE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059771
L56 ESE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8886
M57 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064454
N58 East 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059764
M59 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054367
M60 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054369
M61 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054368
M62 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054366

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
N63 East 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059765
64 North 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	27259
65 ESE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040079
O66 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060480
O67 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060479
O68 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060478
69 SW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	FRDS PWS	IL0001115
70 NNE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061714
O71 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054352

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
P72 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054351
P73 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054354
P74 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054353
P75 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054355
76 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	62391
P77 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054356
P78 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054357
Q79 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059293
80 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061713

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
Q81 NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059294
R82 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059292
R83 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059291
84 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039992
S85 WNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059332
S86 WNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059334
S87 WNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059333
88 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040074
T89 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059508

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
90 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060639
91 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8887
92 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000045918
T93 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059509
U94 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060653
95 WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62115
U96 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060654
U97 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060652
V98 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059505

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
V99 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059504
W100 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059503
101 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059502
U102 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060651
W103 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059507
U104 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060650
X105 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060133
Y106 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060649
X107 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060131

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
X108 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060132
X109 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060130
Y110 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060637
W111 West 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059506
Y112 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060648
Z113 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061712
AA114 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060638
Y115 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060633
Y116 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060632

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
Y117 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060630
Y118 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060631
AA119 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060636
Z120 NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000049565
AA121 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060655
1G NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62391
2G North 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	27259
3G WSW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62115

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: IL Radon

### Radon Test Results

Zipcode	Result
60201	0.7
60201	1.6
60201	0.7
60201	0.9
60201	
60201	0.7
60201	1.1
60201	0.3
60201	0.6
60201	1.6
60201	0.8
60201	1
60201	0.3
60201	1.8

Federal EPA Radon Zone for COOK County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.  
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.  
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 60201

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	-0.500 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Illinois State Geological Survey

Telephone: 217-333-4747

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## OTHER STATE DATABASE INFORMATION

### Oil and Gas Wells Listing

Source: Illinois State Geological Survey

Telephone: 217-333-5109

Oil and gas wells location points from the Illinois State Geological Survey database.

### Water Well Records

Source: Illinois Geological Survey

Telephone: 217-333-4747

### Illinois Private Well Database and PICS (Public, Industrial, Commercial Survey)

Source: Illinois State Water Survey

Telephone: 217-333-9043

### Water Well Location Information

Source: Illinois Environmental Protection Agency

Telephone: 217-782-0810

## RADON

### State Database: IL Radon

Source: Department of Nuclear Safety

Telephone: 217-785-9958

County Radon Results

### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix B**  
Sample Location Map

2025 MFT Street Resurfacing Projects  
Elmwood Avenue from Grove Street to Davis Street  
INTERRA Project No. 9826  
Date: 12/19/2024

Elmwood GD-PC-01



## **Appendix C**

### Analytical Test Reports

January 09, 2025

INTERRA, Inc.  
INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

RE: 9826 - Evanston Geotech and Environmental 2024  
AAL1405

Metiri Analytical Group Inc, - Geneva received sample(s) on 12/20/2024 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,



Daniel Galeher  
Project Manager



INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:33

## Notes and Definitions

Item	Definition
------	------------

J	Analyte detected below quantitation limit (QL)
S	Spike Recovery outside accepted recovery limits
U	Analyte included in the analysis, but not detected

General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS: (Surrogate Standard): Quality control compound added to the sample by the lab.
- LA: Lab Accident - No valid data to report.
- VO: Insufficient Volume provided
- BR: Received broken
- IP: Invalid Sampling

Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater



Illinois Department of Public Health Accredited #17585

Illinois Environmental Protection Agency Accredited #100225

# Table of Contents

Qualifiers and Definitions	2
Sample Results	5
Chain of Custody	11

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:33

### Samples in this Report

<b>Lab ID</b>	<b>Sample</b>	<b>Matrix</b>	<b>Date Sampled</b>	<b>Date Received</b>
AAL1405-01	Elmwood GD-PC-01	Solid	12/19/2024 11:15	12/20/2024

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:33

## Sample Results

**Sample: Elmwood GD-PC-01**  
**AAL1405-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.027	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.015	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.016	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.012	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.111	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.113	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2,4-Dichlorophenol	ND	0.106	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2,4-Dimethylphenol	ND	0.170	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2,4-Dinitrophenol	ND	0.223	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.019	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.016	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2-Chloronaphthalene	ND	0.018	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2-Chlorophenol	ND	0.100	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2-Methylnaphthalene	ND	0.019	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2-Nitroaniline	ND	0.117	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
2-Nitrophenol	ND	0.119	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.105	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
3-Nitroaniline	ND	0.054	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.105	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.019	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.109	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
4-Chloroaniline	ND	0.083	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.014	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
4-Nitroaniline	ND	0.069	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
4-Nitrophenol	ND	0.096	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Acenaphthene	ND	0.017	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Acenaphthylene	ND	0.015	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Aniline	ND	0.072	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Anthracene	ND	0.013	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Azobenzene	ND	0.011	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Benzidine	ND	0.074	0.880	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Benzo(a)anthracene	ND	0.011	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Benzo(a)pyrene	ND	0.014	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Benzo(b)fluoranthene	ND	0.014	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Benzo(g,h,i)perylene	ND	0.017	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Benzo(k)fluoranthene	ND	0.012	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Benzoic acid	ND	0.120	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Benzyl alcohol	ND	0.130	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.020	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.031	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.025	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Bis(2-ethylhexyl)phthalate	ND	0.125	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Butyl benzyl phthalate	ND	0.124	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Carbazole	ND	0.014	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Chrysene	ND	0.014	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:33

### Sample Results (Continued)

#### Sample: Elmwood GD-PC-01 (Continued) AAL1405-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### SVOC (Continued)

Dibenzo(a,h)anthracene	ND	0.018	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Dibenzofuran	ND	0.016	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Diethyl phthalate	ND	0.104	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Dimethyl phthalate	ND	0.115	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Di-n-butyl phthalate	ND	0.096	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Di-n-octyl phthalate	ND	0.138	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Fluoranthene	ND	0.012	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Fluorene	ND	0.016	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Hexachlorobenzene	ND	0.113	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Hexachlorobutadiene	ND	0.109	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.092	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Hexachloroethane	ND	0.102	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	ND	0.002	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Isophorone	ND	0.002	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
m,p-Cresol	ND	0.025	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Naphthalene	ND	0.016	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
n-Decane	ND	0.115	0.235	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Nitrobenzene	ND	0.013	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
N-nitrosodimethylamine	ND	0.019	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.017	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.029	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
n-Octadecane	ND	0.117	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
O-Cresol	ND	0.024	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Pentachlorophenol	ND	0.185	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Phenanthrene	ND	0.014	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Phenol	ND	0.107	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Pyrene	ND	0.015	0.070	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384
Pyridine	ND	0.073	0.352	mg/kg dry	12/19/24 11:15	01/09/25	1	8270C	BAL1384

Surrogate: 2,4,6-Tribromophenol	62%	38-105	01/09/25	1	8270C
Surrogate: 2-Fluorobiphenyl	76%	40-110	01/09/25	1	8270C
Surrogate: 2-Fluorophenol	66%	41-105	01/09/25	1	8270C
Surrogate: 4-Terphenyl-d14	82%	26-133	01/09/25	1	8270C
Surrogate: Nitrobenzene-d5	69%	27-129	01/09/25	1	8270C
Surrogate: Phenol-d5	55%	43-105	01/09/25	1	8270C

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546

4,4'-DDD	ND	0.000405	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
4,4'-DDE	ND	0.000427	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
4,4'-DDT	ND	0.00112	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Aldrin	ND	0.000203	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
alpha-BHC	ND	0.000352	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
alpha-Chlordane	ND	0.000192	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
beta-BHC	ND	0.000341	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:33

**Sample Results**  
**(Continued)**

**Sample: Elmwood GD-PC-01 (Continued)**  
**AAL1405-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Semivolatile Organics - Prep EPA 3546 (Continued)**

Chlordane, Technical	ND	0.0210	0.0355	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
delta-BHC	ND	0.000203	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Dieldrin	ND	0.000438	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Endosulfan I	ND	0.000171	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Endosulfan II	ND	0.000363	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Endosulfan sulfate	ND	0.000373	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Endrin	ND	0.000459	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Endrin aldehyde	ND	0.000416	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Endrin ketone	ND	0.000491	0.00142	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
gamma-BHC	ND	0.000224	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
gamma-Chlordane	ND	0.000256	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Heptachlor	ND	0.000331	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Heptachlor epoxide	ND	0.000171	0.000712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Methoxychlor	ND	0.00662	0.00712	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
Toxaphene	ND	0.0425	0.0889	mg/kg dry	12/19/24 11:15	01/01/25	1	8081	BAL1377
<i>Surrogate: Decachlorobiphenyl</i>		<i>54%</i>	<i>29-133</i>			<i>01/01/25</i>	<i>1</i>	<i>8081</i>	
<i>Surrogate: Tetrachloro-m-xylene</i>		<i>63%</i>	<i>36-118</i>			<i>01/01/25</i>	<i>1</i>	<i>8081</i>	
AROCLOR 1016	ND	0.004	0.018	mg/kg dry	12/19/24 11:15	01/01/25	1	8082	BAL1377
AROCLOR 1221	ND	0.004	0.018	mg/kg dry	12/19/24 11:15	01/01/25	1	8082	BAL1377
AROCLOR 1232	ND	0.003	0.018	mg/kg dry	12/19/24 11:15	01/01/25	1	8082	BAL1377
AROCLOR 1242	ND	0.003	0.018	mg/kg dry	12/19/24 11:15	01/01/25	1	8082	BAL1377
AROCLOR 1248	ND	0.004	0.018	mg/kg dry	12/19/24 11:15	01/01/25	1	8082	BAL1377
AROCLOR 1254	ND	0.004	0.018	mg/kg dry	12/19/24 11:15	01/01/25	1	8082	BAL1377
AROCLOR 1260	ND	0.007	0.018	mg/kg dry	12/19/24 11:15	01/01/25	1	8082	BAL1377
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		<i>56%</i>	<i>20-142</i>			<i>01/01/25</i>	<i>1</i>	<i>8082</i>	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		<i>62%</i>	<i>22-123</i>			<i>01/01/25</i>	<i>1</i>	<i>8082</i>	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Metals - CVAA**

Mercury	ND	0.0393	0.0859	mg/kg dry	12/19/24 11:15	01/06/25	1	7471B	BBA0136
---------	----	--------	--------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Wet Chemistry**

pH	9.12	0.100	0.100	pH Units	12/19/24 11:15	12/21/24	1	SW 9045D	BAL1178
Temperature	21.4	1.00	1.00	pH Units	12/19/24 11:15	12/21/24	1	SW 9045D	BAL1178
Percent Moisture	6.4	0.10	0.10	%	12/19/24 11:15	12/26/24	1	ASTM-D2216	BAL1234

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics - Prep EPA 5035**

1,1,1-Trichloroethane	ND	0.000363	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
1,1,2,2-Tetrachloroethane	ND	0.000472	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.  
No duplication of this report is allowed, except in its entirety.

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:33

### Sample Results (Continued)

#### Sample: Elmwood GD-PC-01 (Continued) AAL1405-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>Volatile Organics - Prep EPA 5035 (Continued)</b>									
1,1,2-Trichloroethane	ND	0.000454	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
1,1-Dichloroethane	ND	0.000408	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
1,1-Dichloroethene	ND	0.000435	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
1,2-Dichloroethane	ND	0.000299	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
1,2-Dichloropropane	ND	0.00149	0.00454	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
2-Butanone	0.00455 J	0.00215	0.0181	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
2-Hexanone	ND	0.000671	0.0227	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
4-Methyl-2-pentanone	ND	0.000680	0.0227	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Acetone	ND	0.00482	0.0227	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Benzene	ND	0.000281	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Bromoform	ND	0.00149	0.00454	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Bromomethane	ND	0.000417	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Carbon disulfide	ND	0.00136	0.00454	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Carbon tetrachloride	ND	0.000354	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Chlorobenzene	ND	0.000263	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Chloroethane	ND	0.00249	0.00454	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Chloroform	ND	0.000408	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Chloromethane	ND	0.00349	0.00454	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
cis-1,2-Dichloroethene	ND	0.000345	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
cis-1,3-dichloropropene	ND	0.000227	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Dibromochloromethane	ND	0.000390	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Ethylbenzene	ND	0.000354	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
m,p-Xylene	ND	0.000544	0.00181	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Methyl tert-butyl ether	ND	0.000317	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Methylene chloride	ND	0.00234	0.00454	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
o-Xylene	ND	0.000245	0.00181	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Styrene	ND	0.000263	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Tetrachloroethene	ND	0.000544	0.00181	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Toluene	ND	0.000426	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
trans-1,2-Dichloroethene	ND	0.000336	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
trans-1,3-dichloropropene	ND	0.000236	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Trichloroethene	ND	0.000327	0.000907	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054
Vinyl chloride	ND	0.000934	0.00454	mg/kg dry	12/19/24 11:15	12/31/24	1	8260B	BBA0054

Surrogate: 4-Bromofluorobenzene

101%

76-119

12/31/24

1

8260B

Surrogate: Dibromofluoromethane

101%

66-137

12/31/24

1

8260B

Surrogate: Toluene-d8

101%

80-120

12/31/24

1

8260B

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics

Total 1,3-Dichloropropene	ND	0.000227	0.000907	mg/kg Dry	12/19/24 11:15	12/31/24	1	8260B	[CALC]
Total Xylenes	ND	0.000245	0.00181	mg/kg Dry	12/19/24 11:15	12/31/24	1	8260B	[CALC]

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:33

## Sample Results (Continued)

### Sample: Elmwood GD-PC-01 (Continued) AAL1405-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - ICP

Arsenic	1.35 J	0.327	4.95	mg/kg Dry	12/19/24 11:15	12/23/24	1	6010B	BAL1200
Barium	3.60	0.525	2.48	mg/kg Dry	12/19/24 11:15	12/23/24	1	6010B	BAL1200
Cadmium	ND	0.0297	0.248	mg/kg Dry	12/19/24 11:15	12/23/24	1	6010B	BAL1200
Chromium	3.45	0.0861	0.248	mg/kg Dry	12/19/24 11:15	12/23/24	1	6010B	BAL1200
Lead	3.12	0.208	1.24	mg/kg Dry	12/19/24 11:15	12/23/24	1	6010B	BAL1200
Selenium	ND	0.356	4.95	mg/kg Dry	12/19/24 11:15	12/23/24	1	6010B	BAL1200
Silver	0.261 J	0.257	0.495	mg/kg Dry	12/19/24 11:15	12/23/24	1	6010B	BAL1200

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:33

*8260 SRP Package*

---

8260 SRP



# SUBURBAN LABORATORIES, Inc.

1850 S. Batavia Ave. Ste. 150 Geneva, IL 60134

Tel. 708.544.3260

login@suburbanlabs.com

www.suburbanlabs.com

## CHAIN OF CUSTODY RECORD

**Interra**  
 Com: 600 Territorial Dr. Suite G  
 City: Bolingbrook State: IL Zip: 60440  
 Office: 630-754-8700 Fax: 630-754-8700  
 Email Address: aguntaka@interraservices.com  
 Project ID / Location: 9826 - Evanston Geotech & Environmental - 2024  
 Project Manager (Report to): aguntaka@interraservices.com  
 reshmac@interraservices.com  
 Sample Collector(s): Paul Sponaugle

**TURNAROUND TIME REQUESTED**  
 Normal  RUSH\*  
 \* Must be pre-approved and surcharges apply. Checking this box indicates your approval of surcharges.  
 Date and Time: \_\_\_\_\_  
 Report Needed: \_\_\_\_\_  
 Specify Regulatory Program:  None/Info Only  
 LUST  SRP  SDWA  
 503 Sludge  NPDES  MWRDGC  
 Disposal  CCDD  OTHER - Specify Below

**ANALYSIS & METHOD REQUESTED**  
 Enter an "X" in box below for request

VOCs	SVOCs	RCRA Metals (6)	PCBs	Pesticides	pH
X	X	X	X	X	X

Page 1 of 1  
 PO # \_\_\_\_\_  
 Report Type  Normal  Special\*  
 \* Additional charges apply for QC reports and raw data. Specify in comments section  
 Shipping Method \_\_\_\_\_  
**LAB USE ONLY**  
 Work Order # \_\_\_\_\_  
 Temperature of Received Samples: 31 °C  
 Received within 24 hours of collection?  No  Yes  
 Lab Comment \_\_\_\_\_ LAB # \_\_\_\_\_

SAMPLE IDENTIFICATION (Use 1 line per container type)	COLLECTION		MATRIX	GRAB/ COMP.	CONTAINERS		PRESERVATIVE	VOCs	SVOCs	RCRA Metals (6)	PCBs	Pesticides	pH
	DATE	TIME			Qty	SIZE & TYPE							
1 Elmwood GD-PC-01	12-19-24	1115	Soil	Grab	5			X	X	X	X	X	X
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													

**MATRIX:** Drinking Water (DW), Soil (S), Waste Water (WW), Surface Water (SW), Ground Water (GW), Solid Waste (WA), Sludge (U), Wipe (P) **CONTAINER:** 2oz, 4oz, 8oz, 40ml Vial, 500ml, Liter (L), Tube, Glass (G), Plastic (P) **PRESERVATIVE:** H<sub>2</sub>SO<sub>4</sub>, HCl, HNO<sub>3</sub>, Methanol (MeOH), NaOH, Sodium Bisulfate (NaBS), NaTHIO

**COMMENTS & SPECIAL INSTRUCTIONS:**  
 Regulatory Programs:  
 CCDD Mac  
 TACO Residential  
 TACO Industrial/Commercial

**AAL1405**  
  
**INTERRA, Inc.**

1. Relinquished By:	Date: 12/20/24	2. Relinquished By:	Date: 12/20/24	3. Relinquished By: _____	Date: _____	4. Relinquished By: _____	Date: _____
Received By:	Time: 4:57	Received By:	Time: 1:24	Received By: _____	Time: _____	Received By: _____	Time: _____

301



**STATE OF ILLINOIS**  
**ENVIRONMENTAL PROTECTION AGENCY**  
**NELAP - RECOGNIZED**  
**ENVIRONMENTAL LABORATORY ACCREDITATION**

is hereby granted to

**Suburban Laboratories**  
**1950 South Batavia Ave., Suite 150**  
**Geneva, IL 60134**

**NELAP ACCREDITED**

Accreditation Number #100225



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose  
 Supervisor  
 Environmental Laboratory Accreditation Program

Certificate No: 1002252024-26

Expiration Date: 10/31/2025

Issued On: 10/30/2024



600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra Project No: 9826

2/13/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

**Environmental Report**  
2025 MFT Improvement Projects  
Elmwood Avenue from Howard Street to Brummel Street  
City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this report on environmental sampling and analytical testing performed at the above referenced project in Evanston, Illinois. We understand that the purpose of the investigation is to aid in soil management during construction.

**Scope of Work**

The scope of work included review of readily available historical documents to identify past land use and selection of parameters for analytical testing; collection of one (1) soil samples for analytical testing; and determination of soil management options based on analytical test results.

**Historical Document Review**

A review of the Federal, State and Local databases was performed to identify past land use and recognized environmental conditions on or near the property. Potentially Impacted Properties (PIP) identified in the vicinity of the site included Leaking Underground Storage Tanks (LUST), Site Remediation Program (SRP), Institutional Control, and spills. Historical reports reviewed are included in Appendix A.

### **Field Work**

Boreholes for collecting environmental samples were located in the field by INTERRA. The drilling sub-contractor, Geocon Professional Services (GEOCON) obtained underground utility clearances prior to drilling. Drilling was performed on 12/19/2024. Soil sampling was performed at 2.5-foot intervals up to the planned exploration depth of 10 feet. Soil sampling was performed using decontaminated split-spoon sampler. All soil samples were field screened using a Minirae 2020 Plus (photoionization detector) to aid in sample selection for analytical testing. Field screening did not indicate the presence of VOC contamination. Sample Location Map is presented in Appendix B of this report.

Soil grab samples for environmental analysis were chosen between the 0.0 to 5.0 feet interval. INTERRA collected and preserved the environmental soil sample in accordance with applicable SW 846 methods and transported them to the NELAC accredited Suburban Laboratories for analytical testing.

### **Analytical Testing**

The soil samples were analyzed for the contaminants of concern identified based on Historical Document review. Based on this, the sample was tested for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), total RCRA Metals, Pesticides, PCBs and pH. The sample analytical test reports are presented in Appendix C of this report.

### **Conclusions and Recommendations**

The analytical results were compared to 35 ILL. Adm. Code 1100, "Maximum Allowable Concentrations (MAC) of chemical constituents in Uncontaminated Soil used as fill in a Clean Construction & Demolition Debris (CCDD) or "Uncontaminated Soil Fill Operation" and Illinois Tiered Approach to Corrective Action Objectives (TACO) Residential Soil Remediation Objectives in accordance with Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022).

Sample Elmwood HB-PC-01 did not encounter any contaminants of concern above the CCDD and TACO regulatory limits specified in Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022). The pH of the soil is within the range of 6.25-9.0 as required by CCDD/USFO facilities.


Based on the results, the soil can be classified as clean material and managed as follows according to Article 202.03 of IDOT Standard Specifications. LPC 663 form for this area is presented in Appendix D of this report.

- The soil can be disposed of at any CCDD facility or a USFO.
- The soil can be utilized within the right-of-way as embankment or fill, when suitable.


We appreciate the opportunity to be of service to you. Should you need additional information or clarifications, please call us at (630) 754-8700.

Yours truly,


**Interra, Inc.**



Supraja Reddy, Ph.D., PE  
Geotechnical Engineer



Ashok Guntaka, EI  
Project Manager



Sanjeev Bandi, Ph.D., PE  
Principal Engineer

**APPENDIX A**  
Historical Reports

**9826-S Elmwood Ave From Howard St To Brummel St**  
Elmwood Avenue and Howard Street  
Evanston, IL 60202

Inquiry Number: 7841921.77s  
December 06, 2024

## EDR Summary Radius Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

SECTION	PAGE
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	147
Government Records Searched/Data Currency Tracking .....	GR-1
<b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-8
Physical Setting Source Map Findings .....	A-9
Physical Setting Source Records Searched .....	PSGR-1

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

ELMWOOD AVENUE AND HOWARD STREET  
EVANSTON, IL 60202

#### COORDINATES

Latitude (North): 42.0204390 - 42° 1' 13.58"  
Longitude (West): 87.6827850 - 87° 40' 58.02"  
Universal Transverse Mercator: Zone 16  
UTM X (Meters): 443469.8  
UTM Y (Meters): 4652057.5  
Elevation: 606 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: TP  
Source: U.S. Geological Survey

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20190802  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
ELMWOOD AVENUE AND HOWARD STREET  
EVANSTON, IL 60202

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
1	WILMETTE REAL ESTATE	801 DOBSON	RCRA NonGen / NLR	Higher	103, 0.020, WNW
2	PUBLIC STORAGE INCOR	2101 W HOWARD ST	IL TANKS	Higher	365, 0.069, South
A3	YOUNGS CLEANERS	743 HOWARD ST	EDR Hist Cleaner	Lower	389, 0.074, SSE
A4	CLOTHES PIN LAUNDROM	729 HOWARD ST	EDR Hist Cleaner	Lower	429, 0.081, SE
A5	EVANSTON DISCOUNT DR	729 WEST HOWARD STRE	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Lower	429, 0.081, SE
A6	BLACK HAWK TAILORS &	725 HOWARD	EDR Hist Cleaner	Lower	441, 0.084, SE
A7	COMBINED CLEANERS IN	2033 W HOWARD ST	EDR Hist Cleaner	Lower	482, 0.091, SSE
A8	COMBINED DRY CLEANER	2033 W HOWARD	RCRA NonGen / NLR, FINDS, ECHO	Lower	482, 0.091, SSE
B9	EVANSTON GAS AND FOO	101 RIDGE ROAD	UST FINDER	Higher	521, 0.099, West
B10	EVANSTON GAS & FOOD	101 RIDGE AVE	EDR Hist Auto	Higher	521, 0.099, West
B11	EVANSTON GAS AND FOO	101 RIDGE ROAD	IL UST	Higher	521, 0.099, West
12	LA RU AUTOMOTIVE	100 N RIDGE	EDR Hist Auto	Higher	559, 0.106, WSW
13	STILLMAN CLENING D	7553 RIDGE BLVD	EDR Hist Cleaner	Higher	578, 0.109, SW
C14	V. A. SMITH COMPANY	2019 W HOWARD ST	IL TANKS	Lower	579, 0.110, SE
C15	1 STORY COMMERCIAL B	2019 W. HOWARD STREE	IL UST	Lower	579, 0.110, SE
C16	1 STORY COMMERCIAL B	2019 W HOWARD ST	IL TANKS	Lower	579, 0.110, SE
17	CARE CLEANERS	138 CUSTER AVE APT 1	EDR Hist Cleaner	Lower	580, 0.110, ENE
C18	JESUS FIRST ALL NATI	711 HOWARD STREET	IL INST CONTROL, IL SRP	Lower	590, 0.112, SE
C19	JESUS FIRST ALL NATI	709 - 711 HOWARD STR	UST FINDER RELEASE	Lower	627, 0.119, ESE
C20	JESUS FIRST ALL NATI	709 - 711 HOWARD ST	IL UST	Lower	627, 0.119, ESE
21	D. RIEMER & SONS	2201 W HOWARD ST	IL TANKS	Higher	683, 0.129, SW
22	WIRTZ CORPORATION	7516 N SEELEY AVE	IL TANKS, IL PERMITS	Lower	695, 0.132, SSE
D23	QUINLAN & TYSON	7551 N RIDGE AVE	IL TANKS	Higher	758, 0.144, SW
24	MEISTER NEIBERG	7515 N SEELEY AVE	IL TANKS	Lower	810, 0.153, SSE
D25	MAR DON CONSTRUCTION	7544 N RIDGE AVE	IL TANKS	Higher	818, 0.155, SW
D26	7526-38 N RIDGE BUIL	7526 N RIDGE BLVD	IL TANKS	Higher	844, 0.160, SW
27	NORTH SUBURBAN AUTO	641 HOWARD ST	IL INST CONTROL, IL SRP, IL BOL	Lower	864, 0.164, ESE
E28	JOSEPH WEISS & ASSOC	7526 NORTH RIDGE AVE	IL LUST	Higher	896, 0.170, SW
E29	LIBERTY NATIONAL BAN	7526 N RIDGE AVE	IL TANKS	Higher	896, 0.170, SW
F30	THEODORE HANSEN	2235 W HOWARD ST	IL TANKS	Higher	1007, 0.191, WSW
G31	DAMEN BIRCHWOOD INC	7501 N DAMEN AVE	IL TANKS, IL CHICAGO INSPECT, IL PERMITS	Lower	1010, 0.191, SE
G32	BIRCHWOOD LLC	7501-33 N DAMEN	IL UST	Lower	1010, 0.191, SE
G33	BIRCHWOOD LLC	7501 N DAMEN AVE	IL TANKS	Lower	1010, 0.191, SE
F34	HARRY FLYER	2239 W HOWARD ST	IL TANKS	Higher	1032, 0.195, WSW
F35	VACANT PROPERTY	1015 HOWARD STREET	IL UST	Higher	1038, 0.197, WSW
F36	1015 HOWARD, LP	1015 HOWARD STREET	IL LUST, IL SPILLS, IL BOL	Higher	1038, 0.197, WSW
H37	APARTMENT BUILDING	7545 N. BELL AVE.	IL UST	Higher	1134, 0.215, WSW
38	GEORGE GEANOUPULOS	1945 W HOWARD ST	IL TANKS	Lower	1137, 0.215, ESE
I39	HOWARD AUTO BODY & R	2255 WEST HOWARD STR	RCRA-VSQQ, E MANIFEST	Higher	1144, 0.217, WSW

MAPPED SITES SUMMARY

Target Property Address:  
ELMWOOD AVENUE AND HOWARD STREET  
EVANSTON, IL 60202

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">I40</a>	0514 CLARK SER STATI	2255 W HOWARD ST	IL TANKS	Higher	1144, 0.217, WSW
<a href="#">I41</a>		2255 W HOWARD ST	MI MANIFEST	Higher	1144, 0.217, WSW
<a href="#">I42</a>	0514 CLARK SER STATI	2255 W HOWARD ST	UST FINDER	Higher	1144, 0.217, WSW
<a href="#">I43</a>	CLARK OIL & REFINING	2255 WEST HOWARD	IL LUST	Higher	1144, 0.217, WSW
<a href="#">I44</a>	CLARK OIL & REFINING	2255 WEST HOWARD	UST FINDER RELEASE	Higher	1144, 0.217, WSW
<a href="#">I45</a>	HOWARD AUTO SERVICE	2857 W HOWARD ST	RCRA-VSQQ, FINDS, ECHO, WI MANIFEST	Higher	1144, 0.217, WSW
<a href="#">I46</a>	0514 CLARK SER STATI	2255 W HOWARD ST	IL UST	Higher	1144, 0.217, WSW
<a href="#">H47</a>	ROBIN CONSTRUCTION	7539 N BELL AVE	IL TANKS	Higher	1192, 0.226, SW
<a href="#">48</a>	ROBIN CONSTRUCTION	7538 N BELL AVE	IL TANKS	Higher	1234, 0.234, WSW
<a href="#">49</a>	ELIZABETH KISH	7446 N DAMEN AVE	IL TANKS, IL COMPLAINTS	Lower	1267, 0.240, SSE
<a href="#">50</a>	HYLAND BUILDERS	7431 N DAMEN AVE	IL TANKS	Lower	1272, 0.241, SSE
<a href="#">J51</a>	COMMERCIAL OFFICE BU	2277 W HOWARD ST	IL TANKS	Higher	1292, 0.245, WSW
<a href="#">J52</a>	BATES CONSTRUCTION	2277 W HOWARD ST	IL TANKS	Higher	1292, 0.245, WSW
<a href="#">J53</a>	COMMERCIAL OFFICE BU	2277 W HOWARD	IL UST	Higher	1292, 0.245, WSW
<a href="#">K54</a>	CUSTER TRUST	325-327 CUSTER AVENU	UST FINDER RELEASE	Lower	1447, 0.274, NNE
<a href="#">K55</a>	CUSTER TRUST	325-327 CUSTER AVENU	IL LUST	Lower	1447, 0.274, NNE
<a href="#">L56</a>	Z.I.F. ENTERPRISES,	555 HOWARD STREET	UST FINDER RELEASE	Higher	1536, 0.291, ESE
<a href="#">L57</a>	ZIF ENTERPRISES, INC	555 HOWARD STREET	IL LUST, IL SPILLS	Higher	1536, 0.291, ESE
<a href="#">L58</a>	H. C. MINIMART, INC.	555 HOWARD STREET	IL LUST, IL LUST TRUST, IL SPILLS, IL BOL	Higher	1536, 0.291, ESE
<a href="#">M59</a>	KASECO MGT.	335 CUSTER AVE.	UST FINDER RELEASE	Lower	1563, 0.296, NNE
<a href="#">M60</a>	KASECO	335 CUSTER AVENUE	IL LUST, IL ENG CONTROLS, IL INST CONTROL, IL SRP,...	Lower	1563, 0.296, NNE
<a href="#">61</a>	MOBIL GAS STATION	140 CHICAGO AVE	IL LUST, IL SPILLS, IL BOL	Higher	1606, 0.304, East
<a href="#">N62</a>	NEW HORIZONS MGT.	7409-7413 SEELEY	IL LUST	Lower	1607, 0.304, SSE
<a href="#">N63</a>	NEW HORIZONS MGT.	7409-7413 SEELEY	UST FINDER RELEASE	Lower	1607, 0.304, SSE
<a href="#">O64</a>	WHOLESALE OIL CO.	1201 WEST HOWARD ST.	UST FINDER RELEASE	Higher	1618, 0.306, West
<a href="#">O65</a>	WHOLESALE OIL CO.	1201 WEST HOWARD ST.	IL LUST	Higher	1618, 0.306, West
<a href="#">O66</a>	WHOLESALE OIL CO.	1201 WEST HOWARD & B	UST FINDER RELEASE	Higher	1656, 0.314, WSW
<a href="#">O67</a>	WHOLESALE OIL CO.	1201 WEST HOWARD & B	IL LUST	Higher	1658, 0.314, WSW
<a href="#">P68</a>	CHICAGO AVE EVANSTON	124-132 CHICAGO AVEN	IL LUST, IL SPILLS	Higher	1665, 0.315, East
<a href="#">P69</a>	CHICAGO AVE EVANSTON	124-132 CHICAGO AVEN	UST FINDER RELEASE	Higher	1665, 0.315, East
<a href="#">Q70</a>	100 CHICAGO AVE, LLC	100-122 CHICAGO AVEN	IL LUST	Higher	1755, 0.332, ESE
<a href="#">Q71</a>	EVANSTON GATEWAY, LL	100-122 CHICAGO AVEN	UST FINDER RELEASE	Higher	1755, 0.332, ESE
<a href="#">Q72</a>	100 CHICAGO AVE, LLC	100-122 CHICAGO AVEN	IL LUST	Higher	1755, 0.332, ESE
<a href="#">73</a>	DETWEILER, ELAINE	7372 NORTH WINCHESTE	IL LUST	Lower	1806, 0.342, SSE
<a href="#">R74</a>	CATHOLIC BISHOP OF C	301 CHICAGO AVE.	UST FINDER RELEASE	Higher	1851, 0.351, NE
<a href="#">R75</a>	CATHOLIC BISHOP OF C	301 CHICAGO AVE.	IL LUST	Higher	1851, 0.351, NE
<a href="#">S76</a>	CVS 4778	1227 HOWARD ST	IL LUST, IL BOL	Higher	1859, 0.352, West
<a href="#">S77</a>	CVS #4778	1227 HOWARD STREET	UST FINDER RELEASE	Higher	1859, 0.352, West
<a href="#">T78</a>	BRB DEVELOPMENT, LLC	1832 WEST JUNEWAY TE	UST FINDER RELEASE	Lower	1873, 0.355, ENE

MAPPED SITES SUMMARY

Target Property Address:  
ELMWOOD AVENUE AND HOWARD STREET  
EVANSTON, IL 60202

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">T79</a>	BRB DEVELOPMENT, LLC	1832 WEST JUNEWAY TE	IL LUST	Lower	1873, 0.355, ENE
<a href="#">80</a>	CVS PHARMACY 4778	101 ASBURY ST	IL ENG CONTROLS, IL INST CONTROL, IL SRP, IL BOL,...	Higher	1895, 0.359, West
<a href="#">81</a>	SWC CLARK AND HOWARD	7516 NORTH CLARK STR	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	1927, 0.365, ESE
<a href="#">82</a>	406 NORTH CALLAN PAR	406 NORTH CALLAN ST.	UST FINDER RELEASE	Lower	1936, 0.367, NNE
<a href="#">U83</a>	406 NORTH CALLAN PAR	406 NORTH CALLAN ST.	IL LUST	Lower	1939, 0.367, NNE
<a href="#">84</a>	HOWARD STREET STATIO	413-421 HOWARD STREE	IL ENG CONTROLS, IL INST CONTROL, IL SRP, IL BOL	Lower	1970, 0.373, East
<a href="#">U85</a>	CUSTER CORP.	417-425 CUSTER AVE.	IL LUST	Lower	2004, 0.380, NNE
<a href="#">U86</a>	CUSTER CORP.	417-425 CUSTER AVE.	UST FINDER RELEASE	Lower	2004, 0.380, NNE
<a href="#">V87</a>	BLAGOJEVIC, DRAGIC	7320-7330 NORTH RIDG	IL LUST	Higher	2169, 0.411, South
<a href="#">V88</a>	BLAGOJEVIC, DRAGIC	7320-7330 NORTH RIDG	UST FINDER RELEASE	Higher	2169, 0.411, South
<a href="#">89</a>	RREEF FUNDS	7562 NORTH WESTERN A	IL INST CONTROL, IL SRP	Higher	2175, 0.412, WSW
<a href="#">W90</a>	WEST SUBURBAN TRUST	139 NORTH ASHLAND	UST FINDER RELEASE	Higher	2347, 0.445, West
<a href="#">W91</a>	WEST SUBURBAN TRUST	139 NORTH ASHLAND	IL LUST	Higher	2347, 0.445, West
<a href="#">X92</a>	DUBIN RESIDENTIAL	7242 NORTH DAMEN	IL LUST	Lower	2494, 0.472, SSE
<a href="#">X93</a>	DUBIN RESIDENTIAL	7242 NORTH DAMEN	UST FINDER RELEASE	Lower	2494, 0.472, SSE
<a href="#">94</a>	WALGREEN STORE # 013	7410 NORTH CLARK STR	IL SRP	Lower	2517, 0.477, SE
<a href="#">95</a>	LYNN CLEANERS, INC.	7401 NORTH WESTERN A	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	2548, 0.483, SW
<a href="#">96</a>	IMPACT BEHAVIORAL HE	1304 KIRK ST	IL INST CONTROL, IL SRP, IL BOL	Higher	2601, 0.493, NW
<a href="#">97</a>	EPHRAIM WERNER CARE	7334 N CLARK	CORRACTS, RCRA-TSDF, RCRA NonGen / NLR, RAATS	Higher	2946, 0.558, SE

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of Federal RCRA facilities undergoing Corrective Action***

CORRACTS: A review of the CORRACTS list, as provided by EDR, and dated 06/03/2024 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>EPHRAIM WERNER CARE</i></b> EPA ID:: ILD005474143	<b><i>7334 N CLARK</i></b>	<b><i>SE 1/2 - 1 (0.558 mi.)</i></b>	<b><i>97</i></b>	<b><i>29</i></b>

### ***Lists of Federal RCRA generators***

RCRA-VSQG: A review of the RCRA-VSQG list, as provided by EDR, and dated 06/03/2024 has revealed that there are 2 RCRA-VSQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>HOWARD AUTO BODY &amp; R</i></b> EPA ID:: ILR000175901	<b><i>2255 WEST HOWARD STR</i></b>	<b><i>WSW 1/8 - 1/4 (0.217 mi.)</i></b>	<b><i>I39</i></b>	<b><i>15</i></b>
<b><i>HOWARD AUTO SERVICE</i></b> EPA ID:: ILD984813022	<b><i>2857 W HOWARD ST</i></b>	<b><i>WSW 1/8 - 1/4 (0.217 mi.)</i></b>	<b><i>I45</i></b>	<b><i>17</i></b>

## EXECUTIVE SUMMARY

### *Lists of state and tribal leaking storage tanks*

IL LUST: A review of the IL LUST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 23 IL LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
JOSEPH WEISS & ASSOC Incident Num: 20002352 IL EPA Id: 0316775082	7526 NORTH RIDGE AVE	SW 1/8 - 1/4 (0.170 mi.)	E28	13
<b>1015 HOWARD, LP</b> Incident Num: 20210007 IL EPA Id: 0310815393	<b>1015 HOWARD STREET</b>	<b>WSW 1/8 - 1/4 (0.197 mi.)</b>	<b>F36</b>	<b>15</b>
CLARK OIL & REFINING NFA/NFR Letter: 10/2/1996 Incident Num: 891183 IL EPA Id: 0316025021	2255 WEST HOWARD	WSW 1/8 - 1/4 (0.217 mi.)	I43	16
<b>ZIF ENTERPRISES, INC</b> Incident Num: 20191114 IL EPA Id: 0310815156	<b>555 HOWARD STREET</b>	<b>ESE 1/4 - 1/2 (0.291 mi.)</b>	<b>L57</b>	<b>19</b>
<b>H. C. MINIMART, INC.</b> NFA/NFR Letter: 10/5/2018 Incident Num: 20090670 IL EPA Id: 0310815156	<b>555 HOWARD STREET</b>	<b>ESE 1/4 - 1/2 (0.291 mi.)</b>	<b>L58</b>	<b>19</b>
<b>MOBIL GAS STATION</b> NFA/NFR Letter: 12/12/2023 Incident Num: 20190941 IL EPA Id: 0310815324	<b>140 CHICAGO AVE</b>	<b>E 1/4 - 1/2 (0.304 mi.)</b>	<b>61</b>	<b>21</b>
WHOLESALE OIL CO. NFA/NFR Letter: 12/12/2002 Incident Num: 961193 IL EPA Id: 0310815115	1201 WEST HOWARD ST.	W 1/4 - 1/2 (0.306 mi.)	O65	22
WHOLESALE OIL CO. NFA/NFR Letter: 12/12/2002 Incident Num: 861113A IL EPA Id: 0310815115	1201 WEST HOWARD & B	WSW 1/4 - 1/2 (0.314 mi.)	O67	22
<b>CHICAGO AVE EVANSTON</b> Incident Num: 20150723 IL EPA Id: 0310815370	<b>124-132 CHICAGO AVEN</b>	<b>E 1/4 - 1/2 (0.315 mi.)</b>	<b>P68</b>	<b>22</b>
100 CHICAGO AVE, LLC Incident Num: 20180972 IL EPA Id: 0310815382	100-122 CHICAGO AVEN	ESE 1/4 - 1/2 (0.332 mi.)	Q70	23
100 CHICAGO AVE, LLC Incident Num: 20210479 IL EPA Id: 0310815382	100-122 CHICAGO AVEN	ESE 1/4 - 1/2 (0.332 mi.)	Q72	23
CATHOLIC BISHOP OF C Incident Num: 991042 IL EPA Id: 0310815101	301 CHICAGO AVE.	NE 1/4 - 1/2 (0.351 mi.)	R75	24
<b>CVS 4778</b> NFA/NFR Letter: 8/6/2004	<b>1227 HOWARD ST</b>	<b>W 1/4 - 1/2 (0.352 mi.)</b>	<b>S76</b>	<b>24</b>

## EXECUTIVE SUMMARY

Incident Num: 20021831 IL EPA Id: 0310815255				
BLAGOJEVIC, DRAGIC NFA/NFR Letter: 8/29/2005 Incident Num: 20001797 IL EPA Id: 0316775081	7320-7330 NORTH RIDG	S 1/4 - 1/2 (0.411 mi.)	V87	27
WEST SUBURBAN TRUST NFA/NFR Letter: 3/4/2004 Incident Num: 952503 IL EPA Id: 0310815180				
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
CUSTER TRUST NFA/NFR Letter: 7/27/2021 Incident Num: 20170922 IL EPA Id: 0310815375	325-327 CUSTER AVENU	NNE 1/4 - 1/2 (0.274 mi.)	K55	19
<b>KASECO</b> Incident Num: 980608 IL EPA Id: 0310815204	<b>335 CUSTER AVENUE</b>	<b>NNE 1/4 - 1/2 (0.296 mi.)</b>	<b>M60</b>	<b>20</b>
NEW HORIZONS MGT. Incident Num: 982383 IL EPA Id: 0316025070	7409-7413 SEELEY	SSE 1/4 - 1/2 (0.304 mi.)	N62	21
DETWEILER, ELAINE Incident Num: 20060702 IL EPA Id: 0316015065	7372 NORTH WINCHESTE	SSE 1/4 - 1/2 (0.342 mi.)	73	23
BRB DEVELOPMENT, LLC Incident Num: 20151095 IL EPA Id: 0316015116	1832 WEST JUNEWAY TE	ENE 1/4 - 1/2 (0.355 mi.)	T79	25
406 NORTH CALLAN PAR NFA/NFR Letter: 7/28/1998 Incident Num: 980494 IL EPA Id: 0310815205	406 NORTH CALLAN ST.	NNE 1/4 - 1/2 (0.367 mi.)	U83	26
CUSTER CORP. Incident Num: 20010715 IL EPA Id: 0310815237	417-425 CUSTER AVE.	NNE 1/4 - 1/2 (0.380 mi.)	U85	26
DUBIN RESIDENTIAL NFA/NFR Letter: 5/30/2002 Incident Num: 20011407 IL EPA Id: 0316025086	7242 NORTH DAMEN	SSE 1/4 - 1/2 (0.472 mi.)	X92	28

IL LUST TRUST: A review of the IL LUST TRUST list, as provided by EDR, and dated 06/06/2016 has revealed that there is 1 IL LUST TRUST site within approximately 0.5 miles of the target property.

<b>Equal/Higher Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>H. C. MINIMART, INC.</b> Incident Number: 20090670-66229	<b>555 HOWARD STREET</b>	<b>ESE 1/4 - 1/2 (0.291 mi.)</b>	<b>L58</b>	<b>19</b>

## EXECUTIVE SUMMARY

### ***Lists of state and tribal registered storage tanks***

IL UST: A review of the IL UST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 8 IL UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EVANSTON GAS AND FOO Tank Status: Removed Tank Status: Currently in use Status: ACTIVE Facility Id: 2021061	101 RIDGE ROAD	W 0 - 1/8 (0.099 mi.)	B11	10
VACANT PROPERTY Tank Status: Removed Status: EXEMPT Facility Id: 2047159	1015 HOWARD STREET	WSW 1/8 - 1/4 (0.197 mi.)	F35	14
APARTMENT BUILDING Tank Status: Removed Status: EXEMPT Facility Id: 2045856	7545 N. BELL AVE.	WSW 1/8 - 1/4 (0.215 mi.)	H37	15
0514 CLARK SER STATI Tank Status: Removed Status: CLOSED Facility Id: 2010127	2255 W HOWARD ST	WSW 1/8 - 1/4 (0.217 mi.)	I46	17
COMMERCIAL OFFICE BU Tank Status: Removed Status: EXEMPT Facility Id: 2041412	2277 W HOWARD	WSW 1/8 - 1/4 (0.245 mi.)	J53	18

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
1 STORY COMMERCIAL B Tank Status: Abandoned in place Status: EXEMPT Facility Id: 2044089	2019 W. HOWARD STREE	SE 0 - 1/8 (0.110 mi.)	C15	10
JESUS FIRST ALL NATI Tank Status: Abandoned in place Status: EXEMPT Facility Id: 2046212	709 - 711 HOWARD ST	ESE 0 - 1/8 (0.119 mi.)	C20	11
BIRCHWOOD LLC Tank Status: Removed Status: CLOSED Facility Id: 2036918	7501-33 N DAMEN	SE 1/8 - 1/4 (0.191 mi.)	G32	14

### ***State and tribal institutional control / engineering control registries***

IL ENG CONTROLS: A review of the IL ENG CONTROLS list, as provided by EDR, and dated 06/24/2024 has revealed that there are 6 IL ENG CONTROLS sites within approximately 0.5 miles of the target

## EXECUTIVE SUMMARY

property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CVS PHARMACY 4778</b> Illinois Epa Id: 0310815248	<b>101 ASBURY ST</b>	<b>W 1/4 - 1/2 (0.359 mi.)</b>	<b>80</b>	<b>25</b>
<b>SWC CLARK AND HOWARD</b> Illinois Epa Id: 0316015100	<b>7516 NORTH CLARK STR</b>	<b>ESE 1/4 - 1/2 (0.365 mi.)</b>	<b>81</b>	<b>25</b>
<b>LYNN CLEANERS, INC.</b> Illinois Epa Id: 0316025002	<b>7401 NORTH WESTERN A</b>	<b>SW 1/4 - 1/2 (0.483 mi.)</b>	<b>95</b>	<b>28</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>EVANSTON DISCOUNT DR</b> Illinois Epa Id: 0310815258	<b>729 WEST HOWARD STRE</b>	<b>SE 0 - 1/8 (0.081 mi.)</b>	<b>A5</b>	<b>8</b>
<b>KASECO</b> Illinois Epa Id: 0310815204	<b>335 CUSTER AVENUE</b>	<b>NNE 1/4 - 1/2 (0.296 mi.)</b>	<b>M60</b>	<b>20</b>
<b>HOWARD STREET STATIO</b> Illinois Epa Id: 0310815285	<b>413-421 HOWARD STREE</b>	<b>E 1/4 - 1/2 (0.373 mi.)</b>	<b>84</b>	<b>26</b>

IL INST CONTROL: A review of the IL INST CONTROL list, as provided by EDR, and dated 06/24/2024 has revealed that there are 10 IL INST CONTROL sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CVS PHARMACY 4778</b> Illinois EPA Id: 0310815248	<b>101 ASBURY ST</b>	<b>W 1/4 - 1/2 (0.359 mi.)</b>	<b>80</b>	<b>25</b>
<b>SWC CLARK AND HOWARD</b> Illinois EPA Id: 0316015100	<b>7516 NORTH CLARK STR</b>	<b>ESE 1/4 - 1/2 (0.365 mi.)</b>	<b>81</b>	<b>25</b>
<b>RREEF FUNDS</b> Illinois EPA Id: 0316025024	<b>7562 NORTH WESTERN A</b>	<b>WSW 1/4 - 1/2 (0.412 mi.)</b>	<b>89</b>	<b>27</b>
<b>LYNN CLEANERS, INC.</b> Illinois EPA Id: 0316025002	<b>7401 NORTH WESTERN A</b>	<b>SW 1/4 - 1/2 (0.483 mi.)</b>	<b>95</b>	<b>28</b>
<b>IMPACT BEHAVIORAL HE</b> Illinois EPA Id: 0310815386	<b>1304 KIRK ST</b>	<b>NW 1/4 - 1/2 (0.493 mi.)</b>	<b>96</b>	<b>29</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>EVANSTON DISCOUNT DR</b> Illinois EPA Id: 0310815258	<b>729 WEST HOWARD STRE</b>	<b>SE 0 - 1/8 (0.081 mi.)</b>	<b>A5</b>	<b>8</b>
<b>JESUS FIRST ALL NATI</b> Illinois EPA Id: 0310815373	<b>711 HOWARD STREET</b>	<b>SE 0 - 1/8 (0.112 mi.)</b>	<b>C18</b>	<b>11</b>
<b>NORTH SUBURBAN AUTO</b> Illinois EPA Id: 0310815233	<b>641 HOWARD ST</b>	<b>ESE 1/8 - 1/4 (0.164 mi.)</b>	<b>27</b>	<b>13</b>
<b>KASECO</b> Illinois EPA Id: 0310815204	<b>335 CUSTER AVENUE</b>	<b>NNE 1/4 - 1/2 (0.296 mi.)</b>	<b>M60</b>	<b>20</b>
<b>HOWARD STREET STATIO</b> Illinois EPA Id: 0310815285	<b>413-421 HOWARD STREE</b>	<b>E 1/4 - 1/2 (0.373 mi.)</b>	<b>84</b>	<b>26</b>

## EXECUTIVE SUMMARY

### ***Lists of state and tribal voluntary cleanup sites***

IL SRP: A review of the IL SRP list, as provided by EDR, and dated 06/24/2024 has revealed that there are 11 IL SRP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CVS PHARMACY 4778</b> IL EPA Id: 0310815248	<b>101 ASBURY ST</b>	<b>W 1/4 - 1/2 (0.359 mi.)</b>	<b>80</b>	<b>25</b>
<b>SWC CLARK AND HOWARD</b> IL EPA Id: 0316015100	<b>7516 NORTH CLARK STR</b>	<b>ESE 1/4 - 1/2 (0.365 mi.)</b>	<b>81</b>	<b>25</b>
<b>RREEF FUNDS</b> IL EPA Id: 0316025024	<b>7562 NORTH WESTERN A</b>	<b>WSW 1/4 - 1/2 (0.412 mi.)</b>	<b>89</b>	<b>27</b>
<b>LYNN CLEANERS, INC.</b> IL EPA Id: 0316025002	<b>7401 NORTH WESTERN A</b>	<b>SW 1/4 - 1/2 (0.483 mi.)</b>	<b>95</b>	<b>28</b>
<b>IMPACT BEHAVIORAL HE</b> IL EPA Id: 0310815386	<b>1304 KIRK ST</b>	<b>NW 1/4 - 1/2 (0.493 mi.)</b>	<b>96</b>	<b>29</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>EVANSTON DISCOUNT DR</b> IL EPA Id: 0310815258	<b>729 WEST HOWARD STRE</b>	<b>SE 0 - 1/8 (0.081 mi.)</b>	<b>A5</b>	<b>8</b>
<b>JESUS FIRST ALL NATI</b> IL EPA Id: 0310815373	<b>711 HOWARD STREET</b>	<b>SE 0 - 1/8 (0.112 mi.)</b>	<b>C18</b>	<b>11</b>
<b>NORTH SUBURBAN AUTO</b> IL EPA Id: 0310815233	<b>641 HOWARD ST</b>	<b>ESE 1/8 - 1/4 (0.164 mi.)</b>	<b>27</b>	<b>13</b>
<b>KASECO</b> IL EPA Id: 0310815204	<b>335 CUSTER AVENUE</b>	<b>NNE 1/4 - 1/2 (0.296 mi.)</b>	<b>M60</b>	<b>20</b>
<b>HOWARD STREET STATIO</b> IL EPA Id: 0310815285	<b>413-421 HOWARD STREE</b>	<b>E 1/4 - 1/2 (0.373 mi.)</b>	<b>84</b>	<b>26</b>
<b>WALGREEN STORE # 013</b> IL EPA Id: 0316015072	<b>7410 NORTH CLARK STR</b>	<b>SE 1/4 - 1/2 (0.477 mi.)</b>	<b>94</b>	<b>28</b>

### **ADDITIONAL ENVIRONMENTAL RECORDS**

#### ***Local Lists of Registered Storage Tanks***

IL TANKS: A review of the IL TANKS list, as provided by EDR, and dated 08/21/2024 has revealed that there are 22 IL TANKS sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PUBLIC STORAGE INCOR</b>	<b>2101 W HOWARD ST</b>	<b>S 0 - 1/8 (0.069 mi.)</b>	<b>2</b>	<b>8</b>
<b>D. RIEMER &amp; SONS</b>	<b>2201 W HOWARD ST</b>	<b>SW 1/8 - 1/4 (0.129 mi.)</b>	<b>21</b>	<b>12</b>
<b>QUINLAN &amp; TYSON</b>	<b>7551 N RIDGE AVE</b>	<b>SW 1/8 - 1/4 (0.144 mi.)</b>	<b>D23</b>	<b>12</b>
<b>MAR DON CONSTRUCTION</b>	<b>7544 N RIDGE AVE</b>	<b>SW 1/8 - 1/4 (0.155 mi.)</b>	<b>D25</b>	<b>12</b>
<b>7526-38 N RIDGE BUIL</b>	<b>7526 N RIDGE BLVD</b>	<b>SW 1/8 - 1/4 (0.160 mi.)</b>	<b>D26</b>	<b>12</b>
<b>LIBERTY NATIONAL BAN</b>	<b>7526 N RIDGE AVE</b>	<b>SW 1/8 - 1/4 (0.170 mi.)</b>	<b>E29</b>	<b>13</b>
<b>THEODORE HANSEN</b>	<b>2235 W HOWARD ST</b>	<b>WSW 1/8 - 1/4 (0.191 mi.)</b>	<b>F30</b>	<b>13</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HARRY FLYER	2239 W HOWARD ST	WSW 1/8 - 1/4 (0.195 mi.)	F34	14
0514 CLARK SER STATI	2255 W HOWARD ST	WSW 1/8 - 1/4 (0.217 mi.)	I40	16
ROBIN CONSTRUCTION	7539 N BELL AVE	SW 1/8 - 1/4 (0.226 mi.)	H47	17
ROBIN CONSTRUCTION	7538 N BELL AVE	WSW 1/8 - 1/4 (0.234 mi.)	48	17
COMMERCIAL OFFICE BU	2277 W HOWARD ST	WSW 1/8 - 1/4 (0.245 mi.)	J51	18
BATES CONSTRUCTION	2277 W HOWARD ST	WSW 1/8 - 1/4 (0.245 mi.)	J52	18

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
V. A. SMITH COMPANY	2019 W HOWARD ST	SE 0 - 1/8 (0.110 mi.)	C14	10
1 STORY COMMERCIAL B	2019 W HOWARD ST	SE 0 - 1/8 (0.110 mi.)	C16	11
<b>WIRTZ CORPORATION</b>	<b>7516 N SEELEY AVE</b>	<b>SSE 1/8 - 1/4 (0.132 mi.)</b>	<b>22</b>	<b>12</b>
MEISTER NEIBERG	7515 N SEELEY AVE	SSE 1/8 - 1/4 (0.153 mi.)	24	12
<b>DAMEN BIRCHWOOD INC</b>	<b>7501 N DAMEN AVE</b>	<b>SE 1/8 - 1/4 (0.191 mi.)</b>	<b>G31</b>	<b>14</b>
BIRCHWOOD LLC	7501 N DAMEN AVE	SE 1/8 - 1/4 (0.191 mi.)	G33	14
GEORGE GEANOUPULOS	1945 W HOWARD ST	ESE 1/8 - 1/4 (0.215 mi.)	38	15
<b>ELIZABETH KISH</b>	<b>7446 N DAMEN AVE</b>	<b>SSE 1/8 - 1/4 (0.240 mi.)</b>	<b>49</b>	<b>18</b>
HYLAND BUILDERS	7431 N DAMEN AVE	SSE 1/8 - 1/4 (0.241 mi.)	50	18

### **Other Ascertainable Records**

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/03/2024 has revealed that there are 2 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WILMETTE REAL ESTATE EPA ID:: ILR000141564	801 DOBSON	WNW 0 - 1/8 (0.020 mi.)	1	8

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>COMBINED DRY CLEANER</b> EPA ID:: ILD042851535	<b>2033 W HOWARD</b>	<b>SSE 0 - 1/8 (0.091 mi.)</b>	<b>A8</b>	<b>9</b>

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 18 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CLARK OIL & REFINING	2255 WEST HOWARD	WSW 1/8 - 1/4 (0.217 mi.)	I44	16
Z.I.F. ENTERPRISES,	555 HOWARD STREET	ESE 1/4 - 1/2 (0.291 mi.)	L56	19
WHOLESALE OIL CO.	1201 WEST HOWARD ST.	W 1/4 - 1/2 (0.306 mi.)	O64	21
WHOLESALE OIL CO.	1201 WEST HOWARD & B	WSW 1/4 - 1/2 (0.314 mi.)	O66	22
CHICAGO AVE EVANSTON	124-132 CHICAGO AVEN	E 1/4 - 1/2 (0.315 mi.)	P69	23
EVANSTON GATEWAY, LL	100-122 CHICAGO AVEN	ESE 1/4 - 1/2 (0.332 mi.)	Q71	23
CATHOLIC BISHOP OF C	301 CHICAGO AVE.	NE 1/4 - 1/2 (0.351 mi.)	R74	24
CVS #4778	1227 HOWARD STREET	W 1/4 - 1/2 (0.352 mi.)	S77	24
BLAGOJEVIC, DRAGIC	7320-7330 NORTH RIDG	S 1/4 - 1/2 (0.411 mi.)	V88	27
WEST SUBURBAN TRUST	139 NORTH ASHLAND	W 1/4 - 1/2 (0.445 mi.)	W90	27

## EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
JESUS FIRST ALL NATI CUSTER TRUST	709 - 711 HOWARD STR 325-327 CUSTER AVENU	ESE 0 - 1/8 (0.119 mi.) NNE 1/4 - 1/2 (0.274 mi.)	C19 K54	11 19
KASECO MGT. NEW HORIZONS MGT.	335 CUSTER AVE. 7409-7413 SEELEY	NNE 1/4 - 1/2 (0.296 mi.) SSE 1/4 - 1/2 (0.304 mi.)	M59 N63	20 21
BRB DEVELOPMENT, LLC 406 NORTH CALLAN PAR CUSTER CORP.	1832 WEST JUNEWAY TE 406 NORTH CALLAN ST. 417-425 CUSTER AVE.	ENE 1/4 - 1/2 (0.355 mi.) NNE 1/4 - 1/2 (0.367 mi.) NNE 1/4 - 1/2 (0.380 mi.)	T78 82 U86	24 26 27
DUBIN RESIDENTIAL	7242 NORTH DAMEN	SSE 1/4 - 1/2 (0.472 mi.)	X93	28

UST FINDER: A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 2 UST FINDER sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EVANSTON GAS AND FOO 0514 CLARK SER STATI	101 RIDGE ROAD 2255 W HOWARD ST	W 0 - 1/8 (0.099 mi.) WSW 1/8 - 1/4 (0.217 mi.)	B9 I42	9 16

E MANIFEST: A review of the E MANIFEST list, as provided by EDR, and dated 07/24/2023 has revealed that there is 1 E MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>HOWARD AUTO BODY &amp; R</b>	<b>2255 WEST HOWARD STR</b>	<b>WSW 1/8 - 1/4 (0.217 mi.)</b>	<b>I39</b>	<b>15</b>

WI MANIFEST: A review of the WI MANIFEST list, as provided by EDR, and dated 05/31/2018 has revealed that there is 1 WI MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>HOWARD AUTO SERVICE</b> ACT Status: A FID: 0 EPA ID: ILD984813022	<b>2857 W HOWARD ST</b>	<b>WSW 1/8 - 1/4 (0.217 mi.)</b>	<b>I45</b>	<b>17</b>

MI MANIFEST: A review of the MI MANIFEST list, as provided by EDR, and dated 06/30/2018 has revealed that there is 1 MI MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	2255 W HOWARD ST	WSW 1/8 - 1/4 (0.217 mi.)	I41	16

# EXECUTIVE SUMMARY

## EDR HIGH RISK HISTORICAL RECORDS

### *EDR Exclusive Records*

EDR Hist Auto: A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 2 EDR Hist Auto sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EVANSTON GAS & FOOD	101 RIDGE AVE	W 0 - 1/8 (0.099 mi.)	B10	9
LA RU AUTOMOTIVE	100 N RIDGE	WSW 0 - 1/8 (0.106 mi.)	12	10

EDR Hist Cleaner: A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 6 EDR Hist Cleaner sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
STILLMAN CLENING D	7553 RIDGE BLVD	SW 0 - 1/8 (0.109 mi.)	13	10


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
YOUNGS CLEANERS	743 HOWARD ST	SSE 0 - 1/8 (0.074 mi.)	A3	8
CLOTHES PIN LAUNDROM	729 HOWARD ST	SE 0 - 1/8 (0.081 mi.)	A4	8
BLACK HAWK TAILORS &	725 HOWARD	SE 0 - 1/8 (0.084 mi.)	A6	9
COMBINED CLEANERS IN	2033 W HOWARD ST	SSE 0 - 1/8 (0.091 mi.)	A7	9
CARE CLEANERS	138 CUSTER AVE APT 1	ENE 0 - 1/8 (0.110 mi.)	17	11

Count: 1 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
EVANSTON	S118837875	JESUS FIRST ALL NATIONS CHURCH	709 - 711 HOWARD STREET	60202	ILLUST

# OVERVIEW MAP - 7841921.77S




- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites
- ▨ Indian Reservations BIA
- ⚡ Power transmission lines
- ▨ Special Flood Hazard Area (1%)
- ▨ 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-S Elmwood Ave From Howard St To Brummel St  
 ADDRESS: Elmwood Avenue and Howard Street  
 Evanston IL 60202  
 LAT/LONG: 42.020439 / 87.682785

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.77S  
 DATE: December 06, 2024 1:04 pm

# DETAIL MAP - 7841921.77S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

0 1/16 1/8 1/4 Miles

- Indian Reservations BIA
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard

N

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-S Elmwood Ave From Howard St To Brummel St  
 ADDRESS: Elmwood Avenue and Howard Street  
 Evanston IL 60202  
 LAT/LONG: 42.020439 / 87.682785

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.77S  
 DATE: December 06, 2024 1:05 pm

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	0	1	NR	1
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-VSQG	0.250		0	2	NR	NR	NR	2
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal hazardous waste facilities</i></b>								
IL SSU	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
IL SWF/LF	0.500		0	0	0	NR	NR	0
IL CCDD	0.500		0	0	0	NR	NR	0
IL LF SPECIAL WASTE	0.500		0	0	0	NR	NR	0
IL NIPC	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
IL LUST	0.500		0	3	20	NR	NR	23
INDIAN LUST	0.500		0	0	0	NR	NR	0
IL LUST TRUST	0.500		0	0	1	NR	NR	1
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
IL UST	0.250		3	5	NR	NR	NR	8
IL AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
IL ENG CONTROLS	0.500		1	0	5	NR	NR	6
IL INST CONTROL	0.500		2	1	7	NR	NR	10
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
IL SRP	0.500		2	1	8	NR	NR	11
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
IL BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
IL CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
IL TANKS	0.250		3	19	NR	NR	NR	22
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
IL SPILLS	TP		NR	NR	NR	NR	NR	0
IL COMPLAINTS	TP		NR	NR	NR	NR	NR	0
IL SPILLS 90	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		2	0	NR	NR	NR	2
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0



MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
1 WNW < 1/8 0.020 mi. 103 ft.	WILMETTE REAL ESTATE MGT LLC 801 DOBSON EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR	1009398717 ILR000141564
Relative: Higher	RCRA NonGen / NLR EPA Id ILR000141564		
2 South < 1/8 0.069 mi. 365 ft.	PUBLIC STORAGE INCORPORATED 2101 W HOWARD ST CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121843114 N/A
Relative: Higher			
A3 SSE < 1/8 0.074 mi. 389 ft.	YOUNGS CLEANERS 743 HOWARD ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1018555810 N/A
Relative: Lower			
A4 SE < 1/8 0.081 mi. 429 ft.	CLOTHES PIN LAUNDROMAT 729 HOWARD ST EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1018467529 N/A
Relative: Lower			
A5 SE < 1/8 0.081 mi. 429 ft.	EVANSTON DISCOUNT DRY CLEANERS 729 WEST HOWARD STREET EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL ENG CONTROLS IL INST CONTROL IL SRP	S106076138 N/A
Relative: Lower	IL ENG CONTROLS Illinois Epa Id 0310815258  IL INST CONTROL Illinois EPA Id 0310815258  IL SRP IL EPA Id 0310815258		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
A6 SE < 1/8 0.084 mi. 441 ft.	BLACK HAWK TAILORS & CLEANERS 725 HOWARD EVANSTON, IL 60202	EDR Hist Cleaner	1019940198 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
A7 SSE < 1/8 0.091 mi. 482 ft.	COMBINED CLEANERS INC 2033 W HOWARD ST CHICAGO, IL	EDR Hist Cleaner	1009186228 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
A8 SSE < 1/8 0.091 mi. 482 ft.	COMBINED DRY CLEANERS 2033 W HOWARD CHICAGO, IL 60645	RCRA NonGen / NLR FINDS ECHO	1000163455 ILD042851535
Relative: Lower	<a href="#">Click here for full text details</a>		
	RCRA NonGen / NLR EPA Id ILD042851535		
	FINDS Registry ID: 110005827702		
	ECHO Registry ID 110005827702		
B9 West < 1/8 0.099 mi. 521 ft.	EVANSTON GAS AND FOOD 101 RIDGE ROAD EVANSTON, IL 60202	UST FINDER	1028313187 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
B10 West < 1/8 0.099 mi. 521 ft.	EVANSTON GAS & FOOD INC 101 RIDGE AVE EVANSTON, IL 60202	EDR Hist Auto	1020271800 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
B11 West < 1/8 0.099 mi. 521 ft. Relative: Higher	EVANSTON GAS AND FOOD 101 RIDGE ROAD EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL UST Status ACTIVE Facility Id 2021061 Tank Status Removed Tank Status Currently in use	IL UST	U001143612 N/A
12 WSW < 1/8 0.106 mi. 559 ft. Relative: Higher	LA RU AUTOMOTIVE 100 N RIDGE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	EDR Hist Auto	1020298071 N/A
13 SW < 1/8 0.109 mi. 578 ft. Relative: Higher	STILLMAN CLENING DYING CO 7553 RIDGE BLVD CHICAGO, IL  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1009206325 N/A
C14 SE < 1/8 0.110 mi. 579 ft. Relative: Lower	V. A. SMITH COMPANY 2019 W HOWARD ST CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121838466 N/A
C15 SE < 1/8 0.110 mi. 579 ft. Relative: Lower	1 STORY COMMERCIAL BUILDING 2019 W. HOWARD STREET CHICAGO, IL 60665  <a href="#">Click here for full text details</a>  IL UST Status EXEMPT Facility Id 2044089 Tank Status Abandoned in place	IL UST	U004123061 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
C16 SE < 1/8 0.110 mi. 579 ft. Relative: Lower	1 STORY COMMERCIAL BUILDING 2019 W HOWARD ST CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121842569 N/A
17 ENE < 1/8 0.110 mi. 580 ft. Relative: Lower	CARE CLEANERS 138 CUSTER AVE APT 1 EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	EDR Hist Cleaner	1018849518 N/A
C18 SE < 1/8 0.112 mi. 590 ft. Relative: Lower	JESUS FIRST ALL NATIONS CHURCH 711 HOWARD STREET EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL INST CONTROL Illinois EPA Id 0310815373  IL SRP IL EPA Id 0310815373	IL INST CONTROL IL SRP	S120826146 N/A
C19 ESE < 1/8 0.119 mi. 627 ft. Relative: Lower	JESUS FIRST ALL NATIONS CHURCH 709 - 711 HOWARD STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989238 N/A
C20 ESE < 1/8 0.119 mi. 627 ft. Relative: Lower	JESUS FIRST ALL NATIONS CHURCH 709 - 711 HOWARD ST EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL UST Status EXEMPT Facility Id 2046212 Tank Status Abandoned in place	IL UST	U004252387 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
21 SW 1/8-1/4 0.129 mi. 683 ft.	D. RIEMER & SONS 2201 W HOWARD ST CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121843608 N/A
Relative: Higher	<hr/>		
22 SSE 1/8-1/4 0.132 mi. 695 ft.	WIRTZ CORPORATION 7516 N SEELEY AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS IL PERMITS	S121862938 N/A
Relative: Lower	<hr/>		
D23 SW 1/8-1/4 0.144 mi. 758 ft.	QUINLAN & TYSON 7551 N RIDGE AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121863029 N/A
Relative: Higher	<hr/>		
24 SSE 1/8-1/4 0.153 mi. 810 ft.	MEISTER NEIBERG 7515 N SEELEY AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121862934 N/A
Relative: Lower	<hr/>		
D25 SW 1/8-1/4 0.155 mi. 818 ft.	MAR DON CONSTRUCTION 7544 N RIDGE AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121862993 N/A
Relative: Higher	<hr/>		
D26 SW 1/8-1/4 0.160 mi. 844 ft.	7526-38 N RIDGE BUILDING 7526 N RIDGE BLVD CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121862963 N/A
Relative: Higher	<hr/>		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
27 ESE 1/8-1/4 0.164 mi. 864 ft.	<b>NORTH SUBURBAN AUTO SUPPLY CO</b> 641 HOWARD ST EVANSTON, IL 60204	<b>IL INST CONTROL</b> IL SRP IL BOL	<b>S106029671</b> N/A
Relative: Lower	<a href="#">Click here for full text details</a> <b>IL INST CONTROL</b> Illinois EPA Id 0310815233  <b>IL SRP</b> IL EPA Id 0310815233  <b>IL BOL</b> Site Id 170000452052 Inv Num 0310815233		
E28 SW 1/8-1/4 0.170 mi. 896 ft.	<b>JOSEPH WEISS &amp; ASSOC.</b> 7526 NORTH RIDGE AVE. CHICAGO, IL 60660	<b>IL LUST</b>	<b>S104872171</b> N/A
Relative: Higher	<a href="#">Click here for full text details</a> <b>IL LUST</b> Incident Num 20002352 IL EPA Id 0316775082		
E29 SW 1/8-1/4 0.170 mi. 896 ft.	<b>LIBERTY NATIONAL BANK TRUST # 11354</b> 7526 N RIDGE AVE CHICAGO, IL	<b>IL TANKS</b>	<b>S121862962</b> N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
F30 WSW 1/8-1/4 0.191 mi. 1007 ft.	<b>THEODORE HANSEN</b> 2235 W HOWARD ST CHICAGO, IL	<b>IL TANKS</b>	<b>S121843857</b> N/A
Relative: Higher	<a href="#">Click here for full text details</a>		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
G31 SE 1/8-1/4 0.191 mi. 1010 ft.  Relative: Lower	DAMEN BIRCHWOOD INC 7501 N DAMEN AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS IL CHICAGO INSPECT IL PERMITS	S121862900 N/A
G32 SE 1/8-1/4 0.191 mi. 1010 ft.  Relative: Lower	BIRCHWOOD LLC 7501-33 N DAMEN CHICAGO, IL 60626  <a href="#">Click here for full text details</a>  IL UST Status CLOSED Facility Id 2036918 Tank Status Removed	IL UST	U003668066 N/A
G33 SE 1/8-1/4 0.191 mi. 1010 ft.  Relative: Lower	BIRCHWOOD LLC 7501 N DAMEN AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121840538 N/A
F34 WSW 1/8-1/4 0.195 mi. 1032 ft.  Relative: Higher	HARRY FLYER 2239 W HOWARD ST CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121843870 N/A
F35 WSW 1/8-1/4 0.197 mi. 1038 ft.  Relative: Higher	VACANT PROPERTY 1015 HOWARD STREET EVANSTON, IL 60202  <a href="#">Click here for full text details</a>  IL UST Status EXEMPT Facility Id 2047159 Tank Status Removed	IL UST	U004333377 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
F36 WSW 1/8-1/4 0.197 mi. 1038 ft.	1015 HOWARD, LP 1015 HOWARD STREET EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS IL BOL	S127088960 N/A
Relative: Higher	IL LUST Incident Num 20210007 IL EPA Id 0310815393  IL SPILLS Incident ID 20210007  IL BOL Site Id 170002446486 Inv Num 0310815393		
H37 WSW 1/8-1/4 0.215 mi. 1134 ft.	APARTMENT BUILDING 7545 N. BELL AVE. CHICAGO, IL 60645  <a href="#">Click here for full text details</a>	IL UST	U004227584 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2045856 Tank Status Removed		
38 ESE 1/8-1/4 0.215 mi. 1137 ft.	GEORGE GEANOUPULOS 1945 W HOWARD ST CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121836601 N/A
Relative: Lower			
I39 WSW 1/8-1/4 0.217 mi. 1144 ft.	HOWARD AUTO BODY & REPAIR 2255 WEST HOWARD STREET CHICAGO, IL 60645  <a href="#">Click here for full text details</a>	RCRA-VSQG E MANIFEST	1016141365 ILR000175901
Relative: Higher	RCRA-VSQG EPA Id ILR000175901		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
I40 WSW 1/8-1/4 0.217 mi. 1144 ft.	0514 CLARK SER STATION 2255 W HOWARD ST CHICAGO, IL	IL TANKS	S121837702 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
I41 WSW 1/8-1/4 0.217 mi. 1144 ft.	2255 W HOWARD ST CHICAGO, IL 60604	MI MANIFEST	S130523483 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
I42 WSW 1/8-1/4 0.217 mi. 1144 ft.	0514 CLARK SER STATION 2255 W HOWARD ST CHICAGO, IL 60645	UST FINDER	1028309462 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		
I43 WSW 1/8-1/4 0.217 mi. 1144 ft.	CLARK OIL & REFINING 2255 WEST HOWARD CHICAGO, IL 60645	IL LUST	S104527752 N/A
Relative: Higher	<a href="#">Click here for full text details</a> IL LUST NFA/NFR Letter 10/2/1996 Incident Num 891183 IL EPA Id 0316025021		
I44 WSW 1/8-1/4 0.217 mi. 1144 ft.	CLARK OIL & REFINING 2255 WEST HOWARD CHICAGO, IL 0	UST FINDER RELEASE	1028993175 N/A
Relative: Higher	<a href="#">Click here for full text details</a>		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
I45 WSW 1/8-1/4 0.217 mi. 1144 ft.	HOWARD AUTO SERVICE INC 2857 W HOWARD ST CHICAGO, IL 60645  <a href="#">Click here for full text details</a>	RCRA-VSQG FINDS ECHO WI MANIFEST	1004693321 ILD984813022
Relative: Higher	RCRA-VSQG EPA Id ILD984813022  FINDS Registry ID: 110005884276  ECHO Registry ID 110005884276  WI MANIFEST ACT Status A FID 0 EPA ID ILD984813022		
I46 WSW 1/8-1/4 0.217 mi. 1144 ft.	0514 CLARK SER STATION 2255 W HOWARD ST CHICAGO, IL 60645  <a href="#">Click here for full text details</a>	IL UST	U001142659 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2010127 Tank Status Removed		
H47 SW 1/8-1/4 0.226 mi. 1192 ft.	ROBIN CONSTRUCTION 7539 N BELL AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121862992 N/A
Relative: Higher			
48 WSW 1/8-1/4 0.234 mi. 1234 ft.	ROBIN CONSTRUCTION 7538 N BELL AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121862991 N/A
Relative: Higher			

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

<b>49</b> SSE 1/8-1/4 0.240 mi. 1267 ft.  Relative: Lower	<b>ELIZABETH KISH</b> 7446 N DAMEN AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS IL COMPLAINTS	S121862838 N/A
--	--	---------------------------	-------------------

---

<b>50</b> SSE 1/8-1/4 0.241 mi. 1272 ft.  Relative: Lower	<b>HYLAND BUILDERS</b> 7431 N DAMEN AVE CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121862790 N/A
--	---	----------	-------------------

---

<b>J51</b> WSW 1/8-1/4 0.245 mi. 1292 ft.  Relative: Higher	<b>COMMERCIAL OFFICE BUILDING</b> 2277 W HOWARD ST CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121841592 N/A
--	--	----------	-------------------

---

<b>J52</b> WSW 1/8-1/4 0.245 mi. 1292 ft.  Relative: Higher	<b>BATES CONSTRUCTION</b> 2277 W HOWARD ST CHICAGO, IL  <a href="#">Click here for full text details</a>	IL TANKS	S121844049 N/A
--	--	----------	-------------------

---

<b>J53</b> WSW 1/8-1/4 0.245 mi. 1292 ft.  Relative: Higher	<b>COMMERCIAL OFFICE BUILDING</b> 2277 W HOWARD CHICAGO, IL 60645  <a href="#">Click here for full text details</a>	IL UST	U003877569 N/A
--	---	--------	-------------------

**IL UST**  
 Status EXEMPT  
 Facility Id 2041412  
 Tank Status Removed

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**K54**      **CUSTER TRUST**      **UST FINDER RELEASE**      **1028989239**  
**NNE**      **325-327 CUSTER AVENUE**      **N/A**  
 1/4-1/2      **EVANSTON, IL 0**  
 0.274 mi.  
 1447 ft.

[Click here for full text details](#)

Relative:  
 Lower

**K55**      **CUSTER TRUST**      **IL LUST**      **S121171927**  
**NNE**      **325-327 CUSTER AVENUE**      **N/A**  
 1/4-1/2      **EVANSTON, IL 60202**  
 0.274 mi.  
 1447 ft.

[Click here for full text details](#)

Relative:  
 Lower

**IL LUST**  
 NFA/NFR Letter 7/27/2021  
 Incident Num 20170922  
 IL EPA Id 0310815375

**L56**      **Z.I.F. ENTERPRISES, INC.**      **UST FINDER RELEASE**      **1028989183**  
**ESE**      **555 HOWARD STREET**      **N/A**  
 1/4-1/2      **EVANSTON, IL 0**  
 0.291 mi.  
 1536 ft.

[Click here for full text details](#)

Relative:  
 Higher

**L57**      **ZIF ENTERPRISES, INC.**      **IL LUST**      **S115771061**  
**ESE**      **555 HOWARD STREET**      **IL SPILLS**      **N/A**  
 1/4-1/2      **EVANSTON, IL 60202**  
 0.291 mi.  
 1536 ft.

[Click here for full text details](#)

Relative:  
 Higher

**IL LUST**  
 Incident Num 20191114  
 IL EPA Id 0310815156

**IL SPILLS**  
 Incident ID 20180751  
 Incident ID 20191114

**L58**      **H. C. MINIMART, INC.**      **IL LUST**      **S109699983**  
**ESE**      **555 HOWARD STREET**      **IL LUST TRUST**      **N/A**  
 1/4-1/2      **EVANSTON, IL 60202**      **IL SPILLS**  
 0.291 mi.           **IL BOL**  
 1536 ft.

[Click here for full text details](#)

Relative:  
 Higher

**IL LUST**  
 NFA/NFR Letter 10/5/2018  
 Incident Num 20090670

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**H. C. MINIMART, INC. (Continued)**

**S109699983**

IL EPA Id 0310815156

**IL LUST TRUST**

Incident Number 20090670-66229

**IL SPILLS**

Incident ID 20090670

Incident ID 20090678

**IL BOL**

Site Id 170000310802

Inv Num 0310815156

**M59**  
**NNE**  
1/4-1/2  
0.296 mi.  
1563 ft.

**KASECO MGT.**  
**335 CUSTER AVE.**  
**EVANSTON, IL 0**

**UST FINDER RELEASE** **1028989195**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**M60**  
**NNE**  
1/4-1/2  
0.296 mi.  
1563 ft.

**KASECO**  
**335 CUSTER AVENUE**  
**EVANSTON, IL 60201**

**IL LUST** **S104491261**  
**IL ENG CONTROLS** **N/A**  
**IL INST CONTROL**  
**IL SRP**  
**IL BOL**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**

Incident Num 980608

IL EPA Id 0310815204

**IL ENG CONTROLS**

Illinois Epa Id 0310815204

**IL INST CONTROL**

Illinois EPA Id 0310815204

**IL SRP**

IL EPA Id 0310815204

**IL BOL**

Site Id 170000451838

Inv Num 0310815204

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
61 East 1/4-1/2 0.304 mi. 1606 ft.	<b>MOBIL GAS STATION</b> 140 CHICAGO AVE EVANSTON, IL 60204  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS IL BOL	S113257706 N/A
Relative: Higher	<b>IL LUST</b> NFA/NFR Letter 12/12/2023 Incident Num 20190941 IL EPA Id 0310815324  <b>IL SPILLS</b> Incident ID 20190941  <b>IL BOL</b> Site Id 170001880007 Inv Num 0310815324		
N62 SSE 1/4-1/2 0.304 mi. 1607 ft.	<b>NEW HORIZONS MGT.</b> 7409-7413 SEELEY CHICAGO, IL 60645  <a href="#">Click here for full text details</a>	IL LUST	S104529089 N/A
Relative: Lower	<b>IL LUST</b> Incident Num 982383 IL EPA Id 0316025070		
N63 SSE 1/4-1/2 0.304 mi. 1607 ft.	<b>NEW HORIZONS MGT.</b> 7409-7413 SEELEY CHICAGO, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028993198 N/A
Relative: Lower			
O64 West 1/4-1/2 0.306 mi. 1618 ft.	<b>WHOLESALE OIL CO.</b> 1201 WEST HOWARD ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989163 N/A
Relative: Higher			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
O65 West 1/4-1/2 0.306 mi. 1618 ft.	<b>WHOLESALE OIL CO.</b> <b>1201 WEST HOWARD ST.</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	IL LUST	S104521998 N/A
Relative: Higher	<b>IL LUST</b> NFA/NFR Letter 12/12/2002 Incident Num 961193 IL EPA Id 0310815115		
O66 WSW 1/4-1/2 0.314 mi. 1656 ft.	<b>WHOLESALE OIL CO.</b> <b>1201 WEST HOWARD &amp; BARTON</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989162 N/A
Relative: Higher			
O67 WSW 1/4-1/2 0.314 mi. 1658 ft.	<b>WHOLESALE OIL CO.</b> <b>1201 WEST HOWARD &amp; BARTON</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	IL LUST	S104002517 N/A
Relative: Higher	<b>IL LUST</b> NFA/NFR Letter 12/12/2002 Incident Num 861113A IL EPA Id 0310815115		
P68 East 1/4-1/2 0.315 mi. 1665 ft.	<b>CHICAGO AVE EVANSTON, LLC</b> <b>124-132 CHICAGO AVENUE</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS	S118194018 N/A
Relative: Higher	<b>IL LUST</b> Incident Num 20150723 IL EPA Id 0310815370  <b>IL SPILLS</b> Incident ID 20150723		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
P69 East 1/4-1/2 0.315 mi. 1665 ft.  Relative: Higher	CHICAGO AVE EVANSTON, LLC 124-132 CHICAGO AVENUE EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989237 N/A
Q70 ESE 1/4-1/2 0.332 mi. 1755 ft.  Relative: Higher	100 CHICAGO AVE, LLC 100-122 CHICAGO AVENUE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST	S128884682 N/A
Q71 ESE 1/4-1/2 0.332 mi. 1755 ft.  Relative: Higher	EVANSTON GATEWAY, LLC 100-122 CHICAGO AVENUE EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989240 N/A
Q72 ESE 1/4-1/2 0.332 mi. 1755 ft.  Relative: Higher	100 CHICAGO AVE, LLC 100-122 CHICAGO AVENUE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST	S128884684 N/A
73 SSE 1/4-1/2 0.342 mi. 1806 ft.  Relative: Lower	DETWEILER, ELAINE 7372 NORTH WINCHESTER CHICAGO, IL 60626  <a href="#">Click here for full text details</a>	IL LUST	S108048236 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
R74 NE 1/4-1/2 0.351 mi. 1851 ft.  Relative: Higher	CATHOLIC BISHOP OF CHICAGO CORP. SOL 301 CHICAGO AVE. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989152 N/A
R75 NE 1/4-1/2 0.351 mi. 1851 ft.  Relative: Higher	CATHOLIC BISHOP OF CHICAGO CORP. SOL 301 CHICAGO AVE. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST	S105815798 N/A
S76 West 1/4-1/2 0.352 mi. 1859 ft.  Relative: Higher	CVS 4778 1227 HOWARD ST EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S105743953 N/A
S77 West 1/4-1/2 0.352 mi. 1859 ft.  Relative: Higher	CVS #4778 1227 HOWARD STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989210 N/A
T78 ENE 1/4-1/2 0.355 mi. 1873 ft.  Relative: Lower	BRB DEVELOPMENT, LLC 1832 WEST JUNEWAY TERRACE CHICAGO, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028993168 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

<b>T79</b> <b>ENE</b> <b>1/4-1/2</b> <b>0.355 mi.</b> <b>1873 ft.</b>  <b>Relative:</b> <b>Lower</b>	<b>BRB DEVELOPMENT, LLC, FORMER</b> <b>1832 WEST JUNEWAY TERRACE</b> <b>CHICAGO, IL 60626</b>  <a href="#">Click here for full text details</a>  <b>IL LUST</b> Incident Num 20151095 IL EPA Id 0316015116	<b>IL LUST</b>	<b>S118455676</b> <b>N/A</b>
---	--	----------------	---------------------------------

<b>80</b> <b>West</b> <b>1/4-1/2</b> <b>0.359 mi.</b> <b>1895 ft.</b>  <b>Relative:</b> <b>Higher</b>	<b>CVS PHARMACY 4778</b> <b>101 ASBURY ST</b> <b>EVANSTON, IL 60202</b>  <a href="#">Click here for full text details</a>  <b>IL ENG CONTROLS</b> Illinois Epa Id 0310815248  <b>IL INST CONTROL</b> Illinois EPA Id 0310815248  <b>IL SRP</b> IL EPA Id 0310815248  <b>IL BOL</b> Site Id 170000452178 Inv Num 0310815248	<b>IL ENG CONTROLS</b> <b>IL INST CONTROL</b> <b>IL SRP</b> <b>IL BOL</b> <b>IL HWAR</b>	<b>S105521097</b> <b>N/A</b>
--	---	--	---------------------------------

<b>81</b> <b>ESE</b> <b>1/4-1/2</b> <b>0.365 mi.</b> <b>1927 ft.</b>  <b>Relative:</b> <b>Higher</b>	<b>SWC CLARK AND HOWARD-IL, LLC</b> <b>7516 NORTH CLARK STREET</b> <b>CHICAGO, IL 60626</b>  <a href="#">Click here for full text details</a>  <b>IL ENG CONTROLS</b> Illinois Epa Id 0316015100  <b>IL INST CONTROL</b> Illinois EPA Id 0316015100  <b>IL SRP</b> IL EPA Id 0316015100	<b>IL ENG CONTROLS</b> <b>IL INST CONTROL</b> <b>IL SRP</b>	<b>S109027386</b> <b>N/A</b>
---	--	---	---------------------------------

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
82 NNE 1/4-1/2 0.367 mi. 1936 ft.	406 NORTH CALLAN PARTNERSHIP 406 NORTH CALLAN ST. EVANSTON, IL 0	UST FINDER RELEASE	1028989196 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
U83 NNE 1/4-1/2 0.367 mi. 1939 ft.	406 NORTH CALLAN PARTNERSHIP 406 NORTH CALLAN ST. EVANSTON, IL 60202	IL LUST	S104528559 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
	IL LUST NFA/NFR Letter 7/28/1998 Incident Num 980494 IL EPA Id 0310815205		
84 East 1/4-1/2 0.373 mi. 1970 ft.	HOWARD STREET STATION 413-421 HOWARD STREET EVANSTON, IL 60201	IL ENG CONTROLS IL INST CONTROL IL SRP IL BOL	S107543201 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
	IL ENG CONTROLS Illinois Epa Id 0310815285		
	IL INST CONTROL Illinois EPA Id 0310815285		
	IL SRP IL EPA Id 0310815285		
	IL BOL Site Id 170001621421 Inv Num 0310815285		
U85 NNE 1/4-1/2 0.380 mi. 2004 ft.	CUSTER CORP. 417-425 CUSTER AVE. EVANSTON, IL 60202	IL LUST	S104968005 N/A
Relative: Lower	<a href="#">Click here for full text details</a>		
	IL LUST Incident Num 20010715 IL EPA Id 0310815237		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
U86 NNE 1/4-1/2 0.380 mi. 2004 ft.  Relative: Lower	CUSTER CORP. 417-425 CUSTER AVE. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989206 N/A
V87 South 1/4-1/2 0.411 mi. 2169 ft.  Relative: Higher	BLAGOJEVIC, DRAGIC 7320-7330 NORTH RIDGE AVE. CHICAGO, IL 60660  <a href="#">Click here for full text details</a>  IL LUST NFA/NFR Letter 8/29/2005 Incident Num 20001797 IL EPA Id 0316775081	IL LUST	S104792774 N/A
V88 South 1/4-1/2 0.411 mi. 2169 ft.  Relative: Higher	BLAGOJEVIC, DRAGIC 7320-7330 NORTH RIDGE AVE. CHICAGO, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028996722 N/A
89 WSW 1/4-1/2 0.412 mi. 2175 ft.  Relative: Higher	RREEF FUNDS 7562 NORTH WESTERN AVENUE CHICAGO, IL 60645  <a href="#">Click here for full text details</a>  IL INST CONTROL Illinois EPA Id 0316025024  IL SRP IL EPA Id 0316025024	IL INST CONTROL IL SRP	S104491507 N/A
W90 West 1/4-1/2 0.445 mi. 2347 ft.  Relative: Higher	WEST SUBURBAN TRUST #3420 139 NORTH ASHLAND EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989189 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
W91 West 1/4-1/2 0.445 mi. 2347 ft.	WEST SUBURBAN TRUST #3420 139 NORTH ASHLAND EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST	S104522275 N/A
Relative: Higher	IL LUST NFA/NFR Letter 3/4/2004 Incident Num 952503 IL EPA Id 0310815180		
X92 SSE 1/4-1/2 0.472 mi. 2494 ft.	DUBIN RESIDENTIAL 7242 NORTH DAMEN CHICAGO, IL 60645  <a href="#">Click here for full text details</a>	IL LUST	S105060127 N/A
Relative: Lower	IL LUST NFA/NFR Letter 5/30/2002 Incident Num 20011407 IL EPA Id 0316025086		
X93 SSE 1/4-1/2 0.472 mi. 2494 ft.	DUBIN RESIDENTIAL 7242 NORTH DAMEN CHICAGO, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028993201 N/A
Relative: Lower			
94 SE 1/4-1/2 0.477 mi. 2517 ft.	WALGREEN STORE # 01308 7410 NORTH CLARK STREET CHICAGO, IL 60626  <a href="#">Click here for full text details</a>	IL SRP	S104491505 N/A
Relative: Lower	IL SRP IL EPA Id 0316015072		
95 SW 1/4-1/2 0.483 mi. 2548 ft.	LYNN CLEANERS, INC. 7401 NORTH WESTERN AVENUE CHICAGO, IL 60645  <a href="#">Click here for full text details</a>	IL ENG CONTROLS IL INST CONTROL IL SRP	S107926230 N/A
Relative: Higher	IL ENG CONTROLS Illinois Epa Id 0316025002  IL INST CONTROL Illinois EPA Id 0316025002		

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LYNN CLEANERS, INC. (Continued)

S107926230

**IL SRP**

IL EPA Id 0316025002

96  
NW  
1/4-1/2  
0.493 mi.  
2601 ft.

**IMPACT BEHAVIORAL HEALTH PARTNERS**  
1304 KIRK ST  
EVANSTON, IL 60202

**IL INST CONTROL**  
IL SRP  
IL BOL

S123818225  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL INST CONTROL**

Illinois EPA Id 0310815386

**IL SRP**

IL EPA Id 0310815386

**IL BOL**

Site Id 170002365633  
Inv Num 0310815386

97  
SE  
1/2-1  
0.558 mi.  
2946 ft.

**EPHRAIM WERNER CARE OF SID GOLDSTEIN**  
7334 N CLARK  
CHICAGO, IL 60626

**CORRACTS**  
RCRA-TSDF  
RCRA NonGen / NLR  
RAATS

1000289287  
ILD005474143

[Click here for full text details](#)

Relative:  
Higher

**CORRACTS**

EPA ID: ILD005474143

**RCRA-TSDF**

EPA Id ILD005474143

**RCRA NonGen / NLR**

EPA Id ILD005474143

**RAATS**

Status 02  
Facility ID ILD005474143

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
IL	AIRS	Air Inventory Listing	Illinois EPA	07/01/2024	07/02/2024	09/25/2024
IL	ASBESTOS	Asbestos Notification Tracker Information	Illinois EPA	06/21/2024	06/26/2024	09/16/2024
IL	AST	Above Ground Storage Tanks	State Fire Marshal	08/08/2024	08/13/2024	10/29/2024
IL	BOL	Bureau of Land Inventory Database	Illinois Environmental Protection Agency	10/16/2023	04/23/2024	07/16/2024
IL	BROWNFIELDS	Redevelopment Assessment Database	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	BROWNFIELDS	Municipal Brownfields Redevelopment Grant Program Project De	Illinois Environmental Protection Agency	02/11/2010	07/31/2014	09/08/2014
IL	CCDD	Clean Construction or Demolition Debris	Illinois EPA	03/28/2024	07/02/2024	09/24/2024
IL	CDL	Meth Drug Lab Site Listing	Department of Public Health	07/05/2024	07/08/2024	09/27/2024
IL	COAL ASH	Coal Ash Site Listing	Illinois EPA	10/01/2011	03/09/2012	04/10/2012
IL	DRYCLEANERS	Illinois Licensed Drycleaners	Drycleaner Environmental Response Trust Fund	07/02/2024	08/12/2024	10/29/2024
IL	ENG CONTROLS	Sites with Engineering Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	FIN ASSURANCE	Financial Assurance Information Listing	Illinois Environmental Protection Agency	08/28/2024	09/12/2024	11/25/2024
IL	HWAR	Hazard Waste Annual Report	Illinois EPA	12/31/2019	05/11/2021	08/02/2021
IL	IEMA SPILLS	Illinois Emergency Management Agency Spills	Illinois Emergency Management Agency	07/22/2024	07/23/2024	10/11/2024
IL	IL NIPC	Solid Waste Landfill Inventory	Northeastern Illinois Planning Commission	08/01/1988	04/07/2022	07/01/2022
IL	IMPDMENT	Surface Impoundment Inventory	Illinois Waste Management & Research Center	12/31/1980	03/08/2002	06/03/2002
IL	Inst Control	Institutional Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	LF SPECIAL WASTE	Special Waste Site List	Illinois EPA	01/01/1990	06/17/2009	07/15/2009
IL	LF WMRC	Waste Management & Research Center Landfill Database	Department of Natural Resources	12/31/2001	10/06/2006	11/06/2006
IL	LUST	Leaking Underground Storage Tank Sites	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	LUST TRUST	Underground Storage Tank Fund Payment Priority List	Illinois EPA	06/06/2016	07/27/2016	10/18/2016
IL	NPDES	A Listing of Active Permits	Illinois EPA	04/16/2014	04/18/2014	05/20/2014
IL	PFAS	PFAS Sampling Listing	Illinois Environmental Protection Agency	12/15/2023	12/27/2023	12/29/2023
IL	PIMW	Potentially Infectious Medical Waste	Illinois EPA	09/09/2024	09/11/2024	11/19/2024
IL	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Natural Resources		07/01/2013	12/30/2013
IL	RGA LF	Recovered Government Archive Solid Waste Facilities List	Illinois Environmental Protection Agency		07/01/2013	01/10/2014
IL	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	Illinois Environmental Protection Agency		07/01/2013	12/30/2013
IL	SPILLS	State spills	Illinois EPA	05/06/2024	07/02/2024	09/24/2024
IL	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	07/18/2012	01/03/2013	03/15/2013
IL	SRP	Site Remediation Program Database	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	SSU	State Sites Unit Listing	Illinois Environmental Protection Agency	01/31/2024	01/31/2024	02/13/2024
IL	SWF/LF	Available Disposal for Solid Waste in Illinois - Solid Waste	Illinois Environmental Protection Agency	12/31/2022	10/17/2023	01/08/2024
IL	TIER 2	Tier 2 Information Listing	Illinois Emergency Management Agency	12/31/2023	05/07/2024	08/01/2024
IL	UIC	Underground Injection Wells	Illinois EPA	02/15/2024	05/22/2024	08/19/2024
IL	UST	Underground Storage Tank Facility List	Illinois State Fire Marshal	07/15/2024	07/16/2024	09/27/2024
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	09/10/2024	09/11/2024	11/19/2024
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	10/13/2024	10/16/2024	10/23/2024
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2021	03/09/2023	03/20/2023
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2022	11/27/2023	02/22/2024
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/30/2024	07/08/2024	09/26/2024
US	CORRACTS	Corrective Action Report	EPA	06/03/2024	06/07/2024	06/20/2024
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DOT OPS	Incident and Accident Data	Department of Transportation, Office of Pipeli	01/02/2020	01/28/2020	04/17/2020
US	Delisted NPL	National Priority List Deletions	EPA	09/25/2024	10/01/2024	10/23/2024
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	07/24/2023	04/18/2024	06/06/2024
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	06/23/2024	06/28/2024	07/12/2024
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	06/11/2024	06/17/2024	09/04/2024
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	06/07/2024	06/25/2024	09/19/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	03/15/2024	03/19/2024	06/17/2024
US	FINDS	Facility Index System/Facility Registry System	EPA	08/13/2024	08/20/2024	08/28/2024
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	07/31/2024	08/12/2024	10/09/2024
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	08/13/2024	08/13/2024	10/09/2024
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	06/14/2024	06/17/2024	06/24/2024
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Services, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LUCIS	Land Use Control Information System	Department of the Navy	07/15/2024	07/17/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	MINES MRDS	Mineral Resources Data System	USGS	08/23/2022	11/22/2022	02/28/2023
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	10/01/2024	10/02/2024	10/09/2024
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	09/25/2024	10/01/2024	10/23/2024
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	05/23/2024	07/02/2024	09/26/2024
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	09/25/2024	10/01/2024	10/23/2024
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RMP	Risk Management Plans	Environmental Protection Agency	07/12/2024	07/17/2024	10/09/2024
US	ROD	Records Of Decision	EPA	10/24/2024	11/01/2024	11/19/2024
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	09/25/2024	10/01/2024	10/23/2024
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	09/25/2024	10/01/2024	10/23/2024
US	SSTS	Section 7 Tracking Systems	EPA	07/11/2024	07/11/2024	07/12/2024
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2022	11/13/2023	02/07/2024
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	05/08/2024	08/14/2024	08/28/2024
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	06/10/2024	06/11/2024	09/04/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	06/10/2024	06/17/2024	09/04/2024
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/06/2024	08/14/2024	08/15/2024
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protection Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protection	08/05/2024	08/06/2024	10/25/2024
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
IL	Daycare Centers	Sensitive Receptor: Homes & Centers Listing	Department of Children & Family Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
IL	State Wetlands	Wetland Inventory	Illinois State Geological Survey			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

9826-S ELMWOOD AVE FROM HOWARD ST TO BRUMMEL ST  
ELMWOOD AVENUE AND HOWARD STREET  
EVANSTON, IL 60202

### **TARGET PROPERTY COORDINATES**

Latitude (North):	42.020439 - 42° 1' 13.58"
Longitude (West):	87.682785 - 87° 40' 58.03"
Universal Transverse Mercator:	Zone 16
UTM X (Meters):	443469.8
UTM Y (Meters):	4652057.5
Elevation:	606 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	24185589 EVANSTON, IL
Version Date:	2021

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
17031C0270J	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
17031C0265J	FEMA FIRM Flood data

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EVANSTON	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### **Site-Specific Hydrogeological Data\*:**

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
5	1/4 - 1/2 Mile WSW	N
11	1/2 - 1 Mile South	E
E15	1/2 - 1 Mile North	Not Reported
H28	1/2 - 1 Mile East	Not Reported
1G	1/2 - 1 Mile North	Not Reported
2G	1/4 - 1/2 Mile WSW	N
3G	1/2 - 1 Mile East	Not Reported
4G	1/2 - 1 Mile South	E

For additional site information, refer to Physical Setting Source Map Findings.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

## GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

### **ROCK STRATIGRAPHIC UNIT**

Era: Paleozoic  
System: Silurian  
Series: Middle Silurian (Niagoaran)  
Code: S2 *(decoded above as Era, System & Series)*

### **GEOLOGIC AGE IDENTIFICATION**

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

## DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBANLAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Bedrock Max: > 0 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	60 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

**OTHER SOIL TYPES IN AREA**

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
fine sandy loam  
loam  
fine sand

Surficial Soil Types: silt loam  
fine sandy loam  
loam  
fine sand

Shallow Soil Types: sandy loam

Deeper Soil Types: silt loam  
sand  
loamy sand  
loam

**LOCAL / REGIONAL WATER AGENCY RECORDS**

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

**WELL SEARCH DISTANCE INFORMATION**

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

**FEDERAL USGS WELL INFORMATION**

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
29	IL3103143	1/2 - 1 Mile NNW

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	ILSG40000064462	1/8 - 1/4 Mile NE
A2	ILSG40000064461	1/8 - 1/4 Mile NE
B3	ILSG40000064458	1/4 - 1/2 Mile ENE
B4	ILSG40000064456	1/4 - 1/2 Mile NE
B6	ILSG40000064459	1/4 - 1/2 Mile ENE
B7	ILSG40000064460	1/4 - 1/2 Mile ENE
B8	ILSG40000064457	1/4 - 1/2 Mile ENE
C9	ILSG40000059785	1/4 - 1/2 Mile East
C10	ILSG40000059786	1/4 - 1/2 Mile ESE
D12	ILSG40000059059	1/2 - 1 Mile East
D13	ILSG40000059060	1/2 - 1 Mile East
D14	ILSG40000059061	1/2 - 1 Mile East
E16	ILSG40000062935	1/2 - 1 Mile NNE
E17	ILSG40000062936	1/2 - 1 Mile NNE
18	ILPW8889	1/2 - 1 Mile SSE
F19	ILSG40000059864	1/2 - 1 Mile WSW
F20	ILSG40000059863	1/2 - 1 Mile WSW
F21	ILSG40000059865	1/2 - 1 Mile WSW
F22	ILSG40000059866	1/2 - 1 Mile WSW
G23	ILSG40000060673	1/2 - 1 Mile ESE
F24	ILSG40000059862	1/2 - 1 Mile WSW
G25	ILSG40000060674	1/2 - 1 Mile ESE
26	ILSG40000036131	1/2 - 1 Mile SSE
H27	ILSG40000045917	1/2 - 1 Mile East
I30	ILSG40000060771	1/2 - 1 Mile SE
I31	ILSG40000060772	1/2 - 1 Mile SE
I32	ILSG40000060773	1/2 - 1 Mile SE
J33	ILSG40000060132	1/2 - 1 Mile NNE
K34	ILSG40000059556	1/2 - 1 Mile ESE
J35	ILSG40000060130	1/2 - 1 Mile NNE
J36	ILSG40000060133	1/2 - 1 Mile NNE
K37	ILSG40000059557	1/2 - 1 Mile ESE
38	ILPW8888	1/2 - 1 Mile South
J39	ILSG40000060131	1/2 - 1 Mile NNE
I40	ILSG40000060770	1/2 - 1 Mile ESE
41	ILPW8887	1/2 - 1 Mile NNW

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY


## STATE DATABASE WELL INFORMATION

MAP ID

WELL ID

LOCATION  
FROM TP

# PHYSICAL SETTING SOURCE MAP - 7841921.77s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: 9826-S Elmwood Ave From Howard St To Brummel St  
 ADDRESS: Elmwood Avenue and Howard Street  
 Evanston IL 60202  
 LAT/LONG: 42.020439 / 87.682785

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.77s  
 DATE: December 06, 2024 1:06 pm

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
A1 NE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064462
A2 NE 1/8 - 1/4 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064461
B3 ENE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064458
B4 NE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064456
5 WSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	24915
B6 ENE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064459
B7 ENE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064460
B8 ENE 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064457

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
C9 East 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059785
C10 ESE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059786
11 South 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62739
D12 East 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059059
D13 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059060
D14 East 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059061
E15 North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	25728
E16 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062935
E17 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062936

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
18 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8889
F19 WSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059864
F20 WSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059863
F21 WSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059865
F22 WSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059866
G23 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060673
F24 WSW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059862
G25 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060674
26 SSE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000036131

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
H27 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000045917
H28 East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62132
29 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	FRDS PWS	IL3103143
I30 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060771
I31 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060772
I32 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060773
J33 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060132
K34 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059556
J35 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060130

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
J36 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060133
K37 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059557
38 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8888
J39 NNE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060131
I40 ESE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060770
41 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8887
1G North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	25728
2G WSW 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	24915
3G East 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62132

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database

EDR ID Number

4G  
South  
1/2 - 1 Mile  
Lower

[Click here for full text details](#)

AQUIFLOW

62739

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: IL Radon

### Radon Test Results

Zipcode	Result
60202	2.3
60202	1.3
60202	0.6
60202	1.1
60202	1.7
60202	0.9
60202	0.6
60202	1.5
60202	0.7
60202	1.3
60202	1.7
60202	1
60202	0.7
60202	0.8
60202	1.1
60202	1.1
60202	0.9
60202	0.9
60202	0.2
60202	2.3
60202	1
60202	2.7

Federal EPA Radon Zone for COOK County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.  
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.  
 : Zone 3 indoor average level < 2 pCi/L.

---

### Federal Area Radon Information for COOK COUNTY, IL

Number of sites tested: 82

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.273 pCi/L	96%	4%	0%
Living Area - 2nd Floor	0.900 pCi/L	100%	0%	0%
Basement	1.740 pCi/L	93%	7%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Illinois State Geological Survey

Telephone: 217-333-4747

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## OTHER STATE DATABASE INFORMATION

### Oil and Gas Wells Listing

Source: Illinois State Geological Survey

Telephone: 217-333-5109

Oil and gas wells location points from the Illinois State Geological Survey database.

### Water Well Records

Source: Illinois Geological Survey

Telephone: 217-333-4747

### Illinois Private Well Database and PICS (Public, Industrial, Commercial Survey)

Source: Illinois State Water Survey

Telephone: 217-333-9043

### Water Well Location Information

Source: Illinois Environmental Protection Agency

Telephone: 217-782-0810

## RADON

### State Database: IL Radon

Source: Department of Nuclear Safety

Telephone: 217-785-9958

County Radon Results

### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration


Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix B**  
Sample Location Map

2025 MFT Street Resurfacing Projects  
Elmwood Avenue from Howard Street to Brummel Street  
INTERRA Project No. 9826  
Date: 12/19/2024



## **Appendix C**

### Analytical Test Reports

January 13, 2025

INTERRA, Inc.  
INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

RE: 9826 - Evanston Geotech and Environmental 2024  
AAL1406

Metiri Analytical Group Inc, - Geneva received sample(s) on 12/20/2024 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,



Daniel Galeher  
Project Manager



INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

## Notes and Definitions

Item	Definition
------	------------

J	Analyte detected below quantitation limit (QL)
S	Spike Recovery outside accepted recovery limits
U	Analyte included in the analysis, but not detected

General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS: (Surrogate Standard): Quality control compound added to the sample by the lab.
- LA: Lab Accident - No valid data to report.
- VO: Insufficient Volume provided
- BR: Received broken
- IP: Invalid Sampling

Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater



Illinois Department of Public Health Accredited #17585

Illinois Environmental Protection Agency Accredited #100225

# Table of Contents

Qualifiers and Definitions	2
Sample Results	5
Chain of Custody	11

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

### Samples in this Report

<b>Lab ID</b>	<b>Sample</b>	<b>Matrix</b>	<b>Date Sampled</b>	<b>Date Received</b>
AAL1406-01	Elmwood HB-PC-01	Solid	12/19/2024 12:15	12/20/2024

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

## Sample Results

**Sample: Elmwood HB-PC-01**  
**AAL1406-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.029	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.016	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.017	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.012	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.118	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.121	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2,4-Dichlorophenol	ND	0.113	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2,4-Dimethylphenol	ND	0.181	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2,4-Dinitrophenol	ND	0.238	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.020	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.017	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2-Chloronaphthalene	ND	0.019	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2-Chlorophenol	ND	0.107	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2-Methylnaphthalene	ND	0.020	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2-Nitroaniline	ND	0.125	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
2-Nitrophenol	ND	0.127	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.111	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
3-Nitroaniline	ND	0.057	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.111	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.020	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.116	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
4-Chloroaniline	ND	0.089	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.015	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
4-Nitroaniline	ND	0.073	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
4-Nitrophenol	ND	0.102	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Acenaphthene	ND	0.018	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Acenaphthylene	ND	0.016	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Aniline	ND	0.077	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Anthracene	ND	0.014	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Azobenzene	ND	0.011	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Benzidine	ND	0.079	0.938	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Benzo(a)anthracene	ND	0.011	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Benzo(a)pyrene	ND	0.015	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Benzo(b)fluoranthene	0.015 J	0.015	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Benzo(g,h,i)perylene	ND	0.018	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Benzo(k)fluoranthene	ND	0.012	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Benzoic acid	ND	0.128	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Benzyl alcohol	ND	0.139	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.021	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.033	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.027	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Bis(2-ethylhexyl)phthalate	ND	0.133	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Butyl benzyl phthalate	ND	0.132	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Carbazole	ND	0.015	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Chrysene	ND	0.015	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

**Sample Results**  
**(Continued)**

**Sample: Elmwood HB-PC-01 (Continued)**  
**AAL1406-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**SVOC (Continued)**

Dibenzo(a,h)anthracene	ND	0.019	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Dibenzofuran	ND	0.017	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Diethyl phthalate	ND	0.110	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Dimethyl phthalate	ND	0.123	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Di-n-butyl phthalate	ND	0.102	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Di-n-octyl phthalate	ND	0.148	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Fluoranthene	0.020 J	0.012	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Fluorene	ND	0.017	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Hexachlorobenzene	ND	0.121	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Hexachlorobutadiene	ND	0.116	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.098	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Hexachloroethane	ND	0.109	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	ND	0.002	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Isophorone	ND	0.002	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
m,p-Cresol	ND	0.027	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Naphthalene	ND	0.017	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
n-Decane	ND	0.123	0.250	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Nitrobenzene	ND	0.014	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
N-nitrosodimethylamine	ND	0.020	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.018	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.031	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
n-Octadecane	ND	0.125	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
O-Cresol	ND	0.026	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Pentachlorophenol	ND	0.197	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Phenanthrene	0.019 J	0.015	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Phenol	ND	0.114	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Pyrene	0.017 J	0.016	0.075	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384
Pyridine	ND	0.078	0.375	mg/kg dry	12/19/24 12:15	01/09/25	1	8270C	BAL1384

Surrogate: 2,4,6-Tribromophenol	63%	38-105	01/09/25	1	8270C
Surrogate: 2-Fluorobiphenyl	71%	40-110	01/09/25	1	8270C
Surrogate: 2-Fluorophenol	67%	41-105	01/09/25	1	8270C
Surrogate: 4-Terphenyl-d14	77%	26-133	01/09/25	1	8270C
Surrogate: Nitrobenzene-d5	65%	27-129	01/09/25	1	8270C
Surrogate: Phenol-d5	69%	43-105	01/09/25	1	8270C

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Semivolatile Organics - Prep EPA 3546**

4,4'-DDD	ND	0.000431	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
4,4'-DDE	ND	0.000453	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
4,4'-DDT	ND	0.00119	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Aldrin	ND	0.000215	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
alpha-BHC	ND	0.000374	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
alpha-Chlordane	ND	0.000204	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
beta-BHC	ND	0.000363	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.  
No duplication of this report is allowed, except in its entirety.

INTERRA, Inc. 600 Territorial Drive, Suite G Bolingbrook, IL 60440	Project: INTERRA - Soil Project Number: 9826 - Evanston Geotech and Environmental 2024 Project Manager: INTERRA, Inc.	Reported: 01/13/2025 14:26
--	---	----------------------------

**Sample Results**  
(Continued)

**Sample: Elmwood HB-PC-01 (Continued)**  
**AAL1406-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Semivolatile Organics - Prep EPA 3546 (Continued)**

Chlordane, Technical	ND	0.0223	0.0377	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
delta-BHC	ND	0.000215	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Dieldrin	ND	0.000465	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Endosulfan I	ND	0.000181	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Endosulfan II	ND	0.000385	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Endosulfan sulfate	ND	0.000397	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Endrin	ND	0.000487	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Endrin aldehyde	ND	0.000442	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Endrin ketone	ND	0.000521	0.00151	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
gamma-BHC	ND	0.000238	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
gamma-Chlordane	ND	0.000272	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Heptachlor	ND	0.000351	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Heptachlor epoxide	ND	0.000181	0.000756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Methoxychlor	ND	0.00702	0.00756	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
Toxaphene	ND	0.0451	0.0944	mg/kg dry	12/19/24 12:15	01/10/25	1	8081	BBA0004
<i>Surrogate: Decachlorobiphenyl</i>		<i>70%</i>	<i>29-133</i>			<i>01/10/25</i>	<i>1</i>	<i>8081</i>	
<i>Surrogate: Tetrachloro-m-xylene</i>		<i>63%</i>	<i>36-118</i>			<i>01/10/25</i>	<i>1</i>	<i>8081</i>	
AROCLOR 1016	ND	0.004	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
AROCLOR 1221	ND	0.004	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
AROCLOR 1232	ND	0.003	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
AROCLOR 1242	ND	0.003	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
AROCLOR 1248	ND	0.004	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
AROCLOR 1254	ND	0.004	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
AROCLOR 1260	ND	0.007	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
AROCLOR 1262	ND	0.004	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
AROCLOR 1268	ND	0.002	0.019	mg/kg dry	12/19/24 12:15	01/10/25	1	8082	BBA0004
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		<i>96%</i>	<i>20-142</i>			<i>01/10/25</i>	<i>1</i>	<i>8082</i>	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		<i>77%</i>	<i>22-123</i>			<i>01/10/25</i>	<i>1</i>	<i>8082</i>	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Metals - CVAA**

Mercury	0.205	0.0431	0.0941	mg/kg dry	12/19/24 12:15	01/06/25	1	7471B	BBA0136
---------	-------	--------	--------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Wet Chemistry**

pH	8.73	0.100	0.100	pH Units	12/19/24 12:15	12/21/24	1	SW 9045D	BAL1178
Temperature	21.4	1.00	1.00	pH Units	12/19/24 12:15	12/21/24	1	SW 9045D	BAL1178
Percent Moisture	12	0.10	0.10	%	12/19/24 12:15	12/26/24	1	ASTM-D2216	BAL1235

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics - Prep EPA 5035**

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document. No duplication of this report is allowed, except in its entirety.

INTERRA, Inc. 600 Territorial Drive, Suite G Bolingbrook, IL 60440	Project: INTERRA - Soil Project Number: 9826 - Evanston Geotech and Environmental 2024 Project Manager: INTERRA, Inc.	Reported: 01/13/2025 14:26
--	---	----------------------------

**Sample Results**  
(Continued)

**Sample: Elmwood HB-PC-01 (Continued)**  
**AAL1406-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics - Prep EPA 5035 (Continued)**

1,1,1-Trichloroethane	ND	0.000403	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
1,1,2,2-Tetrachloroethane	ND	0.000524	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
1,1,2-Trichloroethane	ND	0.000504	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
1,1-Dichloroethane	ND	0.000454	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
1,1-Dichloroethene	ND	0.000484	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
1,2-Dichloroethane	ND	0.000333	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
1,2-Dichloropropane	ND	0.00165	0.00504	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
2-Butanone	0.00459 J	0.00239	0.0202	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
2-Hexanone	ND	0.000746	0.0252	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
4-Methyl-2-pentanone	ND	0.000756	0.0252	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Acetone	ND	0.00535	0.0252	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Benzene	ND	0.000313	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Bromoform	ND	0.00165	0.00504	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Bromomethane	ND	0.000464	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Carbon disulfide	ND	0.00151	0.00504	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Carbon tetrachloride	ND	0.000393	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Chlorobenzene	ND	0.000292	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Chloroethane	ND	0.00277	0.00504	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Chloroform	ND	0.000454	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Chloromethane	ND	0.00388	0.00504	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
cis-1,2-Dichloroethene	ND	0.000383	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
cis-1,3-dichloropropene	ND	0.000252	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Dibromochloromethane	ND	0.000434	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Ethylbenzene	ND	0.000393	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
m,p-Xylene	ND	0.000605	0.00202	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Methyl tert-butyl ether	ND	0.000353	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Methylene chloride	ND	0.00260	0.00504	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
o-Xylene	ND	0.000272	0.00202	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Styrene	ND	0.000292	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Tetrachloroethene	0.00116 J	0.000605	0.00202	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Toluene	ND	0.000474	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
trans-1,2-Dichloroethene	ND	0.000373	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
trans-1,3-dichloropropene	ND	0.000262	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Trichloroethene	ND	0.000363	0.00101	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
Vinyl chloride	ND	0.00104	0.00504	mg/kg dry	12/19/24 12:15	12/31/24	1	8260B	BBA0054
<hr/>									
Surrogate: 4-Bromofluorobenzene		101%	76-119			12/31/24	1	8260B	
Surrogate: Dibromofluoromethane		98%	66-137			12/31/24	1	8260B	
Surrogate: Toluene-d8		103%	80-120			12/31/24	1	8260B	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics**

Total 1,3-Dichloropropene	ND	0.000252	0.00101	mg/kg Dry dry	12/19/24 12:15	12/31/24	1	8260B	[CALC]
---------------------------	----	----------	---------	------------------	----------------	----------	---	-------	--------

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document. No duplication of this report is allowed, except in its entirety.

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

**Sample Results**  
**(Continued)**

**Sample: Elmwood HB-PC-01 (Continued)**  
**AAL1406-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics (Continued)**

Total Xylenes	ND	0.000272	0.00202	mg/kg Dry dry	12/19/24 12:15	12/31/24	1	8260B	[CALC]
---------------	----	----------	---------	---------------	----------------	----------	---	-------	--------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Metals - ICP**

Arsenic	2.55 J	0.330	5.00	mg/kg Dry	12/19/24 12:15	12/23/24	1	6010B	BAL1200
Barium	14.3	0.530	2.50	mg/kg Dry	12/19/24 12:15	12/23/24	1	6010B	BAL1200
Cadmium	0.0516 J	0.0300	0.250	mg/kg Dry	12/19/24 12:15	12/23/24	1	6010B	BAL1200
Chromium	3.88	0.0870	0.250	mg/kg Dry	12/19/24 12:15	12/23/24	1	6010B	BAL1200
Lead	34.2	0.210	1.25	mg/kg Dry	12/19/24 12:15	12/23/24	1	6010B	BAL1200
Selenium	ND	0.360	5.00	mg/kg Dry	12/19/24 12:15	12/23/24	1	6010B	BAL1200
Silver	ND	0.260	0.500	mg/kg Dry	12/19/24 12:15	12/23/24	1	6010B	BAL1200

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:26

*8260 SRP Package*

---

8260 SRP



# SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave. Ste. 150 Geneva, IL 60134

Tel. 708.544.3260

login@suburbanlabs.com

www.suburbanlabs.com

# CHAIN OF CUSTODY RECORD

**Interra**  
 Cont: 600 Territorial Dr. Suite G  
 City: Bolingbrook State: IL Zip: 60440  
 Office: 630-754-8700 Fax: 630-754-8700  
 Email Address: aguntaka@interraservices.com  
 Project ID / Location: 9826 - Evanston Geotech & Environmental - 2024  
 Project Manager (Report to): aguntaka@interraservices.com  
 resbmac@interraservices.com  
 Sample Collector(s): Paul Sponaugle

**TURNAROUND TIME REQUESTED**  
 Normal  RUSH\*  
 \* Must be pre-approved and surcharges apply. Checking this box indicates your approval of surcharges.  
 Date and Time Report Needed:  
 Specify Regulatory Program:  None/info Only  
 LUST  SRP  SDWA  
 503 Sludge  NPDES  MWRDGC  
 Disposal  CCDD  OTHER - Specify Below

**ANALYSIS & METHOD REQUESTED**  
 Enter an "X" in box below for request

VOCs	SVOCs	RCRA Metals (8)	PCBs	Pesticides	pH
X	X	X	X	X	X

Page 1 of 1  
 PC #  
 Report Type  Normal  Special\*  
 \* Additional charges apply for QC reports and raw data. Specify in comments section.  
 Shipping Method  
**LAB USE ONLY**  
 Work Order #  
 Temperature of Received Samples: 3.1 °C  
 Received within 24 hours of collection?  No  Yes  
 Lab Comment LAB #

SAMPLE IDENTIFICATION (Use 1 line per container type)	COLLECTION		MATRIX	GRAB/COMP.	CONTAINERS		PRESERVATIVE	VOCs	SVOCs	RCRA Metals (8)	PCBs	Pesticides	pH
	DATE	TIME			Qty	SIZE & TYPE							
1 Elmwood HB-PC-01	12-19-24	1215	Soil	Grab	5			X	X	X	X	X	X
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													

**MATRIX:** Drinking Water (DW), Soil (S), Waste Water (WW), Surface Water (SW), Ground Water (GW), Solid Waste (WA), Sludge (U), Wipe (P) **CONTAINER:** 2oz, 4oz, 8oz, 40ml Vial, 500ml, Liter (L), Tube, Glass (G), Plastic (P) **PRESERVATIVE:** H<sub>2</sub>SO<sub>4</sub>, HCl, HNO<sub>3</sub>, Methanol (MeOH), NaOH, Sodium Bisulfate (NaB), NaThio

**COMMENTS & SPECIAL INSTRUCTIONS:**  
 Regulatory Programs:  
 CCDD Mac  
 TACO Residential  
 TACO Industrial/Commercial



1. Relinquished By: [Signature]	Date: 12/20/24	2. Relinquished By: [Signature]	Date: 12/20/24	3. Relinquished By:	Date:	4. Relinquished By:	Date:
Received By: [Signature]	Time: 9:57	Received By: [Signature]	Time: 4:42	Received By:	Time:	Received By:	Time:
<input type="checkbox"/> Ice		<input checked="" type="checkbox"/> Ice		<input type="checkbox"/> Ice		<input type="checkbox"/> Ice	

12/15



**STATE OF ILLINOIS**  
**ENVIRONMENTAL PROTECTION AGENCY**  
**NELAP - RECOGNIZED**  
**ENVIRONMENTAL LABORATORY ACCREDITATION**

is hereby granted to

**Suburban Laboratories**  
**1950 South Batavia Ave., Suite 150**  
**Geneva, IL 60134**

**NELAP ACCREDITED**

Accreditation Number #100225



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose  
 Supervisor  
 Environmental Laboratory Accreditation Program

Certificate No: 1002252024-26

Expiration Date: 10/31/2025

Issued On: 10/30/2024

**Appendix D**  
LPC 663 Form



# Illinois Environmental Protection Agency

1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

## Uncontaminated Soil Certification by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

Revised in accordance with 35 Ill. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 Ill. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

### I. Source Location Information

(Describe the location of the source of the uncontaminated soil)

Project Name: Elmwood Avenue from Howard Street to Brummel Str Office Phone Number, if available: \_\_\_\_\_

Physical Site Location (address, including number and street):

Elmwood Avenue from Howard Street to Brummel Street

City: Evanston State: IL Zip Code: 60201

County: Cook Township: Evanston

Lat/Long of approximate center of site in decimal degrees (DD.ddddd) to five decimal places (e.g., 40.67890, -90.12345):

Latitude: 42.02044 Longitude: - 87.68278

(Decimal Degrees) (-Decimal Degrees)

Identify how the lat/long data were determined:

GPS  Map Interpolation  Photo Interpolation  Survey  Other

IEPA Site Number(s), if assigned: BOL: \_\_\_\_\_ BOW: \_\_\_\_\_ BOA: \_\_\_\_\_

Approximate Start Date (mm/dd/yyyy): Mar 1, 2025 Approximate End Date (mm/dd/yyyy): Dec 31, 2025

Estimated Volume of debris (cu. Yd.): \_\_\_\_\_

### II. Owner/Operator Information for Source Site

Site Owner

Name: \_\_\_\_\_ City of Evanston

Street Address: \_\_\_\_\_ 2100 Ridge Avenue

PO Box: \_\_\_\_\_

City: Evanston State: IL

Zip Code: 60201 Phone: 847-448-8210

Contact: \_\_\_\_\_ Bridget Nash

Email, if available: \_\_\_\_\_ bnash@cityofevanston.org

Site Operator

Name: \_\_\_\_\_

Street Address: \_\_\_\_\_

PO Box: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_

Contact: \_\_\_\_\_

Email, if available: \_\_\_\_\_

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms Management Center.

Uncontaminated Soil Certification

**III. Basis for Certification and Attachments**

For each item listed below, reference the attachments to this form that provide the required information.

- a. A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located 35 Ill. Adm. Code 1100.610(a):

Soil sampling points were selected based on the expected limits of proposed excavation and evenly spaced; Site historical documents including readily available Federal & State databases were reviewed to identify sampling points and adequacy.

- b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 Ill. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 Ill. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

Historical records, analytical test results, chain of custody documentation and laboratory accreditation are attached. Soil should be disposed at a CCDD facility within a MSA County.

**IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist**

I, Sanjeev Bandi (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 Ill. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.


*Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))*

Company Name: Interra, Inc.  
Street Address: 600 Territorial Drive, Suite G  
City: Bolingbrook State: IL Zip Code: 60440  
Phone: 630-754-8700

Sanjeev Bandi  
Printed Name:

  
Licensed Professional Engineer or  
Licensed Professional Geologist Signature:

Feb 13, 2025  
Date:





600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra Project No: 9826

2/13/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

### **Environmental Report**

2025 MFT Improvement Projects

Greenwood Street from Hinman Avenue to Judson Avenue

City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this report on environmental sampling and analytical testing performed at the above referenced project in Evanston, Illinois. We understand that the purpose of the investigation is to aid in soil management during construction.

#### **Scope of Work**

The scope of work included review of readily available historical documents to identify past land use and selection of parameters for analytical testing; collection of one (1) soil sample for analytical testing; and determination of soil management options based on analytical test results.

#### **Historical Document Review**

A review of the Federal, State and Local databases was performed to identify past land use and recognized environmental conditions on or near the property. Potentially Impacted Properties (PIP) identified in the vicinity of the site included Leaking Underground Storage Tanks (LUST), Site Remediation Program (SRP), Institutional Control, and spills. Historical reports reviewed are included in Appendix A.

### **Field Work**

Boreholes for collecting environmental samples were located in the field by INTERRA. The drilling sub-contractor, Geocon Professional Services (GEOCON) obtained underground utility clearances prior to drilling. Drilling was performed on 12/19/2024. Soil sampling was performed at 2.5-foot intervals up to the planned exploration depth of 10 feet. Soil sampling was performed using decontaminated split-spoon sampler. All soil samples were field screened using a Minirae 2020 Plus (photoionization detector) to aid in sample selection for analytical testing. Field screening did not indicate the presence of VOC contamination. Sample Location Map is presented in Appendix B of this report.

Soil grab samples for environmental analysis were chosen between the 0.0 to 5.0 feet interval. INTERRA collected and preserved the environmental soil sample in accordance with applicable SW 846 methods and transported them to the NELAC accredited Suburban Laboratories for analytical testing.

### **Analytical Testing**

The soil samples were analyzed for the contaminants of concern identified based on Historical Document review. Based on this, the sample was tested for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), total RCRA Metals, Pesticides, PCBs and pH. The sample analytical test reports are presented in Appendix C of this report.

### **Conclusions and Recommendations**

The analytical results were compared to 35 ILL. Adm. Code 1100, "Maximum Allowable Concentrations (MAC) of chemical constituents in Uncontaminated Soil used as fill in a Clean Construction & Demolition Debris (CCDD) or "Uncontaminated Soil Fill Operation" and Illinois Tiered Approach to Corrective Action Objectives (TACO) Residential Soil Remediation Objectives in accordance with Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022).

Sample Greenwood-SGB-01 encountered contaminants of concern above the CCDD and TACO regulatory limits specified in Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022). Exceedances are summarized in the table below.

**Table 1: Exceedance Table**

Sample Number	Exceeding Constituent	Results (mg/kg)*	CCDD MAC Values			TACO Tier 1 Residential SROs		SCGW SRO Class 1 (mg/kg)	Construction Worker SRO	
			Most Stringent	Chicago	MSA	Ingestion (mg/kg)	Inhalation (mg/kg)		Ingestion (mg/kg)	Inhalation (mg/kg)
Greenwood-SGB-01	Benzene	0.061	0.03			12	0.8	0.03	2300	2.2
	pH*	9.52	6.25-9.0							

Notes:

 Regulatory limit exceeded

\* pH is unitless

NC No toxicity criteria for this exposure route

Based on the exceedance shown in Table 1, the soil shall be managed according to Article 669.05 (a) (5) of IDOT Standard Specifications. LPC 663 form for this area is not provided since the material shall be managed as non-special waste and disposed of at a subtitle D landfill.

We appreciate the opportunity to be of service to you. Should you need additional information or clarifications, please call us at (630) 754-8700.

Yours truly,

**Interra, Inc.**

  
Supraja Reddy, Ph.D., PE  
Geotechnical Engineer

  
Ashok Guntaka, EI  
Project Manager

  
Sanjeev Bandi, Ph.D., PE  
Principal Engineer

**APPENDIX A**  
Historical Reports

**9826-O Greenwood St From Hinman Ave To Judson Ave**

Greenwood Street and Hinman Ave

Evanston, IL 60201

Inquiry Number: 7841921.57s

December 06, 2024

## EDR Summary Radius Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	113
Government Records Searched/Data Currency Tracking .....	GR-1
 <b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-9
Physical Setting Source Map Findings .....	A-10
Physical Setting Source Records Searched .....	PSGR-1

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

## **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

GREENWOOD STREET AND HINMAN AVE  
EVANSTON, IL 60201

#### COORDINATES

Latitude (North): 42.0426140 - 42° 2' 33.41"  
Longitude (West): 87.6777940 - 87° 40' 40.05"  
Universal Transverse Mercator: Zone 16  
UTM X (Meters): 443902.5  
UTM Y (Meters): 4654516.0  
Elevation: 598 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: TP  
Source: U.S. Geological Survey

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20190802  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
 GREENWOOD STREET AND HINMAN AVE  
 EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
1	EVANSTON CITY ENG		MINES MRDS	Lower	387, 0.073, NE
A2	CHIARVALLE MONTESSOR	425 DEMSTER ST	UST FINDER	Higher	474, 0.090, SSW
A3	EVANSTON, CITY OF	425 DEMPSTER	UST FINDER RELEASE	Higher	474, 0.090, SSW
A4	EVANSTON, CITY OF	425 DEMPSTER	IL LUST, IL BOL	Higher	474, 0.090, SSW
A5	CHIARAVALLE MONTESSO	425 DEMPSTER ST	RCRA-VSQG	Higher	474, 0.090, SSW
A6	CHIARVALLE MONTESSOR	425 DEMSTER ST	IL UST	Higher	474, 0.090, SSW
7	FIRST PRESBYTERIAN S	1427 CHICAGO AVE	IL UST	Higher	774, 0.147, WNW
8	SAVINGS OF AMERICA B	1336 CHICAGO AVENUE	IL SRP	Higher	826, 0.156, West
9	APARTMENT BUILDING	1410 CHICAGO AVENUE	IL UST	Higher	839, 0.159, WNW
10	ROSE IRA	516 DEMPSTER ST	IL UST, IL BOL	Higher	849, 0.161, SW
B11	LEVY VENTURE MGMT	1212-1230 CHICAGO AV	IL UST	Higher	1172, 0.222, SW
B12	LEVY VENTURE MGMT	1212-1230 CHICAGO AV	UST FINDER	Higher	1172, 0.222, SW
B13	LEVY VENTURE MANAGEM	1212 NORTH CHICAGO A	UST FINDER RELEASE	Higher	1172, 0.222, SW
B14	TOYOTA GARAGE	1212 THRU 1230 CHICA	RCRA NonGen / NLR	Higher	1172, 0.222, SW
B15	LEVY VENTURE MANAGEM	1212 NORTH CHICAGO A	IL LUST	Higher	1172, 0.222, SW
B16	TOYOTA GARAGE	1212 THRU 1230 CHICA	RCRA NonGen / NLR, FINDS, ECHO	Higher	1172, 0.222, SW
B17	CHICAGO AVENUE PLACE	1224 CHICAGO AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	1183, 0.224, SW
18	HEIL HEIL SMART & GO	1515 CHICAGO AVE	IL UST	Higher	1199, 0.227, NNW
C19	1500 CHICAGO AVENUE	1500 CHICAGO AVENUE	IL UST	Higher	1215, 0.230, NW
C20	1500 CHICAGO AVENUE	1500 CHICAGO AVENUE	UST FINDER RELEASE	Higher	1215, 0.230, NW
C21	1500 CHICAGO AVE LLC	1500 CHICAGO AVE	IL LUST, IL SPILLS, IL BOL	Higher	1215, 0.230, NW
D22	MULTI-UNIT APARTMENT	1600 - 1608 HINMAN A	UST FINDER	Higher	1234, 0.234, North
D23	MULTI-UNIT APARTMENT	1600 - 1608 HINMAN A	IL UST	Higher	1236, 0.234, North
E24	EVANSTON, CITY OF	519 HAMILTON	IL LUST, IL SPILLS	Higher	1284, 0.243, SSW
F25	MR. RICHARD BRUNE	1332-1334 SHERMAN AV	IL UST	Higher	1308, 0.248, West
F26	ALLTECH AUTO INC	1324 SHERMAN AVE	RCRA-VSQG, FINDS, ECHO, WI MANIFEST	Higher	1320, 0.250, West
E27	SHELL OIL CO.	1201 CHICAGO AVE.	UST FINDER RELEASE	Higher	1322, 0.250, SSW
E28	SHELL OIL CO.	1201 CHICAGO AVE.	IL LUST, IL AIRS, IL UIC	Higher	1322, 0.250, SSW
E29	TRUE NORTH #3001	1201 CHICAGO AVENUE	IL LUST, IL LUST TRUST, IL SPILLS	Higher	1322, 0.250, SSW
E30	1201 CHICAGO AVENUE,	1201 CHICAGO AVENUE	UST FINDER RELEASE	Higher	1322, 0.250, SSW
G31	MATHER LIFEWAYS	1615 HINMAN	UST FINDER RELEASE	Higher	1329, 0.252, North
G32	MATHER HOME	1615 HINMAN AVE	IL LUST, IL SPILLS, IL BOL	Higher	1329, 0.252, North
H33	ALBION @ EVANSTON, L	1450-1460 SHERMAN AV	IL ENG CONTROLS, IL INST CONTROL, IL SRP	Higher	1362, 0.258, WNW
H34	SHERMAN, LLC	1460 SHERMAN AVENUE	UST FINDER RELEASE	Higher	1401, 0.265, WNW
H35	PARKING LOT	1460 SHERMAN AVE.	IL LUST, IL UST, IL SPILLS, IL BOL	Higher	1401, 0.265, WNW
36	KEN'S CLEANERS	827 DEMPSTER	IL INST CONTROL, IL SRP, IL AIRS, IL BOL, IL...	Higher	1516, 0.287, WSW
37	WASHINGTON NATIONAL	1630 CHICAGO AVE	IL SRP, IL SPILLS, RCRA NonGen / NLR, FINDS, ECHO,...	Higher	1579, 0.299, NNW
38	SCHWARTZHOFF CLEANER	1623 CHICAGO AVE	IL INST CONTROL, IL SRP, IL BOL	Higher	1659, 0.314, NNW
I39	VENTURA REALTY LIMIT	1459-1463 ELMWOOD AV	UST FINDER RELEASE	Higher	1664, 0.315, WNW

MAPPED SITES SUMMARY

Target Property Address:  
 GREENWOOD STREET AND HINMAN AVE  
 EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">I40</a>	VENTURA REALTY LIMIT	1459-1463 ELMWOOD AV	IL LUST	Higher	1664, 0.315, WNW
<a href="#">J41</a>	EVANSTON CLEANERS	1463 ELMWOOD	IL INST CONTROL, IL SRP, IL BOL	Higher	1745, 0.330, WNW
<a href="#">42</a>	JOE LEVYS TOYOTA	1111 CHICAGO AVE	IL INST CONTROL, IL SRP, IL BOL	Higher	1805, 0.342, SSW
<a href="#">J43</a>	WILSON, TERRY ASSOC	1508 ELMWOOD AVE	IL LUST, IL BOL	Higher	1860, 0.352, WNW
<a href="#">K44</a>	GROVE ELMWOOD SERVIC	900 GROVE ST.	IL LUST	Higher	1925, 0.365, WNW
<a href="#">K45</a>	GROVE ELMWOOD SERVIC	900 GROVE ST.	UST FINDER RELEASE	Higher	1925, 0.365, WNW
<a href="#">L46</a>	EVANSTON, CITY OF	1616 SHERMAN AVENUE	UST FINDER RELEASE	Higher	2044, 0.387, NNW
<a href="#">L47</a>	EVANSTON, CITY OF	1616 SHERMAN AVE	IL LUST, IL BOL	Higher	2044, 0.387, NNW
<a href="#">M48</a>	ST. PAUL'S LUTHERAN	1004 GREENWOOD ST.	UST FINDER RELEASE	Higher	2072, 0.392, West
<a href="#">M49</a>	ST. PAUL'S LUTHERAN	1004 GREENWOOD ST.	IL LUST	Higher	2072, 0.392, West
<a href="#">N50</a>	SHERMAN PLAZA VENTUR	820 DAVIS STREET, SU	UST FINDER RELEASE	Higher	2076, 0.393, NW
<a href="#">N51</a>	SHERMAN PLAZA VENTUR	820 DAVIS ST	IL LUST, IL BOL	Higher	2076, 0.393, NW
<a href="#">52</a>	ST. MARY'S PARISH	1012 LAKE STREET	IL LUST	Higher	2097, 0.397, WNW
<a href="#">O53</a>	CHURCH ST.	1719 CHICAGO AVE.	UST FINDER RELEASE	Higher	2171, 0.411, North
<a href="#">O54</a>	CHURCH ST.	1719 CHICAGO AVE.	IL LUST, IL SPILLS, IL BOL	Higher	2171, 0.411, North
<a href="#">P55</a>	1022 CHICAGO AVENUE	1022 CHICAGO AVENUE	IL SRP	Higher	2310, 0.438, SSW
<a href="#">56</a>	NORTHWESTERN UNIVERS	1725 ORRINGTON	IL LUST, IL SPILLS	Higher	2346, 0.444, NNW
<a href="#">Q57</a>	NORMANDEALE PROPERTIE	1701 SHERMAN AVE.	IL LUST	Higher	2388, 0.452, NNW
<a href="#">Q58</a>	NORMANDEALE PROPERTIE	1701 SHERMAN AVE.	UST FINDER RELEASE	Higher	2388, 0.452, NNW
<a href="#">R59</a>	TIMES SQUARE CAPITOL	1710 ORRINGTON AVE.	UST FINDER RELEASE	Higher	2419, 0.458, NNW
<a href="#">R60</a>	CONNECTICUT GENERAL	1710 ORRINGTON AVENU	IL LUST, IL ENG CONTROLS, IL INST CONTROL, IL SRP,...	Higher	2419, 0.458, NNW
<a href="#">P61</a>	LES SIMS OLDS	1012 CHICAGO AVE	IL INST CONTROL, IL SRP, IL BOL	Higher	2427, 0.460, SSW
<a href="#">S62</a>	HERTZ CORP.	910 CHURCH ST.	IL LUST, IL SPILLS, IL BOL	Higher	2611, 0.495, NW
<a href="#">S63</a>	HERTZ CORP.	910 CHURCH ST.	UST FINDER RELEASE	Higher	2611, 0.495, NW
<a href="#">64</a>	NORTHWESTERN GAS, LI	912 CLARK STREET	EDR MGP	Higher	3068, 0.581, NNW
<a href="#">65</a>	NORTH WESTERN GAS WO	918 UNIVERSITY PLACE	EDR MGP	Higher	3497, 0.662, NNW
<a href="#">66</a>	NORTHWESTERN UNIVERS		FUDS	Higher	4619, 0.875, WNW

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of Federal RCRA generators***

RCRA-VSQG: A review of the RCRA-VSQG list, as provided by EDR, and dated 06/03/2024 has revealed that there are 2 RCRA-VSQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHIARAVALLE MONTESSO EPA ID:: ILR000195784	425 DEMPSTER ST	SSW 0 - 1/8 (0.090 mi.)	A5	8
<b><i>ALLTECH AUTO INC</i></b> EPA ID:: IL0000120196	<b><i>1324 SHERMAN AVE</i></b>	<b><i>W 1/8 - 1/4 (0.250 mi.)</i></b>	<b><i>F26</i></b>	<b><i>13</i></b>

### ***Lists of state and tribal leaking storage tanks***

IL LUST: A review of the IL LUST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 20 IL LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>EVANSTON, CITY OF</i></b> NFA/NFR Letter: 1/15/2009 Incident Num: 910528 IL EPA Id: 0310815098	<b><i>425 DEMPSTER</i></b>	<b><i>SSW 0 - 1/8 (0.090 mi.)</i></b>	<b><i>A4</i></b>	<b><i>8</i></b>
LEVY VENTURE MANAGEM NFA/NFR Letter: 5/26/1994 Incident Num: 922798 IL EPA Id: 0310815138	1212 NORTH CHICAGO A	SW 1/8 - 1/4 (0.222 mi.)	B15	11
<b><i>1500 CHICAGO AVE LLC</i></b>	<b><i>1500 CHICAGO AVE</i></b>	<b><i>NW 1/8 - 1/4 (0.230 mi.)</i></b>	<b><i>C21</i></b>	<b><i>12</i></b>

## EXECUTIVE SUMMARY

NFA/NFR Letter: 2/5/2013 Incident Num: 20110204 IL EPA Id: 0310815323				
<b>EVANSTON, CITY OF</b> Incident Num: 910262 IL EPA Id: 0310000000	<b>519 HAMILTON</b>	<b>SSW 1/8 - 1/4 (0.243 mi.)</b>	<b>E24</b>	<b>13</b>
<b>SHELL OIL CO.</b> NFA/NFR Letter: 6/25/2009 Incident Num: 910258 Incident Num: 912029 Incident Num: 912355 IL EPA Id: 0310815103	<b>1201 CHICAGO AVE.</b>	<b>SSW 1/4 - 1/2 (0.250 mi.)</b>	<b>E28</b>	<b>14</b>
<b>TRUE NORTH #3001</b> NFA/NFR Letter: 2/24/2016 Incident Num: 20150596 IL EPA Id: 0310815103	<b>1201 CHICAGO AVENUE</b>	<b>SSW 1/4 - 1/2 (0.250 mi.)</b>	<b>E29</b>	<b>14</b>
<b>MATHER HOME</b> NFA/NFR Letter: 12/7/2007 Incident Num: 20071319 IL EPA Id: 0310815300	<b>1615 HINMAN AVE</b>	<b>N 1/4 - 1/2 (0.252 mi.)</b>	<b>G32</b>	<b>15</b>
<b>PARKING LOT</b> NFA/NFR Letter: 1/24/2013 Incident Num: 20110399 IL EPA Id: 0310815326	<b>1460 SHERMAN AVE.</b>	<b>WNW 1/4 - 1/2 (0.265 mi.)</b>	<b>H35</b>	<b>16</b>
VENTURA REALTY LIMIT NFA/NFR Letter: 9/17/2013 Incident Num: 20120368 IL EPA Id: 0310815341	1459-1463 ELMWOOD AV	WNW 1/4 - 1/2 (0.315 mi.)	I40	18
<b>WILSON, TERRY ASSOC</b> Incident Num: 20001579 IL EPA Id: 0310815232	<b>1508 ELMWOOD AVE</b>	<b>WNW 1/4 - 1/2 (0.352 mi.)</b>	<b>J43</b>	<b>19</b>
GROVE ELMWOOD SERVIC NFA/NFR Letter: 2/28/1997 Incident Num: 961175 IL EPA Id: 0310815186	900 GROVE ST.	WNW 1/4 - 1/2 (0.365 mi.)	K44	19
<b>EVANSTON, CITY OF</b> NFA/NFR Letter: 3/28/2005 Incident Num: 20041583 IL EPA Id: 0310815276	<b>1616 SHERMAN AVE</b>	<b>NNW 1/4 - 1/2 (0.387 mi.)</b>	<b>L47</b>	<b>20</b>
ST. PAUL'S LUTHERAN NFA/NFR Letter: 8/25/1998 Incident Num: 980672 IL EPA Id: 0310815206	1004 GREENWOOD ST.	W 1/4 - 1/2 (0.392 mi.)	M49	20
<b>SHERMAN PLAZA VENTUR</b> NFA/NFR Letter: 11/30/2006 Incident Num: 20021436 Incident Num: 20021437 IL EPA Id: 0310815145	<b>820 DAVIS ST</b>	<b>NW 1/4 - 1/2 (0.393 mi.)</b>	<b>N51</b>	<b>20</b>
ST. MARY'S PARISH NFA/NFR Letter: 6/9/2020 Incident Num: 20191219	1012 LAKE STREET	WNW 1/4 - 1/2 (0.397 mi.)	52	21

## EXECUTIVE SUMMARY

IL EPA Id: 0310815391				
<b>CHURCH ST.</b>	<b>1719 CHICAGO AVE.</b>	<b>N 1/4 - 1/2 (0.411 mi.)</b>	<b>O54</b>	<b>21</b>
NFA/NFR Letter: 9/6/1990				
Incident Num: 891682				
IL EPA Id: 0310815069				
<b>NORTHWESTERN UNIVERS</b>	<b>1725 ORRINGTON</b>	<b>NNW 1/4 - 1/2 (0.444 mi.)</b>	<b>56</b>	<b>22</b>
Incident Num: 20050441				
IL EPA Id: 0310815230				
<b>NORMANDEALE PROPRTIE</b>	<b>1701 SHERMAN AVE.</b>	<b>NNW 1/4 - 1/2 (0.452 mi.)</b>	<b>Q57</b>	<b>22</b>
NFA/NFR Letter: 6/1/1993				
Incident Num: 922837				
IL EPA Id: 0310815137				
<b>CONNECTICUT GENERAL</b>	<b>1710 ORRINGTON AVENU</b>	<b>NNW 1/4 - 1/2 (0.458 mi.)</b>	<b>R60</b>	<b>23</b>
NFA/NFR Letter: 1/24/2003				
Incident Num: 20010464				
Incident Num: 20010890				
IL EPA Id: 0310815162				
<b>HERTZ CORP.</b>	<b>910 CHURCH ST.</b>	<b>NW 1/4 - 1/2 (0.495 mi.)</b>	<b>S62</b>	<b>24</b>
NFA/NFR Letter: 1/10/2000				
Incident Num: 891972				
IL EPA Id: 0310815113				

IL LUST TRUST: A review of the IL LUST TRUST list, as provided by EDR, and dated 06/06/2016 has revealed that there is 1 IL LUST TRUST site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>TRUE NORTH #3001</b>	<b>1201 CHICAGO AVENUE</b>	<b>SSW 1/4 - 1/2 (0.250 mi.)</b>	<b>E29</b>	<b>14</b>
Incident Number: 20150596-66640				
Incident Number: 20150596-67066				

### ***Lists of state and tribal registered storage tanks***

IL UST: A review of the IL UST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 9 IL UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CHIARVALLE MONTESSOR</b>	<b>425 DEMSTER ST</b>	<b>SSW 0 - 1/8 (0.090 mi.)</b>	<b>A6</b>	<b>9</b>
Tank Status: Removed				
Status: CLOSED				
Facility Id: 2026358				
<b>FIRST PRESBYTERIAN S</b>	<b>1427 CHICAGO AVE</b>	<b>WNW 1/8 - 1/4 (0.147 mi.)</b>	<b>7</b>	<b>9</b>
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2040623				
<b>APARTMENT BUILDING</b>	<b>1410 CHICAGO AVENUE</b>	<b>WNW 1/8 - 1/4 (0.159 mi.)</b>	<b>9</b>	<b>9</b>

## EXECUTIVE SUMMARY

Tank Status: Abandoned in place  
 Status: CLOSED  
 Facility Id: 2045123

<b>ROSE IRA</b> Tank Status: Removed Status: EXEMPT Facility Id: 2036009	<b>516 DEMPSTER ST</b>	<b>SW 1/8 - 1/4 (0.161 mi.)</b>	<b>10</b>	<b>9</b>
LEVY VENTURE MGMT Tank Status: Removed Status: CLOSED Facility Id: 2031041	1212-1230 CHICAGO AV	SW 1/8 - 1/4 (0.222 mi.)	B11	10
HEIL HEIL SMART & GO Tank Status: Removed Status: EXEMPT Facility Id: 2034765	1515 CHICAGO AVE	NNW 1/8 - 1/4 (0.227 mi.)	18	11
1500 CHICAGO AVENUE Tank Status: Abandoned in place Status: CLOSED Facility Id: 2044897	1500 CHICAGO AVENUE	NW 1/8 - 1/4 (0.230 mi.)	C19	12
MULTI-UNIT APARTMENT Tank Status: Abandoned in place Status: CLOSED Facility Id: 2038195	1600 - 1608 HINMAN A	N 1/8 - 1/4 (0.234 mi.)	D23	13
MR. RICHARD BRUNE Tank Status: Removed Status: EXEMPT Facility Id: 2044792	1332-1334 SHERMAN AV	W 1/8 - 1/4 (0.248 mi.)	F25	13

### **State and tribal institutional control / engineering control registries**

IL ENG CONTROLS: A review of the IL ENG CONTROLS list, as provided by EDR, and dated 06/24/2024 has revealed that there are 2 IL ENG CONTROLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>ALBION @ EVANSTON, L</b> Illinois Epa Id: 0310815380	<b>1450-1460 SHERMAN AV</b>	<b>WNW 1/4 - 1/2 (0.258 mi.)</b>	<b>H33</b>	<b>15</b>
<b>CONNECTICUT GENERAL</b> Illinois Epa Id: 0310815162	<b>1710 ORRINGTON AVENU</b>	<b>NNW 1/4 - 1/2 (0.458 mi.)</b>	<b>R60</b>	<b>23</b>

IL INST CONTROL: A review of the IL INST CONTROL list, as provided by EDR, and dated 06/24/2024 has revealed that there are 7 IL INST CONTROL sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>ALBION @ EVANSTON, L</b>	<b>1450-1460 SHERMAN AV</b>	<b>WNW 1/4 - 1/2 (0.258 mi.)</b>	<b>H33</b>	<b>15</b>

## EXECUTIVE SUMMARY

Illinois EPA Id: 0310815380				
<b>KEN'S CLEANERS</b>	<b>827 DEMPSTER</b>	<b>WSW 1/4 - 1/2 (0.287 mi.)</b>	<b>36</b>	<b>16</b>
Illinois EPA Id: 0310815036				
<b>SCHWARTZHOFF CLEANER</b>	<b>1623 CHICAGO AVE</b>	<b>NNW 1/4 - 1/2 (0.314 mi.)</b>	<b>38</b>	<b>17</b>
Illinois EPA Id: 0310815364				
<b>EVANSTON CLEANERS</b>	<b>1463 ELMWOOD</b>	<b>WNW 1/4 - 1/2 (0.330 mi.)</b>	<b>J41</b>	<b>18</b>
Illinois EPA Id: 0310815144				
<b>JOE LEVYS TOYOTA</b>	<b>1111 CHICAGO AVE</b>	<b>SSW 1/4 - 1/2 (0.342 mi.)</b>	<b>42</b>	<b>18</b>
Illinois EPA Id: 0310810006				
<b>CONNECTICUT GENERAL</b>	<b>1710 ORRINGTON AVENU</b>	<b>NNW 1/4 - 1/2 (0.458 mi.)</b>	<b>R60</b>	<b>23</b>
Illinois EPA Id: 0310815162				
<b>LES SIMS OLDS</b>	<b>1012 CHICAGO AVE</b>	<b>SSW 1/4 - 1/2 (0.460 mi.)</b>	<b>P61</b>	<b>23</b>
Illinois EPA Id: 0310810007				

### ***Lists of state and tribal voluntary cleanup sites***

IL SRP: A review of the IL SRP list, as provided by EDR, and dated 06/24/2024 has revealed that there are 10 IL SRP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SAVINGS OF AMERICA B IL EPA Id: 0310810021	1336 CHICAGO AVENUE	W 1/8 - 1/4 (0.156 mi.)	8	9
<b>ALBION @ EVANSTON, L</b> IL EPA Id: 0310815380	<b>1450-1460 SHERMAN AV</b>	<b>WNW 1/4 - 1/2 (0.258 mi.)</b>	<b>H33</b>	<b>15</b>
<b>KEN'S CLEANERS</b> IL EPA Id: 0310815036	<b>827 DEMPSTER</b>	<b>WSW 1/4 - 1/2 (0.287 mi.)</b>	<b>36</b>	<b>16</b>
<b>WASHINGTON NATIONAL</b> IL EPA Id: 0310815050	<b>1630 CHICAGO AVE</b>	<b>NNW 1/4 - 1/2 (0.299 mi.)</b>	<b>37</b>	<b>17</b>
<b>SCHWARTZHOFF CLEANER</b> IL EPA Id: 0310815364	<b>1623 CHICAGO AVE</b>	<b>NNW 1/4 - 1/2 (0.314 mi.)</b>	<b>38</b>	<b>17</b>
<b>EVANSTON CLEANERS</b> IL EPA Id: 0310815144	<b>1463 ELMWOOD</b>	<b>WNW 1/4 - 1/2 (0.330 mi.)</b>	<b>J41</b>	<b>18</b>
<b>JOE LEVYS TOYOTA</b> IL EPA Id: 0310810006	<b>1111 CHICAGO AVE</b>	<b>SSW 1/4 - 1/2 (0.342 mi.)</b>	<b>42</b>	<b>18</b>
1022 CHICAGO AVENUE IL EPA Id: 0310815404	1022 CHICAGO AVENUE	SSW 1/4 - 1/2 (0.438 mi.)	P55	22
<b>CONNECTICUT GENERAL</b> IL EPA Id: 0310815162	<b>1710 ORRINGTON AVENU</b>	<b>NNW 1/4 - 1/2 (0.458 mi.)</b>	<b>R60</b>	<b>23</b>
<b>LES SIMS OLDS</b> IL EPA Id: 0310810007	<b>1012 CHICAGO AVE</b>	<b>SSW 1/4 - 1/2 (0.460 mi.)</b>	<b>P61</b>	<b>23</b>

# EXECUTIVE SUMMARY

## ADDITIONAL ENVIRONMENTAL RECORDS

### ***Other Ascertainable Records***

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/03/2024 has revealed that there are 3 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
TOYOTA GARAGE EPA ID:: ILD984904466	1212 THRU 1230 CHICA	SW 1/8 - 1/4 (0.222 mi.)	B14	10
<b><i>TOYOTA GARAGE</i></b> EPA ID:: ILD051921476	<b><i>1212 THRU 1230 CHICA</i></b>	<b><i>SW 1/8 - 1/4 (0.222 mi.)</i></b>	<b><i>B16</i></b>	<b><i>11</i></b>
<b><i>CHICAGO AVENUE PLACE</i></b> EPA ID:: ILD984844951	<b><i>1224 CHICAGO AVE</i></b>	<b><i>SW 1/8 - 1/4 (0.224 mi.)</i></b>	<b><i>B17</i></b>	<b><i>11</i></b>

FUDS: A review of the FUDS list, as provided by EDR, and dated 07/31/2024 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTHWESTERN UNIVERS		WNW 1/2 - 1 (0.875 mi.)	66	25

MINES MRDS: A review of the MINES MRDS list, as provided by EDR, and dated 08/23/2022 has revealed that there is 1 MINES MRDS site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EVANSTON CITY ENG		NE 0 - 1/8 (0.073 mi.)	1	8

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 16 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EVANSTON, CITY OF	425 DEMPSTER	SSW 0 - 1/8 (0.090 mi.)	A3	8
LEVY VENTURE MANAGEM	1212 NORTH CHICAGO A	SW 1/8 - 1/4 (0.222 mi.)	B13	10
1500 CHICAGO AVENUE	1500 CHICAGO AVENUE	NW 1/8 - 1/4 (0.230 mi.)	C20	12
SHELL OIL CO.	1201 CHICAGO AVE.	SSW 1/4 - 1/2 (0.250 mi.)	E27	14
1201 CHICAGO AVENUE,	1201 CHICAGO AVENUE	SSW 1/4 - 1/2 (0.250 mi.)	E30	15
MATHER LIFEWAYS	1615 HINMAN	N 1/4 - 1/2 (0.252 mi.)	G31	15
SHERMAN, LLC	1460 SHERMAN AVENUE	WNW 1/4 - 1/2 (0.265 mi.)	H34	16
VENTURA REALTY LIMIT	1459-1463 ELMWOOD AV	WNW 1/4 - 1/2 (0.315 mi.)	I39	18
GROVE ELMWOOD SERVIC	900 GROVE ST.	WNW 1/4 - 1/2 (0.365 mi.)	K45	19
EVANSTON, CITY OF	1616 SHERMAN AVENUE	NNW 1/4 - 1/2 (0.387 mi.)	L46	19
ST. PAUL'S LUTHERAN	1004 GREENWOOD ST.	W 1/4 - 1/2 (0.392 mi.)	M48	20
SHERMAN PLAZA VENTUR	820 DAVIS STREET, SU	NW 1/4 - 1/2 (0.393 mi.)	N50	20

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHURCH ST.	1719 CHICAGO AVE.	N 1/4 - 1/2 (0.411 mi.)	O53	21
NORMANDEALE PROPRTIE	1701 SHERMAN AVE.	NNW 1/4 - 1/2 (0.452 mi.)	Q58	22
TIMES SQUARE CAPITOL	1710 ORRINGTON AVE.	NNW 1/4 - 1/2 (0.458 mi.)	R59	22
HERTZ CORP.	910 CHURCH ST.	NW 1/4 - 1/2 (0.495 mi.)	S63	24

UST FINDER: A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 3 UST FINDER sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHIARVALLE MONTESSOR	425 DEMSTER ST	SSW 0 - 1/8 (0.090 mi.)	A2	8
LEVY VENTURE MGMT	1212-1230 CHICAGO AV	SW 1/8 - 1/4 (0.222 mi.)	B12	10
MULTI-UNIT APARTMENT	1600 - 1608 HINMAN A	N 1/8 - 1/4 (0.234 mi.)	D22	12

WI MANIFEST: A review of the WI MANIFEST list, as provided by EDR, and dated 05/31/2018 has revealed that there is 1 WI MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>ALLTECH AUTO INC</b> ACT Status: A FID: 0 EPA ID: IL0000120196	<b>1324 SHERMAN AVE</b>	<b>W 1/8 - 1/4 (0.250 mi.)</b>	<b>F26</b>	<b>13</b>

### EDR HIGH RISK HISTORICAL RECORDS

#### ***EDR Exclusive Records***

EDR MGP: A review of the EDR MGP list, as provided by EDR, has revealed that there are 2 EDR MGP sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORTHWESTERN GAS, LI	912 CLARK STREET	NNW 1/2 - 1 (0.581 mi.)	64	24
NORTH WESTERN GAS WO	918 UNIVERSITY PLACE	NNW 1/2 - 1 (0.662 mi.)	65	24


Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
------	--------	-----------	--------------	-----	-------------

NO SITES FOUND

# OVERVIEW MAP - 7841921.57S




- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites
- ▨ Indian Reservations BIA
- ⚡ Power transmission lines
- ▨ Special Flood Hazard Area (1%)
- ▨ 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-O Greenwood St From Hinman Ave To Judson Ave  
 ADDRESS: Greenwood Street and Hinman Ave  
 Evanston IL 60201  
 LAT/LONG: 42.042614 / 87.677794

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.57S  
 DATE: December 06, 2024 1:29 pm

# DETAIL MAP - 7841921.57S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚡ Manufactured Gas Plants
- ⚠ Sensitive Receptors
- 🚧 National Priority List Sites
- 🏠 Dept. Defense Sites

- 0 1/16 1/8 1/4 Miles
- 🏞️ Indian Reservations BIA
- 🌊 Special Flood Hazard Area (1%)
- 🌊 0.2% Annual Chance Flood Hazard
- 🌿 National Wetland Inventory
- 🌿 State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-O Greenwood St From Hinman Ave To Judson Ave  
 ADDRESS: Greenwood Street and Hinman Ave  
 Evanston IL 60201  
 LAT/LONG: 42.042614 / 87.677794

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.57s  
 DATE: December 06, 2024 1:31 pm

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><u>STANDARD ENVIRONMENTAL RECORDS</u></b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-VSQG	0.250		1	1	NR	NR	NR	2
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal hazardous waste facilities</i></b>								
IL SSU	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
IL SWF/LF	0.500		0	0	0	NR	NR	0
IL CCDD	0.500		0	0	0	NR	NR	0
IL LF SPECIAL WASTE	0.500		0	0	0	NR	NR	0
IL NIPC	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
IL LUST	0.500		1	3	16	NR	NR	20
INDIAN LUST	0.500		0	0	0	NR	NR	0
IL LUST TRUST	0.500		0	0	1	NR	NR	1
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
IL UST	0.250		1	8	NR	NR	NR	9
IL AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
IL ENG CONTROLS	0.500		0	0	2	NR	NR	2
IL INST CONTROL	0.500		0	0	7	NR	NR	7
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
IL SRP	0.500		0	1	9	NR	NR	10
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
IL BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
IL CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
IL TANKS	0.250		0	0	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
IL SPILLS	TP		NR	NR	NR	NR	NR	0
IL COMPLAINTS	TP		NR	NR	NR	NR	NR	0
IL SPILLS 90	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		0	3	NR	NR	NR	3
FUDS	1.000		0	0	0	1	NR	1
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		1	0	NR	NR	NR	1
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0



MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
1 NE < 1/8 0.073 mi. 387 ft. Relative: Lower	EVANSTON CITY ENG COOK (County), IL <a href="#">Click here for full text details</a>	MINES MRDS	1025605533 N/A
A2 SSW < 1/8 0.090 mi. 474 ft. Relative: Higher	CHIARVALLE MONTESSORI SCHOOL 425 DEMSTER ST EVANSTON, IL 60201 <a href="#">Click here for full text details</a>	UST FINDER	1028315396 N/A
A3 SSW < 1/8 0.090 mi. 474 ft. Relative: Higher	EVANSTON, CITY OF 425 DEMPSTER EVANSTON, IL 0 <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989150 N/A
A4 SSW < 1/8 0.090 mi. 474 ft. Relative: Higher	EVANSTON, CITY OF 425 DEMPSTER EVANSTON, IL 60201 <a href="#">Click here for full text details</a> IL LUST NFA/NFR Letter 1/15/2009 Incident Num 910528 IL EPA Id 0310815098 IL BOL Site Id 170000451286 Inv Num 0310815098	IL LUST IL BOL	S103689054 N/A
A5 SSW < 1/8 0.090 mi. 474 ft. Relative: Higher	CHIARAVALLE MONTESSORI 425 DEMPSTER ST EVANSTON, IL 60201 <a href="#">Click here for full text details</a> RCRA-VSQG EPA Id ILR000195784	RCRA-VSQG	1023967511 ILR000195784

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
A6 SSW < 1/8 0.090 mi. 474 ft.	CHIARVALLE MONTESSORI SCHOOL 425 DEMSTER ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U000792641 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2026358 Tank Status Removed		
7 WNW 1/8-1/4 0.147 mi. 774 ft.	FIRST PRESBYTERIAN SOCIETY OF EVANSTON 1427 CHICAGO AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003795557 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2040623 Tank Status Removed		
8 West 1/8-1/4 0.156 mi. 826 ft.	SAVINGS OF AMERICA BANK 1336 CHICAGO AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL SRP	S101744634 N/A
Relative: Higher	IL SRP IL EPA Id 0310810021		
9 WNW 1/8-1/4 0.159 mi. 839 ft.	APARTMENT BUILDING 1410 CHICAGO AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004191066 N/A
Relative: Higher	IL UST Status CLOSED Facility Id 2045123 Tank Status Abandoned in place		
10 SW 1/8-1/4 0.161 mi. 849 ft.	ROSE IRA 516 DEMPSTER ST EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL UST IL BOL	U003298430 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2036009		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
	<b>ROSE IRA (Continued)</b> Tank Status Removed		<b>U003298430</b>
	<b>IL BOL</b> Site Id 170000451794 Inv Num 0310815198		
<b>B11 SW 1/8-1/4 0.222 mi. 1172 ft.</b>	<b>LEVY VENTURE MGMT 1212-1230 CHICAGO AVE EVANSTON, IL 60202</b> <a href="#">Click here for full text details</a>	<b>IL UST</b>	<b>U000792655 N/A</b>
<b>Relative: Higher</b>	<b>IL UST</b> Status CLOSED Facility Id 2031041 Tank Status Removed		
<b>B12 SW 1/8-1/4 0.222 mi. 1172 ft.</b>	<b>LEVY VENTURE MGMT 1212-1230 CHICAGO AVE EVANSTON, IL 60202</b> <a href="#">Click here for full text details</a>	<b>UST FINDER</b>	<b>1028316485 N/A</b>
<b>Relative: Higher</b>			
<b>B13 SW 1/8-1/4 0.222 mi. 1172 ft.</b>	<b>LEVY VENTURE MANAGEMENT 1212 NORTH CHICAGO AVE. EVANSTON, IL 0</b> <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989174 N/A</b>
<b>Relative: Higher</b>			
<b>B14 SW 1/8-1/4 0.222 mi. 1172 ft.</b>	<b>TOYOTA GARAGE 1212 THRU 1230 CHICAGO AVE EVANSTON, IL 60602</b> <a href="#">Click here for full text details</a>	<b>RCRA NonGen / NLR</b>	<b>1000824077 ILD984904466</b>
<b>Relative: Higher</b>	<b>RCRA NonGen / NLR</b> EPA Id ILD984904466		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
B15 SW 1/8-1/4 0.222 mi. 1172 ft.	<b>LEVY VENTURE MANAGEMENT</b> 1212 NORTH CHICAGO AVE. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST	S104524498 N/A
Relative: Higher	<b>IL LUST</b> NFA/NFR Letter 5/26/1994 Incident Num 922798 IL EPA Id 0310815138		
B16 SW 1/8-1/4 0.222 mi. 1172 ft.	<b>TOYOTA GARAGE</b> 1212 THRU 1230 CHICAGO AVE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1000343547 ILD051921476
Relative: Higher	<b>RCRA NonGen / NLR</b> EPA Id ILD051921476  <b>FINDS</b> Registry ID: 110005831029  <b>ECHO</b> Registry ID 110005831029		
B17 SW 1/8-1/4 0.224 mi. 1183 ft.	<b>CHICAGO AVENUE PLACE</b> 1224 CHICAGO AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1000614185 ILD984844951
Relative: Higher	<b>RCRA NonGen / NLR</b> EPA Id ILD984844951  <b>FINDS</b> Registry ID: 110005901346  <b>ECHO</b> Registry ID 110005901346		
18 NNW 1/8-1/4 0.227 mi. 1199 ft.	<b>HEIL HEIL SMART &amp; GOLEE INC</b> 1515 CHICAGO AVE EVANSTON, IL 60204  <a href="#">Click here for full text details</a>	IL UST	U003042206 N/A
Relative: Higher	<b>IL UST</b> Status EXEMPT		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
	<b>HEIL HEIL SMART &amp; GOLEE INC (Continued)</b> Facility Id 2034765 Tank Status Removed		<b>U003042206</b>
<b>C19 NW 1/8-1/4 0.230 mi. 1215 ft.</b>	<b>1500 CHICAGO AVENUE EVANSTON, LLC 1500 CHICAGO AVENUE EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	<b>IL UST</b>	<b>U004179106 N/A</b>
<b>Relative: Higher</b>	<b>IL UST</b> Status CLOSED Facility Id 2044897 Tank Status Abandoned in place		
<b>C20 NW 1/8-1/4 0.230 mi. 1215 ft.</b>	<b>1500 CHICAGO AVENUE LLC 1500 CHICAGO AVENUE EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989225 N/A</b>
<b>Relative: Higher</b>			
<b>C21 NW 1/8-1/4 0.230 mi. 1215 ft.</b>	<b>1500 CHICAGO AVE LLC 1500 CHICAGO AVE EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	<b>IL LUST IL SPILLS IL BOL</b>	<b>S110824972 N/A</b>
<b>Relative: Higher</b>	<b>IL LUST</b> NFA/NFR Letter 2/5/2013 Incident Num 20110204 IL EPA Id 0310815323  <b>IL SPILLS</b> Incident ID 20110204  <b>IL BOL</b> Site Id 170001878305 Inv Num 0310815323		
<b>D22 North 1/8-1/4 0.234 mi. 1234 ft.</b>	<b>MULTI-UNIT APARTMENTS 1600 - 1608 HINMAN AVE. EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER</b>	<b>1028317973 N/A</b>
<b>Relative: Higher</b>			

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
D23 North 1/8-1/4 0.234 mi. 1236 ft.	<b>MULTI-UNIT APARTMENTS</b> 1600 - 1608 HINMAN AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003668376 N/A
Relative: Higher	<b>IL UST</b> Status CLOSED Facility Id 2038195 Tank Status Abandoned in place		
E24 SSW 1/8-1/4 0.243 mi. 1284 ft.	<b>EVANSTON, CITY OF</b> 519 HAMILTON EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS	S111879268 N/A
Relative: Higher	<b>IL LUST</b> Incident Num 910262 IL EPA Id 0310000000  <b>IL SPILLS</b> Incident ID 19910262		
F25 West 1/8-1/4 0.248 mi. 1308 ft.	<b>MR. RICHARD BRUNE</b> 1332-1334 SHERMAN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004158200 N/A
Relative: Higher	<b>IL UST</b> Status EXEMPT Facility Id 2044792 Tank Status Removed		
F26 West 1/8-1/4 0.250 mi. 1320 ft.	<b>ALLTECH AUTO INC</b> 1324 SHERMAN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA-VSQG FINDS ECHO WI MANIFEST	1004692338 IL0000120196
Relative: Higher	<b>RCRA-VSQG</b> EPA Id IL0000120196  <b>FINDS</b> Registry ID: 110005797414  <b>ECHO</b> Registry ID 110005797414  <b>WI MANIFEST</b>		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**ALLTECH AUTO INC (Continued)**

1004692338

ACT Status A  
 FID 0  
 EPA ID IL0000120196

E27  
 SSW  
 1/4-1/2  
 0.250 mi.  
 1322 ft.

**SHELL OIL CO.**  
**1201 CHICAGO AVE.**  
**EVANSTON, IL 0**

**UST FINDER RELEASE** 1028989154  
 N/A

[Click here for full text details](#)

Relative:  
 Higher

E28  
 SSW  
 1/4-1/2  
 0.250 mi.  
 1322 ft.

**SHELL OIL CO.**  
**1201 CHICAGO AVE.**  
**EVANSTON, IL 60201**

**IL LUST** S107741802  
**IL AIRS** N/A  
**IL UIC**

[Click here for full text details](#)

Relative:  
 Higher

**IL LUST**  
 NFA/NFR Letter 6/25/2009  
 Incident Num 910258  
 Incident Num 912029  
 Incident Num 912355  
 IL EPA Id 0310815103

**IL AIRS**  
 Facility Id 1315

**IL UIC**  
 Facility Id ILEA32

E29  
 SSW  
 1/4-1/2  
 0.250 mi.  
 1322 ft.

**TRUE NORTH #3001**  
**1201 CHICAGO AVENUE**  
**EVANSTON, IL 60201**

**IL LUST** S111881347  
**IL LUST TRUST** N/A  
**IL SPILLS**

[Click here for full text details](#)

Relative:  
 Higher

**IL LUST**  
 NFA/NFR Letter 2/24/2016  
 Incident Num 20150596  
 IL EPA Id 0310815103

**IL LUST TRUST**  
 Incident Number 20150596-66640  
 Incident Number 20150596-67066

**IL SPILLS**  
 Incident ID 19912355

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

---

<b>E30</b> <b>SSW</b> 1/4-1/2 0.250 mi. 1322 ft.  Relative: Higher	<b>1201 CHICAGO AVENUE, INC.</b> <b>1201 CHICAGO AVENUE</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989153</b> <b>N/A</b>
---	---	---------------------------	---------------------------------

---

<b>G31</b> <b>North</b> 1/4-1/2 0.252 mi. 1329 ft.  Relative: Higher	<b>MATHER LIFEWAYS</b> <b>1615 HINMAN</b> <b>EVANSTON, IL 0</b>  <a href="#">Click here for full text details</a>	<b>UST FINDER RELEASE</b>	<b>1028989222</b> <b>N/A</b>
---	---	---------------------------	---------------------------------

---

<b>G32</b> <b>North</b> 1/4-1/2 0.252 mi. 1329 ft.  Relative: Higher	<b>MATHER HOME</b> <b>1615 HINMAN AVE</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	<b>IL LUST</b> <b>IL SPILLS</b> <b>IL BOL</b>	<b>S108891442</b> <b>N/A</b>
---	---	---	---------------------------------

**IL LUST**  
 NFA/NFR Letter 12/7/2007  
 Incident Num 20071319  
 IL EPA Id 0310815300

**IL SPILLS**  
 Incident ID 20071319

**IL BOL**  
 Site Id 170001686968  
 Inv Num 0310815300

---

<b>H33</b> <b>WNW</b> 1/4-1/2 0.258 mi. 1362 ft.  Relative: Higher	<b>ALBION @ EVANSTON, LLC</b> <b>1450-1460 SHERMAN AVENUE</b> <b>EVANSTON, IL 60201</b>  <a href="#">Click here for full text details</a>	<b>IL ENG CONTROLS</b> <b>IL INST CONTROL</b> <b>IL SRP</b>	<b>S122869894</b> <b>N/A</b>
---	---	---	---------------------------------

**IL ENG CONTROLS**  
 Illinois Epa Id 0310815380

**IL INST CONTROL**  
 Illinois EPA Id 0310815380

**IL SRP**  
 IL EPA Id 0310815380

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**H34**  
**WNW**  
**1/4-1/2**  
**0.265 mi.**  
**1401 ft.**

**SHERMAN, LLC**  
**1460 SHERMAN AVENUE**  
**EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989226**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**H35**  
**WNW**  
**1/4-1/2**  
**0.265 mi.**  
**1401 ft.**

**PARKING LOT**  
**1460 SHERMAN AVE.**  
**EVANSTON, IL 60201**

**IL LUST**  
**IL UST**  
**IL SPILLS**  
**IL BOL**

**U004179098**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**  
NFA/NFR Letter 1/24/2013  
Incident Num 20110399  
IL EPA Id 0310815326

**IL UST**  
Status EXEMPT  
Facility Id 2044888  
Tank Status Removed

**IL SPILLS**  
Incident ID 20110399

**IL BOL**  
Site Id 170001883816  
Inv Num 0310815326

**36**  
**WSW**  
**1/4-1/2**  
**0.287 mi.**  
**1516 ft.**

**KEN'S CLEANERS**  
**827 DEMPSTER**  
**EVANSTON, IL 60202**

**IL INST CONTROL**  
**IL SRP**  
**IL AIRS**  
**IL BOL**  
**IL DRYCLEANERS**

**1008114467**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**IL INST CONTROL**  
Illinois EPA Id 0310815036

**IL SRP**  
IL EPA Id 0310815036

**IL AIRS**  
Facility Id 29878

**IL BOL**  
Site Id 170000229465  
Inv Num 0310815036

MAP FINDINGS

Map ID Direction Distance Elevation		Database(s)	EDR ID Number EPA ID Number
--	--	-------------	--------------------------------

37 NNW 1/4-1/2 0.299 mi. 1579 ft.  Relative: Higher	<b>WASHINGTON NATIONAL INSURANCE</b> 1630 CHICAGO AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR IL SRP IL SPILLS FINDS ECHO IL BOL	1000862261 ILD984921619
--	--	---	----------------------------

**IL SRP**  
IL EPA Id 0310815050

**IL SPILLS**  
Incident ID NL881030

**RCRA NonGen / NLR**  
EPA Id ILD984921619

**FINDS**  
Registry ID: 110005927649

**ECHO**  
Registry ID 110005927649

**IL BOL**  
Site Id 170000308986  
Inv Num 0310815050

38 NNW 1/4-1/2 0.314 mi. 1659 ft.  Relative: Higher	<b>SCHWARTZHOFF CLEANER, FORMER</b> 1623 CHICAGO AVE EVANSTON, IL 60601  <a href="#">Click here for full text details</a>	IL INST CONTROL IL SRP IL BOL	S117534105 N/A
--	---	-------------------------------------	-------------------

**IL INST CONTROL**  
Illinois EPA Id 0310815364

**IL SRP**  
IL EPA Id 0310815364

**IL BOL**  
Site Id 170002077311  
Inv Num 0310815364

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

I39  
WNW  
1/4-1/2  
0.315 mi.  
1664 ft.

**VENTURA REALTY LIMITED**  
1459-1463 ELMWOOD AVENUE  
EVANSTON, IL 0

UST FINDER RELEASE

1028989230  
N/A

[Click here for full text details](#)

Relative:  
Higher

I40  
WNW  
1/4-1/2  
0.315 mi.  
1664 ft.

**VENTURA REALTY LIMITED**  
1459-1463 ELMWOOD AVENUE  
EVANSTON, IL 60201

IL LUST

S112056861  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**  
NFA/NFR Letter 9/17/2013  
Incident Num 20120368  
IL EPA Id 0310815341

J41  
WNW  
1/4-1/2  
0.330 mi.  
1745 ft.

**EVANSTON CLEANERS**  
1463 ELMWOOD  
EVANSTON, IL 60201

IL INST CONTROL  
IL SRP  
IL BOL

S107261755  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL INST CONTROL**  
Illinois EPA Id 0310815144

**IL SRP**  
IL EPA Id 0310815144

**IL BOL**  
Site Id 170000301901  
Inv Num 0310815144

42  
SSW  
1/4-1/2  
0.342 mi.  
1805 ft.

**JOE LEVYS TOYOTA**  
1111 CHICAGO AVE  
EVANSTON, IL 60202

IL INST CONTROL  
IL SRP  
IL BOL

S113257548  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL INST CONTROL**  
Illinois EPA Id 0310810006

**IL SRP**  
IL EPA Id 0310810006

**IL BOL**  
Site Id 170000244894

MAP FINDINGS

Map ID									
Direction									
Distance									
Elevation									
	Site				Database(s)			EDR ID Number	EPA ID Number

**JOE LEVYS TOYOTA (Continued)**

S113257548

Inv Num 0310810006

J43  
WNW  
1/4-1/2  
0.352 mi.  
1860 ft.

**WILSON, TERRY ASSOC**  
1508 ELMWOOD AVE  
EVANSTON, IL 60201

IL LUST S104564540  
IL BOL N/A

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**  
Incident Num 20001579  
IL EPA Id 0310815232

**IL BOL**  
Site Id 170000452043  
Inv Num 0310815232

K44  
WNW  
1/4-1/2  
0.365 mi.  
1925 ft.

**GROVE ELMWOOD SERVICE**  
900 GROVE ST.  
EVANSTON, IL 60201

IL LUST S102455618  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**  
NFA/NFR Letter 2/28/1997  
Incident Num 961175  
IL EPA Id 0310815186

K45  
WNW  
1/4-1/2  
0.365 mi.  
1925 ft.

**GROVE ELMWOOD SERVICE**  
900 GROVE ST.  
EVANSTON, IL 0

UST FINDER RELEASE 1028989191  
N/A

[Click here for full text details](#)

Relative:  
Higher

L46  
NNW  
1/4-1/2  
0.387 mi.  
2044 ft.

**EVANSTON, CITY OF**  
1616 SHERMAN AVENUE  
EVANSTON, IL 0

UST FINDER RELEASE 1028989218  
N/A

[Click here for full text details](#)

Relative:  
Higher

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
L47 NNW 1/4-1/2 0.387 mi. 2044 ft.	EVANSTON, CITY OF 1616 SHERMAN AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S106781291 N/A
Relative: Higher	IL LUST NFA/NFR Letter 3/28/2005 Incident Num 20041583 IL EPA Id 0310815276  IL BOL Site Id 170001583613 Inv Num 0310815272		
M48 West 1/4-1/2 0.392 mi. 2072 ft.	ST. PAUL'S LUTHERAN CHURCH 1004 GREENWOOD ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989197 N/A
Relative: Higher			
M49 West 1/4-1/2 0.392 mi. 2072 ft.	ST. PAUL'S LUTHERAN CHURCH 1004 GREENWOOD ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S103689077 N/A
Relative: Higher	IL LUST NFA/NFR Letter 8/25/1998 Incident Num 980672 IL EPA Id 0310815206		
N50 NW 1/4-1/2 0.393 mi. 2076 ft.	SHERMAN PLAZA VENTURE LLC 820 DAVIS STREET, SUITE 151 EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989180 N/A
Relative: Higher			
N51 NW 1/4-1/2 0.393 mi. 2076 ft.	SHERMAN PLAZA VENTURE LLC 820 DAVIS ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S105620805 N/A
Relative: Higher	IL LUST NFA/NFR Letter 11/30/2006		

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SHERMAN PLAZA VENTURE LLC (Continued)**

**S105620805**

Incident Num 20021436  
Incident Num 20021437  
IL EPA Id 0310815145

**IL BOL**

Site Id 170000304757  
Inv Num 0310815145

52  
WNW  
1/4-1/2  
0.397 mi.  
2097 ft.

**ST. MARY'S PARISH  
1012 LAKE STREET  
EVANSTON, IL 60201**

**IL LUST S125715362  
N/A**

Relative:  
Higher

[Click here for full text details](#)

**IL LUST**

NFA/NFR Letter 6/9/2020  
Incident Num 20191219  
IL EPA Id 0310815391

O53  
North  
1/4-1/2  
0.411 mi.  
2171 ft.

**CHURCH ST.  
1719 CHICAGO AVE.  
EVANSTON, IL 0**

**UST FINDER RELEASE 1028989134  
N/A**

Relative:  
Higher

[Click here for full text details](#)

O54  
North  
1/4-1/2  
0.411 mi.  
2171 ft.

**CHURCH ST.  
1719 CHICAGO AVE.  
EVANSTON, IL 60201**

**IL LUST S100054047  
IL SPILLS N/A  
IL BOL**

Relative:  
Higher

[Click here for full text details](#)

**IL LUST**

NFA/NFR Letter 9/6/1990  
Incident Num 891682  
IL EPA Id 0310815069

**IL SPILLS**

Incident ID NL891682

**IL BOL**

Site Id 170000451142  
Inv Num 0310815069

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
P55 SSW 1/4-1/2 0.438 mi. 2310 ft.	1022 CHICAGO AVENUE 1022 CHICAGO AVENUE EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL SRP	S129183086 N/A
Relative: Higher	IL SRP IL EPA Id 0310815404		
56 NNW 1/4-1/2 0.444 mi. 2346 ft.	NORTHWESTERN UNIVERSITY 1725 ORRINGTON EVANSTON, IL 60208  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS	S106878854 N/A
Relative: Higher	IL LUST Incident Num 20050441 IL EPA Id 0310815230  IL SPILLS Incident ID 20050441		
Q57 NNW 1/4-1/2 0.452 mi. 2388 ft.	NORMANDEALE PROPERTIES 1701 SHERMAN AVE. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S100530994 N/A
Relative: Higher	IL LUST NFA/NFR Letter 6/1/1993 Incident Num 922837 IL EPA Id 0310815137		
Q58 NNW 1/4-1/2 0.452 mi. 2388 ft.	NORMANDEALE PROPERTIES 1701 SHERMAN AVE. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989173 N/A
Relative: Higher			
R59 NNW 1/4-1/2 0.458 mi. 2419 ft.	TIMES SQUARE CAPITOL MANAGEMENT 1710 ORRINGTON AVE. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989185 N/A
Relative: Higher			

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**R60**  
**NNW**  
**1/4-1/2**  
**0.458 mi.**  
**2419 ft.**

**CONNECTICUT GENERAL LIFE INSURANCE CO.**  
**1710 ORRINGTON AVENUE**  
**EVANSTON, IL 60201**

**IL LUST**  
**IL ENG CONTROLS**  
**IL INST CONTROL**  
**IL SRP**  
**IL ASBESTOS**  
**IL BOL**

**S104967942**  
**N/A**

**Relative:**  
**Higher**

[Click here for full text details](#)

**IL LUST**

NFA/NFR Letter 1/24/2003  
Incident Num 20010464  
Incident Num 20010890  
IL EPA Id 0310815162

**IL ENG CONTROLS**

Illinois Epa Id 0310815162

**IL INST CONTROL**

Illinois EPA Id 0310815162

**IL SRP**

IL EPA Id 0310815162

**IL BOL**

Site Id 170000451623  
Inv Num 0310815162

**P61**  
**SSW**  
**1/4-1/2**  
**0.460 mi.**  
**2427 ft.**

**LES SIMS OLDS**  
**1012 CHICAGO AVE**  
**EVANSTON, IL 60202**

**IL INST CONTROL**  
**IL SRP**  
**IL BOL**

**S112087633**  
**N/A**

**Relative:**  
**Higher**

[Click here for full text details](#)

**IL INST CONTROL**

Illinois EPA Id 0310810007

**IL SRP**

IL EPA Id 0310810007

**IL BOL**

Site Id 170000234743  
Inv Num 0310810007

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
S62 NW 1/4-1/2 0.495 mi. 2611 ft.	HERTZ CORP. 910 CHURCH ST. EVANSTON, IL 60202  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS IL BOL	S103689058 N/A
Relative: Higher	IL LUST NFA/NFR Letter 1/10/2000 Incident Num 891972 IL EPA Id 0310815113  IL SPILLS Incident ID NL891972  IL BOL Site Id 170000451375 Inv Num 0310815113		
S63 NW 1/4-1/2 0.495 mi. 2611 ft.	HERTZ CORP. 910 CHURCH ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989160 N/A
Relative: Higher			
64 NNW 1/2-1 0.581 mi. 3068 ft.	NORTHWESTERN GAS, LIGHT AND COKE 912 CLARK STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR MGP	1008407373 N/A
Relative: Higher			
65 NNW 1/2-1 0.662 mi. 3497 ft.	NORTH WESTERN GAS WORKS 918 UNIVERSITY PLACE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR MGP	1008407372 N/A
Relative: Higher			

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

66  
WNW  
1/2-1  
0.875 mi.  
4619 ft.

NORTHWESTERN UNIVERSITY CWM SITE  
EVANSTON, IL

FUDS 1024900182  
N/A

Relative:  
Higher

[Click here for full text details](#)

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
IL	AIRS	Air Inventory Listing	Illinois EPA	07/01/2024	07/02/2024	09/25/2024
IL	ASBESTOS	Asbestos Notification Tracker Information	Illinois EPA	06/21/2024	06/26/2024	09/16/2024
IL	AST	Above Ground Storage Tanks	State Fire Marshal	08/08/2024	08/13/2024	10/29/2024
IL	BOL	Bureau of Land Inventory Database	Illinois Environmental Protection Agency	10/16/2023	04/23/2024	07/16/2024
IL	BROWNFIELDS	Redevelopment Assessment Database	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	BROWNFIELDS	Municipal Brownfields Redevelopment Grant Program Project De	Illinois Environmental Protection Agency	02/11/2010	07/31/2014	09/08/2014
IL	CCDD	Clean Construction or Demolition Debris	Illinois EPA	03/28/2024	07/02/2024	09/24/2024
IL	CDL	Meth Drug Lab Site Listing	Department of Public Health	07/05/2024	07/08/2024	09/27/2024
IL	COAL ASH	Coal Ash Site Listing	Illinois EPA	10/01/2011	03/09/2012	04/10/2012
IL	DRYCLEANERS	Illinois Licensed Drycleaners	Drycleaner Environmental Response Trust Fund	07/02/2024	08/12/2024	10/29/2024
IL	ENG CONTROLS	Sites with Engineering Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	FIN ASSURANCE	Financial Assurance Information Listing	Illinois Environmental Protection Agency	08/28/2024	09/12/2024	11/25/2024
IL	HWAR	Hazard Waste Annual Report	Illinois EPA	12/31/2019	05/11/2021	08/02/2021
IL	IEMA SPILLS	Illinois Emergency Management Agency Spills	Illinois Emergency Management Agency	07/22/2024	07/23/2024	10/11/2024
IL	IL NIPC	Solid Waste Landfill Inventory	Northeastern Illinois Planning Commission	08/01/1988	04/07/2022	07/01/2022
IL	IMPDMENT	Surface Impoundment Inventory	Illinois Waste Management & Research Center	12/31/1980	03/08/2002	06/03/2002
IL	Inst Control	Institutional Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	LF SPECIAL WASTE	Special Waste Site List	Illinois EPA	01/01/1990	06/17/2009	07/15/2009
IL	LF WMRC	Waste Management & Research Center Landfill Database	Department of Natural Resources	12/31/2001	10/06/2006	11/06/2006
IL	LUST	Leaking Underground Storage Tank Sites	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	LUST TRUST	Underground Storage Tank Fund Payment Priority List	Illinois EPA	06/06/2016	07/27/2016	10/18/2016
IL	NPDES	A Listing of Active Permits	Illinois EPA	04/16/2014	04/18/2014	05/20/2014
IL	PFAS	PFAS Sampling Listing	Illinois Environmental Protection Agency	12/15/2023	12/27/2023	12/29/2023
IL	PIMW	Potentially Infectious Medical Waste	Illinois EPA	09/09/2024	09/11/2024	11/19/2024
IL	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Natural Resources		07/01/2013	12/30/2013
IL	RGA LF	Recovered Government Archive Solid Waste Facilities List	Illinois Environmental Protection Agency		07/01/2013	01/10/2014
IL	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	Illinois Environmental Protection Agency		07/01/2013	12/30/2013
IL	SPILLS	State spills	Illinois EPA	05/06/2024	07/02/2024	09/24/2024
IL	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	07/18/2012	01/03/2013	03/15/2013
IL	SRP	Site Remediation Program Database	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	SSU	State Sites Unit Listing	Illinois Environmental Protection Agency	01/31/2024	01/31/2024	02/13/2024
IL	SWF/LF	Available Disposal for Solid Waste in Illinois - Solid Waste	Illinois Environmental Protection Agency	12/31/2022	10/17/2023	01/08/2024
IL	TIER 2	Tier 2 Information Listing	Illinois Emergency Management Agency	12/31/2023	05/07/2024	08/01/2024
IL	UIC	Underground Injection Wells	Illinois EPA	02/15/2024	05/22/2024	08/19/2024
IL	UST	Underground Storage Tank Facility List	Illinois State Fire Marshal	07/15/2024	07/16/2024	09/27/2024
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	09/10/2024	09/11/2024	11/19/2024
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	10/13/2024	10/16/2024	10/23/2024
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2021	03/09/2023	03/20/2023
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2022	11/27/2023	02/22/2024
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/30/2024	07/08/2024	09/26/2024
US	CORRACTS	Corrective Action Report	EPA	06/03/2024	06/07/2024	06/20/2024
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DOT OPS	Incident and Accident Data	Department of Transportation, Office of Pipeli	01/02/2020	01/28/2020	04/17/2020
US	Delisted NPL	National Priority List Deletions	EPA	09/25/2024	10/01/2024	10/23/2024
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	07/24/2023	04/18/2024	06/06/2024
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	06/23/2024	06/28/2024	07/12/2024
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	06/11/2024	06/17/2024	09/04/2024
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	06/07/2024	06/25/2024	09/19/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	03/15/2024	03/19/2024	06/17/2024
US	FINDS	Facility Index System/Facility Registry System	EPA	08/13/2024	08/20/2024	08/28/2024
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	07/31/2024	08/12/2024	10/09/2024
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	08/13/2024	08/13/2024	10/09/2024
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	06/14/2024	06/17/2024	06/24/2024
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Serivces, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LUCIS	Land Use Control Information System	Department of the Navy	07/15/2024	07/17/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	MINES MRDS	Mineral Resources Data System	USGS	08/23/2022	11/22/2022	02/28/2023
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	10/01/2024	10/02/2024	10/09/2024
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	09/25/2024	10/01/2024	10/23/2024
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	05/23/2024	07/02/2024	09/26/2024
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	09/25/2024	10/01/2024	10/23/2024
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RMP	Risk Management Plans	Environmental Protection Agency	07/12/2024	07/17/2024	10/09/2024
US	ROD	Records Of Decision	EPA	10/24/2024	11/01/2024	11/19/2024
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	09/25/2024	10/01/2024	10/23/2024
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	09/25/2024	10/01/2024	10/23/2024
US	SSTS	Section 7 Tracking Systems	EPA	07/11/2024	07/11/2024	07/12/2024
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2022	11/13/2023	02/07/2024
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	05/08/2024	08/14/2024	08/28/2024
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	06/10/2024	06/11/2024	09/04/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	06/10/2024	06/17/2024	09/04/2024
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/06/2024	08/14/2024	08/15/2024
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protection Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protection	08/05/2024	08/06/2024	10/25/2024
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
IL	Daycare Centers	Sensitive Receptor: Homes & Centers Listing	Department of Children & Family Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
IL	State Wetlands	Wetland Inventory	Illinois State Geological Survey			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

9826-O GREENWOOD ST FROM HINMAN AVE TO JUDSON AVE  
GREENWOOD STREET AND HINMAN AVE  
EVANSTON, IL 60201

### **TARGET PROPERTY COORDINATES**

Latitude (North):	42.042614 - 42° 2' 33.41"
Longitude (West):	87.677794 - 87° 40' 40.06"
Universal Tranverse Mercator:	Zone 16
UTM X (Meters):	443902.5
UTM Y (Meters):	4654516.0
Elevation:	598 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	24185589 EVANSTON, IL
Version Date:	2021

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ESE

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
17031C0270J	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
17031C0265J	FEMA FIRM Flood data

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EVANSTON	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### **Site-Specific Hydrogeological Data\*:**

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
70	1/2 - 1 Mile NNW	E
91	1/2 - 1 Mile NW	Not Reported
S94	1/2 - 1 Mile South	Not Reported
1G	1/2 - 1 Mile NW	Not Reported
2G	1/2 - 1 Mile NNW	E
3G	1/2 - 1 Mile South	Not Reported

For additional site information, refer to Physical Setting Source Map Findings.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### ROCK STRATIGRAPHIC UNIT

Era: Paleozoic  
System: Silurian  
Series: Middle Silurian (Niagoaran)  
Code: S2 *(decoded above as Era, System & Series)*

#### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBANLAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Bedrock Max: > 0 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	60 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

**OTHER SOIL TYPES IN AREA**

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
fine sandy loam  
loam  
fine sand

Surficial Soil Types: silt loam  
fine sandy loam  
loam  
fine sand

Shallow Soil Types: sandy loam

Deeper Soil Types: silt loam  
sand  
loamy sand  
loam

**LOCAL / REGIONAL WATER AGENCY RECORDS**

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

**WELL SEARCH DISTANCE INFORMATION**

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

**FEDERAL USGS WELL INFORMATION**

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
66	IL0001115	1/2 - 1 Mile West

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	ILSG40000040079	0 - 1/8 Mile NE
A2	ILSG40000059771	1/8 - 1/4 Mile North
A3	ILSG40000059769	1/8 - 1/4 Mile NNW
A4	ILSG40000059770	1/8 - 1/4 Mile North
A5	ILPW8886	1/8 - 1/4 Mile North
B6	ILSG40000059323	1/8 - 1/4 Mile NNW
C7	ILSG40000059768	1/8 - 1/4 Mile North
B8	ILSG40000059324	1/8 - 1/4 Mile NNW
B9	ILSG40000059325	1/8 - 1/4 Mile NNW
B10	ILSG40000059766	1/8 - 1/4 Mile NNW
C11	ILSG40000059767	1/8 - 1/4 Mile North
B12	ILSG40000059302	1/8 - 1/4 Mile NNW
C13	ILSG40000059303	1/8 - 1/4 Mile NNW
B14	ILSG40000059304	1/8 - 1/4 Mile NNW
C15	ILSG40000037919	1/8 - 1/4 Mile NNW
B16	ILSG40000059305	1/8 - 1/4 Mile NNW
D17	ILSG40000059306	1/4 - 1/2 Mile NNW
E18	ILSG40000059764	1/4 - 1/2 Mile North
F19	ILSG40000059702	1/4 - 1/2 Mile NW
E20	ILSG40000059763	1/4 - 1/2 Mile North
E21	ILSG40000059765	1/4 - 1/2 Mile North
F22	ILSG40000059701	1/4 - 1/2 Mile NW
F23	ILSG40000037920	1/4 - 1/2 Mile NW
F24	ILSG40000059700	1/4 - 1/2 Mile NW
D25	ILSG40000059300	1/4 - 1/2 Mile NNW
D26	ILSG40000059301	1/4 - 1/2 Mile NNW
F27	ILSG40000059430	1/4 - 1/2 Mile NW
F28	ILSG40000059429	1/4 - 1/2 Mile NW
F29	ILSG40000059431	1/4 - 1/2 Mile NNW
D30	ILSG40000059299	1/4 - 1/2 Mile NNW
G31	ILSG40000059330	1/4 - 1/2 Mile NNW
G32	ILSG40000059329	1/4 - 1/2 Mile NNW
G33	ILSG40000059331	1/4 - 1/2 Mile NNW
G34	ILSG40000054375	1/4 - 1/2 Mile NNW
G35	ILSG40000059326	1/4 - 1/2 Mile NNW
G36	ILSG40000059327	1/4 - 1/2 Mile NNW

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
G37	ILSG40000059328	1/4 - 1/2 Mile NNW
H38	ILSG40000059292	1/4 - 1/2 Mile SSW
H39	ILSG40000059291	1/4 - 1/2 Mile SSW
I40	ILSG40000059704	1/4 - 1/2 Mile WNW
41	ILSG40000045918	1/4 - 1/2 Mile SE
I42	ILSG40000059706	1/4 - 1/2 Mile WNW
I43	ILSG40000059708	1/4 - 1/2 Mile WNW
I44	ILSG40000059707	1/4 - 1/2 Mile WNW
I45	ILSG40000059705	1/4 - 1/2 Mile WNW
I46	ILSG40000059703	1/4 - 1/2 Mile WNW
J47	ILSG40000060672	1/4 - 1/2 Mile NNW
J48	ILSG40000037918	1/4 - 1/2 Mile NNW
K49	ILSG40000054495	1/4 - 1/2 Mile WNW
K50	ILSG40000054496	1/2 - 1 Mile WNW
K51	ILSG40000054497	1/2 - 1 Mile WNW
L52	ILSG40000059384	1/2 - 1 Mile NNW
L53	ILSG40000059383	1/2 - 1 Mile NNW
L54	ILSG40000059382	1/2 - 1 Mile NNW
M55	ILSG40000064447	1/2 - 1 Mile NNW
N56	ILSG40000060131	1/2 - 1 Mile South
N57	ILSG40000060133	1/2 - 1 Mile South
M58	ILSG40000064450	1/2 - 1 Mile NNW
N59	ILSG40000060130	1/2 - 1 Mile South
N60	ILSG40000060132	1/2 - 1 Mile South
M61	ILSG40000064451	1/2 - 1 Mile NNW
62	ILSG40000039992	1/2 - 1 Mile SW
M63	ILSG40000064452	1/2 - 1 Mile NNW
O64	ILSG40000064449	1/2 - 1 Mile NNW
O65	ILSG40000064453	1/2 - 1 Mile NNW
O67	ILSG40000064455	1/2 - 1 Mile NW
O68	ILSG40000064448	1/2 - 1 Mile NNW
69	ILSG40000057234	1/2 - 1 Mile SE
P71	ILSG40000054369	1/2 - 1 Mile NNW
P72	ILSG40000054367	1/2 - 1 Mile NNW
P73	ILSG40000064454	1/2 - 1 Mile NNW
P74	ILSG40000054368	1/2 - 1 Mile NNW
P75	ILSG40000054366	1/2 - 1 Mile NNW
Q76	ILSG40000059293	1/2 - 1 Mile North
77	ILPW8887	1/2 - 1 Mile SW
78	ILSG40000061714	1/2 - 1 Mile NNW
Q79	ILSG40000059294	1/2 - 1 Mile NNE
R80	ILSG40000060480	1/2 - 1 Mile NW
R81	ILSG40000060479	1/2 - 1 Mile NW
R82	ILSG40000060478	1/2 - 1 Mile NW
83	ILSG40000061713	1/2 - 1 Mile North
S84	ILSG40000062936	1/2 - 1 Mile South
S85	ILSG40000062935	1/2 - 1 Mile South
R86	ILSG40000054352	1/2 - 1 Mile NW
T87	ILSG40000054351	1/2 - 1 Mile NW
T88	ILSG40000054355	1/2 - 1 Mile NW
T89	ILSG40000054354	1/2 - 1 Mile NW
T90	ILSG40000054353	1/2 - 1 Mile NW

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## STATE DATABASE WELL INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
T92	ILSG40000054356	1/2 - 1 Mile NW
T93	ILSG40000054357	1/2 - 1 Mile NW
U95	ILSG40000060653	1/2 - 1 Mile North
U96	ILSG40000060654	1/2 - 1 Mile North
U97	ILSG40000060652	1/2 - 1 Mile North
98	ILSG40000060639	1/2 - 1 Mile North

## OTHER STATE DATABASE INFORMATION

### STATE OIL/GAS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	ILOG30000031483	1/4 - 1/2 Mile NNW

# PHYSICAL SETTING SOURCE MAP - 7841921.57s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: 9826-O Greenwood St From Hinman Ave To Judson Ave	CLIENT: Interra, Inc.
ADDRESS: Greenwood Street and Hinman Ave Evanston IL 60201	CONTACT: Ashok Guntaka
LAT/LONG: 42.042614 / 87.677794	INQUIRY #: 7841921.57s
	DATE: December 06, 2024 1:32 pm

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 NNW 1/4 - 1/2 Mile	<a href="#">Click here for full text details</a>	OIL_GAS	ILOG30000031483
1 NE 0 - 1/8 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000040079
A2 North 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059771
A3 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059769
A4 North 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059770
A5 North 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8886
B6 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059323
C7 North 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059768
B8 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059324

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
B9 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059325
B10 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059766
C11 North 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059767
B12 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059302
C13 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059303
B14 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059304
C15 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037919
B16 NNW 1/8 - 1/4 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059305
D17 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059306

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
E18 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059764
F19 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059702
E20 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059763
E21 North 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059765
F22 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059701
F23 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037920
F24 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059700
D25 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059300
D26 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059301

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
F27 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059430
F28 NW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059429
F29 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059431
D30 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059299
G31 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059330
G32 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059329
G33 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059331
G34 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054375
G35 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059326

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
G36 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059327
G37 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059328
H38 SSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059292
H39 SSW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059291
I40 WNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059704
41 SE 1/4 - 1/2 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000045918
I42 WNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059706
I43 WNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059708
I44 WNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059707

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
I45 WNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059705
I46 WNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059703
J47 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060672
J48 NNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000037918
K49 WNW 1/4 - 1/2 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054495
K50 WNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054496
K51 WNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054497
L52 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059384
L53 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059383

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
L54 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059382
M55 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064447
N56 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060131
N57 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060133
M58 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064450
N59 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060130
N60 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060132
M61 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064451
62 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039992

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
M63 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064452
O64 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064449
O65 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064453
66 West 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	FRDS PWS	IL0001115
O67 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064455
O68 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064448
69 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000057234
70 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	27259
P71 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054369

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
P72 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054367
P73 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000064454
P74 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054368
P75 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054366
Q76 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059293
77 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW8887
78 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061714
Q79 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059294
R80 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060480

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
R81 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060479
R82 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060478
83 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000061713
S84 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062936
S85 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000062935
R86 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054352
T87 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054351
T88 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054355
T89 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054354

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
T90 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054353
91 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	62391
T92 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054356
T93 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054357
S94 South 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	25728
U95 North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060653
U96 North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060654
U97 North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060652
98 North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060639

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1G NW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62391
2G NNW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	27259
3G South 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	25728

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: IL Radon

### Radon Test Results

Zipcode	Result
60201	0.7
60201	1.6
60201	0.7
60201	0.9
60201	
60201	0.7
60201	1.1
60201	0.3
60201	0.6
60201	1.6
60201	0.8
60201	1
60201	0.3
60201	1.8

Federal EPA Radon Zone for COOK County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level  $\geq$  2 pCi/L and  $\leq$  4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

---

Federal Area Radon Information for Zip Code: 60201

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	-0.500 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Illinois State Geological Survey

Telephone: 217-333-4747

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## OTHER STATE DATABASE INFORMATION

### Oil and Gas Wells Listing

Source: Illinois State Geological Survey

Telephone: 217-333-5109

Oil and gas wells location points from the Illinois State Geological Survey database.

### Water Well Records

Source: Illinois Geological Survey

Telephone: 217-333-4747

### Illinois Private Well Database and PICS (Public, Industrial, Commercial Survey)

Source: Illinois State Water Survey

Telephone: 217-333-9043

### Water Well Location Information

Source: Illinois Environmental Protection Agency

Telephone: 217-782-0810

## RADON

### State Database: IL Radon

Source: Department of Nuclear Safety

Telephone: 217-785-9958

County Radon Results

### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration


Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix B**  
Sample Location Map

2025 MFT Street Resurfacing Projects  
Greenwood Street from Hinman Avenue to Judson Avenue  
INTERRA Project No. 9826  
Date: 12/19/2024



Greenwood-PC-01

Greenwo



**Appendix C**  
Analytical Test Reports

January 09, 2025

INTERRA, Inc.  
INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

RE: 9826 - Evanston Geotech and Environmental 2024  
AAL1404

Metiri Analytical Group Inc, - Geneva received sample(s) on 12/20/2024 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,



Daniel Galeher  
Project Manager



INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:37

## Notes and Definitions

Item	Definition
------	------------

J	Analyte detected below quantitation limit (QL)
S	Spike Recovery outside accepted recovery limits
U	Analyte included in the analysis, but not detected

### General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

### Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS: (Surrogate Standard): Quality control compound added to the sample by the lab.
- LA: Lab Accident - No valid data to report.
- VO: Insufficient Volume provided
- BR: Received broken
- IP: Invalid Sampling

### Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater



Illinois Department of Public Health Accredited #17585

Illinois Environmental Protection Agency Accredited #100225

# Table of Contents

Qualifiers and Definitions	2
Sample Results	5
Chain of Custody	11

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
 600 Territorial Drive, Suite G  
 Bolingbrook, IL 60440

Project: INTERRA - Soil  
 Project Number: 9826 - Evanston Geotech and Environmental 2024  
 Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:37

### Samples in this Report

Lab ID	Sample	Matrix	Date Sampled	Date Received
AAL1404-01	Greenwood-PC-01	Solid	12/19/2024 13:15	12/20/2024

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:37

## Sample Results

**Sample: Greenwood-PC-01**  
**AAL1404-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.027	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.015	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.016	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.012	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.111	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.113	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2,4-Dichlorophenol	ND	0.106	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2,4-Dimethylphenol	ND	0.170	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2,4-Dinitrophenol	ND	0.223	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.019	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.016	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2-Chloronaphthalene	ND	0.018	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2-Chlorophenol	ND	0.100	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2-Methylnaphthalene	ND	0.019	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2-Nitroaniline	ND	0.117	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
2-Nitrophenol	ND	0.119	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.104	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
3-Nitroaniline	ND	0.054	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.104	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.019	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.109	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
4-Chloroaniline	ND	0.083	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.014	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
4-Nitroaniline	ND	0.069	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
4-Nitrophenol	ND	0.096	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Acenaphthene	ND	0.017	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Acenaphthylene	ND	0.015	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Aniline	ND	0.072	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Anthracene	0.015 J	0.013	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Azobenzene	ND	0.011	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Benzidine	ND	0.074	0.879	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Benzo(a)anthracene	0.055 J	0.011	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Benzo(a)pyrene	0.054 J	0.014	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Benzo(b)fluoranthene	0.076	0.014	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Benzo(g,h,i)perylene	0.043 J	0.017	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Benzo(k)fluoranthene	0.027 J	0.012	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Benzoic acid	ND	0.120	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Benzyl alcohol	ND	0.130	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.020	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.031	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.025	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Bis(2-ethylhexyl)phthalate	ND	0.125	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Butyl benzyl phthalate	ND	0.123	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Carbazole	ND	0.014	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Chrysene	0.051 J	0.014	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:37

### Sample Results (Continued)

#### Sample: Greenwood-PC-01 (Continued) AAL1404-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### SVOC (Continued)

Dibenzo(a,h)anthracene	ND	0.018	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Dibenzofuran	ND	0.016	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Diethyl phthalate	ND	0.103	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Dimethyl phthalate	ND	0.115	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Di-n-butyl phthalate	ND	0.096	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Di-n-octyl phthalate	ND	0.138	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Fluoranthene	0.084	0.012	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Fluorene	ND	0.016	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Hexachlorobenzene	ND	0.113	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Hexachlorobutadiene	ND	0.109	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.092	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Hexachloroethane	ND	0.102	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	0.041 J	0.002	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Isophorone	ND	0.002	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
m,p-Cresol	ND	0.025	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Naphthalene	ND	0.016	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
n-Decane	0.168 J	0.115	0.234	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Nitrobenzene	ND	0.013	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
N-nitrosodimethylamine	ND	0.019	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.017	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.029	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
n-Octadecane	ND	0.117	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
O-Cresol	ND	0.024	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Pentachlorophenol	ND	0.185	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Phenanthrene	0.038 J	0.014	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Phenol	ND	0.107	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Pyrene	0.080	0.015	0.070	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384
Pyridine	ND	0.073	0.351	mg/kg dry	12/19/24 13:15	01/09/25	1	8270C	BAL1384

Surrogate: 2,4,6-Tribromophenol	57%	38-105	01/09/25	1	8270C
Surrogate: 2-Fluorobiphenyl	64%	40-110	01/09/25	1	8270C
Surrogate: 2-Fluorophenol	55%	41-105	01/09/25	1	8270C
Surrogate: 4-Terphenyl-d14	76%	26-133	01/09/25	1	8270C
Surrogate: Nitrobenzene-d5	60%	27-129	01/09/25	1	8270C
Surrogate: Phenol-d5	52%	43-105	01/09/25	1	8270C

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546

4,4'-DDD	ND	0.000402	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
4,4'-DDE	ND	0.000423	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
4,4'-DDT	ND	0.00111	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Aldrin	ND	0.000201	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
alpha-BHC	ND	0.000349	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
alpha-Chlordane	ND	0.000191	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
beta-BHC	ND	0.000339	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:37

### Sample Results (Continued)

#### Sample: Greenwood-PC-01 (Continued) AAL1404-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546 (Continued)

Chlordane, Technical	ND	0.0209	0.0352	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
delta-BHC	ND	0.000201	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Dieldrin	ND	0.000434	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Endosulfan I	ND	0.000169	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Endosulfan II	ND	0.000360	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Endosulfan sulfate	ND	0.000370	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Endrin	ND	0.000455	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Endrin aldehyde	ND	0.000413	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Endrin ketone	ND	0.000487	0.00141	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
gamma-BHC	ND	0.000222	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
gamma-Chlordane	ND	0.000254	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Heptachlor	ND	0.000328	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Heptachlor epoxide	ND	0.000169	0.000706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Methoxychlor	ND	0.00656	0.00706	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
Toxaphene	ND	0.0421	0.0882	mg/kg dry	12/19/24 13:15	01/01/25	1	8081	BAL1377
<i>Surrogate: Decachlorobiphenyl</i>		<i>63%</i>	<i>29-133</i>			<i>01/01/25</i>	<i>1</i>	<i>8081</i>	
<i>Surrogate: Tetrachloro-m-xylene</i>		<i>65%</i>	<i>36-118</i>			<i>01/01/25</i>	<i>1</i>	<i>8081</i>	
AROCLOR 1016	ND	0.004	0.018	mg/kg dry	12/19/24 13:15	01/01/25	1	8082	BAL1377
AROCLOR 1221	ND	0.004	0.018	mg/kg dry	12/19/24 13:15	01/01/25	1	8082	BAL1377
AROCLOR 1232	ND	0.003	0.018	mg/kg dry	12/19/24 13:15	01/01/25	1	8082	BAL1377
AROCLOR 1242	ND	0.003	0.018	mg/kg dry	12/19/24 13:15	01/01/25	1	8082	BAL1377
AROCLOR 1248	ND	0.004	0.018	mg/kg dry	12/19/24 13:15	01/01/25	1	8082	BAL1377
AROCLOR 1254	ND	0.004	0.018	mg/kg dry	12/19/24 13:15	01/01/25	1	8082	BAL1377
AROCLOR 1260	ND	0.007	0.018	mg/kg dry	12/19/24 13:15	01/01/25	1	8082	BAL1377
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		<i>63%</i>	<i>20-142</i>			<i>01/01/25</i>	<i>1</i>	<i>8082</i>	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		<i>62%</i>	<i>22-123</i>			<i>01/01/25</i>	<i>1</i>	<i>8082</i>	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - CVAA

Mercury	ND	0.0390	0.0852	mg/kg dry	12/19/24 13:15	01/06/25	1	7471B	BBA0136
---------	----	--------	--------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Wet Chemistry

pH	9.52	0.100	0.100	pH Units	12/19/24 13:15	12/21/24	1	SW 9045D	BAL1178
Temperature	21.5	1.00	1.00	pH Units	12/19/24 13:15	12/21/24	1	SW 9045D	BAL1178
Percent Moisture	5.8	0.10	0.10	%	12/19/24 13:15	12/26/24	1	ASTM-D2216	BAL1234

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics - Prep EPA 5035

1,1,1-Trichloroethane	ND	0.000340	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
1,1,2,2-Tetrachloroethane	ND	0.000442	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:37

**Sample Results**  
**(Continued)**

**Sample: Greenwood-PC-01 (Continued)**  
**AAL1404-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics - Prep EPA 5035 (Continued)**

1,1,2-Trichloroethane	ND	0.000425	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
1,1-Dichloroethane	ND	0.000382	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
1,1-Dichloroethene	ND	0.000408	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
1,2-Dichloroethane	ND	0.000280	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
1,2-Dichloropropane	ND	0.00139	0.00425	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
2-Butanone	0.00370 J	0.00201	0.0170	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
2-Hexanone	ND	0.000629	0.0212	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
4-Methyl-2-pentanone	ND	0.000637	0.0212	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Acetone	ND	0.00451	0.0212	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Benzene	0.0617	0.000263	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Bromoform	ND	0.00139	0.00425	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Bromomethane	ND	0.000391	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Carbon disulfide	ND	0.00127	0.00425	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Carbon tetrachloride	ND	0.000331	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Chlorobenzene	ND	0.000246	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Chloroethane	ND	0.00234	0.00425	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Chloroform	ND	0.000382	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Chloromethane	ND	0.00327	0.00425	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
cis-1,2-Dichloroethene	ND	0.000323	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
cis-1,3-dichloropropene	ND	0.000212	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Dibromochloromethane	ND	0.000365	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Ethylbenzene	ND	0.000331	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
m,p-Xylene	0.00190	0.000510	0.00170	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Methyl tert-butyl ether	ND	0.000297	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Methylene chloride	ND	0.00219	0.00425	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
o-Xylene	ND	0.000229	0.00170	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Styrene	ND	0.000246	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Tetrachloroethene	ND	0.000510	0.00170	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Toluene	0.0236	0.000399	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
trans-1,2-Dichloroethene	ND	0.000314	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
trans-1,3-dichloropropene	ND	0.000221	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Trichloroethene	ND	0.000306	0.000850	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054
Vinyl chloride	ND	0.000875	0.00425	mg/kg dry	12/19/24 13:15	12/31/24	1	8260B	BBA0054

Surrogate: 4-Bromofluorobenzene 102% 76-119 12/31/24 1 8260B  
Surrogate: Dibromofluoromethane 96% 66-137 12/31/24 1 8260B  
Surrogate: Toluene-d8 102% 80-120 12/31/24 1 8260B

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Volatile Organics**

Total 1,3-Dichloropropene	ND	0.000212	0.000850	mg/kg Dry	12/19/24 13:15	12/31/24	1	8260B	[CALC]
Total Xylenes	0.00190	0.000229	0.00170	mg/kg Dry	12/19/24 13:15	12/31/24	1	8260B	[CALC]

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:37

### Sample Results (Continued)

#### Sample: Greenwood-PC-01 (Continued) AAL1404-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>Metals - ICP</b>									
Arsenic	3.59 J	0.327	4.95	mg/kg Dry	12/19/24 13:15	12/23/24	1	6010B	BAL1200
Barium	9.62	0.525	2.48	mg/kg Dry	12/19/24 13:15	12/23/24	1	6010B	BAL1200
Cadmium	ND	0.0297	0.248	mg/kg Dry	12/19/24 13:15	12/23/24	1	6010B	BAL1200
Chromium	4.48	0.0861	0.248	mg/kg Dry	12/19/24 13:15	12/23/24	1	6010B	BAL1200
Lead	15.5	0.208	1.24	mg/kg Dry	12/19/24 13:15	12/23/24	1	6010B	BAL1200
Selenium	ND	0.356	4.95	mg/kg Dry	12/19/24 13:15	12/23/24	1	6010B	BAL1200
Silver	ND	0.257	0.495	mg/kg Dry	12/19/24 13:15	12/23/24	1	6010B	BAL1200

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/09/2025 15:37

*8260 SRP Package*

---

8260 SRP





**STATE OF ILLINOIS**  
**ENVIRONMENTAL PROTECTION AGENCY**  
**NELAP - RECOGNIZED**  
**ENVIRONMENTAL LABORATORY ACCREDITATION**

is hereby granted to

**Suburban Laboratories**  
**1950 South Batavia Ave., Suite 150**  
**Geneva, IL 60134**

**NELAP ACCREDITED**

Accreditation Number #100225



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose  
 Supervisor  
 Environmental Laboratory Accreditation Program

Certificate No: 1002252024-26  
 Expiration Date: 10/31/2025  
 Issued On: 10/30/2024



600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

p: 630-754-8700  
f: 630-754-8705

Interra Project No: 9826

2/13/2025

Ms. Bridget Nash, PE  
Capital Planning & Engineering  
Public Works Agency  
City of Evanston  
2100 Ridge Avenue  
Evanston, IL 60201

### **Environmental Report**

2025 Water Main Improvement Projects  
Hartzell Street from Lincolnwood Avenue to Reese Avenue  
City of Evanston, Cook County, Illinois

Dear Ms. Nash:

Interra, Inc. (INTERRA) is pleased to submit this report on environmental sampling and analytical testing performed at the above referenced project in Evanston, Illinois. We understand that the purpose of the investigation is to aid in soil management during construction.

#### **Scope of Work**

The scope of work included review of readily available historical documents to identify past land use and selection of parameters for analytical testing; collection of one (1) soil sample for analytical testing; and determination of soil management options based on analytical test results.

#### **Historical Document Review**

A review of the Federal, State and Local databases was performed to identify past land use and recognized environmental conditions on or near the property. Potentially Impacted Properties (PIP) identified in the vicinity of the site included Leaking Underground Storage Tanks (LUST), Site Remediation Program (SRP), Institutional Control, and spills. Historical reports reviewed are included in Appendix A.

### **Field Work**

Boreholes for collecting environmental samples were located in the field by INTERRA. The drilling sub-contractor, Geocon Professional Services (GEOCON) obtained underground utility clearances prior to drilling. Drilling was performed on 12/19/2024. Soil sampling was performed at 2.5-foot intervals up to the planned exploration depth of 10 feet. Soil sampling was performed using decontaminated split-spoon sampler. All soil samples were field screened using a Minirae 2020 Plus (photoionization detector) to aid in sample selection for analytical testing. Field screening did not indicate the presence of VOC contamination. Sample Location Map is presented in Appendix B of this report.

Soil grab samples for environmental analysis were chosen between the 0.0 to 5.0 feet interval. INTERRA collected and preserved the environmental soil sample in accordance with applicable SW 846 methods and transported them to the NELAC accredited Suburban Laboratories for analytical testing.

### **Analytical Testing**

The soil samples were analyzed for the contaminants of concern identified based on Historical Document review. Based on this, the sample was tested for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), total RCRA Metals, Pesticides, PCBs and pH. The sample analytical test reports are presented in Appendix C of this report.

### **Conclusions and Recommendations**

The analytical results were compared to 35 ILL. Adm. Code 1100, "Maximum Allowable Concentrations (MAC) of chemical constituents in Uncontaminated Soil used as fill in a Clean Construction & Demolition Debris (CCDD) or "Uncontaminated Soil Fill Operation" and Illinois Tiered Approach to Corrective Action Objectives (TACO) Residential Soil Remediation Objectives in accordance with Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022).

Sample Hartzell-PC-01 did not encounter any contaminants of concern above the CCDD and TACO regulatory limits specified in Article 669 of IDOT Standard Specification for Road and Bridge Construction (January 1, 2022). The pH of the soil is within the range of 6.25-9.0 as required by CCDD/USFO facilities.

Based on the results, the soil can be classified as clean material and managed as follows according to Article 202.03 of IDOT Standard Specifications. LPC 663 form for this area is presented in Appendix D of this report.

- The soil can be disposed of at any CCDD facility or a USFO.
- The soil can be utilized within the right-of-way as embankment or fill, when suitable.

We appreciate the opportunity to be of service to you. Should you need additional information or clarifications, please call us at (630) 754-8700.

Yours truly,

**Interra, Inc.**




Supraja Reddy, Ph.D., PE

Geotechnical Engineer



Ashok Guntaka, EI

Project Manager



Sanjeev Bandi, Ph.D., PE

Principal Engineer

**APPENDIX A**  
Historical Reports

**9826-Q Hartzell Street From Lincolnwood Ave To Re**  
Hartzell Street and Lincolnwood Ave  
Evanston, IL 60201

Inquiry Number: 7841921.67s  
December 06, 2024

## EDR Summary Radius Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	94
Government Records Searched/Data Currency Tracking .....	GR-1
 <b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-7
Physical Setting Source Map Findings .....	A-8
Physical Setting Source Records Searched .....	PSGR-1

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

## **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

HARTZELL STREET AND LINCOLNWOOD AVE  
EVANSTON, IL 60201

#### COORDINATES

Latitude (North): 42.0656120 - 42° 3' 56.20"  
Longitude (West): 87.7144840 - 87° 42' 52.14"  
Universal Transverse Mercator: Zone 16  
UTM X (Meters): 440887.2  
UTM Y (Meters): 4657094.5  
Elevation: 609 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: TP  
Source: U.S. Geological Survey

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20190802  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
HARTZELL STREET AND LINCOLNWOOD AVE  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">A1</a>	ROSIE'S WHEAT-FREE B	2901 CENTRAL	IL UST	Lower	330, 0.062, South
<a href="#">A2</a>	OCARROLL, ROSEMARY	2901 CENTRAL ST	IL LUST, IL BOL	Lower	330, 0.062, South
<a href="#">A3</a>	O'CARROLL, ROSEMARY	2901 CENTRAL STREET	UST FINDER RELEASE	Lower	330, 0.062, South
<a href="#">B4</a>	CENTRAL REESE SERVIC	2829 CENTRAL	IL UST	Higher	369, 0.070, SSE
<a href="#">B5</a>	CENTRAL REESE SERVIC	2829 CENTRAL ST.	IL LUST, IL BOL	Higher	369, 0.070, SSE
<a href="#">B6</a>	CENTRAL REESE SERVIC	2829 CENTRAL ST	EDR Hist Auto	Higher	369, 0.070, SSE
<a href="#">B7</a>	CENTRAL REESE SERVIC	2829 CENTRAL	UST FINDER	Higher	369, 0.070, SSE
<a href="#">B8</a>	CENTRAL REESE SERVIC	2829 CENTRAL ST.	UST FINDER RELEASE	Higher	369, 0.070, SSE
<a href="#">C9</a>	PALLIATIVE CARECENTE	2821 CENTRAL ST	IL UST	Lower	454, 0.086, SE
<a href="#">C10</a>	PALLIATIVE CARE CTR.	2821 CENTRAL ST.	IL LUST, IL BOL	Lower	454, 0.086, SE
<a href="#">C11</a>	PALLIATIVE CARE CTR.	2821 CENTRAL ST.	UST FINDER RELEASE	Lower	454, 0.086, SE
<a href="#">D12</a>	EVANSTON, CITY OF FI	2830 WEST CENTRAL AV	IL LUST	Lower	502, 0.095, South
<a href="#">D13</a>	EVANSTON, CITY OF FI	2830 WEST CENTRAL AV	UST FINDER RELEASE	Lower	502, 0.095, South
<a href="#">D14</a>	CITY OF EVANSTON FD	2830 CENTRAL AVENUE	IL UST	Lower	502, 0.095, South
<a href="#">D15</a>	NORMAN KORFF - VACAN	2834 CENTRAL STREET	IL UST	Lower	546, 0.103, South
<a href="#">D16</a>	KORFF, NORMAN	2834 CENTRAL STREET	UST FINDER RELEASE	Lower	546, 0.103, South
<a href="#">D17</a>	KORFF, NORMAN	2834 CENTRAL ST	IL LUST, IL SPILLS, IL BOL	Lower	546, 0.103, South
<a href="#">18</a>	THE GREAT FRAME UP	2814 CENTRAL ST.	IL UST	Lower	551, 0.104, SSE
<a href="#">D19</a>	MARKUZ MOTORS INC	2822 CENTRAL AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	579, 0.110, SSE
<a href="#">D20</a>	MARKUZ, JOHANN	2822 CENTRAL ST.	IL LUST	Lower	579, 0.110, SSE
<a href="#">D21</a>	MARKUZ, JOHANN	2822 CENTRAL ST.	UST FINDER RELEASE	Lower	579, 0.110, SSE
<a href="#">D22</a>	MARKUZ MOTORS INC	2822 CENTRAL AVE	IL UST	Lower	579, 0.110, SSE
<a href="#">E23</a>	FLECKMAN, RON	2924 CENTRAL STREET	UST FINDER RELEASE	Higher	599, 0.113, SW
<a href="#">E24</a>	FLECKMAN, RON	2924 CENTRAL STREET	IL LUST	Higher	599, 0.113, SW
<a href="#">F25</a>	CENTRAL PARK LLC	2935 CENTRAL	IL LUST, IL BOL	Higher	600, 0.114, SW
<a href="#">F26</a>	CENTRAL PARK LLC	2935 CENTRAL STREET	UST FINDER RELEASE	Higher	600, 0.114, SW
<a href="#">F27</a>	CENTRAL PARK	2935 CENTRAL STREET	IL UST	Higher	600, 0.114, SW
<a href="#">E28</a>	RETAIL STORES	2920-2922 CENTRAL AV	IL UST	Higher	613, 0.116, SSW
<a href="#">E29</a>	2920 CENTRAL LLC	2920 CENTRAL	RCRA-SQG, IL ENG CONTROLS, IL INST CONTROL, IL...	Higher	613, 0.116, SSW
<a href="#">E30</a>		2920 CENTRAL	MI MANIFEST	Higher	613, 0.116, SSW
<a href="#">E31</a>	SWAN LAKE CLEANERS C	2920 CENTRAL ST	EDR Hist Cleaner	Higher	613, 0.116, SSW
<a href="#">E32</a>	2920 CENTRAL, LLC	2920-2922 CENTRAL ST	IL LUST, IL SPILLS	Higher	613, 0.116, SSW
<a href="#">F33</a>	FREDS MOBIL SERVICE	2939 CENTRAL ST	EDR Hist Auto	Higher	615, 0.116, SW
<a href="#">E34</a>	CENTRAL-REESE SERVIC	2928 CENTRAL ST	EDR Hist Auto	Higher	620, 0.117, SW
<a href="#">E35</a>	WHITEHOUSE CLEANERS	2934 CENTRAL ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	672, 0.127, SW
<a href="#">F36</a>	LINCOLNWOOD SERVICE,	2945 CENTRAL STREET	UST FINDER, UST FINDER RELEASE	Higher	682, 0.129, WSW
<a href="#">F37</a>	LINCOLNWOOD SERVICE,	2945 CENTRAL STREET	IL UST	Higher	682, 0.129, WSW
<a href="#">F38</a>	LINCOLNWOOD SERVICE	2945 CENTRAL ST	IL LUST, IL SPILLS, IL BOL	Higher	682, 0.129, WSW
<a href="#">39</a>	CYRUS HOMES	2953 CENTRAL ST	IL UST, IL BOL	Higher	738, 0.140, WSW

MAPPED SITES SUMMARY

Target Property Address:  
HARTZELL STREET AND LINCOLNWOOD AVE  
EVANSTON, IL 60201

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">G40</a>	SKOKIE SCHOOL DIST 6	2700 HURD AVE	IL LUST, IL SPILLS, IL ASBESTOS, IL BOL	Higher	780, 0.148, NW
<a href="#">G41</a>	EVANSTON-SKOKIE SCHO	2700 HURD AVENUE	UST FINDER RELEASE	Higher	780, 0.148, NW
<a href="#">G42</a>	FRANCIS WILLARD ELEM	2700 HURD STREET	IL UST	Higher	780, 0.148, NW
<a href="#">H43</a>	CENTRAL SHELL	2966 CENTRAL	IL LUST, IL UST	Higher	948, 0.180, WSW
<a href="#">H44</a>	CENTRAL SHELL	2966 CENTRAL	RCRA NonGen / NLR, FINDS, ECHO	Higher	948, 0.180, WSW
<a href="#">H45</a>	CENTRAL SHELL	2966 CENTRAL	UST FINDER	Higher	948, 0.180, WSW
<a href="#">H46</a>	MOBIL OIL CORP.	2966 CENTRAL	UST FINDER RELEASE	Higher	948, 0.180, WSW
<a href="#">I47</a>	SCOT CLEANERS	3012 CENTRAL STREET	IL LUST, IL ENG CONTROLS, IL INST CONTROL, IL SRP,...	Higher	1177, 0.223, WSW
<a href="#">I48</a>	SCOT CLEANERS	3012 CENTRAL STREET	UST FINDER RELEASE	Higher	1177, 0.223, WSW
<a href="#">I49</a>	SCOT CLEANERS	3012 CENTRAL ST	IL UST	Higher	1177, 0.223, WSW
<a href="#">I50</a>	PURE 5 CLEANERS	3012 CENTRAL	RCRA-SQG, FINDS, ECHO, E MANIFEST	Higher	1177, 0.223, WSW
<a href="#">51</a>	SARAH HAMILTON TRUST	2536 MCDANIEL AVE	IL LUST, IL SPILLS, IL BOL	Lower	1781, 0.337, ESE

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of Federal RCRA generators***

RCRA-SQG: A review of the RCRA-SQG list, as provided by EDR, and dated 06/03/2024 has revealed that there are 2 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>2920 CENTRAL LLC</i></b> EPA ID:: ILD984768424	<b><i>2920 CENTRAL</i></b>	<b><i>SSW 0 - 1/8 (0.116 mi.)</i></b>	<b><i>E29</i></b>	<b><i>14</i></b>
<b><i>PURE 5 CLEANERS</i></b> EPA ID:: ILD025462532	<b><i>3012 CENTRAL</i></b>	<b><i>WSW 1/8 - 1/4 (0.223 mi.)</i></b>	<b><i>I50</i></b>	<b><i>20</i></b>

### ***Lists of state and tribal leaking storage tanks***

IL LUST: A review of the IL LUST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 14 IL LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>CENTRAL REESE SERVIC</i></b> NFA/NFR Letter: 4/29/2010 NFA/NFR Letter: 1/26/2009 Incident Num: 20030900 Incident Num: 20021143 IL EPA Id: 0310815251	<b><i>2829 CENTRAL ST.</i></b>	<b><i>SSE 0 - 1/8 (0.070 mi.)</i></b>	<b><i>B5</i></b>	<b><i>9</i></b>
<b><i>FLECKMAN, RON</i></b> NFA/NFR Letter: 5/6/1999 Incident Num: 990692	<b><i>2924 CENTRAL STREET</i></b>	<b><i>SW 0 - 1/8 (0.113 mi.)</i></b>	<b><i>E24</i></b>	<b><i>13</i></b>

## EXECUTIVE SUMMARY

IL EPA Id: 0310815218				
<b>CENTRAL PARK LLC</b> NFA/NFR Letter: 5/1/2006 Incident Num: 20041475 IL EPA Id: 0310815274	<b>2935 CENTRAL</b>	<b>SW 0 - 1/8 (0.114 mi.)</b>	<b>F25</b>	<b>13</b>
<b>2920 CENTRAL, LLC</b> Incident Num: 20141429 IL EPA Id: 0310815061	<b>2920-2922 CENTRAL ST</b>	<b>SSW 0 - 1/8 (0.116 mi.)</b>	<b>E32</b>	<b>15</b>
<b>LINCOLNWOOD SERVICE</b> NFA/NFR Letter: 5/27/2022 Incident Num: 20180628 IL EPA Id: 0310815379	<b>2945 CENTRAL ST</b>	<b>WSW 1/8 - 1/4 (0.129 mi.)</b>	<b>F38</b>	<b>17</b>
<b>SKOKIE SCHOOL DIST 6</b> NFA/NFR Letter: 10/16/2008 Incident Num: 20081289 IL EPA Id: 0310815309	<b>2700 HURD AVE</b>	<b>NW 1/8 - 1/4 (0.148 mi.)</b>	<b>G40</b>	<b>17</b>
<b>CENTRAL SHELL</b> NFA/NFR Letter: 9/13/2006 Incident Num: 902449 IL EPA Id: 0310815071	<b>2966 CENTRAL</b>	<b>WSW 1/8 - 1/4 (0.180 mi.)</b>	<b>H43</b>	<b>18</b>
<b>SCOT CLEANERS</b> NFA/NFR Letter: 9/19/2014 Incident Num: 20140553 IL EPA Id: 0310815037	<b>3012 CENTRAL STREET</b>	<b>WSW 1/8 - 1/4 (0.223 mi.)</b>	<b>I47</b>	<b>19</b>
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>OCARROLL, ROSEMARY</b> Incident Num: 20071201 IL EPA Id: 0310815298	<b>2901 CENTRAL ST</b>	<b>S 0 - 1/8 (0.062 mi.)</b>	<b>A2</b>	<b>8</b>
<b>PALLIATIVE CARE CTR.</b> NFA/NFR Letter: 12/18/1998 Incident Num: 980939 IL EPA Id: 0310815207	<b>2821 CENTRAL ST.</b>	<b>SE 0 - 1/8 (0.086 mi.)</b>	<b>C10</b>	<b>10</b>
EVANSTON, CITY OF FI Incident Num: 20071116 IL EPA Id: 0310815297	2830 WEST CENTRAL AV	S 0 - 1/8 (0.095 mi.)	D12	10
<b>KORFF, NORMAN</b> NFA/NFR Letter: 6/10/2004 Incident Num: 20040053 IL EPA Id: 0310815267	<b>2834 CENTRAL ST</b>	<b>S 0 - 1/8 (0.103 mi.)</b>	<b>D17</b>	<b>11</b>
MARKUZ, JOHANN NFA/NFR Letter: 9/26/1997 Incident Num: 970561 IL EPA Id: 0310815192	2822 CENTRAL ST.	SSE 0 - 1/8 (0.110 mi.)	D20	12
<b>SARAH HAMILTON TRUST</b> Incident Num: 20071280 IL EPA Id: 0310815299	<b>2536 MCDANIEL AVE</b>	<b>ESE 1/4 - 1/2 (0.337 mi.)</b>	<b>51</b>	<b>20</b>

## EXECUTIVE SUMMARY

### ***Lists of state and tribal registered storage tanks***

IL UST: A review of the IL UST list, as provided by EDR, and dated 07/15/2024 has revealed that there are 14 IL UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CENTRAL REESE SERVIC Tank Status: Removed Status: CLOSED Facility Id: 2019015	2829 CENTRAL	SSE 0 - 1/8 (0.070 mi.)	B4	8
CENTRAL PARK Tank Status: Removed Status: EXEMPT Facility Id: 2042450	2935 CENTRAL STREET	SW 0 - 1/8 (0.114 mi.)	F27	14
RETAIL STORES Tank Status: Abandoned in place Status: EXEMPT Facility Id: 2045785	2920-2922 CENTRAL AV	SSW 0 - 1/8 (0.116 mi.)	E28	14
LINCOLNWOOD SERVICE, Tank Status: Removed Status: CLOSED Facility Id: 2025531	2945 CENTRAL STREET	WSW 1/8 - 1/4 (0.129 mi.)	F37	16
<b>CYRUS HOMES</b> Tank Status: Pre 1974 Tank Status: Removed Status: EXEMPT Facility Id: 2038445	<b>2953 CENTRAL ST</b>	<b>WSW 1/8 - 1/4 (0.140 mi.)</b>	<b>39</b>	<b>17</b>
FRANCIS WILLARD ELEM Tank Status: Removed Status: EXEMPT Facility Id: 2044154	2700 HURD STREET	NW 1/8 - 1/4 (0.148 mi.)	G42	18
<b>CENTRAL SHELL</b> Tank Status: Currently in use Tank Status: Removed Status: ACTIVE Facility Id: 2009055	<b>2966 CENTRAL</b>	<b>WSW 1/8 - 1/4 (0.180 mi.)</b>	<b>H43</b>	<b>18</b>
SCOT CLEANERS Tank Status: Removed Status: EXEMPT Facility Id: 2045573	3012 CENTRAL ST	WSW 1/8 - 1/4 (0.223 mi.)	I49	20
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROSIE'S WHEAT-FREE B Tank Status: Removed Status: EXEMPT Facility Id: 2043752	2901 CENTRAL	S 0 - 1/8 (0.062 mi.)	A1	8
PALLIATIVE CARECENTE Tank Status: Removed Status: CLOSED	2821 CENTRAL ST	SE 0 - 1/8 (0.086 mi.)	C9	9

## EXECUTIVE SUMMARY

Facility Id: 2037110				
CITY OF EVANSTON FD	2830 CENTRAL AVENUE	S 0 - 1/8 (0.095 mi.)	D14	11
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2043708				
NORMAN KORFF - VACAN	2834 CENTRAL STREET	S 0 - 1/8 (0.103 mi.)	D15	11
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2041984				
THE GREAT FRAME UP	2814 CENTRAL ST.	SSE 0 - 1/8 (0.104 mi.)	18	12
Tank Status: Abandoned in place				
Status: EXEMPT				
Facility Id: 2045918				
MARKUZ MOTORS INC	2822 CENTRAL AVE	SSE 0 - 1/8 (0.110 mi.)	D22	13
Tank Status: Removed				
Status: EXEMPT				
Facility Id: 2035545				

### **State and tribal institutional control / engineering control registries**

IL ENG CONTROLS: A review of the IL ENG CONTROLS list, as provided by EDR, and dated 06/24/2024 has revealed that there are 2 IL ENG CONTROLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>2920 CENTRAL LLC</b> Illinois Epa Id: 0310815061	<b>2920 CENTRAL</b>	<b>SSW 0 - 1/8 (0.116 mi.)</b>	<b>E29</b>	<b>14</b>
<b>SCOT CLEANERS</b> Illinois Epa Id: 0310815037	<b>3012 CENTRAL STREET</b>	<b>WSW 1/8 - 1/4 (0.223 mi.)</b>	<b>I47</b>	<b>19</b>

IL INST CONTROL: A review of the IL INST CONTROL list, as provided by EDR, and dated 06/24/2024 has revealed that there are 2 IL INST CONTROL sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>2920 CENTRAL LLC</b> Illinois EPA Id: 0310815061	<b>2920 CENTRAL</b>	<b>SSW 0 - 1/8 (0.116 mi.)</b>	<b>E29</b>	<b>14</b>
<b>SCOT CLEANERS</b> Illinois EPA Id: 0310815037	<b>3012 CENTRAL STREET</b>	<b>WSW 1/8 - 1/4 (0.223 mi.)</b>	<b>I47</b>	<b>19</b>

## EXECUTIVE SUMMARY

### ***Lists of state and tribal voluntary cleanup sites***

IL SRP: A review of the IL SRP list, as provided by EDR, and dated 06/24/2024 has revealed that there are 2 IL SRP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>2920 CENTRAL LLC</b> IL EPA Id: 0310815061	<b>2920 CENTRAL</b>	<b>SSW 0 - 1/8 (0.116 mi.)</b>	<b>E29</b>	<b>14</b>
<b>SCOT CLEANERS</b> IL EPA Id: 0310815037	<b>3012 CENTRAL STREET</b>	<b>WSW 1/8 - 1/4 (0.223 mi.)</b>	<b>I47</b>	<b>19</b>

### **ADDITIONAL ENVIRONMENTAL RECORDS**

#### ***Other Ascertainable Records***

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/03/2024 has revealed that there are 3 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>WHITEHOUSE CLEANERS</b> EPA ID:: IL0000122127	<b>2934 CENTRAL ST</b>	<b>SW 1/8 - 1/4 (0.127 mi.)</b>	<b>E35</b>	<b>16</b>
<b>CENTRAL SHELL</b> EPA ID:: ILD984824474	<b>2966 CENTRAL</b>	<b>WSW 1/8 - 1/4 (0.180 mi.)</b>	<b>H44</b>	<b>18</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>MARKUZ MOTORS INC</b> EPA ID:: ILR000035279	<b>2822 CENTRAL AVE</b>	<b>SSE 0 - 1/8 (0.110 mi.)</b>	<b>D19</b>	<b>12</b>

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 12 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CENTRAL REESE SERVIC	2829 CENTRAL ST.	SSE 0 - 1/8 (0.070 mi.)	B8	9
FLECKMAN, RON	2924 CENTRAL STREET	SW 0 - 1/8 (0.113 mi.)	E23	13
CENTRAL PARK LLC	2935 CENTRAL STREET	SW 0 - 1/8 (0.114 mi.)	F26	14
<b>LINCOLNWOOD SERVICE,</b>	<b>2945 CENTRAL STREET</b>	<b>WSW 1/8 - 1/4 (0.129 mi.)</b>	<b>F36</b>	<b>16</b>
EVANSTON-SKOKIE SCHO	2700 HURD AVENUE	NW 1/8 - 1/4 (0.148 mi.)	G41	18
MOBIL OIL CORP.	2966 CENTRAL	WSW 1/8 - 1/4 (0.180 mi.)	H46	19
SCOT CLEANERS	3012 CENTRAL STREET	WSW 1/8 - 1/4 (0.223 mi.)	I48	20
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
O'CARROLL, ROSEMARY	2901 CENTRAL STREET	S 0 - 1/8 (0.062 mi.)	A3	8

## EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PALLIATIVE CARE CTR.	2821 CENTRAL ST.	SE 0 - 1/8 (0.086 mi.)	C11	10
EVANSTON, CITY OF FI	2830 WEST CENTRAL AV	S 0 - 1/8 (0.095 mi.)	D13	10
KORFF, NORMAN	2834 CENTRAL STREET	S 0 - 1/8 (0.103 mi.)	D16	11
MARKUZ, JOHANN	2822 CENTRAL ST.	SSE 0 - 1/8 (0.110 mi.)	D21	12

UST FINDER: A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 3 UST FINDER sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CENTRAL REESE SERVIC	2829 CENTRAL	SSE 0 - 1/8 (0.070 mi.)	B7	9
<b>LINCOLNWOOD SERVICE,</b>	<b>2945 CENTRAL STREET</b>	<b>WSW 1/8 - 1/4 (0.129 mi.)</b>	<b>F36</b>	<b>16</b>
CENTRAL SHELL	2966 CENTRAL	WSW 1/8 - 1/4 (0.180 mi.)	H45	19

E MANIFEST: A review of the E MANIFEST list, as provided by EDR, and dated 07/24/2023 has revealed that there is 1 E MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PURE 5 CLEANERS</b>	<b>3012 CENTRAL</b>	<b>WSW 1/8 - 1/4 (0.223 mi.)</b>	<b>I50</b>	<b>20</b>

IL DRYCLEANERS: A review of the IL DRYCLEANERS list, as provided by EDR, and dated 07/02/2024 has revealed that there is 1 IL DRYCLEANERS site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>2920 CENTRAL LLC</b>	<b>2920 CENTRAL</b>	<b>SSW 0 - 1/8 (0.116 mi.)</b>	<b>E29</b>	<b>14</b>

MI MANIFEST: A review of the MI MANIFEST list, as provided by EDR, and dated 06/30/2018 has revealed that there is 1 MI MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	2920 CENTRAL	SSW 0 - 1/8 (0.116 mi.)	E30	15

### EDR HIGH RISK HISTORICAL RECORDS

#### **EDR Exclusive Records**

EDR Hist Auto: A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 3

## EXECUTIVE SUMMARY

EDR Hist Auto sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CENTRAL REESE SERVIC	2829 CENTRAL ST	SSE 0 - 1/8 (0.070 mi.)	B6	9
FREDS MOBIL SERVICE	2939 CENTRAL ST	SW 0 - 1/8 (0.116 mi.)	F33	15
CENTRAL-REESE SERVIC	2928 CENTRAL ST	SW 0 - 1/8 (0.117 mi.)	E34	16

EDR Hist Cleaner: A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there is 1 EDR Hist Cleaner site within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SWAN LAKE CLEANERS C	2920 CENTRAL ST	SSW 0 - 1/8 (0.116 mi.)	E31	15


Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
------	--------	-----------	--------------	-----	-------------

NO SITES FOUND

# OVERVIEW MAP - 7841921.67S




- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- ⚡ Power transmission lines
- ▨ Special Flood Hazard Area (1%)
- ▨ 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 9826-Q Hartzell Street From Lincolnwood Ave To Re  
 ADDRESS: Hartzell Street and Lincolnwood Ave  
 Evanston IL 60201  
 LAT/LONG: 42.065612 / 87.714484

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.67S  
 DATE: December 06, 2024 1:04 pm

# DETAIL MAP - 7841921.67S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

 Indian Reservations BIA

 Special Flood Hazard Area (1%)

 0.2% Annual Chance Flood Hazard





<b>SITE NAME:</b> 9826-Q Hartzell Street From Lincolnwood Ave To Re <b>ADDRESS:</b> Hartzell Street and Lincolnwood Ave Evanston IL 60201 <b>LAT/LONG:</b> 42.065612 / 87.714484	<b>CLIENT:</b> Interra, Inc. <b>CONTACT:</b> Ashok Guntaka <b>INQUIRY #:</b> 7841921.67s <b>DATE:</b> December 06, 2024 1:04 pm
---	--

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		1	1	NR	NR	NR	2
RCRA-VSQG	0.250		0	0	NR	NR	NR	0
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal hazardous waste facilities</i></b>								
IL SSU	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
IL SWF/LF	0.500		0	0	0	NR	NR	0
IL CCDD	0.500		0	0	0	NR	NR	0
IL LF SPECIAL WASTE	0.500		0	0	0	NR	NR	0
IL NIPC	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
IL LUST	0.500		9	4	1	NR	NR	14
INDIAN LUST	0.500		0	0	0	NR	NR	0
IL LUST TRUST	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
IL UST	0.250		9	5	NR	NR	NR	14
IL AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
IL ENG CONTROLS	0.500		1	1	0	NR	NR	2
IL INST CONTROL	0.500		1	1	0	NR	NR	2
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
IL SRP	0.500		1	1	0	NR	NR	2
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
IL BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
IL CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
IL TANKS	0.250		0	0	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
IL SPILLS	TP		NR	NR	NR	NR	NR	0
IL COMPLAINTS	TP		NR	NR	NR	NR	NR	0
IL SPILLS 90	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		1	2	NR	NR	NR	3
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0



MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
A1 South < 1/8 0.062 mi. 330 ft.	<b>ROSIE'S WHEAT-FREE BAKERY</b> 2901 CENTRAL EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004110635 N/A
Relative: Lower	<b>IL UST</b> Status EXEMPT Facility Id 2043752 Tank Status Removed		
A2 South < 1/8 0.062 mi. 330 ft.	<b>OCARROLL, ROSEMARY</b> 2901 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL BOL	S108891454 N/A
Relative: Lower	<b>IL LUST</b> Incident Num 20071201 IL EPA Id 0310815298  <b>IL BOL</b> Site Id 170001729057 Inv Num 0310815298		
A3 South < 1/8 0.062 mi. 330 ft.	<b>O'CARROLL, ROSEMARY</b> 2901 CENTRAL STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989221 N/A
Relative: Lower			
B4 SSE < 1/8 0.070 mi. 369 ft.	<b>CENTRAL REESE SERVICE, INC.</b> 2829 CENTRAL EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U001143572 N/A
Relative: Higher	<b>IL UST</b> Status CLOSED Facility Id 2019015 Tank Status Removed		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
B5 SSE < 1/8 0.070 mi. 369 ft.  Relative: Higher	CENTRAL REESE SERVICES 2829 CENTRAL ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL LUST NFA/NFR Letter 4/29/2010 NFA/NFR Letter 1/26/2009 Incident Num 20030900 Incident Num 20021143 IL EPA Id 0310815251  IL BOL Site Id 170000452203 Inv Num 0310815251	IL LUST IL BOL	S105743887 N/A
B6 SSE < 1/8 0.070 mi. 369 ft.  Relative: Higher	CENTRAL REESE SERVICE INC 2829 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR Hist Auto	1021992971 N/A
B7 SSE < 1/8 0.070 mi. 369 ft.  Relative: Higher	CENTRAL REESE SERVICE, INC. 2829 CENTRAL EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER	1028312411 N/A
B8 SSE < 1/8 0.070 mi. 369 ft.  Relative: Higher	CENTRAL REESE SERVICES 2829 CENTRAL ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989209 N/A
C9 SE < 1/8 0.086 mi. 454 ft.  Relative: Lower	PALLIATIVE CARECENTER OF NORTH SHORE 2821 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL UST Status CLOSED Facility Id 2037110	IL UST	U003668188 N/A

MAP FINDINGS

Map ID									
Direction									
Distance									
Elevation	Site			Database(s)				EDR ID Number	
								EPA ID Number	

**PALLIATIVE CARECENTER OF NORTH SHORE (Continued)**

**U003668188**

Tank Status Removed

**C10**      **PALLIATIVE CARE CTR. OF THE NORTH SHORE**  
**SE**        **2821 CENTRAL ST.**  
**< 1/8**      **EVANSTON, IL 60201**  
**0.086 mi.**  
**454 ft.**

**IL LUST**    **S105815725**  
**IL BOL**      **N/A**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**  
NFA/NFR Letter 12/18/1998  
Incident Num 980939  
IL EPA Id 0310815207

**IL BOL**  
Site Id 170000451865  
Inv Num 0310815207

**C11**      **PALLIATIVE CARE CTR. OF THE NORTH SHORE**  
**SE**        **2821 CENTRAL ST.**  
**< 1/8**      **EVANSTON, IL 0**  
**0.086 mi.**  
**454 ft.**

**UST FINDER RELEASE**    **1028989198**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**D12**      **EVANSTON, CITY OF FIRE DEPARTMENT**  
**South**     **2830 WEST CENTRAL AVENUE**  
**< 1/8**      **EVANSTON, IL 60201**  
**0.095 mi.**  
**502 ft.**

**IL LUST**    **S108649882**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**  
Incident Num 20071116  
IL EPA Id 0310815297

**D13**      **EVANSTON, CITY OF FIRE DEPARTMENT**  
**South**     **2830 WEST CENTRAL AVENUE**  
**< 1/8**      **EVANSTON, IL 0**  
**0.095 mi.**  
**502 ft.**

**UST FINDER RELEASE**    **1028989220**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
D14 South < 1/8 0.095 mi. 502 ft.	CITY OF EVANSTON FD #5 2830 CENTRAL AVENUE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004110604 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2043708 Tank Status Removed		
D15 South < 1/8 0.103 mi. 546 ft.	NORMAN KORFF - VACANT BUILDING 2834 CENTRAL STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U003947094 N/A
Relative: Lower	IL UST Status EXEMPT Facility Id 2041984 Tank Status Removed		
D16 South < 1/8 0.103 mi. 546 ft.	KORFF, NORMAN 2834 CENTRAL STREET EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989215 N/A
Relative: Lower			
D17 South < 1/8 0.103 mi. 546 ft.	KORFF, NORMAN 2834 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS IL BOL	S106132074 N/A
Relative: Lower	IL LUST NFA/NFR Letter 6/10/2004 Incident Num 20040053 IL EPA Id 0310815267  IL SPILLS Incident ID 20040053  IL BOL Site Id 170001434749 Inv Num 0310815267		

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
18 SSE < 1/8 0.104 mi. 551 ft.	<b>THE GREAT FRAME UP</b> 2814 CENTRAL ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST	U004228824 N/A
Relative: Lower	<b>IL UST</b> Status EXEMPT Facility Id 2045918 Tank Status Abandoned in place		
D19 SSE < 1/8 0.110 mi. 579 ft.	<b>MARKUZ MOTORS INC</b> 2822 CENTRAL AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	RCRA NonGen / NLR FINDS ECHO	1001195878 ILR000035279
Relative: Lower	<b>RCRA NonGen / NLR</b> EPA Id ILR000035279  <b>FINDS</b> Registry ID: 110005953575  <b>ECHO</b> Registry ID 110005953575		
D20 SSE < 1/8 0.110 mi. 579 ft.	<b>MARKUZ, JOHANN</b> 2822 CENTRAL ST. EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST	S102620321 N/A
Relative: Lower	<b>IL LUST</b> NFA/NFR Letter 9/26/1997 Incident Num 970561 IL EPA Id 0310815192		
D21 SSE < 1/8 0.110 mi. 579 ft.	<b>MARKUZ, JOHANN</b> 2822 CENTRAL ST. EVANSTON, IL 0  <a href="#">Click here for full text details</a>	UST FINDER RELEASE	1028989192 N/A
Relative: Lower			

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

D22 MARKUZ MOTORS INC IL UST U003193678  
 SSE 2822 CENTRAL AVE N/A  
 < 1/8 EVANSTON, IL 60201  
 0.110 mi.  
 579 ft.

[Click here for full text details](#)

Relative:  
 Lower  
 IL UST  
 Status EXEMPT  
 Facility Id 2035545  
 Tank Status Removed

E23 FLECKMAN, RON UST FINDER RELEASE 1028989200  
 SW 2924 CENTRAL STREET N/A  
 < 1/8 EVANSTON, IL 0  
 0.113 mi.  
 599 ft.

[Click here for full text details](#)

Relative:  
 Higher

E24 FLECKMAN, RON IL LUST S104002514  
 SW 2924 CENTRAL STREET N/A  
 < 1/8 EVANSTON, IL 60201  
 0.113 mi.  
 599 ft.

[Click here for full text details](#)

Relative:  
 Higher  
 IL LUST  
 NFA/NFR Letter 5/6/1999  
 Incident Num 990692  
 IL EPA Id 0310815218

F25 CENTRAL PARK LLC IL LUST S106781259  
 SW 2935 CENTRAL IL BOL N/A  
 < 1/8 EVANSTON, IL 60201  
 0.114 mi.  
 600 ft.

[Click here for full text details](#)

Relative:  
 Higher  
 IL LUST  
 NFA/NFR Letter 5/1/2006  
 Incident Num 20041475  
 IL EPA Id 0310815274

IL BOL  
 Site Id 170001584355  
 Inv Num 0310815274

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**F26**  
**SW**  
 < 1/8  
 0.114 mi.  
 600 ft.

**CENTRAL PARK LLC**  
**2935 CENTRAL STREET**  
**EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989216**  
**N/A**

[Click here for full text details](#)

Relative:  
 Higher

**F27**  
**SW**  
 < 1/8  
 0.114 mi.  
 600 ft.

**CENTRAL PARK**  
**2935 CENTRAL STREET**  
**EVANSTON, IL 60204**

**IL UST**

**U003984861**  
**N/A**

[Click here for full text details](#)

Relative:  
 Higher

**IL UST**  
 Status EXEMPT  
 Facility Id 2042450  
 Tank Status Removed

**E28**  
**SSW**  
 < 1/8  
 0.116 mi.  
 613 ft.

**RETAIL STORES**  
**2920-2922 CENTRAL AVE**  
**EVANSTON, IL 60201**

**IL UST**

**U004226111**  
**N/A**

[Click here for full text details](#)

Relative:  
 Higher

**IL UST**  
 Status EXEMPT  
 Facility Id 2045785  
 Tank Status Abandoned in place

**E29**  
**SSW**  
 < 1/8  
 0.116 mi.  
 613 ft.

**2920 CENTRAL LLC**  
**2920 CENTRAL**  
**EVANSTON, IL 60201**

**RCRA-SQG**  
**IL ENG CONTROLS**  
**IL INST CONTROL**  
**IL SRP**  
**FINDS**  
**ECHO**  
**IL DRYCLEANERS**

**1000117880**  
**ILD984768424**

[Click here for full text details](#)

Relative:  
 Higher

**RCRA-SQG**  
 EPA Id ILD984768424

**IL ENG CONTROLS**  
 Illinois Epa Id 0310815061

**IL INST CONTROL**  
 Illinois EPA Id 0310815061

**IL SRP**  
 IL EPA Id 0310815061

**FINDS**

MAP FINDINGS

Map ID	Direction	Distance	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	-----------	------	-------------	---------------	---------------

**2920 CENTRAL LLC (Continued)**

1000117880

Registry ID: 110005868720

**ECHO**

Registry ID 110005868720

**E30**  
**SSW**  
 < 1/8  
 0.116 mi.  
 613 ft.

**2920 CENTRAL**  
**EVANSTON, IL 60201**

**MI MANIFEST** S130522551  
 N/A

Relative:  
 Higher

[Click here for full text details](#)

**E31**  
**SSW**  
 < 1/8  
 0.116 mi.  
 613 ft.

**SWAN LAKE CLEANERS CORP**  
**2920 CENTRAL ST**  
**EVANSTON, IL 60201**

**EDR Hist Cleaner** 1020100575  
 N/A

Relative:  
 Higher

[Click here for full text details](#)

**E32**  
**SSW**  
 < 1/8  
 0.116 mi.  
 613 ft.

**2920 CENTRAL, LLC**  
**2920-2922 CENTRAL STREET**  
**EVANSTON, IL 60201**

**IL LUST** S117449760  
**IL SPILLS** N/A

Relative:  
 Higher

[Click here for full text details](#)

**IL LUST**

Incident Num 20141429  
 IL EPA Id 0310815061

**IL SPILLS**

Incident ID 20141429

**F33**  
**SW**  
 < 1/8  
 0.116 mi.  
 615 ft.

**FREDS MOBIL SERVICE**  
**2939 CENTRAL ST**  
**EVANSTON, IL 60201**

**EDR Hist Auto** 1020240553  
 N/A

Relative:  
 Higher

[Click here for full text details](#)

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
E34 SW < 1/8 0.117 mi. 620 ft.  Relative: Higher	CENTRAL-REESE SERVICE 2928 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	EDR Hist Auto	1021484308 N/A
E35 SW 1/8-1/4 0.127 mi. 672 ft.  Relative: Higher	WHITEHOUSE CLEANERS 2934 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  RCRA NonGen / NLR EPA Id IL0000122127  FINDS Registry ID: 110005797717  ECHO Registry ID 110005797717	RCRA NonGen / NLR FINDS ECHO	1000861436 IL0000122127
F36 WSW 1/8-1/4 0.129 mi. 682 ft.  Relative: Higher	LINCOLNWOOD SERVICE, INC. 2945 CENTRAL STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	UST FINDER UST FINDER RELEASE	1028315043 N/A
F37 WSW 1/8-1/4 0.129 mi. 682 ft.  Relative: Higher	LINCOLNWOOD SERVICE, INC. 2945 CENTRAL STREET EVANSTON, IL 60201  <a href="#">Click here for full text details</a>  IL UST Status CLOSED Facility Id 2025531 Tank Status Removed	IL UST	U001143598 N/A

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
F38 WSW 1/8-1/4 0.129 mi. 682 ft.	LINCOLNWOOD SERVICE INC 2945 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS IL BOL	S122419694 N/A
Relative: Higher	IL LUST NFA/NFR Letter 5/27/2022 Incident Num 20180628 IL EPA Id 0310815379  IL SPILLS Incident ID 20180628  IL BOL Site Id 170002305217 Inv Num 0310815379		
39 WSW 1/8-1/4 0.140 mi. 738 ft.	CYRUS HOMES 2953 CENTRAL ST EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL UST IL BOL	U003668445 N/A
Relative: Higher	IL UST Status EXEMPT Facility Id 2038445 Tank Status Pre 1974 Tank Status Removed  IL BOL Site Id 170000451936 Inv Num 0310815218		
G40 NW 1/8-1/4 0.148 mi. 780 ft.	SKOKIE SCHOOL DIST 65 2700 HURD AVE EVANSTON, IL 60201  <a href="#">Click here for full text details</a>	IL LUST IL SPILLS IL ASBESTOS IL BOL	S109327435 N/A
Relative: Higher	IL LUST NFA/NFR Letter 10/16/2008 Incident Num 20081289 IL EPA Id 0310815309  IL SPILLS Incident ID 20081289  IL BOL Site Id 170001780749		

MAP FINDINGS

Map ID	Direction	Distance	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	-----------	------	-------------	---------------	---------------

**SKOKIE SCHOOL DIST 65 (Continued)**

**S109327435**

Inv Num 0310815309

<b>G41</b>	<b>EVANSTON-SKOKIE SCHOOL DISTRICT #65</b>	<b>UST FINDER RELEASE</b>	<b>1028989223</b>
<b>NW</b>	<b>2700 HURD AVENUE</b>		<b>N/A</b>
<b>1/8-1/4</b>	<b>EVANSTON, IL 0</b>		
<b>0.148 mi.</b>			
<b>780 ft.</b>			
<b>Relative:</b>	<a href="#">Click here for full text details</a>		
<b>Higher</b>			

<b>G42</b>	<b>FRANCIS WILLARD ELEMENTARY SCHOOL</b>	<b>IL UST</b>	<b>U004123123</b>
<b>NW</b>	<b>2700 HURD STREET</b>		<b>N/A</b>
<b>1/8-1/4</b>	<b>EVANSTON, IL 60201</b>		
<b>0.148 mi.</b>			
<b>780 ft.</b>			
<b>Relative:</b>	<a href="#">Click here for full text details</a>		
<b>Higher</b>	<b>IL UST</b>		
	Status EXEMPT		
	Facility Id 2044154		
	Tank Status Removed		

<b>H43</b>	<b>CENTRAL SHELL</b>	<b>IL LUST</b>	<b>U000792657</b>
<b>WSW</b>	<b>2966 CENTRAL</b>	<b>IL UST</b>	<b>N/A</b>
<b>1/8-1/4</b>	<b>EVANSTON, IL 60201</b>		
<b>0.180 mi.</b>			
<b>948 ft.</b>			
<b>Relative:</b>	<a href="#">Click here for full text details</a>		
<b>Higher</b>	<b>IL LUST</b>		
	NFA/NFR Letter 9/13/2006		
	Incident Num 902449		
	IL EPA Id 0310815071		
	<b>IL UST</b>		
	Status ACTIVE		
	Facility Id 2009055		
	Tank Status Currently in use		
	Tank Status Removed		

<b>H44</b>	<b>CENTRAL SHELL</b>	<b>RCRA NonGen / NLR</b>	<b>1000612224</b>
<b>WSW</b>	<b>2966 CENTRAL</b>	<b>FINDS</b>	<b>ILD984824474</b>
<b>1/8-1/4</b>	<b>EVANSTON, IL 60201</b>	<b>ECHO</b>	
<b>0.180 mi.</b>			
<b>948 ft.</b>			
<b>Relative:</b>	<a href="#">Click here for full text details</a>		
<b>Higher</b>	<b>RCRA NonGen / NLR</b>		
	EPA Id ILD984824474		

**FINDS**

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

**CENTRAL SHELL (Continued)**

1000612224

Registry ID: 110005890072

**ECHO**

Registry ID 110005890072

H45  
WSW  
1/8-1/4  
0.180 mi.  
948 ft.

**CENTRAL SHELL**  
2966 CENTRAL  
EVANSTON, IL 60201

UST FINDER

1028309139  
N/A

[Click here for full text details](#)

Relative:  
Higher

H46  
WSW  
1/8-1/4  
0.180 mi.  
948 ft.

**MOBIL OIL CORP.**  
2966 CENTRAL  
EVANSTON, IL 0

UST FINDER RELEASE

1028989135  
N/A

[Click here for full text details](#)

Relative:  
Higher

I47  
WSW  
1/8-1/4  
0.223 mi.  
1177 ft.

**SCOT CLEANERS**  
3012 CENTRAL STREET  
EVANSTON, IL 60201

IL LUST  
IL ENG CONTROLS  
IL INST CONTROL  
IL SRP  
IL SPILLS  
IL BOL

S106541466  
N/A

[Click here for full text details](#)

Relative:  
Higher

**IL LUST**

NFA/NFR Letter 9/19/2014  
Incident Num 20140553  
IL EPA Id 0310815037

**IL ENG CONTROLS**

Illinois Epa Id 0310815037

**IL INST CONTROL**

Illinois EPA Id 0310815037

**IL SRP**

IL EPA Id 0310815037

**IL SPILLS**

Incident ID 20140553

**IL BOL**

MAP FINDINGS

Map ID					
Direction					
Distance					
Elevation	Site		Database(s)	EDR ID Number	EPA ID Number

**SCOT CLEANERS (Continued)**

**S106541466**

Site Id 170000217655  
Inv Num 0310815037

**I48**  
**WSW**  
**1/8-1/4**  
**0.223 mi.**  
**1177 ft.**

**SCOT CLEANERS**  
**3012 CENTRAL STREET**  
**EVANSTON, IL 0**

**UST FINDER RELEASE**

**1028989124**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**I49**  
**WSW**  
**1/8-1/4**  
**0.223 mi.**  
**1177 ft.**

**SCOT CLEANERS**  
**3012 CENTRAL ST**  
**EVANSTON, IL 60201**

**IL UST**

**U004220727**  
**N/A**

[Click here for full text details](#)

Relative:  
Higher

**IL UST**  
Status EXEMPT  
Facility Id 2045573  
Tank Status Removed

**I50**  
**WSW**  
**1/8-1/4**  
**0.223 mi.**  
**1177 ft.**

**PURE 5 CLEANERS**  
**3012 CENTRAL**  
**EVANSTON, IL 60201**

**RCRA-SQG**  
**FINDS**  
**ECHO**  
**E MANIFEST**

**1000391406**  
**ILD025462532**

[Click here for full text details](#)

Relative:  
Higher

**RCRA-SQG**  
EPA Id ILD025462532

**FINDS**  
Registry ID: 110005823225

**ECHO**  
Registry ID 110005823225

**51**  
**ESE**  
**1/4-1/2**  
**0.337 mi.**  
**1781 ft.**

**SARAH HAMILTON TRUST**  
**2536 MCDANIEL AVE**  
**EVANSTON, IL 60201**

**IL LUST**  
**IL SPILLS**  
**IL BOL**

**S108891614**  
**N/A**

[Click here for full text details](#)

Relative:  
Lower

**IL LUST**  
Incident Num 20071280  
IL EPA Id 0310815299

**IL SPILLS**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SARAH HAMILTON TRUST (Continued)**

**S108891614**

Incident ID 20071280

**IL BOL**

Site Id 170001732926  
Inv Num 0310815299

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
IL	AIRS	Air Inventory Listing	Illinois EPA	07/01/2024	07/02/2024	09/25/2024
IL	ASBESTOS	Asbestos Notification Tracker Information	Illinois EPA	06/21/2024	06/26/2024	09/16/2024
IL	AST	Above Ground Storage Tanks	State Fire Marshal	08/08/2024	08/13/2024	10/29/2024
IL	BOL	Bureau of Land Inventory Database	Illinois Environmental Protection Agency	10/16/2023	04/23/2024	07/16/2024
IL	BROWNFIELDS	Redevelopment Assessment Database	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	BROWNFIELDS	Municipal Brownfields Redevelopment Grant Program Project De	Illinois Environmental Protection Agency	02/11/2010	07/31/2014	09/08/2014
IL	CCDD	Clean Construction or Demolition Debris	Illinois EPA	03/28/2024	07/02/2024	09/24/2024
IL	CDL	Meth Drug Lab Site Listing	Department of Public Health	07/05/2024	07/08/2024	09/27/2024
IL	COAL ASH	Coal Ash Site Listing	Illinois EPA	10/01/2011	03/09/2012	04/10/2012
IL	DRYCLEANERS	Illinois Licensed Drycleaners	Drycleaner Environmental Response Trust Fund	07/02/2024	08/12/2024	10/29/2024
IL	ENG CONTROLS	Sites with Engineering Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	FIN ASSURANCE	Financial Assurance Information Listing	Illinois Environmental Protection Agency	08/28/2024	09/12/2024	11/25/2024
IL	HWAR	Hazard Waste Annual Report	Illinois EPA	12/31/2019	05/11/2021	08/02/2021
IL	IEMA SPILLS	Illinois Emergency Management Agency Spills	Illinois Emergency Management Agency	07/22/2024	07/23/2024	10/11/2024
IL	IL NIPC	Solid Waste Landfill Inventory	Northeastern Illinois Planning Commission	08/01/1988	04/07/2022	07/01/2022
IL	IMPDMENT	Surface Impoundment Inventory	Illinois Waste Management & Research Center	12/31/1980	03/08/2002	06/03/2002
IL	Inst Control	Institutional Controls	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	LF SPECIAL WASTE	Special Waste Site List	Illinois EPA	01/01/1990	06/17/2009	07/15/2009
IL	LF WMRC	Waste Management & Research Center Landfill Database	Department of Natural Resources	12/31/2001	10/06/2006	11/06/2006
IL	LUST	Leaking Underground Storage Tank Sites	Illinois Environmental Protection Agency	07/15/2024	07/16/2024	09/27/2024
IL	LUST TRUST	Underground Storage Tank Fund Payment Priority List	Illinois EPA	06/06/2016	07/27/2016	10/18/2016
IL	NPDES	A Listing of Active Permits	Illinois EPA	04/16/2014	04/18/2014	05/20/2014
IL	PFAS	PFAS Sampling Listing	Illinois Environmental Protection Agency	12/15/2023	12/27/2023	12/29/2023
IL	PIMW	Potentially Infectious Medical Waste	Illinois EPA	09/09/2024	09/11/2024	11/19/2024
IL	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Natural Resources		07/01/2013	12/30/2013
IL	RGA LF	Recovered Government Archive Solid Waste Facilities List	Illinois Environmental Protection Agency		07/01/2013	01/10/2014
IL	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	Illinois Environmental Protection Agency		07/01/2013	12/30/2013
IL	SPILLS	State spills	Illinois EPA	05/06/2024	07/02/2024	09/24/2024
IL	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	07/18/2012	01/03/2013	03/15/2013
IL	SRP	Site Remediation Program Database	Illinois Environmental Protection Agency	06/24/2024	06/25/2024	09/13/2024
IL	SSU	State Sites Unit Listing	Illinois Environmental Protection Agency	01/31/2024	01/31/2024	02/13/2024
IL	SWF/LF	Available Disposal for Solid Waste in Illinois - Solid Waste	Illinois Environmental Protection Agency	12/31/2022	10/17/2023	01/08/2024
IL	TIER 2	Tier 2 Information Listing	Illinois Emergency Management Agency	12/31/2023	05/07/2024	08/01/2024
IL	UIC	Underground Injection Wells	Illinois EPA	02/15/2024	05/22/2024	08/19/2024
IL	UST	Underground Storage Tank Facility List	Illinois State Fire Marshal	07/15/2024	07/16/2024	09/27/2024
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	09/10/2024	09/11/2024	11/19/2024
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	10/13/2024	10/16/2024	10/23/2024
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2021	03/09/2023	03/20/2023
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2022	11/27/2023	02/22/2024
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/30/2024	07/08/2024	09/26/2024
US	CORRACTS	Corrective Action Report	EPA	06/03/2024	06/07/2024	06/20/2024
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DOT OPS	Incident and Accident Data	Department of Transportation, Office of Pipeli	01/02/2020	01/28/2020	04/17/2020
US	Delisted NPL	National Priority List Deletions	EPA	09/25/2024	10/01/2024	10/23/2024
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	07/24/2023	04/18/2024	06/06/2024
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	06/23/2024	06/28/2024	07/12/2024
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	06/11/2024	06/17/2024	09/04/2024
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	06/07/2024	06/25/2024	09/19/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	03/15/2024	03/19/2024	06/17/2024
US	FINDS	Facility Index System/Facility Registry System	EPA	08/13/2024	08/20/2024	08/28/2024
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	07/31/2024	08/12/2024	10/09/2024
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	08/13/2024	08/13/2024	10/09/2024
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	06/14/2024	06/17/2024	06/24/2024
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Serivces, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	09/25/2024	10/01/2024	10/23/2024
US	LUCIS	Land Use Control Information System	Department of the Navy	07/15/2024	07/17/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	MINES MRDS	Mineral Resources Data System	USGS	08/23/2022	11/22/2022	02/28/2023
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	10/01/2024	10/02/2024	10/09/2024
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	09/25/2024	10/01/2024	10/23/2024
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	05/23/2024	07/02/2024	09/26/2024
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	07/01/2024	07/01/2024	07/12/2024
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	09/25/2024	10/01/2024	10/23/2024
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	06/03/2024	06/07/2024	06/20/2024
US	RMP	Risk Management Plans	Environmental Protection Agency	07/12/2024	07/17/2024	10/09/2024
US	ROD	Records Of Decision	EPA	10/24/2024	11/01/2024	11/19/2024
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	09/25/2024	10/01/2024	10/23/2024
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	09/25/2024	10/01/2024	10/23/2024
US	SSTS	Section 7 Tracking Systems	EPA	07/11/2024	07/11/2024	07/12/2024
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2022	11/13/2023	02/07/2024
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	05/08/2024	08/14/2024	08/28/2024
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	06/10/2024	06/11/2024	09/04/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	06/10/2024	06/17/2024	09/04/2024
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	07/24/2024	08/08/2024	08/15/2024
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/06/2024	08/14/2024	08/15/2024
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protection Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protection	08/05/2024	08/06/2024	10/25/2024
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
IL	Daycare Centers	Sensitive Receptor: Homes & Centers Listing	Department of Children & Family Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
IL	State Wetlands	Wetland Inventory	Illinois State Geological Survey			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

9826-Q HARTZELL STREET FROM LINCOLNWOOD AVE TO RE  
HARTZELL STREET AND LINCOLNWOOD AVE  
EVANSTON, IL 60201

### **TARGET PROPERTY COORDINATES**

Latitude (North):	42.065612 - 42° 3' 56.20"
Longitude (West):	87.714484 - 87° 42' 52.14"
Universal Tranverse Mercator:	Zone 16
UTM X (Meters):	440887.2
UTM Y (Meters):	4657094.5
Elevation:	609 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	24185589 EVANSTON, IL
Version Date:	2021

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General South

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
17031C0255J	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
17031C0253J	FEMA FIRM Flood data
17031C0265J	FEMA FIRM Flood data

## NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EVANSTON	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### **Site-Specific Hydrogeological Data\*:**

Search Radius:	1.25 miles
Status:	Not found

## AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
5	1/2 - 1 Mile NE	SE
D23	1/2 - 1 Mile North	SE
D24	1/2 - 1 Mile North	Not Reported
1G	1/2 - 1 Mile North	SE
2G	1/2 - 1 Mile North	Not Reported
3G	1/2 - 1 Mile NE	SE

For additional site information, refer to Physical Setting Source Map Findings.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### ROCK STRATIGRAPHIC UNIT

Era: Paleozoic  
System: Silurian  
Series: Middle Silurian (Niagoaran)  
Code: S2 *(decoded above as Era, System & Series)*

#### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBANLAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Bedrock Max: > 0 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	60 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

## OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: fine sand  
fine sandy loam  
silty clay loam  
loamy fine sand

Surficial Soil Types: fine sand  
fine sandy loam  
silty clay loam  
loamy fine sand

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: sand  
fine sand  
loamy sand  
silty clay loam

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
2	IL0018424	1/2 - 1 Mile NW

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	ILPW12197	1/2 - 1 Mile WNW
3	ILSG40000061716	1/2 - 1 Mile WNW
4	ILPW12198	1/2 - 1 Mile WSW
A6	ILSG40000054358	1/2 - 1 Mile NNE
A7	ILSG40000054359	1/2 - 1 Mile NNE
A8	ILSG40000054360	1/2 - 1 Mile NNE
B9	ILSG40000060684	1/2 - 1 Mile SW
B10	ILSG40000060685	1/2 - 1 Mile SW
11	ILPW12199	1/2 - 1 Mile NW
12	ILPW12202	1/2 - 1 Mile West
C13	ILSG40000060442	1/2 - 1 Mile ESE
14	ILSG40000055183	1/2 - 1 Mile SSE
15	ILSG40000055184	1/2 - 1 Mile SE
16	ILSG40000039733	1/2 - 1 Mile SSE
C17	ILSG40000060443	1/2 - 1 Mile ESE
18	ILPW12176	1/2 - 1 Mile West
C19	ILSG40000060444	1/2 - 1 Mile ESE
20	ILSG40000055185	1/2 - 1 Mile SE
21	ILSG40000055182	1/2 - 1 Mile SSE
C22	ILSG40000060441	1/2 - 1 Mile ESE
25	ILSG40000055186	1/2 - 1 Mile SE
26	ILSG40000061715	1/2 - 1 Mile NNE
E27	ILSG40000059976	1/2 - 1 Mile NNW
E28	ILSG40000059977	1/2 - 1 Mile NNW
29	ILSG40000055187	1/2 - 1 Mile SE
30	ILSG40000055181	1/2 - 1 Mile SSE
E31	ILSG40000059974	1/2 - 1 Mile NNW
F32	ILSG40000054361	1/2 - 1 Mile SE
E33	ILSG40000059975	1/2 - 1 Mile NNW
34	ILSG40000043818	1/2 - 1 Mile West
E36	ILSG40000059972	1/2 - 1 Mile NNW
F37	ILSG40000054362	1/2 - 1 Mile SE
E38	ILSG40000059973	1/2 - 1 Mile NNW
F39	ILSG40000054363	1/2 - 1 Mile SE
40	ILSG40000042128	1/2 - 1 Mile SSE

# PHYSICAL SETTING SOURCE MAP - 7841921.67s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: 9826-Q Hartzell Street From Lincolnwood Ave To Re  
 ADDRESS: Hartzell Street and Lincolnwood Ave  
 Evanston IL 60201  
 LAT/LONG: 42.065612 / 87.714484

CLIENT: Interra, Inc.  
 CONTACT: Ashok Guntaka  
 INQUIRY #: 7841921.67s  
 DATE: December 06, 2024 1:05 pm

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID	Direction	Distance	Elevation	Database	EDR ID Number
1	WNW	1/2 - 1 Mile	Higher	IL WELLS	ILPW12197
		<a href="#">Click here for full text details</a>			
2	NW	1/2 - 1 Mile	Higher	FRDS PWS	IL0018424
		<a href="#">Click here for full text details</a>			
3	WNW	1/2 - 1 Mile	Higher	IL WELLS	ILSG40000061716
		<a href="#">Click here for full text details</a>			
4	WSW	1/2 - 1 Mile	Higher	IL WELLS	ILPW12198
		<a href="#">Click here for full text details</a>			
5	NE	1/2 - 1 Mile	Higher	AQUIFLOW	62655
		<a href="#">Click here for full text details</a>			
A6	NNE	1/2 - 1 Mile	Higher	IL WELLS	ILSG40000054358
		<a href="#">Click here for full text details</a>			
A7	NNE	1/2 - 1 Mile	Higher	IL WELLS	ILSG40000054359
		<a href="#">Click here for full text details</a>			
A8	NNE	1/2 - 1 Mile	Higher	IL WELLS	ILSG40000054360
		<a href="#">Click here for full text details</a>			

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
B9 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060684
B10 SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060685
11 NW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW12199
12 West 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW12202
C13 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060442
14 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055183
15 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055184
16 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000039733
C17 ESE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000060443

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
18 West 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILPW12176
C19 ESE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG4000060444
20 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG4000055185
21 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG4000055182
C22 ESE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG4000060441
D23 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	25643
D24 North 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	62040
25 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG4000055186
26 NNE 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG4000061715

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
E27 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059976
E28 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059977
29 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055187
30 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000055181
E31 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059974
F32 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054361
E33 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059975
34 West 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000043818
35 SW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	AQUIFLOW	24901

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
E36 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059972
F37 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054362
E38 NNW 1/2 - 1 Mile Higher	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000059973
F39 SE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000054363
40 SSE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	IL WELLS	ILSG40000042128
1G North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	25643
2G North 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62040
3G NE 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	62655
4G SW 1/2 - 1 Mile Lower	<a href="#">Click here for full text details</a>	AQUIFLOW	24901

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: IL Radon

### Radon Test Results

Zipcode	Result
60201	0.7
60201	1.6
60201	0.7
60201	0.9
60201	
60201	0.7
60201	1.1
60201	0.3
60201	0.6
60201	1.6
60201	0.8
60201	1
60201	0.3
60201	1.8

Federal EPA Radon Zone for COOK County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

---

Federal Area Radon Information for Zip Code: 60201

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	-0.500 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Illinois State Geological Survey

Telephone: 217-333-4747

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## OTHER STATE DATABASE INFORMATION

### Oil and Gas Wells Listing

Source: Illinois State Geological Survey

Telephone: 217-333-5109

Oil and gas wells location points from the Illinois State Geological Survey database.

### Water Well Records

Source: Illinois Geological Survey

Telephone: 217-333-4747

### Illinois Private Well Database and PICS (Public, Industrial, Commercial Survey)

Source: Illinois State Water Survey

Telephone: 217-333-9043

### Water Well Location Information

Source: Illinois Environmental Protection Agency

Telephone: 217-782-0810

## RADON

### State Database: IL Radon

Source: Department of Nuclear Safety

Telephone: 217-785-9958

County Radon Results

### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix B**  
Sample Location Map

2025 MFT Street Resurfacing Projects  
Hartzell Street from Lincolnwood Avenue to Reese Avenue  
INTERRA Project No. 9826  
Date: 12/19/2024

Hartzell-PC-01



## **Appendix C**

### Analytical Test Reports

January 13, 2025

INTERRA, Inc.  
INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

RE: 9826 - Evanston Geotech and Environmental 2024  
AAL1399

Metiri Analytical Group Inc, - Geneva received sample(s) on 12/20/2024 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,



Daniel Galeher  
Project Manager



INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

## Notes and Definitions

Item	Definition
------	------------

J	Analyte detected below quantitation limit (QL)
S	Spike Recovery outside accepted recovery limits
U	Analyte included in the analysis, but not detected

### General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

### Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS: (Surrogate Standard): Quality control compound added to the sample by the lab.
- LA: Lab Accident - No valid data to report.
- VO: Insufficient Volume provided
- BR: Received broken
- IP: Invalid Sampling

### Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater



Illinois Department of Public Health Accredited #17585

Illinois Environmental Protection Agency Accredited #100225

# Table of Contents

Qualifiers and Definitions	2
Sample Results	5
Chain of Custody	11

Metiri Group - Geneva - 1950 S Batavia Ave, Suite 150, Geneva, IL 60134

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Samples in this Report

<b>Lab ID</b>	<b>Sample</b>	<b>Matrix</b>	<b>Date Sampled</b>	<b>Date Received</b>
AAL1399-01	Hartzell-PC--01	Solid	12/19/2024 08:15	12/20/2024

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

## Sample Results

**Sample: Hartzell-PC--01**  
**AAL1399-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>SVOC</b>									
1,2,4-Trichlorobenzene	ND	0.031	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
1,2-Dichlorobenzene	ND	0.017	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
1,3-Dichlorobenzene	ND	0.018	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
1,4-Dichlorobenzene	ND	0.013	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2,4,5-Trichlorophenol	ND	0.125	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2,4,6-Trichlorophenol	ND	0.128	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2,4-Dichlorophenol	ND	0.119	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2,4-Dimethylphenol	ND	0.192	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2,4-Dinitrophenol	ND	0.252	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2,4-Dinitrotoluene	ND	0.022	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2,6-Dinitrotoluene	ND	0.018	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2-Chloronaphthalene	ND	0.020	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2-Chlorophenol	ND	0.113	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2-Methylnaphthalene	ND	0.022	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2-Nitroaniline	ND	0.133	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
2-Nitrophenol	ND	0.135	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
3,3-Dichlorobenzidine	ND	0.118	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
3-Nitroaniline	ND	0.061	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
4,6-Dinitro-2-methylphenol	ND	0.118	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
4-Bromophenyl phenyl ether	ND	0.022	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
4-Chloro-3-methylphenol	ND	0.123	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
4-Chloroaniline	ND	0.094	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
4-Chlorophenyl phenyl ether	ND	0.016	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
4-Nitroaniline	ND	0.078	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
4-Nitrophenol	ND	0.109	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Acenaphthene	ND	0.019	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Acenaphthylene	ND	0.017	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Aniline	ND	0.081	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Anthracene	0.014 J	0.014	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Azobenzene	ND	0.012	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Benzidine	ND	0.084	0.995	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Benzo(a)anthracene	ND	0.012	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Benzo(a)pyrene	0.029 J	0.016	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Benzo(b)fluoranthene	0.038 J	0.016	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Benzo(g,h,i)perylene	0.019 J	0.019	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Benzo(k)fluoranthene	0.018 J	0.013	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Benzoic acid	ND	0.136	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Benzyl alcohol	ND	0.147	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Bis(2-chloroethoxy)methane	ND	0.023	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
bis(2-Chloroethyl)ether	ND	0.035	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Bis(2-chloroisopropyl)ether	ND	0.029	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Bis(2-ethylhexyl)phthalate	ND	0.141	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Butyl benzyl phthalate	ND	0.140	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Carbazole	ND	0.016	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Chrysene	0.031 J	0.016	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Sample Results (Continued)

**Sample: Hartzell-PC--01 (Continued)**  
**AAL1399-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### SVOC (Continued)

Dibenzo(a,h)anthracene	ND	0.020	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Dibenzofuran	ND	0.018	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Diethyl phthalate	ND	0.117	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Dimethyl phthalate	ND	0.130	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Di-n-butyl phthalate	ND	0.109	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Di-n-octyl phthalate	ND	0.157	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Fluoranthene	0.070 J	0.013	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Fluorene	ND	0.018	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Hexachlorobenzene	ND	0.128	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Hexachlorobutadiene	ND	0.123	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Hexachlorocyclopentadiene	ND	0.104	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Hexachloroethane	ND	0.116	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Indeno(1,2,3-cd)pyrene	0.018 J	0.002	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Isophorone	ND	0.002	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
m,p-Cresol	ND	0.028	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Naphthalene	ND	0.018	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
n-Decane	0.154 J	0.130	0.265	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Nitrobenzene	ND	0.014	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
N-nitrosodimethylamine	ND	0.022	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
N-Nitroso-di-n-propylamine	ND	0.019	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
N-Nitrosodiphenylamine	ND	0.033	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
n-Octadecane	ND	0.133	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
O-Cresol	ND	0.027	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Pentachlorophenol	ND	0.209	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Phenanthrene	0.051 J	0.016	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Phenol	ND	0.121	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Pyrene	0.059 J	0.017	0.080	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384
Pyridine	ND	0.082	0.398	mg/kg dry	12/19/24 08:15	01/09/25	1	8270C	BAL1384

Surrogate: 2,4,6-Tribromophenol	74%		38-105			01/09/25	1	8270C	
Surrogate: 2-Fluorobiphenyl	76%		40-110			01/09/25	1	8270C	
Surrogate: 2-Fluorophenol	72%		41-105			01/09/25	1	8270C	
Surrogate: 4-Terphenyl-d14	89%		26-133			01/09/25	1	8270C	
Surrogate: Nitrobenzene-d5	66%		27-129			01/09/25	1	8270C	
Surrogate: Phenol-d5	76%		43-105			01/09/25	1	8270C	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546

4,4'-DDD	0.000787 J	0.000456	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
4,4'-DDE	ND	0.000480	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
4,4'-DDT	ND	0.00126	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Aldrin	ND	0.000228	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
alpha-BHC	ND	0.000396	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
alpha-Chlordane	ND	0.000216	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
beta-BHC	ND	0.000384	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Sample Results (Continued)

#### Sample: Hartzell-PC--01 (Continued) AAL1399-01 (Solid)

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Semivolatile Organics - Prep EPA 3546 (Continued)

Chlordane, Technical	ND	0.0237	0.0400	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
delta-BHC	ND	0.000228	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Dieldrin	ND	0.000492	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Endosulfan I	ND	0.000192	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Endosulfan II	ND	0.000408	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Endosulfan sulfate	ND	0.000420	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Endrin	ND	0.000516	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Endrin aldehyde	ND	0.000468	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Endrin ketone	ND	0.000552	0.00160	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
gamma-BHC	ND	0.000252	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
gamma-Chlordane	ND	0.000288	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Heptachlor	ND	0.000372	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Heptachlor epoxide	ND	0.000192	0.000801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Methoxychlor	ND	0.00744	0.00801	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
Toxaphene	ND	0.0478	0.100	mg/kg dry	12/19/24 08:15	12/31/24	1	8081	BAL1377
<i>Surrogate: Decachlorobiphenyl</i>		<i>63%</i>	<i>29-133</i>			<i>12/31/24</i>	<i>1</i>	<i>8081</i>	
<i>Surrogate: Tetrachloro-m-xylene</i>		<i>61%</i>	<i>36-118</i>			<i>12/31/24</i>	<i>1</i>	<i>8081</i>	
AROCLOR 1016	ND	0.004	0.020	mg/kg dry	12/19/24 08:15	12/31/24	1	8082	BAL1377
AROCLOR 1221	ND	0.005	0.020	mg/kg dry	12/19/24 08:15	12/31/24	1	8082	BAL1377
AROCLOR 1232	ND	0.004	0.020	mg/kg dry	12/19/24 08:15	12/31/24	1	8082	BAL1377
AROCLOR 1242	ND	0.004	0.020	mg/kg dry	12/19/24 08:15	12/31/24	1	8082	BAL1377
AROCLOR 1248	ND	0.004	0.020	mg/kg dry	12/19/24 08:15	12/31/24	1	8082	BAL1377
AROCLOR 1254	ND	0.005	0.020	mg/kg dry	12/19/24 08:15	12/31/24	1	8082	BAL1377
AROCLOR 1260	ND	0.008	0.020	mg/kg dry	12/19/24 08:15	12/31/24	1	8082	BAL1377
<i>Surrogate: Decachlorobiphenyl (DCB)</i>		<i>76%</i>	<i>20-142</i>			<i>12/31/24</i>	<i>1</i>	<i>8082</i>	
<i>Surrogate: TETRACHLORO-M-XYLENE</i>		<i>65%</i>	<i>22-123</i>			<i>12/31/24</i>	<i>1</i>	<i>8082</i>	

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Metals - CVAA

Mercury	ND	0.0418	0.0912	mg/kg dry	12/19/24 08:15	01/06/25	1	7471B	BBA0136
---------	----	--------	--------	-----------	----------------	----------	---	-------	---------

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Wet Chemistry

pH	8.83	0.100	0.100	pH Units	12/19/24 08:15	12/21/24	1	SW 9045D	BAL1178
Temperature	21.5	1.00	1.00	pH Units	12/19/24 08:15	12/21/24	1	SW 9045D	BAL1178
Percent Moisture	17	0.10	0.10	%	12/19/24 08:15	12/26/24	1	ASTM-D2216	BAL1234

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

#### Volatile Organics - Prep EPA 5035

1,1,1-Trichloroethane	ND	0.000344	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
1,1,2,2-Tetrachloroethane	ND	0.000447	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

### Sample Results (Continued)

**Sample: Hartzell-PC--01 (Continued)**  
**AAL1399-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
<b>Volatile Organics - Prep EPA 5035 (Continued)</b>									
1,1,2-Trichloroethane	ND	0.000429	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
1,1-Dichloroethane	ND	0.000387	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
1,1-Dichloroethene	ND	0.000412	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
1,2-Dichloroethane	ND	0.000283	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
1,2-Dichloropropane	ND	0.00141	0.00429	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
2-Butanone	0.00248 J	0.00204	0.0172	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
2-Hexanone	ND	0.000636	0.0215	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
4-Methyl-2-pentanone	ND	0.000644	0.0215	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Acetone	ND	0.00456	0.0215	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Benzene	ND	0.000266	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Bromoform	ND	0.00141	0.00429	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Bromomethane	ND	0.000395	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Carbon disulfide	ND	0.00129	0.00429	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Carbon tetrachloride	ND	0.000335	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Chlorobenzene	ND	0.000249	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Chloroethane	ND	0.00236	0.00429	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Chloroform	ND	0.000387	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Chloromethane	ND	0.00331	0.00429	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
cis-1,2-Dichloroethene	ND	0.000326	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
cis-1,3-dichloropropene	ND	0.000215	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Dibromochloromethane	ND	0.000369	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Ethylbenzene	ND	0.000335	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
m,p-Xylene	ND	0.000515	0.00172	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Methyl tert-butyl ether	ND	0.000301	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Methylene chloride	ND	0.00222	0.00429	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
o-Xylene	ND	0.000232	0.00172	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Styrene	ND	0.000249	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Tetrachloroethene	ND	0.000515	0.00172	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Toluene	ND	0.000404	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
trans-1,2-Dichloroethene	ND	0.000318	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
trans-1,3-dichloropropene	ND	0.000223	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Trichloroethene	ND	0.000309	0.000859	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459
Vinyl chloride	ND	0.000885	0.00429	mg/kg dry	12/19/24 08:15	12/30/24	1	8260B	BAL1459

Surrogate: 4-Bromofluorobenzene

104%

76-119

12/30/24

1

8260B

Surrogate: Dibromofluoromethane

98%

66-137

12/30/24

1

8260B

Surrogate: Toluene-d8

102%

80-120

12/30/24

1

8260B

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

### Volatile Organics

Total 1,3-Dichloropropene	ND	0.000215	0.000859	mg/kg Dry	12/19/24 08:15	12/30/24	1	8260B	[CALC]
Total Xylenes	ND	0.000232	0.00172	mg/kg Dry dry	12/19/24 08:15	12/30/24	1	8260B	[CALC]

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

**Sample Results**  
**(Continued)**

**Sample: Hartzell-PC--01 (Continued)**  
**AAL1399-01 (Solid)**

Analyte	Result /Qual	DL	RL	Units	Date Sampled	Date Analyzed	DF	Method	Prep Batch
---------	--------------	----	----	-------	--------------	---------------	----	--------	------------

**Metals - ICP**

Arsenic	3.98 J	0.320	4.85	mg/kg Dry	12/19/24 08:15	12/23/24	1	6010B	BAL1200
Barium	63.5	0.515	2.43	mg/kg Dry	12/19/24 08:15	12/23/24	1	6010B	BAL1200
Cadmium	ND	0.0291	0.243	mg/kg Dry	12/19/24 08:15	12/23/24	1	6010B	BAL1200
Chromium	12.7	0.0845	0.243	mg/kg Dry	12/19/24 08:15	12/23/24	1	6010B	BAL1200
Lead	7.76	0.204	1.21	mg/kg Dry	12/19/24 08:15	12/23/24	1	6010B	BAL1200
Selenium	ND	0.350	4.85	mg/kg Dry	12/19/24 08:15	12/23/24	1	6010B	BAL1200
Silver	ND	0.252	0.485	mg/kg Dry	12/19/24 08:15	12/23/24	1	6010B	BAL1200

INTERRA, Inc.  
600 Territorial Drive, Suite G  
Bolingbrook, IL 60440

Project: INTERRA - Soil  
Project Number: 9826 - Evanston Geotech and Environmental 2024  
Project Manager: INTERRA, Inc.

Reported: 01/13/2025 14:27

*8260 SRP Package*

---

8260 SRP



# SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave. Ste. 150 Geneva, IL 60134

Tel. 708.544.3260

login@suburbanlabs.com

www.suburbanlabs.com

# CHAIN OF CUSTODY RECORD

<b>Interra</b> Company 600 Territorial Dr. Suite G City: Bolingbrook State: IL Zip: 60440 Office: 630-754-8700 Fax: 630-754-8700 Email Address: aguntaka@interraservices.com Project ID / Location: 9826 - Evanston Geotech & Environmental - 2024 Project Manager (Report to): aguntaka@interraservices.com reshmac@interraservices.com Sample Collector(s): Paul Sponaugle		<b>TURNAROUND TIME REQUESTED</b> <input checked="" type="checkbox"/> Normal <input type="checkbox"/> RUSH* * Must be pre-approved and surcharges apply. Checking this box indicates your approval of surcharges. Date and Time Report Needed: Specify Regulatory Program: <input type="checkbox"/> None/Info Only <input type="checkbox"/> LUST <input type="checkbox"/> SRP <input type="checkbox"/> SDWA <input type="checkbox"/> 503 Sludge <input type="checkbox"/> NPDES <input type="checkbox"/> MWRDGC <input type="checkbox"/> Disposal <input type="checkbox"/> CCDD <input checked="" type="checkbox"/> OTHER - Specify Below		<b>ANALYSIS &amp; METHOD REQUESTED</b> Enter an "X" in box below for request VOCs SVOCs RCRA Metals (6) PCBs Pesticides pH X X X X X X		Page 1 of 1 PO # Report Type <input type="checkbox"/> Normal <input type="checkbox"/> Special* * Additional charges apply for QC reports and raw data. Specify in comments section. Shipping Method <b>LAB USE ONLY</b> Work Order # Temperature of Received Samples: 31 °C Received within 24 hours of collection? <input type="checkbox"/> No <input type="checkbox"/> Yes	
---	--	--	--	---	--	--	--

SAMPLE IDENTIFICATION (Use 1 line per container type)	COLLECTION		MATRIX	GRAB/COMP.	CONTAINERS		PRESERVATIVE	VOCs	SVOCs	RCRA Metals (6)	PCBs	Pesticides	pH	Lab Comment	LAB #
	DATE	TIME			Qty	SIZE & TYPE									
1 Hartzell-PC-01	12-19-24	0815	Soil	Grab	5			X	X	X	X	X	X		
<div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); opacity: 0.5;">                         PWS                     </div>															
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															

<b>MATRIX:</b> Drinking Water (DW), Soil (S), Waste Water (WW), Surface Water (SW), Ground Water (GW), Solid Waste (WA), Sludge (U), Wipe (P) <b>CONTAINERS:</b> 2oz, 4oz, 8oz, 40ml Vial, 500ml, Liter (L), Tube, Glass (G), Plastic (P) <b>PRESERVATIVE:</b> H <sub>2</sub> SO <sub>4</sub> , HCl, HNO <sub>3</sub> , Methanol (MeOH), NaOH, Sodium Bisulfate (NaBS), NaThio		<b>COMMENTS &amp; SPECIAL INSTRUCTIONS:</b> Regulatory Programs: CCDD Mac TACO Residential TACO Industrial/Commercial		AAL1399  INTERRA, Inc.	
--	--	---	--	------------------------------	--

1. Relinquished By: <i>[Signature]</i>	Date: 12/20/19	2. Relinquished By: <i>[Signature]</i>	Date: 12/20/19	3. Relinquished By:	Date:	4. Relinquished By:	Date:
Received By: <i>[Signature]</i>	Time: 9:57	Received By: <i>[Signature]</i>	Time: 1:00	Received By:	Time:	Received By:	Time:
<input type="checkbox"/> Ice		<input checked="" type="checkbox"/> Ice		<input type="checkbox"/> Ice		<input type="checkbox"/> Ice	

THIS FORM MUST BE FILLED OUT COMPLETELY BY THE SAMPLE COLLECTOR OR SUBMITTER AND ORIGINAL FORM MUST ACCOMPANY SAMPLES AT ALL TIMES. Rev 2/17

1016



**STATE OF ILLINOIS**  
**ENVIRONMENTAL PROTECTION AGENCY**  
**NELAP - RECOGNIZED**  
**ENVIRONMENTAL LABORATORY ACCREDITATION**

is hereby granted to

**Suburban Laboratories**  
**1950 South Batavia Ave., Suite 150**  
**Geneva, IL 60134**

**NELAP ACCREDITED**

Accreditation Number #100225



According to the Illinois Administrative Code, Title 35, Subtitle A, Chapter II, Part 186, ACCREDITATION OF LABORATORIES FOR DRINKING WATER, WASTEWATER AND HAZARDOUS WASTES ANALYSIS, the State of Illinois formally recognizes that this laboratory is technically competent to perform the environmental analyses listed on the scope of accreditation detailed below.

The laboratory agrees to perform all analyses listed on this scope of accreditation according to the Part 186 requirements and acknowledges that continued accreditation is dependent on successful ongoing compliance with the applicable requirements of Part 186. Please contact the Illinois EPA Environmental Laboratory Accreditation Program (IL ELAP) to verify the laboratory's scope of accreditation and accreditation status. Accreditation by the State of Illinois is not an endorsement or a guarantee of validity of the data generated by the laboratory.

Primary Accrediting Authority: Illinois

Millie Rose  
Supervisor  
Environmental Laboratory Accreditation Program

Certificate No: 1002252024-26

Expiration Date: 10/31/2025

Issued On: 10/30/2024

**Appendix D**  
LPC 663 Form



# Illinois Environmental Protection Agency

1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

## Uncontaminated Soil Certification by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

Revised in accordance with 35 Ill. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 Ill. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

### I. Source Location Information

(Describe the location of the source of the uncontaminated soil)

Project Name: Hartzell Street from Lincolnwood Avenue to Reese Avenue Office Phone Number, if available: \_\_\_\_\_

Physical Site Location (address, including number and street):

Hartzell Street from Lincolnwood Avenue to Reese Avenue

City: Evanston State: IL Zip Code: 60201

County: Cook Township: Evanston

Lat/Long of approximate center of site in decimal degrees (DD.ddddd) to five decimal places (e.g., 40.67890, -90.12345):

Latitude: 42.06561 Longitude: - 87.71448

(Decimal Degrees) (-Decimal Degrees)

Identify how the lat/long data were determined:

GPS  Map Interpolation  Photo Interpolation  Survey  Other

IEPA Site Number(s), if assigned: BOL: \_\_\_\_\_ BOW: \_\_\_\_\_ BOA: \_\_\_\_\_

Approximate Start Date (mm/dd/yyyy): Mar 1, 2025 Approximate End Date (mm/dd/yyyy): Dec 31, 2025

Estimated Volume of debris (cu. Yd.): \_\_\_\_\_

### II. Owner/Operator Information for Source Site

Site Owner

Name: \_\_\_\_\_ City of Evanston

Street Address: \_\_\_\_\_ 2100 Ridge Avenue

PO Box: \_\_\_\_\_

City: \_\_\_\_\_ Evanston State: \_\_\_\_\_ IL

Zip Code: \_\_\_\_\_ 60201 Phone: \_\_\_\_\_ 847-448-8210

Contact: \_\_\_\_\_ Bridget Nash

Email, if available: \_\_\_\_\_ bnash@cityofevanston.org

Site Operator

Name: \_\_\_\_\_

Street Address: \_\_\_\_\_

PO Box: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_

Contact: \_\_\_\_\_

Email, if available: \_\_\_\_\_

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms Management Center.

Uncontaminated Soil Certification

**III. Basis for Certification and Attachments**

For each item listed below, reference the attachments to this form that provide the required information.

- a. A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located 35 Ill. Adm. Code 1100.610(a)]:

Soil sampling points were selected based on the expected limits of proposed excavation and evenly spaced; Site historical documents including readily available Federal & State databases were reviewed to identify sampling points and adequacy.

- b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 Ill. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 Ill. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

Historical records, analytical test results, chain of custody documentation and laboratory accreditation are attached. Soil should be disposed at a CCDD facility within a MSA County.

**IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist**

I, Sanjeev Bandi (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 Ill. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.


*Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))*

Company Name: Interra, Inc.  
Street Address: 600 Territorial Drive, Suite G  
City: Bolingbrook State: IL Zip Code: 60440  
Phone: 630-754-8700

Sanjeev Bandi  
Printed Name:

  
\_\_\_\_\_  
Licensed Professional Engineer or  
Licensed Professional Geologist Signature:

Feb 13, 2025  
Date:



## Cook County Prevailing Wage Rates posted on 3/3/2025

Trade Title	Rg	Type	C	Base	Foreman	Overtime					Pension	Vac	Trng	Other Ins	Add OT 1.5x owed	Add OT 2.0x owed
						M-F	Sa	Su	Hol	H/W						
ASBESTOS ABT-GEN	All	ALL		50.15	51.15	1.5	1.5	2.0	2.0	17.71	16.92	0.00	0.91		0.00	0.00
ASBESTOS ABT-MEC	All	BLD		41.27	44.57	1.5	1.5	2.0	2.0	15.84	16.02	0.00	0.90		3.11	6.21
BOILERMAKER	All	BLD		55.76	60.77	2.0	2.0	2.0	2.0	6.97	26.44	0.00	3.34	1.95	0.00	38.26
BRICK MASON	All	BLD		52.06	57.27	1.5	1.5	2.0	2.0	12.70	24.54	0.00	1.24	0.00	3.99	7.98
CARPENTER	All	ALL		55.11	57.11	1.5	1.5	2.0	2.0	12.89	26.26	2.15	0.93	0.00	0.00	0.00
CEMENT MASON	All	ALL		52.00	54.00	2.0	1.5	2.0	2.0	17.81	23.00	0.00	1.15		2.00	4.00
CERAMIC TILE FINISHER	All	BLD		47.09	47.09	1.5	1.5	2.0	2.0	13.00	16.82	0.00	1.09	0.00	5.17	10.34
CERAMIC TILE LAYER	All	BLD		54.84	59.84	1.5	1.5	2.0	2.0	13.00	20.68	0.00	1.17	0.00	7.15	14.30
COMMUNICATION ELECTRICIAN	All	BLD		49.86	54.85	1.5	1.5	2.0	2.0	15.60	14.43	1.25	1.22	0.15	0.00	0.00
ELECTRIC PWR EQMT OP	All	ALL		62.10	68.14	1.5	1.5	2.0	2.0	13.08	20.88	0.00	3.32	0.00	18.64	37.28
ELECTRIC PWR GRNDMAN	All	ALL		48.44	68.14	1.5	1.5	2.0	2.0	10.20	16.29	0.00	2.60	0.00	14.55	29.09
ELECTRIC PWR LINEMAN	All	ALL		62.10	68.14	1.5	1.5	2.0	2.0	13.08	20.88	0.00	3.32	0.00	18.64	37.28
ELECTRICIAN	All	ALL		55.55	61.11	1.5	1.5	2.0	2.0	19.06	20.61	1.50	1.78	0.40	0.00	0.00
ELEVATOR CONSTRUCTOR	All	BLD		67.84	76.32	2.0	2.0	2.0	2.0	16.18	20.96	5.42	0.75		0.00	0.00
FENCE ERECTOR	All	ALL		51.00	53.00	1.5	1.5	2.0	2.0	13.74	18.32	0.00	0.75		0.00	0.00
GLAZIER	All	BLD		51.55	53.05	1.5	2.0	2.0	2.0	15.64	26.18	0.00	2.27	0.00	0.00	0.00
HEAT/FROST INSULATOR	All	BLD		55.02	58.32	1.5	1.5	2.0	2.0	15.84	19.01	0.00	0.90		4.60	9.20
IRON WORKER	All	ALL		59.26	62.76	2.0	2.0	2.0	2.0	18.30	26.31	0.00	0.49	0.00	0.00	0.00
LABORER	All	ALL		50.15	50.90	1.5	1.5	2.0	2.0	17.71	16.92	0.00	0.91		0.00	0.00
LATHER	All	ALL		55.11	57.11	1.5	1.5	2.0	2.0	12.89	26.26	2.15	0.93	0.00	0.00	0.00
MACHINIST	All	BLD		58.39	62.39	1.5	1.5	2.0	2.0	9.93	8.95	1.85	1.47		0.00	0.00
MARBLE FINISHER	All	ALL		39.50	53.55	1.5	1.5	2.0	2.0	12.70	22.32	0.00	0.73	0.00	2.88	5.76
MARBLE SETTER	All	BLD		51.00	56.10	1.5	1.5	2.0	2.0	12.70	24.01	0.00	0.92	0.00	3.73	7.45
MATERIAL TESTER I	All	ALL		40.15		1.5	1.5	2.0	2.0	17.71	16.92	0.00	0.91		0.00	0.00
MATERIALS TESTER II	All	ALL		45.15		1.5	1.5	2.0	2.0	17.71	16.92	0.00	0.91		0.00	0.00
MILLWRIGHT	All	ALL		55.11	57.11	1.5	1.5	2.0	2.0	12.89	26.26	2.15	0.93	0.00	0.00	0.00

## Cook County Prevailing Wage Rates posted on 3/3/2025

OPERATING ENGINEER	All	BLD	1	60.80	64.80	2.0	2.0	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	BLD	2	59.50	64.80	2.0	2.0	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	BLD	3	56.95	64.80	2.0	2.0	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	BLD	4	55.20	64.80	2.0	2.0	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	BLD	5	64.55	64.80	2.0	2.0	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	BLD	6	61.80	64.80	2.0	2.0	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	BLD	7	63.80	64.80	2.0	2.0	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	FLT	1	69.35	69.35	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	FLT	2	67.85	69.35	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	FLT	3	63.35	69.35	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	FLT	4	58.85	69.35	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	FLT	5	70.85	69.35	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	FLT	6	58.85	69.35	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	HWY	1	59.00	63.00	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	HWY	2	58.45	63.00	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	HWY	3	56.40	63.00	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	HWY	4	55.00	63.00	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	HWY	5	53.80	63.00	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	HWY	6	62.00	63.00	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
OPERATING ENGINEER	All	HWY	7	60.00	63.00	1.5	1.5	2.0	2.0	23.70	20.80	2.00	2.70	0.00	0.00	0.00
ORNAMENTAL IRON WORKER	All	ALL		57.51	60.51	2.0	2.0	2.0	2.0	14.31	26.50	0.00	2.00	0.00	0.00	0.00
PAINTER	All	ALL		53.05	59.68	1.5	1.5	1.5	2.0	15.76	16.19	0.00	1.86	0.00	0.00	0.00
PAINTER - SIGNS	All	BLD		46.76	52.53	1.5	1.5	2.0	2.0	8.20	16.81	0.00	0.00	0.00	0.00	0.00
PILEDRIVER	All	ALL		55.11	57.11	1.5	1.5	2.0	2.0	12.89	26.26	2.15	0.93	0.00	0.00	0.00
PIPEFITTER	All	BLD		57.00	60.00	1.5	1.5	2.0	2.0	13.65	22.85	0.00	3.12	0.00	0.00	0.00
PLASTERER	All	BLD		50.00	53.00	1.5	1.5	2.0	2.0	17.81	21.22	0.00	1.15		0.00	0.00
PLUMBER	All	BLD		58.55	62.05	1.5	1.5	2.0	2.0	17.75	17.74	0.00	1.83		0.00	0.00
ROOFER	All	BLD		50.25	55.25	1.5	1.5	2.0	2.0	11.98	17.34	0.00	1.11	0.00	0.00	0.00
SHEETMETAL WORKER	All	BLD		53.05	57.29	1.5	1.5	2.0	2.0	14.88	28.65	0.00	1.15	0.00	0.00	0.00

## Cook County Prevailing Wage Rates posted on 3/3/2025

SIGN HANGER	All	BLD		36.72	39.66	1.5	1.5	2.0	2.0	7.45	4.70	0.00	0.00	0.00	0.00	0.00
SPRINKLER FITTER	All	BLD		60.00	62.75	1.5	1.5	2.0	2.0	14.95	19.40	0.00	1.10	0.00	0.00	0.00
STEEL ERECTOR	All	ALL		59.26	62.76	2.0	2.0	2.0	2.0	18.30	26.31	0.00	0.49	0.00	0.00	0.00
STONE MASON	All	BLD		52.06	57.27	1.5	1.5	2.0	2.0	12.70	24.54	0.00	1.24	0.00	3.99	7.98
SURVEY WORKER	All	BLD		56.50	57.50	1.5	1.5	2.0	2.0	17.75	14.15	0.00	1.49		0.00	0.00
SURVEY WORKER	All	HWY		56.50	57.50	1.5	1.5	2.0	2.0	17.75	14.15	0.00	1.49		0.00	0.00
TERRAZZO FINISHER	All	BLD		48.94	48.94	1.5	1.5	2.0	2.0	13.00	18.42	0.00	1.11	0.00	4.22	8.44
TERRAZZO MECHANIC	All	BLD		52.85	56.35	1.5	1.5	2.0	2.0	13.00	19.81	0.00	1.15	0.00	4.47	8.94
TRAFFIC SAFETY WORKER I	All	HWY		42.10	43.70	1.5	1.5	2.0	2.0	11.11	9.81	0.00	1.05	0.00	0.00	0.00
TRAFFIC SAFETY WORKER II	ALL	HWY		43.10	44.70	1.5	1.5	2.0	2.0	11.11	9.81	0.00	1.05	0.00	0.00	0.00
TRUCK DRIVER	E	ALL	1	43.45		1.5	1.5	2.0	2.0	13.15	16.09	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	E	ALL	2	43.70		1.5	1.5	2.0	2.0	13.15	16.09	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	E	ALL	3	43.90		1.5	1.5	2.0	2.0	13.15	16.09	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	E	ALL	4	44.10		1.5	1.5	2.0	2.0	13.15	16.09	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	W	ALL	1	43.43		1.5	1.5	2.0	2.0	11.70	16.11	0.00	0.25		0.00	0.00
TRUCK DRIVER	W	ALL	2	43.58		1.5	1.5	2.0	2.0	11.70	16.11	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	W	ALL	3	43.78		1.5	1.5	2.0	2.0	11.70	16.11	0.00	0.25	0.00	0.00	0.00
TRUCK DRIVER	W	ALL	4	43.98		1.5	1.5	2.0	2.0	11.70	16.11	0.00	0.25	0.00	0.00	0.00
TUCKPOINTER	All	BLD		51.53	52.53	1.5	1.5	2.0	2.0	10.05	22.66	0.00	1.15	0.00	0.00	0.00

### Legend

**Rg** Region

**Type** Trade Type - All,Highway,Building,Floating,Oil & Chip,Rivers

**C** Class

**Base** Base Wage Rate

**OT M-F** Unless otherwise noted, OT pay is required for any hour greater than 8 worked each day, Mon through Fri. The number listed is the multiple of the base wage.

**OT Sa** Overtime pay required for every hour worked on Saturdays

**OT Su** Overtime pay required for every hour worked on Sundays

**OT Hol** Overtime pay required for every hour worked on Holidays

**H/W** Health/Welfare benefit

**Vac** Vacation

**Trng** Training

## Cook County Prevailing Wage Rates posted on 3/3/2025

**Other Ins** Employer hourly cost for any other type(s) of insurance provided for benefit of worker.

### Explanations COOK COUNTY

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration. If in doubt, please check with IDOL.

TRUCK DRIVERS (WEST) - That part of the county West of Barrington Road.

### EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date. ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

### CERAMIC TILE FINISHER

The grouting, cleaning, and polishing of all classes of tile, whether for interior or exterior purposes, all burned, glazed or unglazed products; all composition materials, granite tiles, warning detectable tiles, cement tiles, epoxy composite materials, pavers, glass, mosaics, fiberglass, and all substitute materials, for tile made in tile-like units; all mixtures in tile like form of cement, metals, and other materials that are for and intended for use as a finished floor surface, stair treads, promenade roofs, walks, walls, ceilings, swimming pools, and all other places where tile is to form a finished interior or exterior. The mixing of all setting mortars including but not limited to thin-set mortars, epoxies, wall mud, and any other sand and cement mixtures or adhesives when used in the preparation, installation, repair, or maintenance of tile and/or similar materials. The handling and unloading of all sand, cement, lime, tile, fixtures, equipment, adhesives, or any other materials to be used in the preparation, installation, repair, or maintenance of tile and/or similar materials. Ceramic Tile Finishers shall fill all joints and voids regardless of method on all tile work, particularly and especially after installation of said tile work. Application of any and all protective coverings to all types of tile installations including, but not be limited to, all soap compounds, paper products, tapes, and all polyethylene coverings, plywood, masonite, cardboard, and any new type of products that may be used to protect tile installations, Blastrac equipment, and all floor scarifying equipment used in preparing floors to receive tile. The clean up and removal of all waste and materials. All demolition of existing tile floors and walls to be re-tiled.

### COMMUNICATIONS ELECTRICIAN

Installation, operation, inspection, maintenance, repair and service of radio, television, recording, voice sound vision production and reproduction, telephone and telephone interconnect, facsimile, data apparatus, coaxial, fibre optic and wireless equipment, appliances and systems used for the transmission and reception of signals of any nature, business, domestic, commercial,

## **Cook County Prevailing Wage Rates posted on 3/3/2025**

education, entertainment, and residential purposes, including but not limited to, communication and telephone, electronic and sound equipment, fibre optic and data communication systems, and the performance of any task directly related to such installation or service whether at new or existing sites, such tasks to include the placing of wire and cable and electrical power conduit or other raceway work within the equipment room and pulling wire and/or cable through conduit and the installation of any incidental conduit, such that the employees covered hereby can complete any job in full.

### **MARBLE FINISHER**

Loading and unloading trucks, distribution of all materials (all stone, sand, etc.), stocking of floors with material, performing all rigging for heavy work, the handling of all material that may be needed for the installation of such materials, building of scaffolding, polishing if needed, patching, waxing of material if damaged, pointing up, caulking, grouting and cleaning of marble, holding water on diamond or Carborundum blade or saw for setters cutting, use of tub saw or any other saw needed for preparation of material, drilling of holes for wires that anchor material set by setters, mixing up of molding plaster for installation of material, mixing up thin set for the installation of material, mixing up of sand to cement for the installation of material and such other work as may be required in helping a Marble Setter in the handling of all material in the erection or installation of interior marble, slate, travertine, art marble, serpentine, alberene stone, blue stone, granite and other stones (meaning as to stone any foreign or domestic materials as are specified and used in building interiors and exteriors and customarily known as stone in the trade), carrara, sanionyx, vitrolite and similar opaque glass and the laying of all marble tile, terrazzo tile, slate tile and precast tile, steps, risers treads, base, or any other materials that may be used as substitutes for any of the aforementioned materials and which are used on interior and exterior which are installed in a similar manner.

MATERIAL TESTER I: Hand coring and drilling for testing of materials; field inspection of uncured concrete and asphalt.

MATERIAL TESTER II: Field inspection of welds, structural steel, fireproofing, masonry, soil, facade, reinforcing steel, formwork, cured concrete, and concrete and asphalt batch plants; adjusting proportions of bituminous mixtures.

### **OPERATING ENGINEER - BUILDING**

Class 1. Asphalt Plant; Asphalt Spreader; Autograde; Backhoes with Caisson Attachment; Batch Plant; Benoto (requires Two Engineers); Boiler and Throttle Valve; Caisson Rigs; Central Redi-Mix Plant; Combination Back Hoe Front End-loader Machine; Compressor and Throttle Valve; Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Conveyor (Truck Mounted); Concrete Paver Over 27E cu. ft; Concrete Paver 27E cu. ft. and Under; Concrete Placer; Concrete Placing Boom; Concrete Pump (Truck Mounted); Concrete Tower; Cranes, All; Cranes, Hammerhead; Cranes, (GCI and similar Type); Creter Crane; Spider Crane; Crusher, Stone, etc.; Derricks, All; Derricks, Traveling; Formless Curb and Gutter Machine; Grader, Elevating; Grouting Machines; Heavy Duty Self-Propelled Transporter or Prime Mover; Highlift Shovels or Front Endloader 2-1/4 yd. and over; Hoists, Elevators, outside type rack and pinion and similar machines; Hoists, One, Two and Three Drum; Hoists, Two Tugger One Floor; Hydraulic Backhoes; Hydraulic Boom Trucks; Hydro Vac (and similar equipment); Locomotives, All; Motor Patrol; Lubrication Technician; Manipulators; Pile Drivers and Skid Rig; Post Hole Digger; Pre-Stress Machine; Pump Cretes Dual Ram; Pump Cretes: Squeeze Cretes-Screw Type Pumps; Gypsum Bulker and Pump; Raised and Blind Hole Drill; Roto Mill Grinder; Scoops - Tractor Drawn; Slip-Form Paver; Straddle Buggies; Operation of Tie Back Machine; Tournapull; Tractor with Boom and Side Boom; Trenching Machines.

## **Cook County Prevailing Wage Rates posted on 3/3/2025**

Class 2. Boilers; Broom, All Power Propelled; Bulldozers; Concrete Mixer (Two Bag and Over); Conveyor, Portable; Forklift Trucks; Highlift Shovels or Front Endloaders under 2-1/4 yd.; Hoists, Automatic; Hoists, Inside Elevators; Hoists, Sewer Dragging Machine; Hoists, Tugger Single Drum; Laser Screed; Rock Drill (Self-Propelled); Rock Drill (Truck Mounted); Rollers, All; Steam Generators; Tractors, All; Tractor Drawn Vibratory Roller; Winch Trucks with "A" Frame.

Class 3. Air Compressor; Combination Small Equipment Operator; Generators; Heaters, Mechanical; Hoists, Inside Elevators (remodeling or renovation work); Hydraulic Power Units (Pile Driving, Extracting, and Drilling); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Low Boys; Pumps, Well Points; Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 4. Bobcats and/or other Skid Steer Loaders; Oilers; and Brick Forklift.

Class 5. Assistant Craft Foreman.

Class 6. Gradall.

Class 7. Mechanics; Welders.

### **OPERATING ENGINEERS - HIGHWAY CONSTRUCTION**

Class 1. Asphalt Plant; Asphalt Heater and Planer Combination; Asphalt Heater Scarfire; Asphalt Spreader; Autograder/GOMACO or other similar type machines: ABG Paver; Backhoes with Caisson Attachment; Ballast Regulator; Belt Loader; Caisson Rigs; Car Dumper; Central Redi-Mix Plant; Combination Backhoe Front Endloader Machine, (1 cu. yd. Backhoe Bucket or over or with attachments); Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Paver over 27E cu. ft.; Concrete Placer; Concrete Tube Float; Cranes, all attachments; Cranes, Tower Cranes of all types: Creter Crane; Spider Crane; Crusher, Stone, etc.; Derricks, All; Derrick Boats; Derricks, Traveling; Dredges; Elevators, Outside type Rack & Pinion and Similar Machines; Formless Curb and Gutter Machine; Grader, Elevating; Grader, Motor Grader, Motor Patrol, Auto Patrol, Form Grader, Pull Grader, Subgrader; Guard Rail Post Driver Truck Mounted; Hoists, One, Two and Three Drum; Heavy Duty Self-Propelled Transporter or Prime Mover; Hydraulic Backhoes; Backhoes with shear attachments up to 40' of boom reach; Lubrication Technician; Manipulators; Mucking Machine; Pile Drivers and Skid Rig; Pre-Stress Machine; Pump Cretes Dual Ram; Rock Drill - Crawler or Skid Rig; Rock Drill - Truck Mounted; Rock/Track Tamper; Roto Mill Grinder; Slip-Form Paver; Snow Melters; Soil Test Drill Rig (Truck Mounted); Straddle Buggies; Hydraulic Telescoping Form (Tunnel); Operation of Tieback Machine; Tractor Drawn Belt Loader; Tractor Drawn Belt Loader (with attached pusher - two engineers); Tractor with Boom; Tractaire with Attachments; Traffic Barrier Transfer Machine; Trenching; Truck Mounted Concrete Pump with Boom; Raised or Blind Hole Drills (Tunnel Shaft); Underground Boring and/or Mining Machines 5 ft. in diameter and over tunnel, etc; Underground Boring and/or Mining Machines under 5 ft. in diameter; Wheel Excavator; Widener (APSCO).

Class 2. Batch Plant; Bituminous Mixer; Boiler and Throttle Valve; Bulldozers; Car Loader Trailing Conveyors; Combination Backhoe Front Endloader Machine (Less than 1 cu. yd. Backhoe Bucket or over or with attachments); Compressor and Throttle Valve; Compressor, Common Receiver (3); Concrete Breaker or Hydro Hammer; Concrete Grinding Machine; Concrete Mixer or Paver 7S Series to and including 27 cu. ft.; Concrete Spreader; Concrete Curing Machine, Burlap Machine, Belting Machine and Sealing Machine; Concrete Wheel Saw; Conveyor Muck Cars (Haglund or Similar Type); Drills, All; Finishing Machine - Concrete; Highlift Shovels or Front Endloader; Hoist - Sewer Dragging Machine; Hydraulic Boom Trucks (All Attachments); Hydro-Blaster; Hydro

## **Cook County Prevailing Wage Rates posted on 3/3/2025**

Excavating (excluding hose work); Laser Screed; All Locomotives, Dinky; Off-Road Hauling Units (including articulating) Non Self-Loading Ejection Dump; Pump Cretes: Squeeze Cretes - Screw Type Pumps, Gypsum Bulker and Pump; Roller, Asphalt; Rotary Snow Plows; Rototiller, Seaman, etc., self-propelled; Self-Propelled Compactor; Spreader - Chip - Stone, etc.; Scraper - Single/Twin Engine/Push and Pull; Scraper - Prime Mover in Tandem (Regardless of Size); Tractors pulling attachments, Sheeps Foot, Disc, Compactor, etc.; Tug Boats.

Class 3. Boilers; Brooms, All Power Propelled; Cement Supply Tender; Compressor, Common Receiver (2); Concrete Mixer (Two Bag and Over); Conveyor, Portable; Farm-Type Tractors Used for Mowing, Seeding, etc.; Forklift Trucks; Grouting Machine; Hoists, Automatic; Hoists, All Elevators; Hoists, Tugger Single Drum; Jeep Diggers; Low Boys; Pipe Jacking Machines; Post-Hole Digger; Power Saw, Concrete Power Driven; Pug Mills; Rollers, other than Asphalt; Seed and Straw Blower; Steam Generators; Stump Machine; Winch Trucks with "A" Frame; Work Boats; Tamper-Form-Motor Driven.

Class 4. Air Compressor; Combination - Small Equipment Operator; Directional Boring Machine; Generators; Heaters, Mechanical; Hydraulic Power Unit (Pile Driving, Extracting, or Drilling); Light Plants, All (1 through 5); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Pumps, Well Points; Vacuum Trucks (excluding hose work); Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 5. SkidSteer Loader (all); Brick Forklifts; Oilers.

Class 6. Field Mechanics and Field Welders

Class 7. Dowell Machine with Air Compressor; Gradall and machines of like nature.

### **OPERATING ENGINEER - FLOATING**

Class 1. Craft Foreman; Master Mechanic; Diver/Wet Tender; Engineer; Engineer (Hydraulic Dredge).

Class 2. Crane/Backhoe Operator; Boat Operator with towing endorsement; Mechanic/Welder; Assistant Engineer (Hydraulic Dredge); Leverman (Hydraulic Dredge); Diver Tender.

Class 3. Deck Equipment Operator, Machineryman, Maintenance of Crane (over 50 ton capacity) or Backhoe (115,000 lbs. or more); Tug/Launch Operator; Loader/Dozer and like equipment on Barge, Breakwater Wall, Slip/Dock, or Scow, Deck Machinery, etc.

Class 4. Deck Equipment Operator, Machineryman/Fireman (4 Equipment Units or More); Off Road Trucks; Deck Hand, Tug Engineer, Crane Maintenance (50 Ton Capacity and Under) or Backhoe Weighing (115,000 pounds or less); Assistant Tug Operator.

Class 5. Friction or Lattice Boom Cranes.

Class 6. ROV Pilot, ROV Tender

### **SURVEY WORKER**

## **Cook County Prevailing Wage Rates posted on 3/3/2025**

construction layout and/or grade checking.

### **SURVEY FOREMAN**

Operates survey equipment (such as levels, transits, data collectors, GPS and robotic total stations) for the purpose of performing construction layout and/or grade checking; oversees survey crew operations; and/or coordinates work of survey crews.

### **TERRAZZO FINISHER**

The handling of sand, cement, marble chips, and all other materials that may be used by the Mosaic Terrazzo Mechanic, and the mixing, grinding, grouting, cleaning and sealing of all Marble, Mosaic, and Terrazzo work, floors, base, stairs, and wainscoting by hand or machine, and in addition, assisting and aiding Marble, Masonic, and Terrazzo Mechanics.

### **TRAFFIC SAFETY Worker I**

Traffic Safety Worker I - work associated with the delivery, installation, pick-up and servicing of safety devices during periods of roadway construction, including such work as set-up and maintenance of barricades, barrier wall reflectors, drums, cones, delineators, signs, crash attenuators, glare screen and other such items, and the layout and application or removal of conflicting and/or temporary roadway markings utilized to control traffic in construction zones, as well as flagging for these operations.

### **TRAFFIC SAFETY WORKER II**

Work associated with the installation and removal of permanent pavement markings and/or pavement markers including both installations performed by hand and installations performed by truck.

### **TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION - EAST & WEST**

Class 1. Two or three Axle Trucks. A-frame Truck when used for transportation purposes; Air Compressors and Welding Machines, including those pulled by cars, pick-up trucks and tractors; Ambulances; Batch Gate Lockers; Batch Hopperman; Car and Truck Washers; Carry-alls; Fork Lifts and Hoisters; Helpers; Mechanics Helpers and Greasers; Oil Distributors 2-man operation; Pavement Breakers; Pole Trailer, up to 40 feet; Power Mower Tractors; Self-propelled Chip Spreader; Skipman; Slurry Trucks, 2-man operation; Slurry Truck Conveyor Operation, 2 or 3 man; Teamsters; Unskilled Dumpman; and Truck Drivers hauling warning lights, barricades, and portable toilets on the job site.

Class 2. Four axle trucks; Dump Crets and Adgetors under 7 yards; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnapulls or Turnatrailers when pulling other than self-loading equipment or similar equipment under 16 cubic yards; Mixer Trucks under 7 yards; Ready-mix Plant Hopper Operator, and Winch Trucks, 2 Axles.

Class 3. Five axle trucks; Dump Crets and Adgetors 7 yards and over; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnatrailers or turnapulls when pulling other than self-loading equipment or similar equipment over 16 cubic yards; Explosives and/or Fission Material Trucks; Mixer Trucks 7 yards or over; Mobile Cranes while in transit; Oil Distributors, 1-man operation; Pole Trailer, over 40 feet; Pole and Expandable Trailers hauling material over 50 feet long; Slurry trucks, 1-man operation; Winch trucks, 3 axles or more; Mechanic--Truck Welder and Truck Painter.

## **Cook County Prevailing Wage Rates posted on 3/3/2025**

Class 4. Six axle trucks; Dual-purpose vehicles, such as mounted crane trucks with hoist and accessories; Foreman; Master Mechanic; Self-loading equipment like P.B. and trucks with scoops on the front.

### Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.

### LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.

### MATERIAL TESTER & MATERIAL TESTER/INSPECTOR I AND II

Notwithstanding the difference in the classification title, the classification entitled "Material Tester I" involves the same job duties as the classification entitled "Material Tester/Inspector I". Likewise, the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester/Inspector II".

**Cook County Prevailing Wage Rates posted on 3/3/2025**

# Registering for DemandStar



We are pleased to announce our membership in the DemandStar network. DemandStar is an online marketplace that connects our suppliers directly to the bids, quotes and RFPs that matter to them.

DemandStar is open and accessible to all businesses and provides instant access to our solicitations. By registering for your complimentary DemandStar account, you will receive:

- **Instant** access to bids, quotes and RFPs
- **Automatic** notifications, right to you inbox, of bids that match the commodity codes you select
- The ability to **quickly view** the contractual terms and scope of work
- All the **forms and documents** you need in one place
- Access to **more government bids** in neighboring cities, counties and states

**It's EASY!** Get started with these 3 easy steps!

## 1 REGISTER

Go to:

<https://www.demandstar.com/registration>

### Create an Account with DemandStar

You are one step away from picking your free government agency

Email Address

Company Name

I accept the DemandStar [Terms of Use](#) and [Privacy Policy](#)

Next



## 2 CHOOSE YOUR FREE AGENCY

Type in the name of the government agency you'd like to add, for example "City of Metropolis" in the Search Box

## 3 CHECK OUT

Check out with your **FREE AGENCY** Registration by clicking "Skip for now" on the page where it gives you options to add additional counties and States

### ← Choose Your Free Agency

Receive full access to the government agency of your choice and receive advance notifications of new opportunities.

City of Metropolis ✕

Narrow down your search by selecting a state and county.

State

County

Select State ▼

Select County ▼

- City of Metropolis – Board of Commisioners
- City of Metropolis Purchasing
- Metropolis Technical College

You have chosen **Metropolis Technical College** as your free agency.  
Add additional government agencies below for \$25 per County,  
Statewide and National subscriptions available.

My Subscriptions  [0]

Nation (0)

States (0)

Counties (0)

		Your Current Rate
<b>Total</b>	(0 subscriptions)	<b>\$0/year</b>

Proceed to Checkout

Skip for Now

**SIGN UP**

Visit [www.demandstar.com](http://www.demandstar.com)





# DEMANDSTAR

**B u i l d i n g C o m m u n i t i e s .**

(E-bidding) Electronic Bidding Instructions

# Introduction

To submit a bid electronically (e-bidding) on DemandStar

- The project **MUST** be setup for e-bidding by the government agency advertising the opportunity

Bid Identifier	Agency Name	Bid Status	Broadcast Date	Date Due ▼	Name	Actions
RFP-2019-01-0-2019/df	Town of Malabar	Active	5/15/2019	5/31/2019	Malabar Parks and Recreation Board Memorial Wall Project	Planholders, Download/Order, Details
EBID-20190077-0-2019/HF	City of Port St. Lucie, Procurement Management Department	Active	4/25/2019	5/31/2019	Purchase Breaching "Backpack" Gas Masks and Gas Mask Cartridges for the Police Department JAG Grant Funded	E-Bidding, Planholders, Download/Order, Details



## How to check if it is an e-bidding opportunity

- Not all opportunities posted on DemandStar by government are available for e-bidding
- Those that are available for you to electronically bid will list "e-bidding" as an available "ACTION" when you look at the project details

In order to do  
e-bidding

1. Click on “E-bidding” in  
the actions column

Bid Identifier	Agency Name	Bid Status	Broadcast Date	Date Due ▼	Name	Actions
RFP-2019-01-0-2019/df	Town of Malabar	Active	5/15/2019	5/31/2019	Malabar Parks and Recreation Board Memorial Wall Project	Planholders, Download/Order, Details
EBID-20190077-0-2019/HF	City of Port St. Lucie, Procurement Management Department	Active	4/25/2019	5/31/2019	Purchase Breaching “Backpa Gas Masks and Gas Mask Cartridges for the Police Department JAG Grant Funded	E-Bidding, Planholders, Download/Order, Details



In order to do  
e-bidding

2. Enter your contact information and enter in all required fields

Note: You **MUST** put a number of the “BID AMOUNT” box. However, that number can be 0 so as to allow for a more detailed description of your bid through your uploaded documents.

## Contact Information

*\* indicates required fields*

Company Name \*

Address 1 \*

Address 2

City \*


State \*

Postal Code \*

Phone \*

Fax

Country \*

 Bid Amount \*

Alternate Bid Amount

Notes

# In order to do e-bidding

- In the agency required documents section – check the documents you intend on uploading and fulfilling. By checking these boxes this is **ONLY** an acknowledgement of how you will fulfill the requirement. You still have to upload the documents.

## Required Documents



The following documents are required by the agency for this project. Please select which documents you will be submitting electronically (online) and which ones you will submit directly to the agency (offline).

### Agency Required Documents

Document	None	Online/ Electronic	Offline/ Manual	Not submitting
-	❗	✓	📄	•
<a href="#">Bid Reply</a>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
<a href="#">Checklist</a>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
<a href="#">Subcontractor List</a>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
<a href="#">Current Workload, List of Projects and Completion Dates</a>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
<a href="#">Questionnaire</a>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<a href="#">Drug Free Workplace Form</a>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

In order to do e-bidding

Upload your response documents in an accepted file format

Make sure that you have covered and uploaded all the required documents

### E-Bid Response Documents

Agency Name	City of Port St. Lucie, Procurement Management Department
Bid Number	EBID-20190077-0-2019/HF
Bid Name	Purchase Breaching "Backpack" Kits, Gas Masks and Gas Mask Cartridges for the Police Department JAG Grant Funded
Bid Due Date	5/31/2019 3:00:00 PM Eastern time
Bid Opening	14 days, 21 hours, 45 minutes, 5 seconds

*No response documents uploaded*

### Agency Accepted File Formats



Formats

Adobe Acrobat (\*.PDF )  
Microsoft Excel (\*.XLS )  
Microsoft Excel (\*.XLSX)  
Microsoft PowerPoint (\*.PPT )  
Microsoft Word (\*.DOC )  
Microsoft Word (\*.DOCX)

### Upload Electronic Documents

*\* indicates required fields*



Document Title \*

Specify Upload Document \*

No file chosen

(Type the path of the document, or click the Browse button.)

In order to do e-bidding

Once you decide you've uploaded all your documents that you would like to submit, make sure you click the **NEXT** button at the bottom of the screen

### E-Bid Response Documents

Agency Name City of Port St. Lucie, Procurement Management Department  
Bid Number EBID-20180218-6-2018/er  
Bid Name Sculpture on Lawn at City Hall Temporary Art Installation  
Bid Due Date 1/9/2019 2:00:00 PM Eastern time  
Bid Opening 100 days, 1 hour, 20 minutes, 11 seconds

	Document Title	Format	Size	Uploaded	Status	Action
1	 E-Bidding for Suppliers	Microsoft Word	12 Kb	10/1/2018 9:39:50 AM	Complete	<a href="#">View</a> <a href="#">Remove</a>

### Agency Accepted File Formats

Formats  
Adobe Acrobat (\*.PDF)  
Microsoft Excel (\*.XLS)  
Microsoft Excel (\*.XLSX)  
Microsoft PowerPoint (\*.PPT)  
Microsoft Word (\*.DOC)  
Microsoft Word (\*.DOCX)

### Upload Electronic Documents


\* indicates required fields

Document Title \*

Specify Upload Document \*

(Type the path of the document, or click the Browse button.)

Your document has successfully uploaded but your response is not yet complete. You must still click 'Submit Response' on Bid Response Details page in order to complete your response and receive a confirmation



# Completing your e-bid submittal

- Please **VERIFY** that you have attached **ALL** the required documents
- Click on the **Submit Response** button to complete your e-bid

## Agency Required Documents

EDIT

1. **Bid Reply** (Electronic/Online) ✓
2. **Checklist** (Electronic/Online) ✓
3. **Subcontractor List** (Electronic/Online) ✓
4. **Current Workload, List of Projects and Completion Dates** (Electronic/Online) ✓
5. **Questionnaire** (Electronic/Online) ✓
6. **Drug Free Workplace Form** (Electronic/Online) ✓
7. **Current Certificate of Insurance** (Electronic/Online) ✓
8. **License/Certification to do Described Work** (Electronic/Online) ✓
9. **Reference Check Form** (Electronic/Online) ✓
10. **E-Bid Reply Excel Spreadsheet** (Electronic/Online) ✓
11. **E-Bid Bond** (Electronic/Online) ✓
12. **Vendor Code of Ethics** (Electronic/Online) ✓
13. **W-9 form** (Electronic/Online) ✓

## Uploaded Documents

EDIT

1. test document upload to ensure e-bidding active

### E-Bid Confirmation

After clicking "Submit Response" the following process will begin:

- We will verify that your response is complete as entered.
- You will see a confirmation page with your confirmation number and date/time stamp of your upload.
- You will receive a confirmation e-mail indicating a successful response submittal.
- You may track your response submission under the View Responses page.


If you do not receive any of the above, please call Supplier Services at (206) 940-0305.

<< Return

Submit Response

## Confirmation of Response

- When you complete you will receive a confirmation
- This is a confirmation that what you uploaded will be visible to the agency when the bid closes, **this is not** a confirmation that all your documents were fill out or submitted correctly



The screenshot shows a web interface for 'E-Bid Response Details'. It lists the following information:

- Agency Name:** City of Port St. Lucie, Procurement Management Department
- Bid Number:** EBID-20180218-0-2018/er
- Bid Name:** **sculpture on Lawn at City Hall Temporary Art Installation**
- Bid Due Date:** 1/9/2019 2:00:00 PM Eastern time
- Bid Opening:** 100 days, 1 hour, 6 minutes, 46 seconds
- Response #:** 15104

A yellow highlighted box contains the text: **Results** Your bid response is submitted.

At the bottom left, there is a button labeled '<< Return'.

# Post Submission Edits

If you feel like you missed something or need to make a change you can go back to your submittal response and edit your e-bid. By clicking on “DETAILS” then “EDIT” the section you wish

Bid Identifier	Agency Name	Bid Status	Broadcast	Date Due ▼	Name	Status	Actions
EBID-20190077-0-2019/HF	City of Port St. Lucie, Procurement Management Department	Active	4/25/2019	5/31/2019	Purchase Breaching “Backpack” Kits, Gas Masks and Gas Mask Cartridges for the Police Department JAG Grant Funded	Incomplete	<a href="#">Details, Bid, History</a>

## Contact Information

**EDIT**

**Company Name** Sample DBE Company  
**Address 1** 509 Olive Way  
**Address 2**  
**City** Seattle  
**State** Washington  
**Postal Code** 98101  
**Phone** 2063739233  
**Fax** 2063739233  
**Country** United States of America  
**Bid Amount** \$0.00  
**Alternate Bid Amount**  
**Notes**



## Agency Required Documents

**EDIT**

1. Bid Reply (Electronic/Online) ✓