Grigalauski, Chuck

From: Grigalauski, Chuck
Sent: Friday, June 01, 2012 12:50 PM
To: Czech, Donna
Cc: Marvel, Todd
Subject: FW: Inspections at Veolia Evanston Transfer Station during the summer ...

Let's plan on one inspection in July, and one in August during the warm months since complaints have historically been for odors. I'll put them on your list for a additional staff assignment in July '12 so as to balance out the work load w/other staff. There is already an inspection scheduled for August '12 anyway. Thanks.

From: Marvel, Todd
Sent: Friday, June 01, 2012 12:43 PM
To: Grigalauski, Chuck
Subject: FW: Inspections at Veolia Evanston Transfer Station during the summer ...

Sorry for the bad news (see Scott's response below).

From: Phillips, Scott
Sent: Friday, June 01, 2012 11:59 AM
To: Marvel, Todd
Cc: Clay, Doug; Purseglove, Paul
Subject: Re: Inspections at Veolia Evanston Transfer Station during the summer ...

Todd,

Please plan on more frequent inspections regardless of any specific citizen complaints.

We must be proactive at this site.

Let me know the inspection schedule for the site.

Thanks.

Scott

From: Marvel, Todd
Sent: Friday, June 01, 2012 11:54 AM
To: Phillips, Scott; Clay, Doug
Cc: Purseglove, Paul
Subject: RE: Inspections at Veolia Evanston Transfer Station during the summer ...

We are not planning on more frequent inspections at this facility this summer unless citizen complaints or other outside forces dictate more frequent inspections.

Todd

From: Phillips, Scott
Sent: Friday, June 01, 2012 9:33 AM
To: Clay, Doug; Marvel, Todd

Cc: Purseglove, Paul
Subject: Inspections at Veolia Evanston Transfer Station during the summer ...

Doug and Todd,

Are we going to once again conduct more frequent inspections during the summer at the Veolia Evanston Transfer Station in Evanston?

Thanks.

Scott

From: Phillips, Scott
Sent: Tuesday, March 06, 2012 2:33 PM
To: Elzinga, Sherrie
Cc: Clay, Doug; Nightingale, Steve; Nifong, Heather; Albarracin, Hernando; Colantino, Steve
Subject: RE: Evanston Day in Springfield on March 7th

Sherrie,

Here are BOL's comments on potential issues relating to the City of Evanston:

1. Veolia Evanston Transfer Station Update (Steve Nightingale)

On October 21, 2011, a Supplemental permit was issued to Veolia Solid Waste ES-Midwest for the Veolia-Evanston Transfer Station. The modification authorized the plan to replace the single existing bi-fold door with four smaller overhead garage-type doors, which will allow for better litter, dust, noise and vector (rodent) control at the facility, by opening only as many doors as needed for the truck traffic at any time. The application was submitted in mid-August, and the operator requested an expedited review.

On September 20, 2011, a Supplemental permit was issued to Veolia Solid Waste ES-Midwest for the Veolia-Evanston Transfer Station for 1) an expanded entrance and 2) to omit the condition regarding the need for local zoning approval (for installation of the tarping station previously approved, as it was too close to the street for zoning purposes).

2. Keep Evanston Beautiful Grant (Heather Nifong)

On February 6, 2012, Illinois EPA approved a $6,000 grant for Keep Evanston Beautiful; the Comptroller's Office should issue the check later this week. Grant funds will be used to support a new Zero Waste Initiative and an Adopt-a-Spot program in partnership with the City of Evanston.

3. Z.I.F. Enterprises, Inc. LUST Site (Hernando Albarracin)

Z.I.F. Enterprises, Inc.
555 Howard Street, Evanston
LUST Incident No. 20090670

Free product is being removed with an approved system while investigation to define the extent of contamination has been ongoing. A Site Investigation Completion Report was approved on March 2, 2012, which documented the results of the investigation and showed soil contamination is defined to the alleyway to the north and Howard St to the south. Soil contamination remains on site to the east and west. Groundwater contamination migrates a short distance off site in all directions except the east. The investigation and remediation has been proceeding in a timely manner. The consultant has also been quick to respond to vapors in the adjacent building to the west and has been monitoring a vent system installed there.

City officials have made several inquiries on this site, trying to determine the extent as they have area properties that they would like to redevelop. I have explained that the investigation has shown contamination does not migrate far from the site, based on the results of the investigation; however, modeling remains to be performed.

MTBE is not an issue here so future modeling is unlikely to predict a large area of impact. Evanston has an Agency-approved groundwater ordinance. Once the free product is fully addressed, this site should have no problems closing with Highway Authority Agreements to the north and south and other institutional controls.

A Corrective Action Plan and budget should be submitted next, and we will review it as soon as it is received.

4. Brownfield Grant (Steve Colantino)

Steve Colantino has been providing brownfields technical assistance to the city for several years. Last summer he worked with Susan Gutterly with the City to prepare a federal grant application for a City of Evanston Revolving Loan Fund. Illinois was going to administer the fund for the City similar to what we are doing with the City of Rock Island.

A few weeks before the grant deadline, but after the application was completed, Susan called Steve to advise that the Mayor unexpectedly and without explanation directed her not to submit the application to USEPA, which was unfortunate because Region 5 was very supportive of the co-administered City/State RLF concept given the success in Rock Island. Susan was very apologetic and confused by her administrations decision not to file the application.

Please let me know if you have any questions or if you need any additional information.

Thanks.

Scott

From: Elzinga, Sherrie
Sent: Monday, March 05, 2012 9:09 AM
To: Willhite, Marcia; Kroack, Laurel; Phillips, Scott; Clay, Doug
Cc: Hoffman, Karen A.; VonLanken, Vicky; DeRochi, Rochelle; Kim, John J.
Subject: FW: Evanston Day in Springfield on March 7th

Hi all:

John Kim is meeting with Evanston officials on Wed., March 7th at the Capitol. BOL is putting some information together on the Veolia Transfer Station but if there are other issues that you know of that he should be briefed on, please send me a few sentences by the end of the day tomorrow. Thanks. Sherrie

---

From: Kim, John J.
Sent: Friday, March 02, 2012 4:25 PM
To: Elzinga, Sherrie
Cc: DeRochi, Rochelle
Subject: RE: Evanston Day in Springfield on March 7th

Sure. Can we have BOL put together some refresher information on Evanston for me? Thanks.

John J. Kim
Illinois Environmental Protection Agency
1021 North Grand Avenue, East
P.O. Box 19276
Springfield, IL 62794-9276
217.785.8628
217.782.9807 (Fax)
E-mail: john.j.kim@illinois.gov

From: Elzinga, Sherrie
Sent: Friday, March 02, 2012 3:05 PM
To: Kim, John J.
Cc: DeRochi, Rochelle
Subject: Fw: Evanston Day in Springfield on March 7th

John -- are you available on Wednesday at 3 PM? Sherrie

From: Swentkofske, Matthew [mailto:mswentkofske@cityofevanston.org]
Sent: Friday, March 02, 2012 03:00 PM
To: Elzinga, Sherrie
Subject: RE: Evanston Day in Springfield on March 7th

Hi Sherrie,

Would 3:30 work? I have secured room M-1 in the Stratton Building as a meeting place. It would be with Evanston Alderman Peter Braithwaite and a few residents. The want to discuss environmental regulations regarding wasted transfer stations. Below you will find a few pieces of information on the issue from the city's perspective.

http://www.cityofevanston.org/transfer-station-information/index.php

http://www.cityofevanston.org/news/2011/08/mayor-requests-iepa-to-reject-veolia-permit-change-request/

Thanks for agreeing to meet!

Matt Swentkofske
Intergovernmental Affairs Coordinator
City of Evanston
mswentkofske@cityofevanston.org
847-859-7835
262-389-0501 cell

Dial 3-1-1 for non-emergency City services and information.

From: Elzinga, Sherrie [mailto:Sherrie.Elzinga@Illinois.gov]
Sent: Tuesday, February 28, 2012 9:29 AM

To: Swentkofske, Matthew
Subject: RE: Evanston Day in Springfield on March 7th

Yes, the Capitol will be fine. We do now have an Appropriation Hearing that day so once I know the time we can work around that. Let's just be in touch this week. Thanks. Sherrie

---

From: Swentkofske, Matthew [mailto:mswentkofske@cityofevanston.org]
Sent: Monday, February 27, 2012 2:51 PM
To: Elzinga, Sherrie
Cc: DeRochi, Rochelle
Subject: RE: Evanston Day in Springfield on March 7th

Sherrie,

I am so sorry that I have not responded, but your email got trapped in our filtering system. I am so grateful that he is able to meet with us.

Is it possible to do the meeting in the Capitol?

Matt Swentkofske
Intergovernmental Affairs Coordinator
City of Evanston
mswentkofske@cityofevanston.org
847-859-7835
262-389-0501 cell

Dial 3-1-1 for non-emergency City services and information.

From: Elzinga, Sherrie [mailto:Sherrie.Elzinga@Illinois.gov]
Sent: Thursday, February 16, 2012 5:36 PM
To: Swentkofske, Matthew
Cc: DeRochi, Rochelle
Subject: Evanston Day in Springfield on March 7th

Hi Matt:

I wanted to let you know that Interim Director John Kim received your invitation to meet on March 7th when you will be in Springfield. He would be pleased to meet with you and I would be happy to arrange a time. I am out of the office

beginning tomorrow through Feb. 27th but my assistant Rochelle (email address above) will be available to assist. She will be back in the office on Tuesday, Feb. 21st. If there are any environmental issues that you would like us to be prepared to discuss, please let me know. Both Rochelle and I can be reached at 217/782-9540. If I remember correctly we actually spoke last year before your group came to town. Looking forward to working with you again.

Sherrie Elzinga
Assistant to the Director
217/782-9540

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Transfer Station Inspection Checklist

County: Cook LPC#: 0310810003 Region: 2 - Des Plaines

Location/Site Name: Evanston/Evanston Transfer Station

Date: 07/26/2012 Time: From 11:20am To 12:10pm Previous Inspection Date: 08/30/2011

Inspector(s): Donna Czech Weather: 80 F

No. of Photos Taken: # 10 Samples Taken: Yes # No ☒

Interviewed: Ryan Strong Facility Phone No.: 847/833-1067

Permitted/Unpermitted Owner Mailing Address

Veolia ES Solid Waste Midwest, LLC
1660 Hubbard Avenue, 2nd Floor
Batavia, Illinois 60510

Permitted/Unpermitted Operator Mailing Address

Veolia ES Solid Waste Midwest, LLC
2800 Shermer Road
Northbrook, Illinois 60062

RECEIVED
AUG 0 8 2012
IEPA/BOL

AUTHORIZATION:

1. OP Permit 1984-2-DE/OP 2. Unpermitted: ☐
3. Exp Date

	SECTION	DESCRIPTION	VIOL.
		ILLINOIS ENVIRONMENTAL PROTECTION ACT REQUIREMENTS	
1.	9(a)	**CAUSE, THREATEN OR ALLOW AIR POLLUTION IN ILLINOIS**	☐
2.	9(c)	**CAUSE OR ALLOW OPEN BURNING**	☐
3.	12(a)	**CAUSE, THREATEN OR ALLOW WATER POLLUTION IN ILLINOIS**	☐
4.	12(d)	**CREATE A WATER POLLUTION HAZARD**	☐
5.	21(a)	**CAUSE OR ALLOW OPEN DUMPING**	☐
6.	21(d)	**CONDUCT ANY WASTE-STORAGE, WASTE-TREATMENT, OR WASTE- DISPOSAL OPERATION:**	
	(1)	Without a Permit or in Violation of Any Conditions of a Permit (See Permit Provisions)	☐
	(2)	In Violation of Any Regulations or Standards Adopted by the Board	☐
7.	21(e)	**DISPOSE, TREAT, STORE, OR ABANDON ANY WASTE, OR TRANSPORT ANY WASTE INTO THE STATE AT/TO SITES NOT MEETING REQUIREMENTS OF ACT AND REGULATIONS**	☐
8.	21(p)	**CAUSE OR ALLOW THE OPEN DUMPING OF ANY WASTE IN A MANNER WHICH RESULTS IN ANY OF THE FOLLOWING OCCURRENCES AT THE DUMP SITE:**	
	(1)	Litter	☐
	(3)	Open Burning	☐
9.	21.6(a)	**KNOWINGLY MIX LIQUID USED OIL WITH MUNICIPAL WASTE FOR DISPOSAL AT A LANDFILL**	☐
10.	22.14	**SETBACK REQUIREMENTS**	☐
11.	22.22(a)	**KNOWINGLY MIX LANDSCAPE WASTE FOR DISPOSAL AT A LANDFILL**	☐

IEPA - DIVISION OF RECORDS MANAGEMENT
RELEASABLE
OCT 06 2015
REVIEWER MED

12.	22.23(f)	KNOWINGLY CAUSE OR ALLOW THE DISPOSAL OF ANY LEAD-ACID BATTERY IN A LANDFILL	☐
13.	22.28(a)	COLLECT WHITE GOODS FOR THE PURPOSE OF DISPOSAL BY LANDFILLING	☐
14.	55(b)(1)	KNOWINGLY MIX ANY USED OR WASTE TIRES, EITHER WHOLE OR CUT, WITH MUNICIPAL WASTE	☐
15.	55(k)	NO PERSON SHALL:	
	(1)	Cause or Allow Water to Accumulate in Used or Waste Tires	☐
	(4)	Transport Used or Waste Tires in Violation of the Registration and Placarding Requirements	☐
16.	56.1	NO PERSON SHALL:	
	(b)	Cause or Allow the Delivery of Any Potentially Infectious Medical Waste for Transport, Storage, or Transfer Without Proper Packaging	☐
	(d)	Cause or Allow the Delivery or Transfer of Any Potentially Infectious Medical Waste for Transport Without Permits and/or Manifests	☐
	(e)	Cause or Allow the Acceptance of Any Potentially Infectious Medical Waste for Purposes of Transport, Storage or Transfer Without Proper Packaging and Storage	☐
	(g)	Cause or Allow Any Potentially Infectious Medical Waste Storage or Transfer Without a Permit	☐
		35 ILLINOIS ADMINISTRATIVE CODE REQUIREMENTS SUBTITLE G	
17.	722.111	HAZARDOUS WASTE DETERMINATION	☐
18.	807.201	CAUSING OR ALLOWING THE DEVELOPMENT OF A NEW SOLID WASTE MANAGEMENT SITE WITHOUT A DEVELOPMENT PERMIT ISSUED BY THE AGENCY, OR ALLOWING MODIFICATION OF AN EXISTING SITE WITHOUT A DEVELOPMENT PERMIT ISSUED BY THE AGENCY	☐
19.	807.202(a)	CAUSING OR ALLOWING THE USE OR OPERATION OF A SOLID WASTE MANAGEMENT SITE WITHOUT AN OPERATING PERMIT ISSUED BY THE AGENCY	☐
20.	807.210	SUPPLEMENTAL PERMITS	☐
21.	808.121(a)	SPECIAL WASTE DETERMINATION	☐
22.	809.301	REQUIREMENTS FOR DELIVERY OF SPECIAL WASTE TO HAULERS	☐
23.	809.302(a)	ACCEPTANCE OF SPECIAL WASTE FROM A WASTE HAULER WITHOUT A WASTE HAULING PERMIT AND/OR MANIFEST	☐
24.	809.501	MANIFESTS, RECORDS, ACCESS TO RECORDS, REPORTING REQUIREMENTS AND FORMS	
	(a)	Delivery of Special Waste to Hauler	☐
	(g)	Retention of Special Waste Manifests	☐

OTHER REQUIREMENTS			
25.	OTHER:	APPARENT VIOLATION OF: (☐) PCB; (☐) CIRCUIT COURT CASE NUMBER: ORDER ENTERED ON:	☐
26.			☐
			☐
			☐

PERMIT PROVISIONS	
PERMIT NUMBER	DESCRIPTION OF VIOLATION (condition # of permit, page # of permit, and/or page # of approved application)

Informational Notes

1. [Illinois] Environmental Protection Act: 415 ILCS 5/4.
2. Illinois Pollution Control Board: 35 Ill. Adm. Code, Subtitle G.
3. Statutory and regulatory references herein are provided for convenience only and should not be construed as legal conclusions of the Agency or as limiting the Agency's statutory or regulatory powers. Requirements of some statutes and regulations cited are in summary format. Full text of requirements can be found in references listed in 1. and 2. above.
4. The provisions of subsection (p) of Section 21 and subsection (k) of Section 55 of the [Illinois] Environmental Protection Act shall be enforceable either by administrative citation under Section 31.1 of the Act or by complaint under Section 31 of the Act.
5. This inspection was conducted in accordance with Sections 4(c) and 4(d) of the [Illinois] Environmental Protection Act: 415 ILCS 5/4(c) and (d).
6. Items marked with an "NE" were not evaluated at the time of this inspection.

RECEIVED
AUG 0 8 2012
IEPA/BOL

0310810003 -- Cook County
Evanston/Evanston Transfer Station

Author: Donna Czech

Narrative

On July 26, 2012 a solid waste inspection was conducted at the subject site in order to determine the facility's compliance with its operating permit (1984-2-DE/OP) and the applicable regulations. The inspection was conducted in response to a special request from Springfield (See attached). Ryan Strong, the site manager, was interviewed during the inspection. The weather was about 80°F and the site conditions were damp.

In 2006, Veolia Environmental Services, the parent company of Onyx Waste Services Midwest, Inc., decided to change the name of its Onyx companies to Veolia. The subject facility has been operating as Veolia Environmental Services since that time.

The site's permitted operating hours to receive waste are from 6:00am to 6:00pm Monday through Saturday. The quantity of waste currently being accepted is approximately 600 tons a day. The facility accepts municipal solid waste and construction and demolition debris.

The following materials are not accepted at this facility: hazardous waste, special waste, electronic waste, yard waste and potentially infectious medical waste (PIMW). Solid waste that leaves the subject facility is currently being shipped to Zion Landfill in Zion, Illinois for disposal.

Scrap tires are pulled out of loads of incoming refuse and stored in a closed container in the yard south of Church Street. When the container is filled, it is taken to Northbrook Transfer Station (another Veolia facility) where the tires are consolidated for shipment to Shred–All Recycling in Chicago, Illinois.

White goods are not received at the subject facility. Incidental amounts of scrap metal, when they are received, are loaded into the transfer trailers for disposal.

The new transfer station building has been completed and has been in operation since November 2005. A new scale house has been constructed along with a new scale for incoming vehicles. The existing scale for outgoing vehicles was relocated to an area adjacent to the new scale office. Loaded transfer trailers are weighed on a scale inside the loading ramp.

All waste is removed from the tipping floor at the end of the operating day. About three times a week, the tipping floor is cleaned with a sweeper after the waste has been removed. Waste is sometimes stored overnight in covered transfer trailers at this facility. No waste may be stored on site over the weekend or over any non-operating days.

IEPA-DIVISION OF [illegible] MANAGEMENT
[illegible]
OCT 06 2015
REVIEWER MED

Litter is collected from the transfer station grounds throughout the operating day. A street sweeper is used to clean the grounds on site and the nearby streets. An exterminator (Anderson Pest Control) inspects the facility every month for vector control.

Recyclable materials (cardboard and paper) were not being accepted at the time of this inspection. During a meeting held on September 21, 2010 between Jeffrey Ellerd of Veolia and Chuck Grigalauski, the Regional Manager at the Agency's Des Plaines office, it was agreed that the Evanston Transfer Station is authorized to accept commingled or source separated recyclables under the existing operating permit.

Evanston Transfer Station received authorization to install a tarping station along the west property line with the issuance of Supplemental Permit No. 2010-461-SP, dated December 1, 2010. The tarping station had not been constructed as of the date of this inspection. Mr. Strong stated that Veolia is waiting for approval from the City of Evanston to install the tarping station. Other proposed activities at the site include demolition of the building located at 1711 Church Street and the addition of an above ground diesel fuel tank on the transfer station property.

In a supplemental permit application (Log No. 2011-286) dated June 22, 2011, Veolia requested modifications to the site entrance following the demolition of the building located at 1711 Church Street. The application also requested the removal of Condition 17 from Supplemental Permit No. 2010-461-SP. That condition requires all site modifications to be approved by the local unit of government under its zoning jurisdiction. The Agency approved Veolia's revised plan for the entrance of the facility and approved changes to Condition 17 with the issuance of Supplemental Permit No. 2011-286-SP, dated September 20, 2011. Mr. Strong stated that Veolia is waiting for approval from the City of Evanston to begin demolition of the building located at 1711 Church Street.

Veolia submitted a second supplemental permit application (Log No. 2011-372) dated August 16, 2011. That application requested modifications to the transfer station building including replacing the bi-fold aircraft hangar style doors with four standard high lift garage doors. The Agency approved Veolia's plan to install new doors on the transfer station building with the issuance of Supplemental Permit No. 2011-372-SP, dated October 21, 2011. Four new high lift garage doors have been installed on the transfer station building to replace the existing doors (See diagram of new doors attached). Mr. Strong stated that the new doors were installed about three weeks ago.

There was no disagreeable odor detected at the site at the time of this inspection. A portable turbine unit that sprays a deodorizing chemical directly on the refuse that has been unloaded on the tipping floor was being used at the time of this inspection. The unit, which is capable of spraying with a large amount of pressure, is used during very hot weather in addition to the misting system installed in the ceiling of the transfer station building. The misting system, which is used to spray a deodorizing chemical, is operated during the warm weather to minimize the strength of the odor from the refuse. A new misting system was recently installed in the


ceiling to replace the old system. The new system is positioned lower and it sprays the deodorizing chemical on the refuse more effectively than the original system.

At the time of this inspection, no apparent violations of the facility's operating permit or the applicable regulations were observed.

DJC:kp:0310810003.9

0310810003 – Cook County
EVANSTON TRANSFER STATION
JULY 26, 2012

EVANSTON, ILLINOIS



1 SITE PLAN

SYMBOLS

SYMBOLS

LOCATION MAP


ELECTRICAL ENGINEER:
ELECTRICAL DESIGN SYSTEMS CORP.
510 EXCHANGE COURT
AURORA, ILLINOIS 60504

PLUMBING ENGINEER:
SHERMAN MECHANICAL
1075 ALEXANDER COURT
CARY, ILLINOIS 60013

ARCHITECT:
CARL R. KLIMEK AND ASSOCIATES
175 NORTH FRANKLIN STREET, SUITE 210
CHICAGO, ILLINOIS 60606
TEL (312) 236-6774
FAX (312) 236-4565

CIVIL ENGINEER:
NORMAN J. TOBERMAN ASSOCIATES
2101 SOUTH ARLINGTON HEIGHTS ROAD, SUITE 165
ARLINGTON HEIGHTS, ILLINOIS 60005

HVAC ENGIN
PRAIRIE MECHAN
2256 SOUTHWIN
BARTLETT, ILLINO



SOUTH ELEVATION
Scale: 3/32 = 1'-0"

Notes:
1) Install new sectional doors with
commercial operators.
2) Install new Barrier Bollards to match
existing as close as practical.

Transfer Station Door Modifications
VEOLIA ES Solid Waste Midwest, LLC.
1711 Church Street Evanston, Illinois

Metropolitan Construction Services, LLC

South Exterk

Illinois Environmental Protection Agency
Bureau of Land
Division of Land Pollution Control


LPC #0310810003 — Cook County
Evanston/Evanston Transfer Station
FOS File

DIGITAL PHOTOGRAPHS

File Names: 0310810003~07262012 -[Exp. #]. jpg



Date: 7/26/12
Time: 11:30am
Direction: Northeast
Photo by: D. Czech
Exposure #: 001
Comments: Sign at Entrance to Facility



Date: 7/26/12
Time: 11:30am
Direction: North
Photo By: D. Czech
Exposure #: 002
Comments: New High Lift Garage Doors Recently Installed


Misting System for Odor Control (Operation is Visible in Open Doorways)

Illinois Environmental Protection Agency
Bureau of Land
Division of Land Pollution Control


LPC #0310810003 — Cook County
Evanston/Evanston Transfer Station
FOS File

DIGITAL PHOTOGRAPHS

File Names: 0310810003~07262012 -[Exp. #]. jpg



Date: 7/26/12
Time: 11:30am
Direction: North
Photo by: D. Czech
Exposure #: 003
Comments: Refuse Unloaded on the Tipping Floor




Date: 7/26/12
Time: 11:30am
Direction: Northeast
Photo By: D. Czech
Exposure #: 004
Comments: Small Pile of Wood on the Tipping Floor (to be Mixed With Refuse)

Illinois Environmental Protection Agency
Bureau of Land
Division of Land Pollution Control


LPC #0310810003 — Cook County
Evanston/Evanston Transfer Station
FOS File

DIGITAL PHOTOGRAPHS

File Names: 0310810003~07262012 -[Exp. #]. jpg



Date: 7/26/12
Time: 11:30am
Direction: Northeast
Photo by: D. Czech
Exposure #: 005
Comments: Turbine Portable Misting System (Foreground) for Odor Control




Date: 7/26/12
Time: 11:30am
Direction: East
Photo By: D. Czech
Exposure #: 006
Comments: Storm Water Detention Basin

Illinois Environmental Protection Agency
Bureau of Land
Division of Land Pollution Control

LPC #0310810003 — Cook County
Evanston/Evanston Transfer Station
FOS File


DIGITAL PHOTOGRAPHS

File Names: 0310810003~07262012 -[Exp. #]. jpg



Date: 7/26/12
Time: 11:30am
Direction: East
Photo by: D. Czech
Exposure #: 007
Comments: Loading Ramp for Transfer Trailers

Drums at Left Contain Deodorizing Chemicals




Date: 7/26/12
Time: 11:30am
Direction: South
Photo By: D. Czech
Exposure #: 008
Comments: View of Yard From the Northwest Corner

Employee Picking Up Litter

DIGITAL PHOTOGRAPHS

File Names: 0310810003~07262012 -[Exp. #]. jpg



Date: 7/26/12
Time: 11:30am
Direction: North
Photo by: D. Czech
Exposure #: 009
Comments: Scale House at Center; Inbound Scale at Right; Outbound Scale at Left



Date: 7/26/12
Time: 11:30am
Direction: East
Photo By: D. Czech
Exposure #: 010
Comments: Scrap Tires in a Closed Container in the Yard South of Church Street