Illinois EPA FOIA Exemption Reference Sheet

SID: 15372

Agency ID: 170000450884
Bureau ID: 0310810003
Site Name: Veolia-Evanston TS
Site Address1: 1711 Church St
Site Address2:
Site City: Evanston
Media File Type: LAND
State: IL
Zip: 60201-

This record has been determined to be partially or wholly exempt from public disclosure

Exemption Type:

Redaction

Exempt Doc #: 23
Document Date: 3 /1 /2023
Staff: MED

Document Description: IEPA/FOS COMPLAINT

Category ID: 01
Category Description: FIELD OPERATIONS/INSPECTIONS
Exempt Type: Redaction
Permit ID: 6063
Date of Determination: 8 /31/2023

Illinois Environmental Protection Agency
Field Operations Section

Complaint Investigation Form

Wednesday, March 1, 2023

Complaint Id:	6063	**Origin:**	Public	**County:**	Cook
Date Received:	3/1/2023	**Source:**	Email	**Region:**	Des Plaines
Received By:	Sunil Suthar	**Bureau Id:**	0310810003	**Referred:**	Delegated Agency
Investigated By:		**Status:**	Closed - Referred		
Investigated Dt:					
Complaint Site Name:	Veolia-Evanston TS	**Inventory Site Name:**	Veolia-Evanston TS		

Complaint Summary

Complainant alleges since April of 2022 odors are coming from the transfer station. The complainant stated that if it is above ~50ish degrees outside, the odor coming from the transfer facility is horrendous. The odor is worse as the temperature rise. The odor is sulfuric in nature and smells like rotting garbage and trash.

Observation

None

Location

Site address, directions to property, and detailed description of location on property:
Veolia-Evanston TS
Veolia-Evanston TS 1711 Church Street Evanston, IL 60201
Latitude DD: 42.04873000 **Longitude DD:** -87.69692000

Responsible Party(s)

Complainant
[redacted]
Phone: [redacted]
E-Mail: [redacted]

Responsible Party
Veolia TS
1711 Church Street
Evanston, IL, 60201
Phone: 630-373-0634
E-Mail:

People Interviewed

Contact	Phone	E-Mail
NONE		

Complaint Findings/Notes

IEPA - DIVISION OF RECORDS MANAGEMENT
RELEASABLE

AUG 31 2023

REVIEWER: MED