

1/21/97, 1/22/97  
1/30/97, 2/12/97

6-0-97

AN ORDINANCE

Amending the BOCA 1996 National Building Code  
Thirteenth Edition and Amending City Code  
Section 4-2-1(C), Both Relating to Elevators

WHEREAS, the City of Evanston adopted the BOCA 1996 National Building Code Thirteenth Edition by Ordinance 112-0-96; and

WHEREAS, adoption of said BOCA Building Code is provided for in Title 4, Chapter 2 of the Evanston City Code of 1979, as amended; and

WHEREAS, certain amendments, additions, and exceptions to the BOCA Building Code are set forth in Title 4, Chapter 2, Section 4-2-1(C),

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF EVANSTON, COOK COUNTY, ILLINOIS:

Section 1: That section 4-2-1(C) of the Evanston City Code of 1979, as amended, be, and it hereby is further amended by the following addition, in appropriate numerical order:

3013.1 Referenced Standard: All existing elevators shall conform to the following sections of ASME A17.3:

1. Emergency standby lighting and alarm bell shall be installed inside every elevator no later than January 1, 1999.
2. Provide door restriction devices, per ASME A17.3, Section 2.7.4, no later than January 1, 1999.
3. Telephones or a means of two-way communications per ASME A17.3, Section 3.11, shall be installed in every passenger elevator no later than January 1, 2000.

4. Firefighter recall and service shall be installed to conform to the requirements of ASME A17.1 on all elevators with a rise of 25 feet or more above or below the main floor, no later than January 1, 2003.

SECTION 2: That all ordinances or parts of ordinances in conflict herewith are hereby repealed.

SECTION 3: That this ordinance shall be in full force and effect from and after its passage, approval, and publication in the manner provided by law.

Introduced: January 27, 1997

Adopted: February 10, 1997

Approved: February 11, 1997

Lorraine H. Norton  
Mayor

ATTEST:

Kristen S. Davis  
City Clerk (APM)

Approved as to form:  
[Signature]  
Corporation Counsel